



Товарищество с Ограниченной Ответственностью "Казэлектрорэмсервис"

<http://kazers.nethouse.ru/>

Компрессоры с воздушным охлаждением серии DL

№	Модель	Напряж., В/ Вес, кг	Цена в рознице с НДС 12%, тенге
1	DL-0.8/13-RA (7.5 кВт, SKK44)	380/400	1 320 853
2	DL-0.8/13-RF (7.5 кВт, SKK44)	380/400	1 967 228
3	DL-1.0/10-RA (7.5 кВт, SKK44)	380/400	1 320 853
4	DL-1.0/10-RF (7.5 кВт, SKK44)	380/400	1 967 228
5	DL-1.2/8-RA (7.5 кВт, SKK44)	380/400	1 320 853
6	DL-1.2/8-RF (7.5 кВт, SKK44)	380/400	1 967 228
7	DL-1.2/13-RA (11.0 кВт, SKK55LM-A)	380/450	2 090 882
8	DL-1.2/13-RF (11.0 кВт, SKK55LM-A)	380/450	2 905 876
9	DL-1.5/10-RA (11.0 кВт, SKK55LM-A)	380/450	2 090 882
10	DL-1.5/10-RF (11.0 кВт, SKK55LM-A)	380/450	2 905 876
11	DL-1.7/8-RA (11.0 кВт, SKK55LM-A)	380/450	2 090 882
12	DL-1.7/8-RF (11.0 кВт, SKK55LM-A)	380/450	2 905 876
13	DL-1.7/13A-RA (15.0 кВт, SKK55LM-A)	380/500	2 135 847
14	DL-1.7/13A-RF (15.0 кВт, SKK55LM-A)	380/500	3 001 427
15	DL-2.2/10A-RA (15.0 кВт, SKK55LM-A)	380/500	2 135 847
16	DL-2.2/10A-RF (15.0 кВт, SKK55LM-A)	380/500	3 001 427
17	DL-2.3/13-RA (18.5 кВт, SKK82LM)	380/600	2 585 499
18	DL-2.3/13-RF (18.5 кВт, SKK82LM)	380/600	3 552 251
19	DL-2.4/8A-RA (15.0 кВт, SKK55LM-A)	380/500	2 135 847
20	DL-2.4/8A-RF (15.0 кВт, SKK55LM-A)	380/500	3 001 427
21	DL-2.7/10-RA (18.5 кВт, SKK82LM)	380/600	2 585 499

22	DL-2.7/10-RF (18.5 кВт, SKK82LM)	380/600	3 552 251
23	DL-2.7/13-RA (22 кВт, SKK82LM)	380/650	2 613 602
24	DL-2.7/13-RF (22 кВт, SKK82LM)	380/650	3 765 836
25	DL-3.0/8-RA (18.5 кВт, SKK82LM)	380/600	2 585 499
26	DL-3.0/8-RF (18.5 кВт, SKK82LM)	380/600	3 552 251
27	DL-3.0/8-GA (18.5 кВт, SKK93MM)	380/600	2 619 223
28	DL-3.0/8-GF (18.5 кВт, SKK93MM)	380/600	3 602 837
29	DL-3.2/10-RA (22 кВт, SKK82LM)	380/650	2 613 602
30	DL-3.2/10-RF (22 кВт, SKK82LM)	380/650	3 765 836
31	DL-3.6/8-RA (22 кВт, SKK82LM)	380/650	2 613 602
32	DL-3.6/8-GA (22 кВт, SKK93MM)	380/650	2 883 393
33	DL-3.6/8-RF (22 кВт, SKK82LM)	380/650	3 765 836
34	DL-3.6/8-GF (22 кВт, SKK93MM)	380/650	4 063 730
35	DL-3.7/13-RA (30 кВт, SKK82LM)	380/900	3 288 080
36	DL-3.7/13-RF (30 кВт, SKK82LM)	380/900	4 519 003
37	DL-4.5/10-RA (30 кВт, SKK82LM)	380/900	3 288 080
38	DL-4.5/10-RF (30 кВт, SKK82LM)	380/900	4 519 003
39	DL-4.8/13-RA (37 кВт, SKK93MM)	380/1050	3 310 563
40	DL-4.8/13-RF (37 кВт, SKK93MM)	380/1050	4 811 276
41	DL-5.0/8-RA (30 кВт, SKK82LM)	380/900	3 288 080
42	DL-5.0/8-RF (30 кВт, SKK82LM)	380/900	4 519 003
43	DL-5.6/10-RA (37 кВт, SKK93MM)	380/1050	3 310 563
44		380/1050	4 811 276
45	DL-6.0/8-RA (37 кВт, SKK93MM)	380/1050	3 310 563
46	DL-6.0/8-RF (37 кВт, SKK93MM)	380/1050	4 811 276
47	DL-6.0/8-GA (37 кВт, SKK108LM)	380/1050	4 339 142
48	DL-6.0/8-GF (37 кВт, SKK108LM)	380/1050	5 851 097
49	DL-6.0/13-RA (45 кВт, SKK108LM)	380/1150	4 592 071
50	DL-6.0/13-RF (45 кВт, SKK108LM)	380/1150	6 328 852
51	DL-6.9/10-RA (45 кВт, SKK108LM)	380/1150	4 592 071
52	DL-6.9/10-RF (45 кВт, SKK108LM)	380/1150	6 328 852
53	DL-7.5/8-RA (45 кВт, SKK108LM)	380/1150	4 592 071
54	DL-7.5/8-RF (45 кВт, SKK108LM)	380/1150	6 328 852
55	DL-7.5/8-GA (45 кВт, SKK13LF)	380/1150	5 114 792
56	DL-7.5/8-GF (45 кВт, SKK13LF)	380/1150	6 851 572
57	DL-7.5/13-RA (55 кВт, SKK108LM)	380/1650	5 289 032
58	DL-7.5/13-RF (55 кВт, SKK108LM)	380/1650	7 413 637
59	DL-8.7/10-RA (55 кВт, SKK108LM)	380/1650	5 289 032
60	DL-8.7/10-RF (55 кВт, SKK108LM)	380/1650	7 413 637
61	DL-10/8-RA (55 кВт, SKK108LM)	380/1650	5 289 032
62	DL-10/8-RF (55 кВт, SKK108LM)	380/1650	7 413 637
63	DL-10.5/8-GA (55 кВт, SKK126MM)	380/1650	6 193 956
64	DL-10.5/8-GF (55 кВт, SKK126MM)	380/1650	8 307 321
65	DL-10/13-RA (75 кВт, SKK126LM)	380/1800	6 756 021
66	DL-10/13-RF (75 кВт, SKK126LM)	380/1800	9 420 209
67	DL-12/10-RA (75 кВт, SKK126LM)	380/1800	6 756 021
68	DL-12/10-RF (75 кВт, SKK126LM)	380/1800	9 420 209
69	DL-12/10-GA (75 кВт, SKK148MM-C)	380/1800	7 930 737

70	DL-12/10-GF (75 κBT, SKK148MM-C)	380/1800	10 594 925
71	DL-12/13-GA (90 κBT, SKK148LM)	380/1900	8 504 043
72	DL-12/13-GF (90 κBT, SKK148LM)	380/1900	11 814 606
73	DL-13/8-RA (75 κBT, SKK126LM)	380/1800	6 756 021
74	DL-13/8-RF (75 κBT, SKK126LM)	380/1800	9 420 209
75	DL-13/8-GA (75 κBT, SKK148MM)	380/1800	7 514 809
76	DL-13/8-GF (75 κBT, SKK148MM)	380/1800	10 178 997
77	DL-14/10-GA (90 κBT, SKK148MH-C)	380/1900	8 003 806
78	DL-14/10-GF (90 κBT, SKK148MH-C)	380/1900	11 297 507
79	DL-14/13-GA (110 κBT, SKK148MM)	380/2400	10 448 788
80	DL-14/13-GF (110 κBT, SKK148MM)	380/2400	14 832 895
81	DL-16/8-GA (90 κBT, SKK148MM)	380/1900	8 807 559
82	DL-16/8-GF (90 κBT, SKK148MM)	380/1900	12 095 639
83	DL-16/10-GA (110 κBT, SKK148LM)	380/2400	11 398 678
84	DL-16/10-GF (110 κBT, SKK148LM)	380/2400	15 771 544
85	DL-16/13-GA (132 κBT, SKK148LM)	380/2500	11 460 505
86	DL-16/13-GF (132 κBT, SKK148LM)	380/2500	16 631 503
87	DL-20/8-GA (110 κBT, SKK170MM)	380/2400	12 522 808
88	DL-20/8-GF (110 κBT, SKK170MM)	380/2400	16 918 157
89	DL-20/10-GA (132 κBT, SKK170MM)	380/2500	12 657 704
90	DL-20/10-GF (132 κBT, SKK170MM)	380/2500	17 828 702
91	DL-20/13-GA (160 κBT, SKK170MM)	380/3000	14 175 279
92	DL-20/13-GF (160 κBT, SKK170MM)	380/3000	21 611 399
93	DL-21/13-GA (185 κBT, SKK170LM)	380/3200	15 147 652
94	DL-21/13-GF (185 κBT, SKK170LM)	380/3200	22 566 910
95	DL-22/8-GA (132 κBT, SKK170LM)	380/2500	13 180 424
96	DL-22/8-GF (132 κBT, SKK170LM)	380/2500	18 340 181
97	DL-23/10-GF (160 κBT, SKK170LM)	380/3000	22 162 223
98	DL-23/10-GA (160 κBT,SKK170LM)	380/3000	14 737 344
99	DL-27/8-GA (160 κBT, SKK192SM)	380/3000	16 760 778
100	DL-27/8-GF (160 κBT, SKK192SM)	380/3000	24 191 278
101	DL-27/13-GA (200 κBT, SKY192LM)	380/3800	19 256 347
102	DL-27/13-GF (200 κBT, SKY192LM)	380/3800	26 675 605
103	DL-30/8-GA (185 κBT, SKY192MM)	380/3200	21 774 398
104	DL-30/8-GF (185 κBT, SKY192MM)	380/3200	29 277 966
105	DL-30/10-GA (200 κBT, SKY192MH)	380/3800	23 505 558
106	DL-30/10-GF (200 κBT, SKY192MH)	380/3800	31 009 126
107	DL-35/8-GA (200 κBT, SKY192LM-C)	380/3800	23 505 558
108	DL-35/8-GF (200 κBT, SKY192LM-C)	380/3800	31 009 126
109	DL-35/10-GA (220 κBT, SKY192LH-C)	380/4100	25 596 440
110	DL-35/10-GF (220 κBT, SKY192LH-C)	380/4100	34 493 929
111	DL-40/8-GA (220 κBT, SKY192LM)	380/4100	26 169 746
112	DL-40/8-GF (220 κBT, SKY192LM)	380/4100	33 673 314
113	DL-40/10-GA (250 κBT, SKY258LH-C)	380/4500	27 456 875
114	DL-40/10-GF (250 κBT, SKY258LH-C)	380/4500	36 348 744
115	DL-46/8-GA (250 κBT, SKY258LM)	380/4500	27 445 634
116	DL-46/8-GF (250 κBT, SKY258LM)	380/4500	36 348 744
117	DL-46/10-GA (315 κBT, SKY258LH)	380/4500	38 478 970

118	DL-46/10-GF (315 кВт, SKY258LH)	380/4500	53 789 621
119	DL-58/8-GA (315 кВт, SKY258LMG2)	380/4500	39 440 101
120	DL-58/8-GF (315 кВт, SKY258LMG2)	380/4500	54 739 510
121	DL-59/8-GA (315 кВт, SKY297SM)	380/4500	40 552 990
122	DL-59/8-GF (315 кВт, SKY297SM)	380/4500	55 852 399
123	DL-58/10-GA (355 кВт, SKY258LMG2)	380/4500	42 216 702
124	DL-58/10-GF (355 кВт, SKY258LMG2)	380/4500	66 835 149
125	DL-65/8-GA (355 кВт, SKY258LMG1)	380/4500	42 216 702
126	DL-65/8-GF (355 кВт, SKY258LMG1)	380/4500	66 812 667
127	DL-66/8-GA (355 кВт, SKY297SM)	380/4500	42 986 731
128	DL-66/8-GF (355 кВт, SKY297SM)	380/4500	67 593 937
129	DL-70/8-GA (400 кВт, SKY258LMG)	380/4500	50 108 095
130	DL-70/8-GF (400 кВт, SKY258LMG)	380/4500	74 726 542
131	DL-72/8-GA (400 кВт, SKY297LM)	380/4500	51 277 190
132	DL-72/8-GF (400 кВт, SKY297LM)	380/4500	75 890 016

Примечание:

R – ременный привод

G – прямой привод

A – воздушное охлаждение

F – с преобразователем частоты