Issued by Technical Support Group, Canon Consumer Imaging

#### MODEL: i-SENSYS MF3010

## SUBJECT: New Product Support Guide

## NO: MFP-061 DATE: 07/11/2011 CLASSIFICATION: R3



i-SENSYS MF3010

The i-SENSYS MF3010 is Canon's latest compact Black and White 3-In-One multifunctional laser. The MF3010 offers a unique style that follows on from the success of the MF4400 and MF4500 series. The MF3010; which will sit below the MF4400 series in the i-SENSYS Mono MFP range, is aimed at individual users & Small office/home office (SoHo) environments. It has a sleek and stylish all Black design, similar to that of the MF4400 series.

The MF3010 is aimed at the lower end of the mono MFP market, targeting individuals who are looking to benefit from all the functions of an easy to use Black and White laser MFP. For individuals who want to do more than just print and have no requirement for Fax functionality, the MF3010 is perfect for their needs and very affordable. With its vertical display, the MF3010 can be used at desk level without the user needing to get out of their chair and look over the device. This is more engaging for the user and permits a better user experience.

The MF3010 is class leading in terms of low level power consumption and quick start-up/recovery times, a trait that has been adopted from the MF4400 series. Also through its minimalistic design and small footprint size, (with an exceptional narrow width of 372mm) it is the smallest Mono MFP in its class.

## **Key Features**

- MF3010 Print Speed: 18ppm, Copy Speed: 18cpm
- 1200 x 600 dpi (enhanced using A.I.R.) printing for professional prints & copies with sharp crisp text
- First Print Out Time (FPOT) of 7.8 secs or less
- Quick First Print performance
- Space saving design only 372mm width
- Vertical display
- Colour Scanner: 9600x9600 enhanced dpi
- 150 sheet paper cassette
- AIO Cartridge for maintenance free operation
- Only 1.4 Watts energy consumption in sleep mode
- Fast warm-up time due to On-Demand Fixing

Issued by Technical Support Group, Canon Consumer Imaging

## **Specifications**

Machine typeMono Laser All-in-OneAvailable functionsPrint, Copy and ScanPrinterPrintspeedPrint speedUp to 18 ppm (A4)Printing methodMonochrome laser beam printingPrint qualityUp to 1200 x 600 dpi with Automatic Image RefinementFirst Print Out Time7.8 secsPrint resolution600 x 400 dpiPrinter languagesUFRII-LTPrint margins5 mm-top, 6 mm- bottom, 5 mm-left and rightToner saver modeYesCopy speedUp to 18 ppm (A4)First Copy Output Time (FCOT)Approx. 12 seconds or lessCopy resolutionUp to 600 x 600 dpiCopy resolutionUp to 600 x 600 dpiCopy modesText, Text/Photo, Text/Photo+, PhotoMultiple copyUp to 50 copiesReduction / Enlargement50-200% in 10% incrementsToner saver modeNoOther features2 on 1, ID Card CopyScannerDyto to 500 x 600 dpiColour scanning depth24 bit/24 bit (input/output)Greyscales256 levelsCompatibilityTWAIN, WIAMax. scan width216 mmMedia handlingFlatbedScanner typeFlatbedPaper input (Standard)150-sheet trayPaper input (Standard)150-sheet trayPaper output100-sheetMedia sizesTray: A B5, A5, Executive, Envelope (COM10, Monarch, DL, B5, C5), LTR, LGL, Statement, Custom sizes: Width 76 x 216 mm; Length 127 x 356 mm.Media weightsTray: 60 to 163 g/m²		i-SENSYS MF3010	
Available functionsPrint, Copy and ScanPrinterImage: Copy and ScanPrint speedUp to 18 ppm (A4)Printing methodMonochrome laser beam printingPrint qualityUp to 1200 x 600 dpi with Automatic Image RefinementFirst Print Out Time7.8 secsPrint resolution600 x 400 dpiPrinter languagesUFRII-LTPrint resolution5 mm-top, 6 mm- bottom, 5 mm-left and rightToner saver modeYesCopy speedUp to 18 ppm (A4)First Copy Output Time (FCOT)Approx. 12 seconds or lessCopy modesText, Text/Photo, Text/Photo+, PhotoMultiple copyUp to 9 copiesReduction / Enlargement50-200% in 10% incrementsToner saver modeNoOther features2 on 1, ID Card CopyScannerColourTypeColourScan resolutionOptical: Up to 600 x 600 dpiColour scanning depth24 bit/24 bit (input/output)Greyscales256 levelsCompatibilityTWAIN, WIAMax. scan width216 mmMedia handlingScanner typePaper output100-sheetPaper output100-sheetMedia sizesTray: AA, B5, A5, Executive, Envelope, (COM10, Monarch, DL, B5, C5), LTR, LGL, Statement, Custom sizes: Width 76 x 216 mm; Length 127 x 356 mm.	Machine type	Mono Laser All-in-One	
Print speed Up to 18 ppm (A4) Printing method Monochrome laser beam printing Print quality Up to 1200 x 600 dpi with Automatic Image Refinement First Print Out Time 7.8 secs Print resolution 600 x 400 dpi Printer languages UFRII-LT Print margins 5 mm-top, 6 mm- bottom, 5 mm-left and right Toner saver mode Yes Copier C Copy speed Up to 18 ppm (A4) First Copy Output Time (FCOT) Approx. 12 seconds or less Copy resolution Up to 600 x 600 dpi Copy modes Text, Text/Photo, Text/Photo+, Photo Multiple copy Up to 9 copies Reduction / Enlargement 50-200% in 10% increments Toner saver mode No Other features 2 on 1, ID Card Copy Scanner Type Colour Scanner Colour Scanning depth 24 bit/24 bit (input/output) Greyscales 256 levels Compatibility TWAIN, WIA Max. scan width 216 mm Media handling Scanner type Flatbed Paper output 100-sheet Media sizes Tray: A4, B5, A5, Executive, Envelope (COM10, Monarch, DL, B5, C5), LTR, LGL, Statement, Custom sizes: Width 76 x 216 mm.			
Printing methodMonochrome laser beam printingPrint qualityUp to 1200 x 600 dpi with Automatic Image RefinementFirst Print Out Time7.8 secsPrint resolution600 x 400 dpiPrinter languagesUFRII-LTPrint margins5 mm-top, 6 mm- bottom, 5 mm-left and rightToner saver modeYesCopy speedUp to 18 ppm (A4)First Copy Output Time (FCOT)Approx. 12 seconds or lessCopy resolutionUp to 600 x 600 dpiCopy modesText, Text/Photo, Text/Photo+, PhotoMultiple copyUp to 500 x 600 dpiConer saver modeNoOther features2 on 1, ID Card CopyScannerScannerTypeColourScan resolutionOptical: Up to 9600 x 600 dpiColour scanning depth24 bit/24 bit (input/output)Greyscales256 levelsCompatibilityTWAIN, WIAMax. scan width216 mmMedia handlingScanner typePaper output100-sheetPaper output100-sheet trayPaper output100-sheet trayPaper output100-sheetMedia sizesPlain paper, Heavy paper, Recycled paper, Transparency, Label, Envelope, (COM10, Monarch, DL, B5, C5), LTR, LGL, Statement, Custom sizes: Width 76 x 216 mm; Length 127 x 356 mm.	Printer		
Printing methodMonochrome laser beam printingPrint qualityUp to 1200 x 600 dpi with Automatic Image RefinementFirst Print Out Time7.8 secsPrint resolution600 x 400 dpiPrinter languagesUFRII-LTPrint margins5 mm-top, 6 mm- bottom, 5 mm-left and rightToner saver modeYesCopy speedUp to 18 ppm (A4)First Copy Output Time (FCOT)Approx. 12 seconds or lessCopy resolutionUp to 600 x 600 dpiCopy modesText, Text/Photo, Text/Photo+, PhotoMultiple copyUp to 500 x 600 dpiConer saver modeNoOther features2 on 1, ID Card CopyScannerScannerTypeColourScan resolutionOptical: Up to 9600 x 600 dpiColour scanning depth24 bit/24 bit (input/output)Greyscales256 levelsCompatibilityTWAIN, WIAMax. scan width216 mmMedia handlingScanner typePaper output100-sheetPaper output100-sheet trayPaper output100-sheet trayPaper output100-sheetMedia sizesPlain paper, Heavy paper, Recycled paper, Transparency, Label, Envelope, (COM10, Monarch, DL, B5, C5), LTR, LGL, Statement, Custom sizes: Width 76 x 216 mm; Length 127 x 356 mm.	Print speed	Up to 18 ppm (A4)	
RefinementFirst Print Out Time7.8 secsPrint resolution600 x 400 dpiPrinter languagesUFRII-LTPrint margins5 mm-top, 6 mm- bottom, 5 mm-left and rightToner saver modeYesCopier0Copy speedUp to 18 ppm (A4)First Copy Output Time (FCOT)Approx. 12 seconds or lessCopy resolutionUp to 600 x 600 dpiCopy modesText, Text/Photo, Text/Photo+, PhotoMultiple copyUp to 9 copiesReduction / Enlargement50-200% in 10% incrementsToner saver modeNoOther features2 on 1, ID Card CopyScanner100 spical: Up to 600 x 600 dpiEnhanced: Up to 900 x 9600 dpiColour scanning depth24 bit/24 bit (input/output)Greyscales256 levelsCompatibilityTWAIN, WIAMax. scan width216 mmMedia handling50-sheet trayPaper output100-sheetPaper output100-sheetMedia sizesPlain paper, Heavy paper, Recycled paper, Transparency, Label, Envelope (COM10, Monarch, DL, B5, C5), LTR, LGL, Statement, Custom sizes: Width 76 x 216 mm; Length 127 x 356 mm.	Printing method		
Print resolution600 x 400 dpiPrinter languagesUFRII-LTPrint margins5 mm-top, 6 mm- bottom, 5 mm-left and rightToner saver modeYesCopierCopy speedUp to 18 ppm (A4)First Copy Output Time (FCOT)Approx. 12 seconds or lessCopy modesText, Text/Photo, Text/Photo+, PhotoMultiple copyUp to 600 x 600 dpiConer saver modeNoOther features2 on 1, ID Card CopyScannerOptical: Up to 600 x 600 dpiTypeColourScan resolutionOptical: Up to 600 x 600 dpiColour scanning depth24 bit/24 bit (input/output)Greyscales256 levelsCompatibilityTWAIN, WIAMax. scan width216 mmMedia handlingScanner typePaper output100-sheetPaper output100-sheetMedia typesPlain paper, Heavy paper, Recycled paper, Transparency, Label, Envelope, Index CardMedia sizesTray: A4, B5, A5, Executive, Envelope (COM10, Monarch, DL, B5, C5), LTR, LGL, Statement, Custom sizes: Width 76 x 216 mm.	Print quality		
Printer languagesUFRII-LTPrinter languagesUFRII-LTPrint margins5 mm-top, 6 mm- bottom, 5 mm-left and rightToner saver modeYesCopierCopy speedUp to 18 ppm (A4)First Copy Output Time (FCOT)Approx. 12 seconds or lessCopy resolutionUp to 600 x 600 dpiCopy modesText, Text/Photo, Text/Photo+, PhotoMultiple copyUp to 9 copiesReduction / Enlargement50-200% in 10% incrementsToner saver modeNoOther features2 on 1, ID Card CopyScannerTypeTypeColourScan resolutionOptical: Up to 600 x 600 dpiColour scanning depth24 bit/24 bit (input/output)Greyscales256 levelsCompatibilityTWAIN, WIAMax. scan width216 mmMedia handlingScanner typePaper output100-sheet trayPaper output100-sheet trayPaper outputPlain paper, Heavy paper, Recycled paper, Transparency, Label, Envelope, Index CardMedia sizesTray: A4, B5, A5, Executive, Envelope (COM10, Monarch, DL, B5, C5), LTR, LGL, Statement, Custom sizes: Width 76 x 216 mm.	First Print Out Time	7.8 secs	
Print margins5 mm-top, 6 mm- bottom, 5 mm-left and rightToner saver modeYesCopierCopy speedUp to 18 ppm (A4)First Copy Output Time (FCOT)Approx. 12 seconds or lessCopy resolutionUp to 600 x 600 dpiCopy modesText, Text/Photo, Text/Photo+, PhotoMultiple copyUp to 9 copiesReduction / Enlargement50-200% in 10% incrementsToner saver modeNoOther features2 on 1, ID Card CopyScannerTypeColourScan resolutionOptical: Up to 600 x 600 dpiColour scanning depth24 bit/24 bit (input/output)Greyscales256 levelsCompatibilityTWAIN, WIAMax. scan width216 mmMedia handlingScanner typeFlatbedPaper output100-sheetMedia typesPlain paper, Heavy paper, Recycled paper, Transparency, Label, Envelope, Index CardMedia sizesTray: A4, B5, A5, Executive, Envelope (COM10, Monarch, DL, B5, C5), LTR, LGL, Statement, Custom sizes: Width 76 x 216 mm.	Print resolution	600 x 400 dpi	
Toner saver modeYesCopierImage: Copy speedUp to 18 ppm (A4)First Copy Output Time (FCOT)Approx. 12 seconds or lessCopy resolutionUp to 600 x 600 dpiCopy modesText, Text/Photo, Text/Photo+, PhotoMultiple copyUp to 9 copiesReduction / Enlargement50-200% in 10% incrementsToner saver modeNoOther features2 on 1, ID Card CopyScannerImage: ColourTypeColourScan resolutionOptical: Up to 600 x 600 dpiColour scanning depth24 bit/24 bit (input/output)Greyscales256 levelsCompatibilityTWAIN, WIAMax. scan width216 mmMedia handlingScanner typeScanner typeFlatbedPaper output100-sheetMedia typesPlain paper, Heavy paper, Recycled paper, Transparency, Label, Envelope, Index CardMedia sizesTray: A4, B5, A5, Executive, Envelope (COM10, Monarch, DL, B5, C5), LTR, LGL, Statement, Custom sizes: Width 76 x 216 mm; Length 127 x 356 mm.	Printer languages	UFRII-LT	
CopierCopy speedUp to 18 ppm (A4)First Copy Output Time (FCOT)Approx. 12 seconds or lessCopy resolutionUp to 600 x 600 dpiCopy modesText, Text/Photo, Text/Photo+, PhotoMultiple copyUp to 9 copiesReduction / Enlargement50-200% in 10% incrementsToner saver modeNoOther features2 on 1, ID Card CopyScannerTypeTypeColourScan resolutionOptical: Up to 600 x 600 dpiEnhanced: Up to 9600 x 9600 dpiColour scanning depth24 bit/24 bit (input/output)Greyscales256 levelsCompatibilityTWAIN, WIAMax. scan width216 mmMedia handlingScanner typePaper output100-sheetPaper output100-sheetMedia typesPlain paper, Heavy paper, Recycled paper, Transparency, Label, Envelope, Index CardMedia sizesTray: A4, B5, A5, Executive, Envelope (COM10, Monarch, DL, B5, C5), LTR, LGL, Statement, Custom sizes: Width 76 x 216 mm; Length 127 x 356 mm.	Print margins	5 mm-top, 6 mm- bottom, 5 mm-left and right	
Copy speedUp to 18 ppm (A4)First Copy Output Time (FCOT)Approx. 12 seconds or lessCopy resolutionUp to 600 x 600 dpiCopy modesText, Text/Photo, Text/Photo+, PhotoMultiple copyUp to 9 copiesReduction / Enlargement50-200% in 10% incrementsToner saver modeNoOther features2 on 1, ID Card CopyScannerTypeColourColourScan resolutionOptical: Up to 600 x 600 dpiEnhanced: Up to 9600 x 9600 dpiColour scanning depth24 bit/24 bit (input/output)Greyscales256 levelsCompatibilityTWAIN, WIAMax. scan width216 mmMedia handlingScanner trayPaper output100-sheet trayPaper output100-sheetMedia typesPlain paper, Heavy paper, Recycled paper, Transparency, Label, Envelope, Index CardMedia sizesTray: A4, B5, A5, Executive, Envelope (COM10, Monarch, DL, B5, C5), LTR, LGL, Statement, Custom sizes: Width 76 x 216 mm; Length 127 x 356 mm.	Toner saver mode	Yes	
First Copy Output Time (FCOT)Approx. 12 seconds or lessCopy resolutionUp to 600 x 600 dpiCopy modesText, Text/Photo, Text/Photo+, PhotoMultiple copyUp to 9 copiesReduction / Enlargement50-200% in 10% incrementsToner saver modeNoOther features2 on 1, ID Card CopyScannerTypeTypeColourScan resolutionOptical: Up to 600 x 600 dpiEnhanced: Up to 9600 x 9600 dpiColour scanning depth24 bit/24 bit (input/output)Greyscales256 levelsCompatibilityTWAIN, WIAMax. scan width216 mmMedia handlingScanner trayPaper output100-sheet trayPaper output100-sheetMedia sizesTray: A4, B5, A5, Executive, Envelope, (COM10, Monarch, DL, B5, C5), LTR, LGL, Statement, Custom sizes: Width 76 x 216 mm; Length 127 x 356 mm.	Copier		
Copy resolutionUp to 600 x 600 dpiCopy modesText, Text/Photo, Text/Photo+, PhotoMultiple copyUp to 9 copiesReduction / Enlargement50-200% in 10% incrementsToner saver modeNoOther features2 on 1, ID Card CopyScannerTypeTypeColourScan resolutionOptical: Up to 600 x 600 dpiEnhanced: Up to 9600 x 9600 dpiColour scanning depth24 bit/24 bit (input/output)Greyscales256 levelsCompatibilityTWAIN, WIAMax. scan width216 mmMedia handling150-sheet trayPaper output100-sheetMedia typesPlain paper, Heavy paper, Recycled paper, Transparency, Label, Envelope, Index CardMedia sizesTray: A4, B5, A5, Executive, Envelope (COM10, Monarch, DL, B5, C5), LTR, LGL, Statement, Custom sizes: Width 76 x 216 mm; Length 127 x 356 mm.	Copy speed	Up to 18 ppm (A4)	
Copy modesText, Text/Photo, Text/Photo+, PhotoMultiple copyUp to 9 copiesReduction / Enlargement50-200% in 10% incrementsToner saver modeNoOther features2 on 1, ID Card CopyScannerTypeTypeColourScan resolutionOptical: Up to 600 x 600 dpi Enhanced: Up to 9600 x 9600 dpiColour scanning depth24 bit/24 bit (input/output)Greyscales256 levelsCompatibilityTWAIN, WIAMax. scan width216 mmMedia handlingScanner typeScanner typeFlatbedPaper output100-sheetMedia typesPlain paper, Heavy paper, Recycled paper, Transparency, Label, Envelope, Index CardMedia sizesTray: A4, B5, A5, Executive, Envelope (COM10, Monarch, DL, B5, C5), LTR, LGL, Statement, Custom sizes: Width 76 x 216 mm; Length 127 x 356 mm.	First Copy Output Time (FCOT)	Approx. 12 seconds or less	
Multiple copyUp to 9 copiesReduction / Enlargement50-200% in 10% incrementsToner saver modeNoOther features2 on 1, ID Card CopyScanner	Copy resolution	Up to 600 x 600 dpi	
Reduction / Enlargement50-200% in 10% incrementsToner saver modeNoOther features2 on 1, ID Card CopyScannerImage: ScannerTypeColourScan resolutionOptical: Up to 600 x 600 dpi Enhanced: Up to 9600 x 9600 dpiColour scanning depth24 bit/24 bit (input/output)Greyscales256 levelsCompatibilityTWAIN, WIAMax. scan width216 mmMedia handlingScanner typeScanner typeFlatbedPaper output100-sheet trayMedia typesPlain paper, Heavy paper, Recycled paper, Transparency, Label, Envelope, Index CardMedia sizesTray: A4, B5, A5, Executive, Envelope (COM10, Monarch, DL, B5, C5), LTR, LGL, Statement, Custom sizes: Width 76 x 216 mm, Length 127 x 356 mm.	Copy modes	Text, Text/Photo, Text/Photo+, Photo	
Toner saver modeNoOther features2 on 1, ID Card CopyScannerTypeTypeColourScan resolutionOptical: Up to 600 x 600 dpi Enhanced: Up to 9600 x 9600 dpiColour scanning depth24 bit/24 bit (input/output)Greyscales256 levelsCompatibilityTWAIN, WIAMax. scan width216 mmScanner typeFlatbedPaper input (Standard)150-sheet trayPaper output100-sheetMedia sizesTray: A4, B5, A5, Executive, Envelope, Index CardMedia sizesTray: A4, B5, A5, Executive, Envelope (COM10, Monarch, DL, B5, C5), LTR, LGL, Statement, Custom sizes: Width 76 x 216 mm; Length 127 x 356 mm.	Multiple copy	Up to 9 copies	
Other features2 on 1, ID Card CopyScannerImage: ColourTypeColourScan resolutionOptical: Up to 600 x 600 dpi Enhanced: Up to 9600 x 9600 dpiColour scanning depth24 bit/24 bit (input/output)Greyscales256 levelsCompatibilityTWAIN, WIAMax. scan width216 mmMedia handlingImage: Scanner typeScanner typeFlatbedPaper output100-sheetMedia typesPlain paper, Heavy paper, Recycled paper, Transparency, Label, Envelope, Index CardMedia sizesTray: A4, B5, A5, Executive, Envelope (COM10, Monarch, DL, B5, C5), LTR, LGL, Statement, Custom sizes: Width 76 x 216 mm; Length 127 x 356 mm.	Reduction / Enlargement	50-200% in 10% increments	
ScannerTypeColourScan resolutionOptical: Up to 600 x 600 dpi Enhanced: Up to 9600 x 9600 dpiColour scanning depth24 bit/24 bit (input/output)Greyscales256 levelsCompatibilityTWAIN, WIAMax. scan width216 mmMedia handlingScanner typeScanner typeFlatbedPaper output100-sheet trayMedia typesPlain paper, Heavy paper, Recycled paper, Transparency, Label, Envelope, Index CardMedia sizesTray: A4, B5, A5, Executive, Envelope (COM10, Monarch, DL, B5, C5), LTR, LGL, Statement, Custom sizes: Width 76 x 216 mm; Length 127 x 356 mm.	Toner saver mode	No	
TypeColourScan resolutionOptical: Up to 600 x 600 dpi Enhanced: Up to 9600 x 9600 dpiColour scanning depth24 bit/24 bit (input/output)Greyscales256 levelsCompatibilityTWAIN, WIAMax. scan width216 mmMedia handlingScanner typeScanner typeFlatbedPaper output100-sheetMedia typesPlain paper, Heavy paper, Recycled paper, Transparency, Label, Envelope, Index CardMedia sizesTray: A4, B5, A5, Executive, Envelope (COM10, Monarch, DL, B5, C5), LTR, LGL, Statement, Custom sizes: Width 76 x 216 mm; Length 127 x 356 mm.	Other features	2 on 1, ID Card Copy	
Scan resolutionOptical: Up to 600 x 600 dpi Enhanced: Up to 9600 x 9600 dpiColour scanning depth24 bit/24 bit (input/output)Greyscales256 levelsCompatibilityTWAIN, WIAMax. scan width216 mmMedia handlingScanner typeScanner typeFlatbedPaper output100-sheetMedia typesPlain paper, Heavy paper, Recycled paper, Transparency, Label, Envelope, Index CardMedia sizesTray: A4, B5, A5, Executive, Envelope (COM10, Monarch, DL, 	Scanner		
Enhanced: Up to 9600 x 9600 dpiColour scanning depth24 bit/24 bit (input/output)Greyscales256 levelsCompatibilityTWAIN, WIAMax. scan width216 mmMedia handlingScanner typeScanner typeFlatbedPaper input (Standard)150-sheet trayPaper output100-sheetMedia typesPlain paper, Heavy paper, Recycled paper, Transparency, Label, Envelope, Index CardMedia sizesTray: A4, B5, A5, Executive, Envelope (COM10, Monarch, DL, B5, C5), LTR, LGL, Statement, Custom sizes: Width 76 x 216 mm; Length 127 x 356 mm.	Туре	Colour	
Greyscales256 levelsCompatibilityTWAIN, WIAMax. scan width216 mmMedia handlingScanner typeScanner typeFlatbedPaper input (Standard)150-sheet trayPaper output100-sheetMedia typesPlain paper, Heavy paper, Recycled paper, Transparency, Label, Envelope, Index CardMedia sizesTray: A4, B5, A5, Executive, Envelope (COM10, Monarch, DL, B5, C5), LTR, LGL, Statement, Custom sizes: Width 76 x 216 mm; Length 127 x 356 mm.	Scan resolution		
CompatibilityTWAIN, WIAMax. scan width216 mmMedia handlingScanner typeScanner typeFlatbedPaper input (Standard)150-sheet trayPaper output100-sheetMedia typesPlain paper, Heavy paper, Recycled paper, Transparency, Label, Envelope, Index CardMedia sizesTray: A4, B5, A5, Executive, Envelope (COM10, Monarch, DL, B5, C5), LTR, LGL, Statement, Custom sizes: Width 76 x 216 mm; Length 127 x 356 mm.	Colour scanning depth	24 bit/24 bit (input/output)	
Max. scan width216 mmMedia handlingFlatbedScanner typeFlatbedPaper input (Standard)150-sheet trayPaper output100-sheetMedia typesPlain paper, Heavy paper, Recycled paper, Transparency, Label, Envelope, Index CardMedia sizesTray: A4, B5, A5, Executive, Envelope (COM10, Monarch, DL, B5, C5), LTR, LGL, Statement, Custom sizes: Width 76 x 216 mm; Length 127 x 356 mm.	Greyscales	256 levels	
Media handlingScanner typeFlatbedPaper input (Standard)150-sheet trayPaper output100-sheetMedia typesPlain paper, Heavy paper, Recycled paper, Transparency, Label, Envelope, Index CardMedia sizesTray: A4, B5, A5, Executive, Envelope (COM10, Monarch, DL, B5, C5), LTR, LGL, Statement, Custom sizes: Width 76 x 216 mm; Length 127 x 356 mm.	Compatibility	TWAIN, WIA	
Scanner typeFlatbedPaper input (Standard)150-sheet trayPaper output100-sheetMedia typesPlain paper, Heavy paper, Recycled paper, Transparency, Label, Envelope, Index CardMedia sizesTray: A4, B5, A5, Executive, Envelope (COM10, Monarch, DL, B5, C5), LTR, LGL, Statement, Custom sizes: Width 76 x 216 mm; Length 127 x 356 mm.	Max. scan width	216 mm	
Paper input (Standard)150-sheet trayPaper output100-sheetMedia typesPlain paper, Heavy paper, Recycled paper, Transparency, Label, Envelope, Index CardMedia sizesTray: A4, B5, A5, Executive, Envelope (COM10, Monarch, DL, B5, C5), LTR, LGL, Statement, Custom sizes: Width 76 x 216 mm; Length 127 x 356 mm.	Media handling		
Paper output100-sheetMedia typesPlain paper, Heavy paper, Recycled paper, Transparency, Label, Envelope, Index CardMedia sizesTray: A4, B5, A5, Executive, Envelope (COM10, Monarch, DL, B5, C5), LTR, LGL, Statement, Custom sizes: Width 76 x 216 mm; Length 127 x 356 mm.	Scanner type	Flatbed	
Media typesPlain paper, Heavy paper, Recycled paper, Transparency, Label, Envelope, Index CardMedia sizesTray: A4, B5, A5, Executive, Envelope (COM10, Monarch, DL, B5, C5), LTR, LGL, Statement, Custom sizes: Width 76 x 216 mm; Length 127 x 356 mm.	Paper input (Standard)	150-sheet tray	
Transparency, Label, Envelope, Index CardMedia sizesTray: A4, B5, A5, Executive, Envelope (COM10, Monarch, DL, B5, C5), LTR, LGL, Statement, Custom sizes: Width 76 x 216 mm; Length 127 x 356 mm.	Paper output	100-sheet	
A4, B5, A5, Executive, Envelope (COM10, Monarch, DL, B5, C5), LTR, LGL, Statement, Custom sizes: Width 76 x 216 mm; Length 127 x 356 mm.	Media types		
Media weights Tray: 60 to 163 g/m <sup>2</sup>	Media sizes	A4, B5, A5, Executive, Envelope (COM10, Monarch, DL, B5, C5), LTR, LGL, Statement, Custom sizes: Width 76	
	Media weights	Tray: 60 to 163 g/m <sup>2</sup>	

Interface & Software	
Interface type	USB 2.0 Hi-speed
Operating System compatibility	Windows 7/2000/ XP/ Vista Mac OS X Version 10.4.9 - 10.7.x <sup>1</sup>
	Linux <sup>2</sup>
Software and printer management	Presto! Page Manager, MF Toolbox
General features	
Duty cycle	Max. 8,000 pages per month
Warm-up Time	Approx.10 seconds from power on
Memory	64 MB
Control panel	1 digit LED
Dimensions with trays (W x D x H)	372 mm x 276 mm x 254 mm
Installation space (W x D x H)	572 mm x 632 mm x 608 mm
Weight	8.2 Kg
Operating environment	Temperature: 10 to 30°C (50 to 86°F) Humidity: 20 to 80% RH (no condensation)
Power Source	220-240 V (±10%), 50/60 Hz (±2 Hz)
Power Consumption	Maximum: Approx. 960W Active: Approx. 450W Sleep mode: Approx. 1.4 W Typical Electricity Consumption (TEC): 0.6 kWh
Noise Levels	Sound Power Active: 65.3dB or less, Standby: 43.0dB or less
	Sound Pressure Active: 50.4dB, Standby: Inaudible
Consumables	
Cartridges	Cartridge 725 (1,600 pages <sup>3</sup> ) <sup>4</sup>
Accessories/ options	

Standard disclaimers [1]	All specifications subject to change without notice Web distribution only. Driver release November 2011
[2]	Web distribution only. Linux support printing only. Driver release January 2012
[3]	Ships with 700 pages starter cartridge
[4]	Based on ISO/IEC 19752

Issued by Technical Support Group, Canon Consumer Imaging

## **New Features/Technologies**

#### Compact, robust and stylish design

Not only is the MF3010 stylish but it also compact with a class leading small footprint for its category. The MF3010 is the narrowest in its field at just 372mm compared to its competitors. The extremely small footprint of the MF3010 makes it ideal for the SOHO environment, where it can be placed on a desktop without using up too much space.

The design of the new MF3010 is based on the success of the MF4400 and MF4500 series. The Minimal design has similarities to these products and will strengthen Canon's identity across the MFP market.

When compared to "The world's smallest Mono Laser Printer" from Samsung, the MF3010 is only slightly larger, whilst adding scanning and copying functionality. This shows just how compact the MF3010 is for an MFP.

## Ease of Use

#### **User-friendly design**

The new MF3010 is very user friendly. The vertical display allows easy access to the features, without the need to stand over the machine to operate it. Thanks to the vertical display there is now no need to leave your chair as users can operate the MF3010 at desk level. The uncomplicated design makes using the MF3010 very user friendly. This makes it very appealing to the SOHO market. The All In One cartridge also provides maintenance free operation.

## Vertical display

- Speed of use
- Desk level display
- Remain seated to perform functions





Issued by Technical Support Group, Canon Consumer Imaging

## **Vertical display**



The simple display found on the MF3010 only has 6 buttons, making it very easy to the use and unintimidating from an end user point of view.

## Save time and energy with Quick First-Print technologies

With Canon's Quick First-Print performance, the MF3010 wakes quickly & is ready to print straight away from sleep mode. The unit springs into action the moment you need it, thanks to Canon's On-Demand fixing, high performance controller and On-Demand toners.

#### **Quick First-Print concept**

#### What are the benefits?

No Waiting - Quick First-Print means Canon laser products print without delay from sleep mode thanks to a quick wake-up from sleep mode. Most competitor Laser products incur lengthy warm-up times.

#### Why is this important?

Research highlights that the vast majority of print jobs in the office are 1-3 pages, with long periods of inactivity in between jobs, printers go into sleep mode. Long warm up times can be frustrating and waste time. The Canon i-SENSYS range overcomes this problem by combining 3 Canon technologies to give Quick First-Print.

**On Demand Fixing:** Ceramic heater transmits heat instantly to the fixing unit resulting in a quick wake-up form sleep mode and a 75% reduction in power consumption compared to conventional fixing systems.

**Canon's Controller technology**, CAPT/UFRII uses the superior processing power of modern host PCs to process and render print data quickly. This boosts print speeds even when printing complex or large documents.

**On Demand MS (Magnetic Spherical) toner** optimised for the fixing process and providing consistent and high quality output.



#### Superior energy efficiency

Thanks to Canon's On Demand fixing technology, which consumes 75% less energy than conventional fixing systems, the MF3010 consumes as little as 1.4 watt in energy saving mode- making it one of the most efficient printers in its class.

This model is also Energy Star certified with Typical Electricity Consumption (TEC) rating, of just **0.6** kWh/week.



#### All-In-One cartridge

Canon's All-In-One cartridge provides continuous high quality output and cost effective printing. Incorporating the toner, drum and cleaning units into one compact cartridge, the All-In-One cartridge reduces maintenance requirements and increases reliability.

With each cartridge change the printer unit is rendered practically new ensuring continuous high quality output. Furthermore, each printer ships with a full cartridge not a starter cartridge.

## **Consumable Information**

Cartridge number 725

Ships with starter cartridge:Yield 700 pages\*Standard cartridge:Yield 1,600 pages\*

\*Based on ISO/IEC 19752

## **Drivers, Software & Localisation**

Drivers:

Windows 7/2000/Server 2003/ Server 2008/ XP/ Vista Mac OS X version 10.4.9-  $10.7.x^{1}$  Linux <sup>2</sup>

<sup>[1]</sup> Web distribution only. Driver release November 2011 <sup>[2]</sup> Web distribution only. Supports Printing only. Driver release January 2012

#### **Bundled Programs:**

- MF Toolbox
- Presto! Page Manager

## **Useful Part Numbers**

Description	Part Number
i-SENSYS MF3010	5252B012A
Cartridge 725	3484B002A

## Warranty and Support

The i-SENSYS MF3010 will come with a one-year RTB warranty covered under the European Warranty System.

## Training

TBC.

Issued by Technical Support Group, Canon Consumer Imaging

## Helpdesk

Further information on all the new features and technology can be found at:

Website:

Product Info:	http://www.canon-europe.com/Products_Solutions/index.asp	
Support:	http://www.canon-europe.com/Support/index.asp	
Tel:	0844 369 0100*	*The cost per call is 5p per minute using a fixed line with BT. Charges can vary depending on telecom provider. Please check with your provider to find out the exact charges.

## **Additional Documentation**

Copies of Material Safety Data Sheets (MSDS) are available upon request at the following address: -

http://domcenvp01.cgn.canoneuropa.com/CENV/ENV/CENVMSDS.nsf/INTERNALWEBMSDSLAND?openpage

The information supplied within this document is Canon Confidential & is correct at date of issue however is subject to change at any time without prior notice in writing or otherwise.