

# EXEDY has an App on IOS!

With the App you will be able to search and browse EXEDY's massive product line-up of OEM Replacement Clutches, Performance Clutches and Transmission Parts.

This app will help you find the clutch you need for your application as well as answer some frequently asked questions.

This app will only work on iPhone 5s, 6, 6 plus, 6s, and 6s plus. Will be available for



#### **Table of Contents**

About EXEDY	5
echnology	.5-6
XEDY Globalparts Corporation	7
Corporate Profile	
Vorldwide Network	9
XEDY Customer Portal	10
Part Number Legend	
erms and Conditions1	
Attention - Installation Warning	
Choosing the Correct Clutch 14	4-16
itage 1 - Organic Single Plate Clutch	17
stage 2 - Cerametallic	
Single Plate Clutch	
lywheels	19
Application Guide Stage 1, 2 and Flywheels 20	0.42
	0-43
stage 3 - Hyper Single Plate Clutch4	4-45
stage 4 & 5 - Hyper	
Multi Plate Clutch 40	
Hyper Carbon Series Clutch4	
Hyper Carbon-D Series Clutch 50	0-51
Application Guide  Hyper Series Clutches5	2-67
lyper Accessory Kits 68	
Typer Builder Series70	
lyper Single Repair Parts	
lyper Carbon Single	
Repair Parts	
lyper Multi-Plate Repair Parts 80	0-81
lyper Builder Series Repair Parts	82
lyper Carbon Multi-Plate	
Repair Parts 84	
Conversions8	6-88



## The Pursuit of Excellence

World's Largest Manufacturer of Sports/Performance/Racing **Clutch Products. Your prerequisite to WIN!** 

#### **About EXEDY**

EXEDY Corporation of Japan (formerly known as Daikin Manufacturing Company) is one of the largest independent OEM suppliers. We supply all of the major Japanese vehicle manufacture's as well as Ford and GM in the US. We are also the leading manufacturer of racing clutches in Japan and supply all six factory vehicle manufacturer's race teams. Unlike our competitors, our clutches are NOT rebuilt OE, or modified stock clutches. All EXEDY racing and performance clutches are engineered, designed and built from the ground up as race clutches, in the shadow of the OEM products. EXEDY's product innovations are patented worldwide and developed in house using state of the art design, inspection and testing equipment. Before any design goes into production it goes through rigorous tests that simulate severe driving conditions, which ensure perfect performance in your vehicle. Additionally, no part will leave the EXEDY factory without a robotic and visual inspection, which guarantees quality you can stand behind.

## Design

In addition to accumulated know-how as a clutch specialist, the latest CAD equipment

has been introduced. By utilizing CATIA (3D Design) and FEA (Finite Element Analysis) engineering, the most appropriate designs

and configurations are tailored to meet each customer's individual requirements. Diaphragm springs are a key component of the clutch assembly, they are designed and made by EXEDY for ultimate performance.

#### **Attestation**

We have developed a quality management system to continue offering high quality products and services. In August, 2004 we were ertified by the International Automotive Task Force (IATF) with the ISO/TS16949 for our quality standards.








# Inspection

**EXEDY Multi Plate Clutches are assembled** by hand with the finished products being

individually assessed for clamp load and release characteristics ensuring the highest quality at all times.









#### **Vehicle Test**

At the EXEDY test track, various driving conditions, from normal to severe, are evaluated with information being fed back to the clutch design department. In the actual vehicle, clutch systems are tuned to attain the best clutch performance for the given circumstances.



# **Expert Check**

Clutches developed for mass production have been tested in the field before being introduced into the market place. Experts in each category perform a thorough evaluation of performance clutches which ensures the products will be fit for sale after they pass these given tests.



#### **Bench Test**

Various benches have been developed by EXEDY. Tests far too dangerous to be conducted in a vehicle are reproduced on these test benches with the reloability of products being evaluated.



#### **Burst Tester**

Evaluation of rotational intensity at extreme high-speed tester.



#### High Speed Full Sized Tester

Evaluation of friction characteristic and durability of clutch disc.



#### Release Durability Tester

Evaluation of the intensity and fatigue of a diaphragm spring.



#### Torsional Durability Tester

Evaluation of the durability of clutch disc damper.



#### Low Inertia and High Torque Transient Dynamometer

Evaluation can be simulated to test: Damper attenuation rate. Rattling noise when the engine is idling. Performance when starting up from a stop. Acceleration shock. Cranking evaluation at engine start-up. Low temperature ATF tests at -30° C.



USA, Canada, Central & South America Aftermarket Division

#### **Warehouse Location**

Belleville, Michigan

10 minutes from Detroit Metropolitan Airport

Warehouse: 120K sqf

Land: 470K sqf

Employees: 60

Complete Aftermarket testing facility, which includes balancer, clamp load tester and hardness tester, hydraulic car lift.

In addition:

**OEM Sales** 

OEM Engineering, Designing and CAE Analysis

OEM Testing and Inspection
Aftermarket Sales and Marketing



Sports/Performance: Clutch Kits, Flywheels, Hyper Accessory Kits, Hyper Builders Series and Repair Parts

OEM Replacement: Clutch Kits, Clutch Covers, Clutch Discs, Hydraulic Systems and Flywheels

Dynax Wet Friction to Leading Transmission WDs







# **Corporate Profile**

- Incorporated as DAIKIN Manufacturing Co., Ltd.
- Established DYNAX Corporation in Hokkaido.
- 1975 Ueno Division Started in Mie.
- Established DAIKIN Clutch U.S.A., Inc.(present EGP) 1977
- Kawagoe plant started in Saitama.
- Changed Corporate name from "Daikin Mfg. Co., Ltd." to "EXEDY Corporation"
- Listed on 1st Section of Tokyo Stock Exchange.
- 1999 QS-9000 & ISO9001 Certified in March
- ISO14001 Certified in June 2000
- Strategic Alliance with Aisin Seiki Co., Ltd.
- ISO/TS16949 Certified in June

#### **Net Sales** (For the 2015 Fiscal Year) Exchange Rate: \$1= \( \)

¥268 Billion \$2.22 Billion (EXEDY Group)

¥116 Billion \$965 Million (EXEDY Corp.)

Number of Employees (As of March 31, 2016)

**17,872** (EXEDY Group)

3,884 (EXEDY Corp.)


**Annual Sales Growth** 




Expectation of the new head building

July 1950 stablished

Hidehito Hisakawa President & CEO



## **Worldwide Network**



#### **Aftermarket Group**

3601 Haggerty Road S., TFI ·1-734-397-3333 AX:1-734-397-7300



Auckland NEW ZEALAND TFI:64-9-444-0901 FAX:64-9-444-0903



arts wholesale hal No.3063-3065, Wufangtianya Auto Accessories&Parts Market, Chaoyang district, Beijing, CHINA



37 Ubi Crescent, Singapore 408586 TEL:65-6749-1395

700/316 Moo 6, Bangna-Trad Road, Tumbon Don Hua Roh, Amphur Muang, Chonburi 20000, THAILAND. TEL:66-38-214-423



Plot No.9, Udyog Kendra Industrial Area, Greater Noida, 201 304, U.P., INDIA TEL:91-750-3131000 FAX:91-120-2397086



Unit2, Rokeby Court Manor Park, Runcorn Cheshire TFL:44-1928-571850



No. 7F5 & 7F6 Jebel Ali Free UAF



P.H. World Trade Center Piso 3, Oficina 303 Marbella, Panama City, Republic of Panama TEL:507-395-7122/7123 FAX:507-395-7124



Vía Adolfo Lopez Mateos 9, Col. Lomas Verdes, Naucalpan, Edo. De Mexico, 53120, Mexico TEL:52-55-5572-5127



Jl. Permata V Lot EE 3 Kawasan Industri KIIC Karawang 41361 Jawa Barat, Indonesia TEL:62-21-89114666 FAX:62-21-89114568



PT 16748, Jalan Permata 1/5, Arab-Malaysian Industrial Park 71800 Nilai, MALAYSIA FAX:60-6-7996388



21 Fiveways Boulevard Victoria 3173 AUSTRALIA FAX:61-3-9701-5684



No.406 E-Area, Longfu Ca Accessories Centre, Henafu Road, Guangzhou, CHINA TFI -86-20-83489166 FAX:86-20-83489370

49 Loper Avenue, Aeroport Kempton Park, South Africa





No.4 Longjing Road, North New Economic Development Zone Chongqing, 401142, CHINA TEL:86-23-62924439 AX:86-23-62900348



Plot No.L-4, M.I.D.C. Industrial Area, Chikalthana, Aurangabad 431 210, Maharashtra, not AIDNI.H.N TEL:91-240-2484014 AX:91-240-2484403



## **EXEDY Customer Portal**

Customers can place PO's anytime, Check Stock & Track Orders - 24 hours, 365 days, No Human Error, No Retyping from Fax, No phone calls for inventory inquiry.

#### **ADVANTAGES TO USING THE PORTAL...**

#### **Orders**

Create New Order - Upload Excel/CSV/TSV files.

Manage Orders - View Open Orders and
Completed Orders.

#### **Inventory**

Item Inquiry - Check Availability of Product.

#### **Pricing**

View Price List - Check Current Pricing. Download Price List - Available in Excel/CSV/PDF formats.

#### **Statement**

View Statement - View Open Invoices. Download Statement - Available in Excel/CSV/PDF formats.

#### **Admin**

User Maintenance - Setup Users, Change Passwords.

Shipping Settings - Setup Shipping Address and Ship Method.

File Upload Settings - Upload Orders from Any Spreadsheet Program.


#### Help

Help & Guides - Information to Help You to use the Portal successfully. Contact Us - Give Us Your Comments, Suggestions and Inquiries.

#### **Points & Rewards**

Get points by Web Order & Exchange your point to Rewards or Discounts.

Sign-up for the portal by calling Customer Service at 1-800-346-6091 or emailing portal@exedyusa.com



\* Kit Number rules as above applies only suffix changes as necessary EGP number meaning 800-Organic, 900-Thin Ceramic, 950-Thick Ceramic

Me	eaning of Kit Suffixs
HD-Heavy Duty	P-Puck Type Disc
FW-Flywheel included	P4-4 Puck Disc
FWHD-Heavy Duty with Flywheel	A,B,C-Bearing Difference
LB-Less Bearing	XHD-Extreme Heavy Duty
CSC-Includes CSC	FWXHD-Flywheel included, Extreme Heavy Duty
CB-Cushion Button	PCSC-Puck Type Disc, Includes CSC

#### Legend for Sport Kit

First Number Characters 04-General Motors

05-Mitsubishi 06-Nissan 07-Ford

08-Acura/Honda

10-Mazda 15-Subaru

16-Toyota 17-Volkswagen

#### Legend for Maker

AU-Audi BM-BMW

CR-Chrysler

DW-Daihatsu/Daewoo

FM-Ford

GM-General Motors HC-Acura/Honda

IS-Isuzu

KI-Kia

MB-Mitsubishi
MF-Mitsubishi Fuso

ZC-Mazda ND-Nissan Diesel

NS-Nissan

OP-Opel

PG-Peugoet RN-Renault

TY-Toyota

VW-Volkswager

#### Legend for Flywheel Sport

HF-Acura/Honda EF-Ford GF-GM

ZF-Mazda

MB-Mitsubish FF-Subaru

NF-Nissan





SFI Foundation Inc. sets special specifications in automotive parts to protect both the driver and spectator. Many racing organizations and tracks now require SFI specifications for different classes and parts used. In general, as cars produce more power and go faster, these specifications become more and more strict. To ensure our customers can race without risk of disqualification EXEDY has tested and certified many of our clutch kits and flywheels such as Stages 1, 2, 3, 4, 5, Carbon Series and the Lightweight Flywheels.

REWARDS & CREDITS PROGRAM
EARN DOBOTE FOR PURCHASHING THE BUY. DETENTION FOR CONCURRENCE AND REPURANTE





# **Terms & Conditions**

- 1. All orders accepted by, and goods/products supplied by, EXEDY GLOBALPARTS CORPORATION, hereafter referred to as the Company, are subject to the following Terms and Conditions of Sale. Any exceptions and/or variations must be specifically agreed to in writing by both parties on sports and performance clutch products, warranties offered by the company on standard clutch products, do not apply to sports and performance clutch products.
- 2. Manufacturers' Names, Part Numbers, Symbols or any other references appearing in the Company's listing and/or on the Company Packaging, are used for reference purposes only and in no way indicate the goods/products are made by, for, and/or guaranteed by such manufacturers.
- 3. All data, applications and/or interchanges, contained in the Company's listing have been complied as carefully as possible from reliable and official sources of information available at the time of printing and appears as a general guide only. The information contained herein is correct to the best of the Company's knowledge and belief. However, the Company cannot, and will not, assume any responsibility for possible errors contained in this publication.
- 4. All goods/products supplied by the Company are warranted against faulty material and/or workmanship but will not cover maltreatment and damage caused by collision, incorrect fitting or normal wear and tear sustained and which is common in a sports clutch application.
  - Due to the intended use and nature of these goods/products, they are warranted as follows: Stage 1, Stage 2 and Flywheels - 60 days from date of purchase Stage 3, Stage 4 and Stage 5 - No Warranty available Individual components - No Warranty available
- 5. When the Company's clutch cover, clutch discs, or bearings are repackaged with another manufacturer's parts all warranties are void.
- 6. Claims will be rejected where clutch kits and/or clutch components have been fitted to incorrect or unlisted applications.
- 7. Flywheel must be resurfaced/machined to manufacturers specifications before new clutch kit is fitted otherwise warranty will be void.
- 8. Correct Selection of Products is the Responsibility of the Purchaser.
- 9. Any goods/products deemed by the Distributor to be faulty must contact our Technical Support Department at 800-346-6091 or by email: TechSupport@exedyusa.com to obtain an Inspection Request Form. A completed Inspection Request Form shall be returned for review, if approved a RGA number will be issued. The goods/products being returned must be sent to the Company freight prepaid.
- 10. No Claim Credit will be issued until the said goods/products have been tested and deemed faulty by the Company.

- 11. The Company will not pay any claim for goods/products repaired by the Customer and/or claims sight unseen.
- 12. The Company will not be liable for any labor charges or other expenses incurred nor shall it be liable for any damages or injury to persons or property resulting from misuse or improper installation.
- 13. It is the responsibility of the Company's Distributor to advise their customer on all aspects of this warranty and/or warranty procedures on any claim.
- 14. In the event the original purchaser of the clutch needs an urgent replacement kit, the purchaser must buy a new clutch kit from the original distributor. The Company will credit the price of this clutch if the said part sent in for a warranty claim is found to be faulty. A credit will be issued for the value at distributors pricing. Under no circumstance is the distributor without written authorization from the Company to issue a credit to the said purchaser of a faulty clutch.
- 15. All special ordered goods/products will not be accepted back for return.
- 16. The Company reserves the right to update or amend these Terms and Conditions at any time without prior notice.

#### COPYRIGHT/TRADEMARK INFRINGEMENT

- 1. "EXEDY" and/or its Logos are Registered Trademarks with the United States Patent & Trademark Office, (Registration No. 76482354, WIPO No. 1046491).
- 2. Trademark infringement is a serious violation of Federal law, subject to severe civil penalties; including, without limitation, injunctive relief, destruction of the infringing products, recovery of the infringer's profits and any actual damages caused by the infringement.
- Distributor is not allowed to use EXEDY" and/or its Logos, without expressed written consent.

# **ATTENTION - Installation Warning**

Please read before installation and advise driver of vehicle

#### **All Sports & Performance Clutches & Flywheels**

When installing a sports/performance clutch in certain vehicles, there can be an increase in transferred harmonic noises from the engine to the gearbox. This may also cause gearbox rattle. These transmitted noises in no way affect the performance of the clutch or the vehicle, and is accepted in the performance industry, where engine and/or clutch modifications have been carried out.

#### For example:

Replacing an OEM clutch assembly, dual mass flywheel, flex type flywheel, EXEDY silent design or a long travel clutch disc with a high torque center EXEDY sports/performance clutch disc can be the cause of some additional transmitted noise and/or harmonics.





# **Choosing the Correct EXEDY Sports Clutch**

- 1. What vehicle does the customer have? You will want to know the following.
  - a. Manufactures exact model and model year.
  - b. Engine size and engine code.
  - c. If they have altered the vehicle by doing a engine swap or a transmission swap.
  - d. If they have updated or back dated any of the engine and/or transmission components.
  - e. Good to know information if at all possible
    - 1. Input shaft size (measure the outer most diameter of the input shaft spline)
    - 2. Disc size outer diameter
    - 3. Vehicle chassis code
- 2. How much power does the vehicle make? Always ask the customer for torque output at the wheels. Horsepower is a very subjective figure so try to avoid using this figure.
  - a. If your customer is unsure about their torque output you will need to find out what modifications they have done to the vehicle. Knowing the vehicles base line torque output and basic research on how much additional power each component has added you can figure out the estimated torque output.
  - b. Since your estimated torque output will generally be a flywheel torque figure you will want to remove 20% from your estimated torque output to come up with your estimated wheel torque figure.
  - c. If the customer has not done any modifications there is no need for a sports/ racing clutch. Sport/racing clutches are intended to handle a increase in torque above and beyond the capacity of the OEM clutch. Sports/racing clutches are not going to last longer than that of a OEM clutch even if the vehicle is stock as that is not the purpose of a sports/racing clutch.
- 3. What type of driving is the customer going to be doing?
  - a. Street driving
  - b. Street / Strip / Weekend racer
  - c. Dedicated race car

# **Choosing the Correct EXEDY Sports Clutch**

- 4. Now that we know the vehicle model, torque output and type of driving the vehicle is being used for we can give the customer a good recommendation on clutch type (stage).
  - a. EXEDY Stage 1 clutch is great for the customer looking for a very smooth engaging clutch that is going to drive similar to the OEM unit but capable to handle moderate levels of modifications. This is a great option for the "street driver".
  - b. EXEDY Stage 2, 3, 4 Cerametallic disc with sprung hub center section is a great choice for the "street / strip / weekend racer" with applications to handle moderate to aggressive levels of modifications. These units offer a very consistent operation whether being raced or daily driven. The sprung hub center offers ease of engagement and absorbs many of the driveline vibrations at idle and during acceleration/ deceleration.
  - c. EXEDY Stage 4, 5 Cerametallic disc with solid hub center section is a great choice for the "dedicated race car" or very highly modified "street / strip / weekend racer" who doesn't not mind sacrificing drivability for performance. This type of clutch will offer a very consistent operation however chatter and driveline vibrations will be experienced due to the solid hub center section.
  - d. EXEDY Stage 3, 4 Carbon\*\* disc with sprung hub center section is a great choice for the "dedicated race car" who wants a very smooth engaging clutch with little to no driveline vibrations. The carbon disc is a very lightweight resulting in extremely quick shifts.
  - e. EXEDY Stage 3, 4, 5 Carbon\*\* disc with solid hub center section is a great choice for the "dedicated race car" who wants a very smooth engaging clutch that is very lightweight for extremely quick shifts.

\*\*Carbon clutches are not recommended for street use due to the inconsistent friction coefficient from hot to cold. Carbon clutches require a warm up procedure before being driven aggressively. Due to this nature we only recommend carbon clutches for race only applications or to customers who completely understand the characteristics of a carbon clutch. A very big misconception of a carbon clutch is that the vehicle is warm so isn't the clutch? These units work excellent on dedicated race cars due to the driver being able to do the warm up procedure prior to the start of the race and every time driver upshifts or downshifts at higher RPM he is continuing to add heat to the clutch disc. In a street car you often stop at lights, drive in a specific gear, or shift at a lower RPM not allowing adequate heat to be given to the clutch disc. Without heat in a carbon clutch the friction coefficient is significantly lower than when heated. It is at these points in a street car that the customer may decide to put the pedal to the metal causing the clutch to slip and wear out prematurely due to inadequate heat being in the clutch disc.





# **Choosing the Correct EXEDY Sports Clutch**

#### 5. Lightweight flywheels for the Stage 1, 2 clutch kits are great options to;

- a. Improve throttle response.
- b. Allow the engine to rev more quickly.
- c. Allow the clutch to operate cooler.
- d. Burst tested and SFI approved. Rated to 10,000+RPM.
- e. Remove the OEM dual mass flywheels.

All EXEDY lightweight flywheels are made from a one piece forged chromoly steel which utilize a nitrate hardening process, unique cooling ducts and distribute the weight evenly to allow for better drivability on the street.

#### 6. How to set-up and what to expect from an EXEDY sport/racing product.

- a. Break in period should be that of 500 miles of city type driving, double the break in period for highway driving. No aggressive driving. No hole shots or drag launches. Gear changes should be made at 4,000 RPM or less. No speed shifting.
- b. Installing a sports/racing clutch to suit various vehicles can transfer harmonic noises from the engine to the gearbox. This is also called gearbox rattle. This can occur at idle and during acceleration/deceleration.
- c. Clutch engagement can be compromised by installing a sports/racing clutch. This is due to the heavier torsional dampening springs and/or the solid hub center on the clutch disc. Another factor is due to reduction in cushion plate thickness within an organic clutch disc and/or no cushion plate on the cerametallic and carbon clutch discs. The best way to remedy this situation is a take off at a slightly higher RPM and/or let the clutch out a bit quicker.
- d. Since most of the Stage 4 and 5 multi-plate clutch kits have a free floating pressure plate and intermediate plate there will be a metal on metal noise when the clutch is depressed. This is common on most multi-plate clutches and is acceptable within the racing industry.

Stage 1 - Organic Friction Disc

#### **Ultra Fiber Disc**

This advanced facing material provides the high heat resistance essential for motorsports. It was developed by reviewing both the copper wire ratio and the composition of the high strength fiber. The Ultra Fiber Disc maintains the superior half-engagement feeling specific to the Organic material. With improved high heat resistance, it provides the functionality essential for street performance and mild racing applications.

## **Organic Disc**

Newly developed asbestos free friction facing is used, which has high heat resistance and high burst strength characteristics. No steel back is required which can cause high RPM "lock-out" and/or synchro damage. Superior in shift operations and half-engagement feel, this clutch disc is recommended for any sports/performance use.

#### **Clutch Cover**

These clutch covers are designed to achieve a clamping load that is approx. 40% higher than the genuine part allowing a higher torque transmitting capacity. Ductile material is used for all pressure plates and, high burst strength can be achieved in all temperature ranges with this material. EXEDY covers are finished by an electroplating process that is environmentally friendly.





# Stage 2 - Cerametallic Friction Disc

EXEDY cerametallic clutches are designed to handle the abuse of high power modified engines. Our cerametallic friction material can handle much more abuse than stock type disc assemblies without slipping and fading.

All EXEDY Stage 2 cerametallic clutch discs have sprung center dampers to reduce the impact and shock loads transmitted through the drivetrain. We offer two types of cerametallic discs, "thick" and "thin."

#### **Thick Disc**

The "thick" discs have better heat capacity and therefore better durability in demanding applications. Even with the "thick" disc, our three and four puck designs typically have less inertia than a stock disc and work well for street, rally and track use.

#### **Thin Disc**

The "thin" discs offer greatly reduced inertia to improve shift effort, allow for quicker shifting, and improve synchro durability. These discs are approximately 1/2 the thickness of a stock disc and are recommended for circuit track use only.

# Flywheels - Lightweight One Piece Chromoly

EXEDY flywheels combine low weight, low inertia and high thermal capacity. They are designed for lightly tuned racing cars for drag racing, autocross and rally events, as well as street usage. They are made from solid onepiece billet chromoly steel or chromoly steel forgings. They are specifically designed to reduce weight and inertia for better engine response. Most incorporate special design features to enhance the airflow which improves the cooling of the clutch. The ring gear teeth are integrated onto the flywheel unlike an aluminum flywheel where the ring gear is pressed onto the flywheel and has the possibility of separating from the flywheel due to the different expansion coefficients of aluminum versus steel. EXEDY steel billet and forged steel flywheels have passed engineering tests to 15,000-18,000 rpm. They are guaranteed not to fail to the said rpm, and are all SFI approved.





Stage 1 & 2 clutches have a 10-30% higher pedal effort than stcok due to higher clamp load.

Stage 2 thin are for circuit track only! Not for street, rally or drag use.

	-1			Sta	ge 2 thin are	for circ	uit track	only	y! Not for street	t, rally	or dra	g use.		-/-//				1. /					
						STAGE	1		STAGE	2 Thic	k Pad			STAC	GE 2 Th	nin Pac	ı	Disc	Spline	Light Fly	Weight wheel		Standard
Application	Engine Size	Year	Engine Code	Clamp Load	Kit Part #	Clutch Torque	TQ@ Flywheel		Kit Part #	Clutch Torque	TQ@ Flywheel	TQ@ Wheels		Kit Part #	Clutch Torque	TQ@ Flywheel	TQ@ Wheels		Teeth/ Major Dia (mm)	Part #	Weigh (lb)	Notes	Clutch Kit Part #
Acura								ì															
CL	2.2L/2.3L	97-99	F22B1/F23	1542	08805	298	238 1	191	08952	355	276	221		08901	355	276	221	220	24T/26				08014
									08952P4	355	276	221	77					220	24T/26			4 Puck design disc	08014
ntegra	1.8L	90-91	B18A1	1538	08804	297	233 1	187	08953	355	271	221		08903	355	275	220	220	24T/25	HF01	9.5	Cable Type Clutch	08017
Integra	1.7L/1.8L	92-93	B17A/B18A	1538	08800A	297	233 1	187	08950A	355	271	217		08900A	355	275	220	220	24T/26	HF01	9.5	GSR/VTEC, Cable Clutch	08028
			CVAVA	D					08950AP4	355	271	217						220	24T/26	HF01	9.5	4 Puck design disc, GSR/VTEC, Cable Clutch	08028
ntegra	1.8L	94-01	B18B/B18C	1538	08800B	297	233 1	187	08950B	355	271	217		08900B	355	275	220	220	24T/26	HF01	9.5	Hydraulic Clutch	KHC05
									08950BP4	355	271	217						220	24T/26	HF01	9.5	4 Puck design disc	KHC05
RSX Type S	2.0L	02-07	K20	1596	08806	303	241 1	193	08951	361	280	224		08905	361	307	246	215	24T/26	HF02	8.9	6 Speed	KHC10
l'Add	A. Barrer	7 2							08951P4	361	280	224						215	24T/26	HF02	8.9	6 Speed, 4 Puck design disc	KHC10
RSX	2.0L	02-07	K20	1596	08806FW	303	241 1	193	08951FW	361	280	224						215	24T/26	HF02	8.9	5 Speed, RSX (non Type S), Must use HF02, Kit includes flywheel	KHC09
									08951P4FW	361	280	224						215	24T/26	HF02	8.9	6 Speed, RSX (non Type S), Must use HF02, Kit includes flywheel	KHC09
TSX	2.4L	03-08	K24	1596	08806FW	303	241 1	193	08951FW	361	280	224						215	24T/26	HF02	8.9	Must use HF02 Flywheel, Kit includes flywheel	HCK1001
									08951P4FW	361	280	224						215	24T/26	HF02	8.9	Must use HF02 Flywheel, Kit includes flywheel	HCK1001
Chevrolet																							
Camaro, Z28	5.7L	98-02	LS-1	3372	04805FW	820	622 4	198	04954FW	1014	640	533						290	26T/29	GF502A	18	Cushion Button type Stage 2 Disc, 6 Speed, Must change flywheel to GF502 when using performance clutch kit (#04805FW, #04954FW), Includes Flywheel	04173
Camaro SS	6.2L	10-15	LS-3	3372	04804	820	622 4	198	04953	1014	640	533						290	26T/29.4	GF502A	18	Kit includes the CSC Hydraulic Slave Cylinder Assembly (BRG0175)	GMK1036
Cavalier	2.3L/2.4L	95-99	LD9	1785	04800	349	277 2	222										225	14T/25		18		04158
Cobalt	2.2L	05-10	L61	1866	04801	360	290 2	232	04950	435	337	270						225	14T/25	GF501A	10.5	Natural aspirated, Does not include CSC Hydraulic Slave Cylinder (BRG0143)	GMK1010
Cobalt SS	2.4L	05-10	LE5	1866	04801	360	290 2	232	04950	435	337	270						225	14T/25	GF501A	10.5	Natural aspirated, Does not include CSC Hydraulic Slave Cylinder (BRG0143)	GMK1010
Corvette	5.7L	97-04	LS-1/LS-6	3372	04805FW	820	622 4	198	04954FW	1014	640	533	) , (					290	26T/29	GF502A	18	C5, 6 Speed, Must change flywheel to GF502A when using performance clutch kit. Kit includes Flywheel	04173
Corvette	6.0L	05-08	LS-2	3372	04803	820	622 4	198	04952	930	734	587						290	26T/29.4	GF502A	18	Kit includes the CSC Hydraulic Slave Cylinder Assembly, C6, 6 Speed (BRG0167)	GMK1035
Corvette	7.0L	06-13	LS-7	3372	04803	820	622 4	198	04952	930	734	587						290	26T/29.4	GF502A	18	Kit includes the CSC Hydraulic Slave Cylinder Assembly (BRG0167)	GMK1035
Corvette	6.2L	09-13	LS-3	3372	04803	820	622 4	198	04952	930	734	587						290	26T/29.4	GF502A	18	Kit includes the CSC Hydraulic Slave Cylinder Assembly (BRG0167)	GMK1035
HHR	2.4L	06-11	LE5	1866	04801	360	290 2	232	04950	435	337	270						225	14T/25	GF501A	10.5	Natural aspirated, Does not include CSC Hydraulic Slave Cylinder (BRG0143)	GMK1010
Nova	1.6L	85-88	4ALC	1212	16804B	212	169 1	133	16954B	253	196	157						200	21T/24.1			Fuel Injected	16042
Chrysler																							
Conquest	2.6L	88-90	G54B	1895	10803B	250	310 2	248	10952B	298	361	295		10902B	298	361	295	236	23T/26.2			Turbo	05049
Conquest	2.6L	88-90	G54B	2360	10803BHD	486	387 3	310	10952BHD	580	450	360						236	23T/26.2			Turbo	05049



		· ·					- 1		/		11	_		///			1						
						STAGE '	1		STAGE 2	2 Thic	k Pad			STAGE	2 Thi	n Pad		Disc	Spline	Light Fly	Weight wheel		Standard
pplication	Engine Size	Year	Engine Code	Clamp Load	Kit Part #	Clutch Torque	TQ@ Flywheel	TQ@ Wheels	Kit Part #	Clutch Torque	TQ@ Flywheel	TQ@ Wheels		Kit Part #	Clutch Torque	TQ@ Flywheel	TQ@ Wheels		Teeth/ Major Dia (mm)	Part #	Weight (lb)	Notes	Clutch K Part #
odge																							
olt Vista	2.4L	92-94	4G64	2136	05800	413	329	264	05950	492	381	305		05900		347	278	225	20T/22.4				05048A
									05950P4	492	381	305						225	20T/22.4			4 Puck design disc	05048A
akota	3.9L	92-99		2473	01800	550	417	314	01950	639	490	374						265	10T/28.5				05065
stealth	3.0L	91-96	6G72	2136	05800	413	329	264	05950	492	381	305	V	05900		347	278	225	20T/22.4			2WD, Non-Turbo	05048
									05950P4	492	381	305						225	20T/22.4			4 Puck design disc, 2WD, Non-Turbo	05048
am Truck	5.9L	01-04		3260					CRK1004HD	1085	816	680						330	10T/35			Turbo Diesel, 6 Speed, Cushion Button Disc	
am Truck	5.9L	01-04	DW MOVE	4036	05805XHD	1336	840	635	05954XHD	1336	1000	760						330	10T/35			Turbo Diesel, 6 Speed, Cushion Button Disc	1/1/2
am Truck	5.9L	05-10		3260					CRK1005FWHD	1085	816	680						330	10T/35			6 Speed Turbo Diesel, Solid FW replacement for OEM Dual Mass FW, Includes Master and Slave Cylinder Hydraulic system, Includes Solid Flwheel, Cushion Button disc	
tam Truck	5.9L	05-10		4036	05806FWXHD	1336	840	635	05955FWXHD	1336	1000	760						330	10T/35			6 Speed Turbo Diesel, Solid FW replacement for OEM Dual Mass FW, Includes Master and Slave Cylinder Hydraulic system, Includes Solid Flwheel, Cushion Button disc	7/2
Eagle		- // (1																				5,500,	
Summit	2.4L	92-96	4G64	2136	05800	413	320	264	05950	402	381	305		05900		347	278	225	20T/22.4			Including Wagon	05071
, uninint	2.4L	32-30	4004	2130					05950P4	492		305				J41 		225	20T/22.4			4 Puck design disc, Including Wagon	05071
alon	2.0L	90-94	4G63	1544	05801			180										215	20T/22.4			Non-Turbo	05051
alon	2.0L	90-4/92	4G63T	2136	05800				05950	492		305		05900			278	225	20T/22.4			Turbo 2WD, 6 Bolt Crank	05048
aiOii	2.UL	30-4/32	40031	2130					05950P4	492		305				341		225	20T/22.4			4 Puck design disc, Turbo 2WD, 6 Bolt Crank	05048
alon	2.0L	5/92-98	4G63T	2136	05800	413			05950F4	492		305		05900		- 4=	278	225	20T/22.4			Turbo 2WD, 7 Bolt Crank	05048
aion	2.UL	3/32-30	40031	2130		413				492		305							20T/22.4			4 Puck design disc, Turbo 2WD, 7 Bolt Crank	05048
alon	2.01	00.4/00	4002T	2426	05000	442	220		05950P4							247	270	225			42.0		7 7 7
aion	2.0L	90-4/92	4G63T	2136	05800				05950 05950P4	492 492		305 305		05900		347	278	225 225	20T/22.4 20T/22.4	MF03	12.0 12.0	Turbo AWD, 6 Bolt Crank	05048 05048
olon	2.01	E/02.00	4C62T	2426	05000	442	220									247	270	- 11				4 Puck design disc, Turbo AWD, 6 Bolt Crank	7 7 7 7 7
alon	2.0L	5/92-98	4G63T	2136	05800				05950	492		305		05900		347	278	225	20T/22.4	MF01	12.0	Turbo AWD, 7 Bolt Crank	05048
-1 10	1/2	V 11		111/					05950P4	492	381	305						225	20T/22.4	MF01	12.0	4 Puck design disc, Turbo AWD, 7 Bolt Crank	05048
ord																							
scort/ZX2	2.0L	97-03	Zetec	1543	10801	298	238	191	10958	356	276	221						225	22T/24.3			SOHC/DOHC	07083
250-F350	7.3L	99-03		2997					FMK1008HD	998	816	680						330	10T/35			Turbo Diesel,6 Speed with direct fuel injection. EXEDY version includes solid FW. This kit must be installed as a matched set, Includes Cushion Button disc	-//
ocus	2.0/2.3L	04-07	Duratec	1566	07804	241	241	193	07954	361	280	224						225	23T/26.2	ZF502	12.5	OEM Flywheel (Dual Mass Flywheel) must be changed to ZF502 when using performance clutch Kit (#07804, #07954) Also need 6-crank bolts (part #1S7Z-6379-AA) from Dealer.	FMK1009
OEM Flywheel (I	Dual Mass Fl	ywheel) m	ust be change	d to ZF502 v		rforman	ice clut	tch Kit	t (#07804, #07954	1) Also	need 6	6-crank	bolts (part # 1S7Z-6379-AA)	) from Dealer.									
usion	2.3L	06-07	L3-VE	1543	10807	298	238	191	10956	361	276	221	11/ 1/11					225	22T/24.3	ZF502	12.5		FMK1004
lustang	4.0L	05-10		2271	07808FW	481	383	307												EF506	22.5	Includes Flywheel, Must be used with EF506, Will not work on OEM Flywheel, Includes CSC Hydraulic Slave Cylinder	
lustang	5.0L	86-95		2608	07800	586	438	365	07950	699	498	415						265	10T/27.5	EF504 EF505	13.3 13.0	EF504 - weights 13.3lbs (50oz. counter weight), EF505- weights 13.0lbs (28oz. counter weight)	07042
lustang	5.0L	86-95		2608	07801	586	438	365	07951	699	498	415						265	26T/29	EF504 EF505	13.3 13.0	Tremec Transmission, EF504 - weights 13.3lbs (50oz. counter weight), EF505- weights 13.0lbs (28oz. counter weight)	



							-		/		11	-		///			1						
						STAGE	1		STAGE 2	2 Thic	k Pad			STAGE	E 2 Thi	n Pad		Disc	Spline	Flyw			Standard
Application	Engine Size	Year	Engine Code	Clamp Load	Kit Part #	Clutch Torque	TQ@ Flywheel		Kit Part #	Clutch Torque	TQ@ Flywheel	TQ@ Wheels		Kit Part #	Clutch Torque	TQ@ Flywheel	TQ@ Wheels	Size (mm)	Teeth/ Major Dia (mm)	Part #	Weight (lb)	Notes	Clutch Ki Part #
ord continue	ed																						
Mustang	4.6L	96-04	2 \	2765	07805	639	510 4	408	07955	763	576	461						280	10T/27.5	EF503A (6 Bolt)	16.1	GT, Shelby GT, Bullitt, Cushion Button Disc	FMK1011
								(	07955P	763	576	461						280	10T/27.5	EF502A (8 Bolt)	16.1	GT, Shelby GT, Bullitt, Paddle Style Disc	FMK1011
					07806	639	510 4	408	07956	763	576	461						280	26T/29	EF503A (6 Bolt)	16.1	GT, Shelby GT, Bullitt, Tremec Transmission, Cushion Button Disc	FMK1012
									07956P	763	576	461						280	26T/29	EF502A (8 Bolt)	16.1	GT, Shelby GT, Bullitt, Tremec Transmission, Paddle Style Disc	FMK1012
lustang	4.6L	96-04		3372	07802	780	622 4	498	07952	930	734	587						280	10T/27.5	EF503A (6 Bolt)	16.1	Cobra, GT, Mach-1, Cushion Button Disc	KFM10
								(	07952P	930	734	587						280	10T/27.5	EF502A (8 Bolt)	16.1	Cobra, GT, Mach-1, Paddle Style Disc	KFM10
Mustang	4.6L	96-04		3372	07803	780	622 4	498	07953	930	734	587	) (					280	26T/29	EF503A (6 Bolt)	16.1	Tremec Transmission, Cushion Button Disc	403
									07953P	930	734	587						280	26T/29	EF502A (8 Bolt)	16.1	Tremec Transmission, Paddle Style Disc	
lustang	4.6L	05-10		2765	07805CSC	639	510 4	408	07955CSC	763	576	461						280	10T/27.5	EF503A (6 Bolt)	16.1	GT, Shelby GT, Bullitt, Cushion Button Disc	FMK1011
									07955PCSC	763	576	461						280	10T/27.5	EF502A (8 Bolt)	16.1	GT, Shelby GT, Bullitt, Paddle Style Disc	FMK1011
					07806CSC	639	510 4	408	07956CSC	763	576	461						280	26T/29	EF503A (6 Bolt)	16.1	GT, Shelby GT, Bullitt, Tremec Transmission, Cushion Button Disc	FMK1012
								(	07956PCSC	763	576	461						280	26T/29	EF502A (8 Bolt)	16.1	GT, Shelby GT ,Bullitt, Tremec Transmission, Paddle Style Disc	FMK1012
lustang	4.6L	05-10		3372	07803CSC	780	622 4	498	07953CSC	930	734	587	×					280	26T/29	EF503A (6 Bolt)	16.1	Tremec Transmission, Cushion Button Disc, Includes Hydraulic Concentric slave cylinder	FMK1012
									07953PCSC	930	734	587						280	26T/29	EF502A (8 Bolt)	16.1	Tremec Transmission, Paddle Style Disc, Includes Hydraulic Concentric slave cylinder	FMK1012
lustang	4.6L	05-10		3372	07802CSC	780	622 4	498	07952CSC	930	734	587						280	10T/27.5	EF503A (6 Bolt)	16.1	Cobra, GT, Mach-1, Cushion Button Disc, Includes Hydraulic Concentric slave cylinder	FMK1011
									07952PCSC	930	734	587						280	10T/27.5	EF502A (8 Bolt)	16.1	Cobra, GT, Mach-1, Paddle Style Disc, Includes Hydraulic Concentric slave cylinder	FMK1011
lustang GT500	5.4L	07-14		3372					07953FW	930	734	587	1					A.,	17//	EF502A (8 Bolt)	16.1	Shelby GT500/GT500KR, Cushion Button disc, Includes CSC Hydraulic Slave Cylinder, Includes Flywheel	<u>,4</u> ///
									07953PFW	930	734	587								EF502A (8 Bolt)	16.1	Shelby GT500/ GT500KR, Paddle Style disc, Includes CSC Hydraulic Slave cylinder, Includes Flywheel	/
ustang GT	5.0L	11-15		3372	07807CSC	780	622 4	498	07959CSC	930	734	587						280	23T/26.2	EF502A (8 Bolt)	16.1	Cushion Button Stage 2 disc, Includes Hydraulic Concentric Slave Cylinder	FMK1026
									07959PCSC		734	587						280	23T/26.2	EF502A (8 Bolt)	16.1	Paddle Style Stage 2 disc, Includes Hydraulic Concentric Slave Cylinder	
obe	2.2L	89-92	FE2/FE3	1895	10803A	250	310 2	248	10952A	298	361	295		10902A	298	361	295	236	23T/26.2			Turbo	07067
obe	2.2L	89-92	FE2/FE3	2360	10803AHD	486	387 3	310	10952AHD	580	450	360						236	23T/26.2			Turbo	07067
EO																							
izm	1.6L	89-4/91	4AFE	1212	16804B	212	169 1	133	16954B	253	196	157						200	21T/24.1			SOHC	16070
izm	1.6L	5/91-92	4AFE	1212	16804C	212			16954C		196							200	21T/24.1			SOHC	16070
rizm	1.6L	90-97	4AFE	1543	16800	283			16950			209						215	21T/24.1				KTY03
	1.8L	93-97	3ТС	1543	16800			190	16950		261	200						215	21T/24.1				KTY03



											11	1		///			1						
						STAGE	1		STAGE	2 Thic	k Pac	d		STAGI	E 2 Th	in Pad		Disc	Spline	Light Fly	: Weight wheel		Standard
pplication	Engine Size	Year	Engine Code	Clamp Load	Kit Part #	Clutch Torque	TQ@ Flywheel	TQ@ Wheels	Kit Part #	Clutch Torque	TQ@ Flywheel	TQ@ Wheels		Kit Part #	Clutch Torque	TQ@ Flywheel	TQ@ Wheels	0:	Teeth/ Major Dia (mm)		Weight (lb)	Notes	Clutch K Part #
londa																							
cord	2.2L	90-97	F22	1542	08805	298	238	191	08952	355	276	221		08901	355	276	221	220	24T/26				08014
				9					08952P4	355	276	221	11///					220	24T/26			4 Puck design disc	08014
ccord	2.3L	90-02	F23	1542	08805	298	238	191	08952	355	276	221		08901	355	276	221	220	24T/26				HCK100
									08952P4	355	276	221						220	24T/26			4 Puck design disc	HCK100
ccord	2.4L	03-07	K24	1596	08806FW	303	241	193	08951FW	361	280	224						215	24T/26	HF02	8.9	5 Speed, Must use HF02, Kit includes flywheel	HCK100
									08951P4FW	361	280	224						215	24T/26	HF02	8.9	5 Speed,4 Puck design disc, Must use HF02, Kit includes flywheel	HCK100
ivic	1.5L	88	D15	991	08802	181	138	111										200	21T/22				08009
ivic	1.5L	89	D15	991	08803	181	138	111										200	20T/22			If the HF501 is used, the higher capacity clutch can be used (# 08801B, #08902B)	08011
If the HF501	is used, the	higher cap	acity clutch ca	an be used (#	# 08801B, #0	08902B)			1 751	-\					7	10	7	/					
ivic	1.5L	90-91	D15	1454	08801B	184	227	182						08902B	322	266	213	212	20T/22	HF501	10.9		08012
ivic	1.5L	92-95	D15	1454	08801A	184	227	182					1	08902A	322	266	213	212	20T/22	HF501	10.9		08022
ivic	1.6L	89	D16	991	08803		138	111										200	20T/22			If the HF501 is used, the higher capacity clutch can be used (# 08801B, #08902B)	08011
7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	3 777		acity clutch ca	A 1 A 1 A 1 A 1 A 1 A 1 A 1 A 1 A 1 A 1																			
vic	1.6L	90-91	D16	1454	08801B	184		182						08902B	322		213	212	20T/22	HF501	10.9	SOHC	08012
vic	1.6L	92-00	D16	1454	08801A	184		182						08902A	322		213	212	20T/22	HF501	10.9	SOHC	08022
ivic	1.7L	01-05	D17	1454	08801A	184		182						08902A	322	266	213	212	20T/22	HF501	10.9	SOHC	KHC08
ivic	1.8L	06-15	R18	1567	08808	176	220		08955		259							215	20T/22	HF02	8.9		HCK100
ivic SI	1.6L	99-00	B16A	1538	08800B	297	233	187	08950B			217		08900B	322	275	220	220	24T/26	HF01	9.5	VTEC/DOHC	KHC05
111	$\ell$ $\ell$ $\ell$ $\lambda$			<u> </u>					08950BP4	355	271	217						220	24T/26	HF01	9.5	4 Puck design disc, VTEC/DOHC	KHC05
ivic SI	2.0L	02-05	K20	1596	08806FW	303	241	193	08951FW	361	280	224		08905	361	307	246	215	24T/26	HF02	8.9	5 Speed, Must use HF02, Kit includes flywheel	KHC09
									08951P4FW			224						215	24T/26	HF02	8.9	4 Puck design disc, 5 speed, Must use HF02, Kit includes flywheel	KHC09
						rformanc	e clutci			#08951					-			10/1-	-//-		77/5		7/ /
civic SI	2.0L	06-11	K20	1596	08806	303	241	193	08951			224		08905	361	307	246	215	24T/26	HF02	8.9	6 speed	KHC10
	11/1/	3/1		-1/1					08951P4		280							215	24T/26	HF02	8.9	4 Puck design disc, 6 speed	KHC10
ivic SI	2.4L	12-15	K24	1596	08806FW	303	241	193	08951FW			224						215	24T/26	HF02	8.9	6 Speed include Flywheel	
									08951P4FW	361	280	224						215	24T/26	HF02	8.9	6 Speed include Flywheel	
ivic Wagon	1.5L	88	D15	991	08802	181	138	111										200	21T/22			2WD	08009
ivic Wagon	1.5L	89	D15	991	08803		138	111										200	20T/22			If the HF501 is used, the higher capacity clutch can be used (# 08801B, #08902B)	08011
			acity clutch ca	- 11 - 11				465					1/11	22225	111.12				007/00				00010
ivic Wagon	1.5L	90-91	D15	1454	08801B		227						- // N	08902B					20T/22	HF501	10.9	2WD	08012
ivic Wagon	1.6L	90-91	D16	1454	08801C		227						-/-/-/	08902C	322	266	213		20T/22	HF501	10.9	AWD	08020
RX	1.5L	88	D15	991	08802		138											200	21T/22			If the HF501 is used, the higher capacity clutch can	08009
RX If the HF501	1.5L is used, the	89 higher cap	D15 acity clutch ca	991 an be used (‡	08803 # 08801B. #0		138	111							/			200	20T/22			be used (# 08801B, #08902B)	08011
RX	1.5L	90-91	D15	1454	08801B		227	182					X	08902B	322	266	213	212	20T/22	HF501	10.9		08012
RX	1.6L	88	D16	991	08802		138											200	21T/22	HF501	10.9	Fuel Injected	08010
RX	1.6L	89	D16	991	08803		138											200	20T/22			If the HF501 is used, the higher capacity clutch can be used (# 08801B, #08902B)	08011
If the HF501	is used. the	higher can	acity clutch ca	an be used (‡	# 08801B. #0	08902B)		1		1		/-			N.			1					
RX	1.6L	90-91	D16		08801B		227	182						08902B	322	266	213	212	20T/22	HF501	10.9		08012
	r								//	/					-	11				,	7		



							7		/		11	1		///			1		1				
						STAGE	1		STAGE	2 Thic	k Pad			STA	GE 2 Th	in Pad	l	Disc	Spline	Fly	Weight		Standard
Application	Engine Size	Year	Engine Code	Clamp Load	Kit Part #	Clutch Torque	TQ@ Flywheel		Kit Part #	Clutch Torque	TQ@ Flywheel	TQ@ Wheels		Kit Part #	Clutch Torque	TQ@ Flywheel	TQ@ Wheels	0:	Teeth/ Major Dia (mm)	Part #	Weigh (lb)	Notes	Clutch Kit Part #
Honda conti	nued																						
Del Sol	1.5/1.6L	93-95	D15/D16	1454	08801A	184	227	182						08902A	322	266	213	212	20T/22	HF501	10.9	SOHC	08022
Del Sol	1.6L	96-97	D16 performance cli	1454	08801A		227	182						08902A	322	266	213	212	20T/22	HF501	10.9	S, Si, SOHC, Must change flywheel to HF501 for performance clutch kit (# 08801A, #08902A).	08031
Del Sol	1.6L	94-97	B16A	1538	08800B		233	187	08950B	355	271	217		08900B	355	275	220	220	24T/26	HF01	9.5	VTEC/DOHC	KHC05
									08950BP4	355		217							24T/26	HF01	9.5	4 Puck design disc, VTEC/DOHC	KHC05
it	1.5L	06-08	L15A1	1259	08807	208	166	133	08954	249	197	158						190	20/22.2			L15A1	HCK1006
relude	2.2L	92-01	F22/H22	1542	08805	298	238	191	08952	355	276	221		08901	355	276	221	220	24T/26				KHC03
									08952P4	355	276	221							24T/26			4 Puck design disc	KHC03
relude	2.3L	92-96	H23A	1542	08805	298	238	191	08952	355	276	221	Y .	08901	355	276	221	220	24T/26			INN NEW	KHC03
									08952P4	355	276	221							24T/26			4 Puck design disc	KHC03
nfiniti																							
20	2.0L	91-02	SR20DE	1544	06802	289	230	184						06902	345	209	167	215	18T/20.6				KNS02
335	3.5L	03-06	VQ35DE	2271	06804	481		307		574	444	355						250	24T/25.6	NF04	19.6	Coupe and Sedan (6 Speed only), Recommended for use with EXEDY Solid Flywheel (NF04), will also work with OE Dual-Mass Flywheel.	NSK1000
Recommend	ded for use w	vith Exedy S	Solid Flywheel (	(NF04), will	also work wit	th OE D	ual-Mass	Flywl	heel.									8	622				47
35	3.5L	03-06	VQ35DE	2271	06804FW	481	383	307	06952FW	574	444	355						250	24T/25.6	NF04	19.6	Coupe and Sedan (6 Speed only),Includes NF04 Flywheel	NSK1000F
				2725	06808FWHD	D 561	449	360	06957FWHD	652	521	417						240	24T/25.6	NF04	19.6	Coupe and Sedan (6 Speed only),Includes NF04 Flywheel	NSK1000I
335	3.5L	07	VQ35DE	2271	06804	481	383	307	06952	574	444	355						250	24T/25.6	NF04	19.6	Coupe only, Recommended for use with EXEDY Solid Flywheel (NF04), will also work with OE Dual-Mass Flywheel.	NSK1000
Recommend	ded for use w	ith EXEDY	Solid Flywheel	(NF04), wil	l also work w	ith OE L	Dual-Mas	s Flyw	vheel.			10			- \						$\times Z$		7//
35	3.5L	07	VQ35DE	2271	06804FW	481	383	307	06952FW	574	444	355						250	24T/25.6	NF04	19.6	Coupe only, includes NF04 Flywheel	NSK10001
				2725	06808FWHD	D 561	449	360	06957FWHD	652	521	417						240	24T/25.6	NF04	19.6	Coupe only, Includes NF04 Flywheel	NSK1000F
35	3.5L	07	VQ35HR	2271	06807	481	383	307	06956	574	444	355						250	24T/25.6	NF05	19.6	Sedan only, Includes NF05 Flywheel, NF05 Flywheel only works with EXEDY clutch kits	NSK1024F
	24	- 1//		2725	06809FWHD	D 561	449	360	06958FWHD	652	521	417						240	24T/25.6	NF05	19.6	Sedan only, Includes NF05 Flywheel, NF05 Flywheel only works with EXEDY clutch kits	NSK1024I
337	3.7L	08-13	VQ37VHR	2271	06807	481	383	307	06956	574	444	355						250	24T/25.6	NF05	19.6	Includes NF05 Flywheel, NF05 Flywheel only works with EXEDY clutch kits, DOES NOT include CSC Hydraulic Slave Cylinder (BRG0163)	NSK1024F
				2725	06809FWHE	D 561	449	360	06958FWHD	652	521	417						240	24T/25.6	NF05	19.6	Includes NF05 Flywheel, NF05 Flywheel only works with EXEDY clutch kits, DOES NOT include CSC Hydraulic Slave Cylinder (BRG0163)	NSK1024F
еер																							
herokee	4.0L	94-01		2473	01800	550	417	314	01950	639	490	374	7// \ \ \					265	10T/28.5			Stage 2 Cusion Button disc	05065
/rangler	4.0L	94-06		2473	01800	550	417	314	01950	639	490	374						265	10T/28.5			Stage 2 Cusion Button disc	05065
exus																							
S250	2.5L	90-91	2VZFE	2093	16803C	431	343	275	16953C	515	399	319						240	21T/29.8				16082
S300	3.0L	92-93	3VZFE	2093	16803A		343				399		× × × ×					240	21T/29.8				16082
otus	J.UL	32-33	V121 E	2033	10003A	731	U-13	210	10000	710	000	010						240	211/23.0				10002
LISE	1.8L	05-07	2ZZ-GE	1543	16800	283	225	180	16950	328	261	209						215	21T/24.1				/
XIGE	1.8L	06-07	2ZZ-GE	1543	16800		225				261							215	21T/24.1				



						22476			074.6	0.71	ls Dod			071	) F ^ T					Light	Weight		
	Engine		Engine	Clamp		STAGE			STAGE	2 Ihic				SIAC	SE 2 Th	nin Pad	1	Disc	Spline Teeth/	Flyv	vheel		Standard
pplication	Size	Year	Engine Code	Load	Kit Part #	Clutch Torque	TQ@ lywheel	TQ@ Wheels	Kit Part #	Clutch Torque	TQ@ lywheel	TQ@ Wheels		Kit Part #	Torque	TQ@ lywheel	TQ@ Wheels	Size (mm)	Major Dia (mm)	Part #	Weigh (lb)	Notes	Clutch #
Mazda																							
Mazda 3	2.0/2.3L	04-11	LF-DE/ L3-VE	1566	10809	302	241	193	10955	351	280	224						225	22T/24.3	ZF501A	13.0	Non-Turbo	MZK100
Mazda 5	2.3L	06-08		1566	10809	302	241	193	10955	351	280	224						225	22T/24.3	ZF501A	13.0	Non-Turbo	MZK100
Mazda 6	2.3L	03-08	L3-VE	1543	10807	298	238	191	10956	346	276	221						225	22T/24.3	ZF502	12.5	Non-Turbo	MZK100
Mazda 6	3.0L	03-08	AJV	1978	10808	407	324	259										240	23T/26.2	ZF503	16.5	-	MZK100
626/MX6	2.2L	88-92	F2	1895	10803A	390	310	248	10952A	435	361	295		10902A	435	361	295	236	23T/26.2			Turbo	07067
626/MX6	2.2L	88-92	F2	2360	10803AHD	486	387	310	10952AHD	564	450	360						236	23T/26.2			Turbo	07067
29	3.0L	88-91	JE	1895	10803A	390	310	248	10952A	435	361	295		10902A	435	361	295	236	23T/26.2				10032
929	3.0L	88-91	JE	2360	10803AHD	486	387	310	10952AHD	564	450	360						236	23T/26.2			THITIEL A. A.	10032
Miata	1.6L	90-93	B6-ZE	1169	10804	204			10950	237	189	152		10903	237	189	152	200	22T/24.3			If later model 1.8L flywheel is used, the higher capacity 1.8L clutch (# 10805, #10950) can be used	10036
It later model MX-5 Miata	1.8L flywnee	94-05	the higher capac BP-ZE	1322	10805	, #10950 <b>256</b>			10951	297	236	189	7	10901	297	236	189	215	22T/24.3	ZF505		Includes Mazdaspeed version	KMZ03
MX-5 Miata	2.0L	06-14	VE VE	1543	10805	298			10951			202	1					215	22T/24.3			5 Speed	
MX-5 Miata	2.0L	06-14	VE	1543	10810	298		191										215	23T/26.2	ZF501A	13.0	6 Speed	MZK100
Protégé	2.0L	04	FS-DE/ZE	1543	10807	298			10956	346	276	221						225	22T/24.3				KMZ08
Protégé	2.0L	03-04	FS-DET	1543	10807	298		191	10956	346		221						225	22T/24.3			Mazdaspeed Turbo	W
RX-7	1.2/1.3L	84-91	12A/13B	1574	10806	304	242	196	10954	405	322	258						225	22T/24.3				10038
RX-7	1.3L	86-91	13B-RE	1895	10803A	390	310	248	10952A	435	361	295		10902A	435	361	295	236	23T/26.2	ZF01	12.0	Turbo, FC3S, When using ZF01 flywheel in vehicles built prior to 1/89 use adapter/counterweight N327-11-521A. Vehicles after 1/89 use adapter/counterweight N351-11-521.	10037
RX-7	1.3L	86-91	13B-RE	2360	10803AHD	486	387	310	10952AHD	564	450	360						236	23T/26.2	ZF01	12.0	Turbo, FC3S, When using ZF01 flywheel in vehicles built prior to 1/89 use adapter/counterweight N327-11-521A. Vehicles after 1/89 use adapter/counterweight N351-11-521.	10037
			es built prior to 1, nterweight N351-		dapter/counte	rweight	N327-1	11-521	A.														
RX-7	1.3L	93-95	13B-REW	2093	10802	431	343	275	10953	501	400	320		10900	501	400	320	236	23T/26.4	ZF01	12.0	Turbo, FD3S, When using ZF01 flywheel, use adapter/counterweight N351-11-521.	KMZ01
RX-7	1.3L	93-95	13B-REW	2653	10802HD	546	435	348	10953HD	635	506	405						236	23T/26.4	ZF01	12.0	Turbo, FD3S, When using ZF01 flywheel, use adapter/counterweight N351-11-521.	KMZ01
RX-8	1.3L	03-08	13B-MSP	2001	10812	395	306	232					) (					236	23T/26.2	ZF01	12.0	When using ZF01 flywheel, use adapter/counterweight N3Z2-11-52X.	MZK100
RX-8	1.3L	08-12	13B-MSP	2001	10813	395	306	232										236	23T/26.2	ZF01	12.0	When using ZF01 flywheel, use adapter/counterweight N3Z2-11-52X.	MZK1014
Mazda Truck																							
32600	2.6L	87-89	G6	1895	10803A	390	310	248	10952A	435	361	295	AAN					236	23T/26.2			Carbureted	07067
32600	2.6L	87-89	G6	2360	10803AHD	486	387	310	10952AHD	564	450	360						236	23T/26.2			Carbureted	07067
Mercury																							
Milan	2.3L	06-07	L3-VE	1543	10807	298	238	191	10956	346	276	221	(4 ) X X					225	22T/24.3	ZF502	12.5	Chines	FMK100
Mitsubishi																							
	2.01	04.00	6070	2422	05000	440	200	20.4	05050	470	204	205		05000	.=-	0.45	070	005	00T/00 4			OWD New Turk	05040
3000GT	3.0L	91-99	6G72	2136	05800				05950 05050B4		381 381			05900	4/9	347		225 225	20T/22.4 20T/22.4			2WD, Non-Turbo 4 Puck design, 2WD, Non-Turbo	05048 05048
Eolingo	2.01	00.04	1062	1511	05904				05950P4														05048
Eclipse	2.0L	90-94	4G63	1544	05801	283	225	180	05951	328	261	209						215	20T/22.4			Non-Turbo	1



Microsimal   Part   P	September   Part   Pa							STAGE	1		STAGE	2 Thic	k Pad	l	1		STAG	SE 2 Th	nin Pac	d .		Spline	Light	Weight		
New Park	State	nnlication	Engine	Voor	Engine	Clamp			π-	-							OIAG		т	1					Notes	Standard Clutch K
clipse 2.0. 8-9.42 4637 2196 5800 412 329 586 5858 479 381 305	Page	ppiication	Size	leai	Code	Load		Clutch Torque	TQ@ lywheel	TQ@ Vheels	Kit Part #	Clutch Torque	TQ@ ywheel	TQ@ Vheels			Kit Part #	Clutch Torque	TQ@ lywheel	TQ@ Vheels		1	Part #		t	Part #
Process   Pro	Part	/litsubishi cor	ntinued									2					/									
Collage   2-0.   50-2-99   40-53T   2-194   60-500   412   220   240   60-500   479   341   200   60-500   479   347   270   225   2017.22   4	Page   2-10   19-20	clipse	2.0L	90-4/92	4G63T	2136	05800	412	329	264	05950	479	381	305	1/-	7/17/	05900	479	347	278	225	20T/22.4			2WD Turbo, 6 Bolt Crank	05048
Collipse   Question	Second Performance   Second					2					05950P4	479	381	305							225	20T/22.4			4 Puck design, 2WD Turbo, 6 Bolt Crank	05048
Collable   2,0   9-4/9   4603T   2136   2506   41   23   26   26   2505   47   31   30   250   2505   250	Page   20,   94,	Eclipse	2.0L	5/92-99	4G63T	2136	05800	412	329	264	05950	479	381	305			05900	479	347	278	225	20T/22.4			2WD Turbo, 7 Bolt Crank	05048
Figure   1.0   1	Part										05950P4	479	381	305							225				4 Puck design disc, 2WD Turbo, 7 Bolt Crank	05048
Collipse   2,04   959-99   46-537   2136   05900   412   232   246   05950   479   347   349   350	See   1965   1966   1	clipse	2.0L	90-4/92	4G63T	2136	05800	412	329	264	05950	479	381	305			05900	479	347	278	225		MF03	12.0	AWD Turbo, 6 Bolt Crank	05048
Collabor   2.4L   84-99   4054   2136   05900   412   232   240   05900   479   387   235   05900   479   387   235   05900   479   387   235   05900   479   387   235   05900   479   387   235   05900   479   387   235   05900   479   387   235   05900   479   387   235   05900   479   387   235   05900   479   387   235   05900   479   387   235   05900   479   387   235   05900   479   387   235   05900   479   387   235   05900   479   387   235   05900   479   387   235   05900   479   387   235											05950P4	479	381	305							225	20T/22.4	MF03	12.0	4 Puck design disc, AWD Turbo, 6 Bolt Crank	05048
Callpine   2, 4    9-99   49-64   71-96   9-99   49-64   71-96   9-99   49-64   71-96   9-99   49-64   71-96   9-99   49-64   71-96   9-99   49-64   71-96   9-99   49-64   71-96   9-99   49-64   71-96   9-99   49-64   71-96   9-99   49-64   71-96   9-99   49-64   71-96   9-99   49-64   71-96   9-99   49-64   71-96   71-96   9-99   49-64   71-96   9-99   49-64   71-96   9-99   49-64   71-96   9-99   49-64   71-96   9-99   49-64   71-96   9-99   49-64   71-96   9-99   49-64   71-96   9-99   49-64   71-96   9-99   49-64   71-96   9-99   49-64   71-96   9-99   49-64   71-96   9-99   49-64   71-96   9-99   49-64   71-96   49-99   49-	See   Page   P	clipse	2.0L	5/92-99	4G63T	2136	05800	412	329	264	05950	479	381	305			05900	479	347	278	225	20T/22.4	MF01	12.0	AWD Turbo, 7 Bolt Crank	05048
Part	Part										05950P4	479	381	305							225	20T/22.4	MF01	12.0	4 Puck design disc, AWD Turbo, 7 Bolt Crank	05048
Collapse Spyrder   2,0 L   96-99   4-6647   213   96-99   4-6647	See   Spycle   Column   Spyc	clipse	2.4L	96-99	4G64	2136	05800	412	329	264	05950	479	381	305			05900	479	347	278	225	20T/22.4				05048
Clippe Spyder 2.4 1 96-99 4G94 2196 0500 479 381 305 9500	Part		A			- X					05950P4	479	381	305	$\setminus$						225	20T/22.4			4 Puck design disc	05048
Collage Spyder   2.4L   86-90   4.6G4   2.13g   68-00   412   329   24   0.9590   479   381   305	Spage   Page   Page   Page   Spage	clipse Spyder	2.0L	96-99	4G63T	2136	05800	412	329	264	05950	479	381	305			05900	479	347	278	225	20T/22.4			2WD Turbo, 7 Bolt Crank	05048
Figure Style   Figu	Figure Stylet   Substitution   Sub										05950P4	479	381	305							225	20T/22.4			4 Puck design disc, 2WD Turbo, 7 Bolt Crank	05048
Calipse Spyder   3.0   0.0-05   6G72   1655   05804   341   272   218   05953   396   315   352                           Milt Type   M.M.   .	See Spyder   3.0 L   00-05   6G72   1653   05604   341   272   218   05953   396   315   352	clipse Spyder	2.4L	96-99	4G64	2136	05800	412	329	264	05950	479	381	305			05900	479	347	278	225	20T/22.4			4 A VICE OF THE PROPERTY OF TH	05048
Englished Solution of the Solution of Solu	Part										05950P4	479	381	305	1						225	20T/22.4			4 Puck design disc	05048
alant 2.0L 91-92 4663T 2136 05800 412 329 264 05550 479 381 305 0590 479 347 278 225 201722.4 4 Pack design disc 0.55    alant 2.4L 94-97 4664 2136 05800 412 329 264 05550 479 381 305 0590 479 347 278 225 201722.4	1	clipse Spyder	3.0L	00-05	6G72	1653	05804	341	272	218	05953	396	315	352							236	23T/26.2			Pull Type	KMB02/ MBK100
alant 2.0L 91-92 4G63T 2136 05800 412 329 244 05850 479 381 305 05900 479 347 278 225 201722.4 MF03 12.0 OOHC, Turbo, VR4 055 alant 2.4L 94-97 4G64 213 05800 412 329 246 05850 479 381 305 05900 479 347 278 225 201722.4	ant 2.0L 91-92 4G65T 2136 05800 412 329 264 05950 479 381 305 05900 479 387 278 225 201722.4 MF03 12.0 00HC Turbo, VR4 055 05900 479 381 305 0	xpo/Expo LRV	2.4L	92-95	4G64	2136	05800	412	329	264	05950	479	381	305			05900	479	347	278	225	20T/22.4				05048
Fig. 10   Fig.	Second   S										05950P4	479	381	305							225	20T/22.4			4 Puck design disc	05048
alant 2,4L 94-97 4664 2136 05800 412 329 264 05950 479 381 305 05900 479 347 278 225 20TIZ2,4	Second Process of Control of Co	alant	2.0L	91-92	4G63T	2136	05800	412	329	264	05950	479	381	305			05900	479	347	278	225	20T/22.4	MF03	12.0	DOHC, Turbo, VR4	05048
Company   Comp	Control   Cont										05950P4	479	381	305							225	20T/22.4	MF03	12.0	4 Puck design disc, DOHC, Turbo, VR4	05048
## Specific	Company   Comp	Salant	2.4L	94-97	4G64	2136	05800	412	329	264	05950	479	381	305			05900	479	347	278	225	20T/22.4				05048
## Part of this application   Part of this appli	Company   Comp										05950P4	479	381	305							225	20T/22.4			4 Puck design disc	05048
Must use MF04 for this application  August use MF04 for this applicati	Must use MF04 for this application  10cer Evo 4-7	ancer Evo 4-7	2.0L	01-02	4G63T	3012	05803	620	495	396	05952			460							240	23T/26.2	MF04	12.0	Non- US Model, Must use MF04 for this application	MBK100
## Part of the supplication   Control of the supplication   Contro	Control   Cont	Must use MF		application																	_					
Must use MF04 for this application  Ancer Evo 8/MR/9 2.0L 03-07 4G63T 3012 05803 620 495 396 05952 721 575 460	Must use MF04 for this application  Neer Eve NMR/9 2.0L 03-07 4G63T 3012 05803 620 495 396 05952 721 575 460					3597	05803HD	741	590	472	05952HD	860	685	548							240	23T/26.2	MF04	12.0	Non- US Model, Must use MF04 for this application	MBK100
Ancer Evo 8/MR/9 2.0L 03-07 4G63T 3012 05803 620 495 396 05952 721 575 460 240 2317/26.2 MF04 12.0 Pull Type, 5 Speed, 6 Speed MB ancer Evo 8/MR/9 2.0L 03-07 4G63T 3597 058034hD 741 590 472 05952HD 860 685 548 240 2317/26.2 MF04 12.0 Pull Type, 5 Speed, 6 Speed MB ancer Evo 10 2.0L 08-15 4B11T 3012 05803A 620 495 396 05952A 721 575 460 240 2317/26.2 MF04 12.0 Pull Type, 5 Speed, 6 Speed MB ancer Evo 10 2.0L 08-15 4B11T 3597 05803AHD 741 590 472 05952AHD 860 685 548 240 2317/26.2 MF05A 12.0 Pull Type, 5 Speed MB ancer Evo 10 2.0L 08-15 4B11T 3597 05803AHD 741 590 472 05952AHD 860 685 548 240 2317/26.2 MF05A 12.0 Pull Type, 5 Speed MB ancer Evo 10 2.0L 08-15 4B11T 3597 05803AHD 741 590 472 05952AHD 860 685 548 240 2317/26.2 MF05A 12.0 Pull Type, 5 Speed MB ancer Evo 10 2.0L 08-15 4B11T 3597 05803AHD 741 590 472 05952AHD 860 685 548	Secrition   Control   Co					=1/1/<	X 1/1/	- 6	11	24		<i>y</i>						1			11	4.79	-/:	/ >		7 /
Ambeer Evo 8/MR/9 2.0 L 03-07 4G63T 3597 05803HD 741 590 472 05952HD 860 685 548	Secrition   Control   Co				4G63T	3012	05803	620	495	396	05952	721	575	460							240	23T/26.2	MF04	12.0	Pull Type, 5 Speed, 6 Speed	MBK100
Ancer Evo 10 2.0 L 08-15 4B11T 3012 05803A 620 495 396 05952A 721 575 460 240 23T/26.2 MF05A 12.0 Pull Type, 5 Speed MB ancer Evo 10 2.0 L 08-15 4B11T 3597 05803AHD 741 590 472 05952AHD 860 685 548 240 23T/26.2 MF05A 12.0 Pull Type, 5 Speed MB tatrion 2.6 L 88-90 G54B 1895 10803B 390 310 248 10952B 453 361 295 10902C 453 323 269 236 23T/26.2 Turbo 050 050 051 051 051 051 051 051 051 051	Second   Control   Contr	ancer Evo 8/MR/9	2.0L	03-07		3597		741	590	472	05952HD					\ /					240			12.0		MBK100
ancer Evo 10 2.0 L 08-15 4B11T 3597 05803AHD 741 590 472 05952AHD 860 685 548	Company   Comp																								7 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	MBK100
Ration 2.6L 88-90 G54B 1895 10803B 390 310 248 10952B 453 361 295 10902C 453 323 269 236 23T/26.2	rion 2.6L 88-90 G54B 1895 10803B 390 310 248 10952B 453 361 295 10902C 453 323 269 236 23T/26.2 Turbo, If 1988-90 flywheel is used, these clutches can be applied to 1984-87 models (originally 225mm clutch)  If 1988-90 flywheel is used, these clutches can be applied to 1984-87 models (originally 225mm clutch)  SSSAI  SIX 2.2L 82-83 Z22E 1798 06805A 347 276 221 06953A 403 320 256  SIX 3.0L 87-88 VG30 2017 06801A 422 335 268 06955A 490 390 312 06900A 490 470 376 240 24T/25.6 SOHC 06000 1984-87 models (originally 225mm clutch)  SIX 2.4L 89-6/90 KA24E 1798 06805B 347 276 221 06953A 403 320 256		2.0L			- 20 1										- / A A										MBK100
Starion 2.6L 88-90 G54B 2360 10803BHD 486 387 310 10952BHD 564 450 360  If 1988-90 flywheel is used, these clutches can be applied to 1984-87 models (originally 225mm clutch)  NISSAN  00SX 2.2L 82-83 Z22E 1798 06805A 347 276 221 06953A 403 320 256  00SX 2.0L 95-99 SR20DE 1544 06802 289 230 184 06902 270 203 154 215 18T/20.6 SOHC 0690X  00SX 3.0L 87-88 VG30 2017 06801A 422 335 268 06955A 490 390 312 06900A 490 470 376 240 24T/25.6 SOHC 0690X  040SX 2.4L 89-6/90 KA24E 1798 06805B 347 276 221 06953B 403 320 256 225 24T/25.6 SOHC 0690X  040SX 2.4L 7/90-1/94 KA24DE 1798 06805B 347 276 221 06953B 403 320 256 225 24T/25.6 SOHC 0690X  040SX 2.4L 2/94-2/96 KA24DE 1798 06805B 347 276 221 06953B 403 320 256 225 24T/25.6 DOHC 0690X  040SX 2.4L 3/96-98 KA24DE 1798 06805B 347 276 221 06953B 403 320 256 225 24T/25.6 DOHC 0690X  040SX 2.4L 3/96-98 KA24DE 1798 06805B 347 276 221 06953B 403 320 256 225 24T/25.6 DOHC 0690X  040SX 2.4L 3/96-98 KA24DE 1798 06805B 347 276 221 06953B 403 320 256 225 24T/25.6 DOHC 0690X  040SX 2.4L 3/96-98 KA24DE 1798 06805B 347 276 221 06953B 403 320 256 225 24T/25.6 DOHC 0690X  040SX 2.4L 3/96-98 KA24DE 1798 06805B 347 276 221 06953B 403 320 256 225 24T/25.6 DOHC 0690X	Frion 2.6L 88-90 G54B 2360 10803BHD 486 387 310 10952BHD 564 450 360  If 1988-90 flywheel is used, these clutches can be applied to 1984-87 models (originally 225mm clutch)  SSSAIN  SSX 2.2L 82-83 Z22E 1798 06805A 347 276 221 06953A 403 320 256  SSX 3.0L 87-88 VG30 2017 06801A 422 335 268 06955A 490 390 312  SSX 2.4L 89-6/90 KA24E 1798 06805A 347 276 221 06953B 403 320 256  SX 2.4L 7/90-1/94 KA24DE 1798 06805B 347 276 221 06953B 403 320 256  SX 2.4L 2/94-2/96 KA24DE 1798 06805A 347 276 221 06953B 403 320 256  SX 2.4L 3/96-98 KA24DE 1798 06805B 347 276 221 06953B 403 320 256  SX 2.4L 3/96-98 KA24DE 1798 06805B 347 276 221 06953B 403 320 256  SX 2.4L 3/96-98 KA24DE 1798 06805B 347 276 221 06953B 403 320 256  SX 2.4L 3/96-98 KA24DE 1798 06805B 347 276 221 06953B 403 320 256  SX 2.4L 3/96-98 KA24DE 1798 06805B 347 276 221 06953B 403 320 256  SX 2.4L 3/96-98 KA24DE 1798 06805B 347 276 221 06953B 403 320 256  SX 2.4L 3/96-98 KA24DE 1798 06805B 347 276 221 06953B 403 320 256  SX 2.4L 3/96-98 KA24DE 1798 06805B 347 276 221 06953B 403 320 256  SX 2.4L 3/96-98 KA24DE 1798 06805B 347 276 221 06953B 403 320 256  SX 2.4L 3/96-98 KA24DE 1798 06805B 347 276 221 06953B 403 320 256  SX 2.4L 3/96-98 KA24DE 1798 06805B 347 276 221 06953B 403 320 256  SX 2.4L 3/96-98 KA24DE 1798 06805B 347 276 221 06953B 403 320 256  SX 2.4L 3/96-98 KA24DE 1798 06805B 347 276 221 06953B 403 320 256  SX 2.4L 3/96-98 KA24DE 1798 06805B 347 276 221 06953B 403 320 256  SX 2.4L 3/96-98 KA24DE 1798 06805B 347 276 221 06953B 403 320 256  SX 2.4L 3/96-98 KA24DE 1798 06805B 347 276 221 06953B 403 320 256  SX 2.4L 3/96-98 KA24DE 1798 06805B 347 276 221 06953B 403 320 256  SX 2.4L 3/96-98 KA24DE 1798 06805B 347 276 221 06953B 403 320 256  SX 2.4L 3/96-98 KA24DE 1798 06805B 347 276 221 06953B 403 320 256  SX 2.4L 3/96-98 KA24DE 1798 06805B 347 276 221 06953B 403 320 256  SX 2.4L 3/96-98 KA24DE 1798 06805B 347 276 221 06953B 403 320 256  SX 2.4L 3/96-98 KA24DE 1798 06805B 347 276 221 06953B 403 320 256  SX 2.4L 3/96-98 KA24DE 1798 06805B 347 276 221 06953B 403																10902C	453	323	269					77	05049
## 1988-90 flywheel is used, these clutches can be applied to 1984-87 models (originally 225mm clutch)  ## 1988-90 flywheel is used, these clutches can be applied to 1984-87 models (originally 225mm clutch)  ## 1988-90 flywheel is used, these clutches can be applied to 1984-87 models (originally 225mm clutch)  ## 1988-90 flywheel is used, these clutches can be applied to 1984-87 models (originally 225mm clutch)  ## 1988-90 flywheel is used, these clutches can be applied to 1984-87 models (originally 225mm clutch)  ## 1988-90 flywheel is used, these clutches can be applied to 1984-87 models (originally 225mm clutch)  ## 1988-90 flywheel is used, these clutches can be applied to 1984-87 models (originally 225mm clutch)  ## 1988-90 flywheel is used, these clutches can be applied to 1984-87 models (originally 225mm clutch)  ## 1988-90 flywheel is used, these clutches can be applied to 1984-87 models (originally 225mm clutch)  ## 1988-90 flywheel is used, these clutches can be applied to 1984-87 models (originally 225mm clutch)  ## 1988-90 flywheel is used, these clutches can be applied to 1984-87 models (originally 225mm clutch)  ## 1988-90 flywheel is used, these clutches can be applied to 1984-87 models (originally 225mm clutch)  ## 1988-90 flywheel is used, these clutches can be applied to 1984-87 models (originally 225mm clutch)  ## 1988-90 flywheel is used, these clutches can be applied to 1984-87 models (originally 225mm clutch)  ## 1988-90 flywheel is used, these clutches can be applied to 1984-87 models (originally 225mm clutch)  ## 1988-90 flywheel is used, these clutches can be applied to 1984-87 models (originally 225mm clutch)  ## 1988-90 flywheel is used, these clutches can be applied to 1984-87 models (originally 225mm clutch)  ## 1988-90 flywheel is used, these clutches can be applied to 1984-87 models (originally 225mm clutch)  ## 1988-90 flywheel is used, these clutches can be applied to 1984-87 models (originally 225mm clutches)  ## 1988-90 flywheel is used, these clutches can be applied to 1984-8	## Second Results   1888-90 flywheel is used, these clutches can be applied to 1984-87 models (originally 225mm clutch)   1888-90 flywheel is used, these clutches can be applied to 1984-87 models (originally 225mm clutch)	///	- 17	/ 11	11 1	11 11										Z 75/AA N			0_0							
Nissan    2.2L   82-83   Z2E   1798   06805A   347   276   221   06953A   403   320   256           225   24T/25.6         SOHC   060000000000000000000000000000000000	SSAN    SSAN   2.2L   82-83   Z2E   1798   06805A   347   276   221   06953A   403   320   256           225   24T/25.6         SOHC   06006   -											564	450	360							236	231/26.2				05049
200SX 2.2L 82-83 Z22E 1798 06805A 347 276 221 06953A 403 320 256 225 24T/25.6 SOHC 0600X 200SX 2.0L 95-99 SR20DE 1544 06802 289 230 184 225 24T/25.6 SOHC 0600X 200SX 3.0L 87-88 VG30 2017 06801A 422 335 268 06955A 490 390 312 06900A 490 470 376 240 24T/25.6 SOHC 0600X 200SX 2.4L 89-6/90 KA24E 1798 06805A 347 276 221 06953A 403 320 256 225 24T/25.6 SOHC 0600X 200SX 2.4L 7/90-1/94 KA24DE 1798 06805B 347 276 221 06953B 403 320 256 225 24T/25.6 DOHC 0600X 2.4L 3/96-98 KA24DE 1798 06805B 347 276 221 06953B 403 320 256 225 24T/25.6 DOHC 0600X 2.4L 3/96-98 KA24DE 1798 06805B 347 276 221 06953B 403 320 256 225 24T/25.6 DOHC 0600X 2.4L 3/96-98 KA24DE 1798 06805B 347 276 221 06953B 403 320 256	2.2L 82-83 Z2E 1798 06805A 347 276 221 06953A 403 320 256 225 24T/25.6 SOHC 06805X 2.0L 95-99 SR20DE 1544 06802 289 230 184 225 24T/25.6 SOHC 06905X 3.0L 87-88 VG30 2017 06801A 422 335 268 06955A 490 390 312 06900A 490 470 376 240 24T/25.6 SOHC KN 05X 2.4L 89-6/90 KA24E 1798 06805A 347 276 221 06953A 403 320 256 225 24T/25.6 SOHC 06900A 490 470 376 240 24T/25.6 SOHC 06900A 490 470 376	If 1988-90 flyw	heel is use	d, these clu	itches can be	applied to 1	984-87 mode	els (origi	inally 2	25mm	clutch)					//		140	-31.	/-				1		
009X 2.0L 95-99 SR20DE 1544 06802 289 230 184	SX 2.0L 95-99 SR20DE 1544 06802 289 230 184	Nissan																								
00SX 2.0L 95-99 SR20DE 1544 06802 289 230 184	SX 2.0L 95-99 SR20DE 1544 06802 289 230 184	00SX	2.2L	82-83	Z22E	1798	06805A	347	276	221	06953A	403	320	256							225	24T/25.6			SOHC	06004
00SX 3.0L 87-88 VG30 2017 06801A 422 335 268 06955A 490 390 312 06900A 490 470 376 240 24T/25.6 SOHC 0690X 40SX 2.4L 89-6/90 KA24E 1798 06805A 347 276 221 06953A 403 320 256 225 24T/25.6 SOHC 0690X 40SX 2.4L 7/90-1/94 KA24DE 1798 06805B 347 276 221 06953B 403 320 256 225 24T/25.6 DOHC 0690X 40SX 2.4L 2/94-2/96 KA24DE 1798 06805B 347 276 221 06953A 403 320 256 225 24T/25.6 DOHC 0690X 40SX 2.4L 3/96-98 KA24DE 1798 06805B 347 276 221 06953B 403 320 256 225 24T/25.6 DOHC 0690X 40SX 2.4L 3/96-98 KA24DE 1798 06805B 347 276 221 06953B 403 320 256 225 24T/25.6 DOHC 0690X 40SX 2.4L 3/96-98 KA24DE 1798 06805B 347 276 221 06953B 403 320 256 225 24T/25.6 DOHC 0690X 40SX 2.4L 3/96-98 KA24DE 1798 06805B 347 276 221 06953B 403 320 256 225 24T/25.6 DOHC 0690X 40SX 2.4L 3/96-98 KA24DE 1798 06805B 347 276 221 06953B 403 320 256	SX 3.0L 87-88 VG30 2017 06801A 422 335 268 06955A 490 390 312 06900A 490 470 376 240 24T/25.6 SOHC 06000					1544									///	/ \	06902	270	203	154						KNS02
40SX 2.4L 89-6/90 KA24E 1798 06805A 347 276 221 06953A 403 320 256 40SX 2.4L 7/90-1/94 KA24DE 1798 06805B 347 276 221 06953B 403 320 256 40SX 2.4L 2/94-2/96 KA24DE 1798 06805A 347 276 221 06953B 403 320 256 40SX 2.4L 3/96-98 KA24DE 1798 06805B 347 276 221 06953B 403 320 256 40SX 2.4L 3/96-98 KA24DE 1798 06805B 347 276 221 06953B 403 320 256 40SX 2.4L 3/96-98 KA24DE 1798 06805B 347 276 221 06953B 403 320 256 40SX 2.4L 3/96-98 KA24DE 1798 06805B 347 276 221 06953B 403 320 256 40SX 2.4L 3/96-98 KA24DE 1798 06805B 347 276 221 06953B 403 320 256 40SX 2.4L 3/96-98 KA24DE 1798 06805B 347 276 221 06953B 403 320 256 40SX 2.4L 3/96-98 KA24DE 1798 06805B 347 276 221 06953B 403 320 256	25 24T/25.6 SOHC 960 SX 2.4L 89-6/90 KA24E 1798 96805A 347 276 221 96953A 403 320 256 SOHC 960 SX 2.4L 7/90-1/94 KA24DE 1798 96805B 347 276 221 96953B 403 320 256 SOHC 960 SX 2.4L 2/94-2/96 KA24DE 1798 96805B 347 276 221 96953B 403 320 256 SOHC 960 SX 2.4L 3/96-98 KA24DE 1798 96805B 347 276 221 96953B 403 320 256 SOHC 960 SX 2.4L 3/96-98 KA24DE 1798 96805B 347 276 221 96953B 403 320 256 SOHC 960 SX 960											490	390	312				490	470	376						06031
40SX 2.4L 7/90-1/94 KA24DE 1798 06805B 347 276 221 06953B 403 320 256 225 24T/25.6 DOHC 06005A	SX 2.4L 7/90-1/94 KA24DE 1798 06805B 347 276 221 06953B 403 320 256 225 24T/25.6 DOHC 06005D 06005															7 / /									SOHC	06009
40SX 2.4L 2/94-2/96 KA24DE 1798 06805A 347 276 221 06953A 403 320 256 40SX 2.4L 3/96-98 KA24DE 1798 06805B 347 276 221 06953B 403 320 256 225 24T/25.6 DOHC 060	SX 2.4L 2/94-2/96 KA24DE 1798 06805A 347 276 221 06953A 403 320 256 225 24T/25.6 DOHC 06005X 2.4L 3/96-98 KA24DE 1798 06805B 347 276 221 06953B 403 320 256 225 24T/25.6 DOHC 06005X																									06054
40SX 2.4L 3/96-98 KA24DE 1798 06805B 347 276 221 06953B 403 320 256 225 24T/25.6 DOHC 060	OSX 2.4L 3/96-98 KA24DE 1798 06805B 347 276 221 06953B 403 320 256 225 24T/25.6 DOHC 060																									06009
																										06054
ELU ETILOIO LOCALE GIONITICI DO COLO LOCALE GIONITICI DE COLO LOCALE GIONITICO LOCALE GIONITICI DE COLO LOCALE GIONITICA DE COLO LOCALE DE COLO LOCALE GIONITICA DE COLO LOCALE COLO LOCALE GIONITICA DE COLO LOCALE COLO LOCALE COLO LOCALE COLO LOCALE COLO LOCALE COLO LOCAL	2 2 2 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2																									06009
					2		3330074	341			,,,,,,,		720									,				



			-	1							11	-		///			-						
					S	STAGE	1		STAGE 2	2 Thick	Pad			STAGE	2 Thi	n Pad		Disc	Spline		t Weight /wheel		Standard
Application	Engine Size	Year	Engine Code	Clamp Load	Kit Part #	Clutch Torque	TQ@ Flywheel	TQ@ Wheels	Kit Part #	Clutch Torque	TQ@ Flywheel	TQ@ Wheels		Kit Part #	Clutch Torque	TQ@ Flywheel	TQ@ Wheels	Size (mm)	Teeth/ Major Dia (mm)	Part #	Weigh (lb)	Notes	Clutch Kit Part #
lissan conintu	ıed													/									
30Z	2.8L	75-78	L28	2017	06801A	422	335	268	06955A	496	390	312		06900A	496	470	376	240	24T/25.6			2+2	06030
80ZX	2.8L	79-83	L28E	1798	06805A	347	276	221	06953A	403	320	256						225	24T/25.6			2 Seater & Non-Turbo Only	06009
BOZX	2.8L	79-83	L28E	2017	06801A				06955A			312		06900A	496	470	376	240	24T/25.6			2+2	06030
BOZX	2.8L	82-83	L28ET	2017	06801A				06955A			312		06900A	496	470	376	240	24T/25.6			Turbo	06031
00ZX	3.0L	84-86	VG30T	2017	06801A				06955A			312		06900A	496	470	376	240	24T/25.6			Single Turbo	06032
00ZX	3.0L	84-89	VG30	2017	06801A				06955A			312		06900A	496	470	376	240	24T/25.6			Non-Turbo	06031
00ZX	3.0L	90-96	VG30DE	2017	06801B				06955B			312		06900B	496	470	376	240	24T/25.6			Non-Turbo	06045
00ZX	3.0L	90-96	VG30DETT	2021	06806FWHD	428	437	364	06954FWHD	511	496	413						240	24T/25.6	NF502	13.1	Twin-Turbo, Includes Flywheel	06046
60Z	3.5L	03-06	VQ35DE	2271	06804	480	383	307	06952	574	444	355						250	24T/25.6	NF04	19.6	Recommended for use with EXEDY Solid Flywheel (NF04), will also work with OE Dual-Mass Flywheel	NSK1000
Recommended for	r use with	EXEDY Sol	id Flywheel (NF	04), will al	so work with C	DE Dual	l-Mass I	Flywhe	eel														
50Z	3.5L	03-06	VQ35DE	2271	06804FW				06952FW	574		355						250	24T/25.6	NF04	19.6	Includes NF04 Flywheel	NSK1000I
(79-L)/ /	1000	(33)		2725	06808FWHD	561	449	360	06957FWHD	652	521	417	1					250	24T/25.6	NF04	19.6	Includes NF04 Flywheel	NSK1000I
50Z	3.5L	07-09	VQ35HR	2271	06807	480	383	307	06956	574	444	355						250	24T/25.6	NF05	19.6	Includes NF05 Flywheel, NF05 Flywheel only works with EXEDY clutch kits, DOES NOT include CSC Hydraulic Slave Cylinder (BRG0163)	NSK1024F
				2725	06809FWHD	561	449	360	06958FWHD	652	521	417						240	24T/25.6	NF05	19.6	Includes NF05 Flywheel, NF05 Flywheel only works with EXEDY clutch kits, DOES NOT include CSC Hydraulic Slave Cylinder (BRG0163)	NSK1024F
70Z	3.7L	09-15	VQ37VHR	2271	06807	480	383	307	06956	574	444	355						250	24T/25.6	NF05	19.6	Includes NF05 Flywheel, NF05 Flywheel only works with EXEDY clutch kits, DOES NOT include CSC Hydraulic Slave Cylinder (BRG0163)	NSK1024F
				2725	06809FWHD	561	449	360	06958FWHD	652	521	417						240	24T/25.6	NF05	19.6	Includes NF05 Flywheel, NF05 Flywheel only works with EXEDY clutch kits, DOES NOT include CSC Hydraulic Slave Cylinder (BRG0163)	NSK1024F
10	2.4L	77-81	L24E	1798	06805A	347	276	221	06953A	403	320	256						225	24T/25.6				06004
ltima	3.5L	02-06	VQ35DE	2271	06804A	480			06952A			355	- A					250	24T/25.6			Includes SE-R	NSK1002
luebird	2.0L	90-98	SR20DET	1765	06803A	369			06950A	429		275						240	24T/25.6			AWD, Turbo, Non US model	
axima	2.4L	81-84	L24E	1798	06805A	347	276	221	06953A	403	320	256						225	24T/25.6			/:/	06009
axima	2.8L	82-84	LD28	1798	06805A	347	276	221	06953A	403	320	256						225	24T/25.6			Diesel	06034
axima	3.0L	85-01	VG30D/DE/ VQ30	1765	06803A	369	295	236	06950A	429	343	275						240	24T/25.6				06044
axima	3.5L	02-06	VQ35DE	2271	06804A	480	383	307	06952A	558	444	355						250	24T/25.6				NSK1002
X Coupe	2.0L	91-93	SR20DE	1544	06802	289		184						06902	270	203	154		18T/20.6				KNS02
ulsar GTI-R	2.0L	90-98	SR20DET	1765	06803A	369			06950A	429	343	275						240	24T/25.6			AWD, Turbo, Non US model	
entra	2.0L	91-99	SR20DE	1544	06802	289		184					-/-/AA \	06902	270	203	154	215	18T/20.6				KNS02
	2.0L	93-99	SR20DET	1765	06803B				06950B	429	343	275		06901B	429			240	24T/25.6	NF02	13.9	5 Speed, Turbo, Non US Model	
Ivia S15	2.0L	3/99-00	SR20DET	1765	06803B				06950B		343		1/	06901B				240				6 Speed, Turbo, Non US Model	
issan Truck																							
xxess	2.4L	89-90	KA24	2017	06801A	422	335	268	06955A	496	390	312						240	24T/25.6			AWD	06051
ontier	2.4L	99-02	KA24DE	2017	06801B				06955B		390		// / \ \ \ \\					240	24T/25.6			2WD & AWD	06059
athfinder	2.4L	87-93	Z24	2017	06801A				06955A	496								240	24T/25.6				06006
ck-Up (620/720)	2.0L, 2.2L	75-83	L20B/Z20/ Z22/SD22	1798	06805A				06953A		320		$\triangle$					225	24T/25.6			2WD, 4WD	06004
ick-Up	2.0L	83-85	Z20	2017	06801A	422	335	268	06955A	469	390	312						240	24T/25.6			2WD & AWD	06006
ck-Up	2.4L	9/86-90	Z24L	1798	06805A				06953A		320							225	24T/25.6				06034
ck-Up	2.4L	83-92	Z24/KA24	2017	06801A				06955A		390							240	24T/25.6			2WD & AWD	06006
ick-Up	2.4L	93-98	Z24/KA24E	2017	06801A				06955A		390							240	24T/25.6			2WD & AWD	KNS03



		-								1	11	-			///			-						
						STAGE	1		STAGE	2 Thic	k Pad				STAC	GE 2 Th	in Pad		Disc	Spline	Light \ Flyw	Weight /heel		Standar
Application	Engine Size	Year	Engine Code	Clamp Load	Kit Part #	Clutch Torque	TQ@ Flywheel	TQ@ Wheels	Kit Part #	Clutch Torque	TQ@ Flywheel	TQ@ Wheels			Kit Part #	Clutch Torque	TQ@ Flywheel	TQ@ Wheels	Size	Teeth/ Major Dia (mm)		Weight (lb)	Notes	Clutch Part #
Oldsmobile										/				/./										
Alero	2.3L/2.4L	95-99	LD2/LD9		04800	349	277	222											225	14T/25				KGM04
Plymouth																								
Laser	2.0L	90-4/92	4G63T	2136	05800	412	329	264	05950	479	381	305	- 77		05900	435	347	278	225	20T/22.4			Turbo 2WD, 6 Bolt Crank	05048
Laser	2.0L	5/92-94	4G63T	2136	05800	412	329	264	05950	479	381	305			05900	435	347	278	225	20T/22.4			Turbo 2WD, 7 Bolt Crank	05048
Laser	2.0L	92-4/92	4G63T	2136	05800	412	329	264	05950	479	381	305			05900	435	347	278	225	20T/22.4	MF03	12.0	Turbo AWD, 6 Bolt Crank	05048
Laser	2.0L	5/92-94	4G63T	2136	05800	412	329	264	05950	479	381	305			05900	435	347	278	225	20T/22.4	MF01	12.0	Turbo AWD, 7 Bolt Crank	05048
Laser	2.0L	90-94	4G63	1544	05801	283	225	180	05951	328	261	209							215	20T/22.4			Non-Turbo	05051
Pontiac																								
Firebird, Trans-Am	5.7L	98-02	LS-1	3372	04805FW	820	622	498	04954FW	1014	640	533							290	26T/29	GF502A	18.0	Cushion Button type Stage 2 Disc, 6 Speed, Must change flywheel to GF502A when using performance clutch kit (#04805FW, #04954FW), Includes Flywheel	04173
G5	2.2L	07-09		1866	04801	364	290	232	04950	423	337	270							225	14T/25	GF501	10.5	Natural aspirated, Does not include CSC Hydraulic slave cylinder (BRG0143)	GMK101
<b>G</b> 5	2.4L	07-09		1866	04801	364	290	232	04950	423	337	270							225	14T/25	GF501	10.5	Natural aspirated, Does not include CSC Hydraulic slave cylinder (BRG0143)	GMK101
Grand AM	2.3L/2.4L	95-99	LD2/LD9	1785	04800	349	277	222											225	14T/25			(4/// 21) 1-(0) -(0	04162
<b>GTO</b>	5.7L/6.0L	04-06	LS-3	3372	04805FW	820	622	498	04954FW	1014	640	533							290	26T/29	GF502A	18.0	Cushion Button type Stage 2 Disc, 6 Speed, Must change flywheel to GF502A when using performance clutch kit (#04805FW, #04954FW), Includes Flywheel	04173
Solstice	2.4L	06-09		1866	04802	364	290	232	04951	423	337	270							225	26T/29	GF501	10.5	Natural aspirated, Does not include CSC Hydraulic slave cylinder	GMK103
Sunfire	2.3L/2.4L	95-99	LD2/LD9	1785	04800	349	277	222											225	14T/25				04158
/ibe	1.8L	03-06	1ZZ-FE/ 2ZZ-GE	1543	16800	283	225	180	16950	328	261	209							215	21T/24.1			5 Speed, 6 Speed	KTY03/ TYK150
Saab																								
)-2X	2.0L	05	/	2315	15802	454	361	289	15950	527	420	336			15900	527	420	336	230	24T/25.2	FF01	12.7	Aero, Turbo, Pull Type	KSB03
									15950P4	527	420	336	_						230	24T/25.2	FF01	12.7	4 Puck design disc, Aero, Turbo, Pull Type	KSB03
9-2X	2.0L	05		2563	15802HD	502	399	319	15950HD	583	463	371							230	24T/25.2	FF01	12.7	Aero, Turbo, Pull Type	KSB03
									15950HDP4	583	463	371							230	24T/25.2	FF01	12.7	4 Puck design disc, Aero, Turbo, Pull Type	KSB03
9-2X	2.5L	05		1652	15801	319	254	203											225	24T/25.2	FF02	12.7	Linear, Non-Turbo, SOHC	KSB04
9-2X	2.5L	06		2383	15804	472	376	301	15952	548	437	350	/ A \						230	24T/25.2	FF502A	12.7	Aero, Turbo, Push Type	FJK1001
Saturn																								
Sky	2.4L	07		1866	04802	364	290	232	04951	423	337	270	- // \\						225	26T/29			Natural aspirated, Does not include CSC Hydraulic slave cylinder	
Scion																								
A.	1.5L	03-06	1NZ-FE	1543	16800A	283	225	180	16950	328	261	209							215	21T/24.1				KTY15
(B	1.5L	03-06	1NZ-FE	1543	16800A		225				261		7.1	1 11					215				CM 1/2/3	KTY15
C	2.4L	05-10	2AZ-FE	2093	16803A				16953A		399		A - 7						240	21T/29.8				TYK150
FR-S	2.4L 2.0L	13-15	D-4S	1349	15806				15955		248		/							24T/25.2	TF02	12.7		FJK1005
K-0	Z.UL	13-13	D-43	1349	13000	209	201	100	13333	311	240	133							230	241/23.2	11 02	12.1		Lakioos

38



	_		_					/		11	_		///			-						
						STAGE	1	STAG	E 2 Thic				STAGE	2 Thi	in Pad		Disc	Spline	Light \	Neight heel		Standard
Application	Engine Size	Year	Engine Code	Clamp Load	Kit Part #	Clutch Torque	Wheels TQ@ Flywheel	Kit Part #	Clutch Torque	TQ@ Flywheel	TQ@ Wheels		Kit Part #	Clutch Torque	TQ@ Flywheel	TQ@ Wheels	Size (mm)	Teeth/ Major Dia (mm)	Part 4	Weight (lb)	Notes	Clutch K Part #
Subaru																						
BAJA	2.5L	03-05	EJ25	1652	15801	319	254 20	3 15954	399	300	228	XX 177					225	24T/25.2	FF02	12.7	Non-Turbo, SOHC, Stage 2 is Cushion Button Type disc	KSB04
BAJA	2.5L	04-05	EJ25T	2315	15802			9 15950		420			15900	527		336	230	24T/25.2	FF01	12.7	Turbo, DOHC, Pull Type	KSB03
			_0_0.														230	24T/25.2	FF01	12.7	4 Puck design disc, Turbo, DOHC, Pull Type	KSB03
BAJA	2.5L	04-05	EJ25T	2563	15802HD	502	399 31				371	- 4/-					230	24T/25.2	FF01	12.7	Turbo, DOHC, Pull Type	KSB03
								15950HDP4	583	463	371						230	24T/25.2	FF01	12.7	4 Puck design disc, Turbo, DOHC, Pull Type	KSB03
BRZ	2.0L	13-15	FA20	1349	15806	259	207 16	6 15955	311	248	199						230	24T/25.2	TF02	12.7		FJK1005
orester	2.5L	98-05	EJ25	1652	15801	319	254 20	3 15954	399	300	228						225	24T/25.2	FF02	12.7	Non-Turbo, SOHC, Stage 2 is Cushion Button Type disc	KSB04
Forester	2.5L	04-05	EJ25T	2315	15802	454	361 28	9 15950	527	420	336		15900	527	420	336	230	24T/25.2	FF01	12.7	Turbo, DOHC, Pull Type	KSB03
								15950P4	527	420	336						230	24T/25.2	FF01	12.7	4 Puck design disc, Turbo, DOHC, Pull Type	KSB03
orester	2.5L	04-05	EJ25T	2563	15802HD	502	399 31	9 15950HD	583	463	371						230	24T/25.2	FF01	12.7	Turbo, DOHC, Pull Type	KSB03
								15950HDP4	583	463	371						230	24T/25.2	FF01	12.7	4 Puck design disc, Turbo, DOHC, Pull Type	KSB03
Forester	2.5L	06-11	EJ25T	2383	15804	472	376 30	1 15952	548	437	350						230	24T/25.2	FF502A	12.7	Turbo, Push Type, Must use FF502A Flywheel	FJK1001
Must change fl	lywheel to	FF502A for	performance o	clutch kit (#	15804, #15	952).																
mpreza	2.5L	97-14	EJ25	1652	15801	319	254 20	3 15954	399	300	228						225	24T/25.2	FF02	12.7	Non-Turbo, SOHC, Stage 2 is Cushion Button Type disc	KSB04
mpreza WRX	2.0L	02-05	EJ20T	2315	15802	454	361 28	9 15950	527	420	336		15900	527	420	336	230	24T/25.2	FF01	12.7	Turbo, Pull Type, (GC8, GF8, GDA)	KSB03
								15950P4	527	420	336						230	24T/25.2	FF01	12.7	4 Puck design disc, Turbo, Pull Type, (GC8, GF8, GDA)	KSB03
mpreza WRX	2.0L	02-05	EJ20T	2563	15802HD	502	399 31	9 15950HD	583	463	371						230	24T/25.2	FF01	12.7	Turbo, Pull Type, (GC8, GF8, GDA)	KSB03
								15950HDP4	583	463	371						230	24T/25.2	FF01	12.7	4 Puck design disc, Turbo, Pull Type, (GC8, GF8, GDA)	KSB03
mpreza WRX	2.5L	06-16	EJ25T	2383	15804	472	376 30	1 15952	548	437	350						230	24T/25.2	FF502A	12.7	Turbo, Push Type	FJK1001
mpreza WRX STI	2.5L	04-16	EJ25T	2536	15803	522	415 33	2 15951	607	482	386						240	24T/25.2	FF501A	13.3	Turbo, Pull Type, US Model	FJK1000
								15951P4	607	482	386						240	24T/25.2	FF501A	13.3	4 Puck design disc, Turbo, Pull Type, US Model	FJK1000
mpreza WRX STI	2.5L	04-16	EJ25T	3597	15803HD	741	590 47	2 15951HD	860	685	548						240	24T/25.2	FF501A	13.3	Turbo, Pull Type, US Model	FJK1000
								15951HDP4	860	685	548						240	24T/25.2	FF501A	13.3	4 Puck design disc, Turbo, Pull Type, US Model	FJK1000
_egacy	2.2L	91-94	EJ22T	2315	15802	454	361 28	9 15950	527	420	336		15900	527	420	336	230	24T/25.2	FF01	12.7	Turbo, DOHC, Pull Type	KSB01
								15950P4	527	420	336						230	24T/25.2	FF01	12.7	4 Puck design disc, Turbo, DOHC, Pull Type	KSB01
_egacy	2.2L	91-94	EJ22T	2563	15802HD	502	399 31	9 15950HD	583	463	371						230	24T/25.2	FF01	12.7	Turbo, DOHC, Pull Type	KSB01
								15950HDP4	583	463	371						230	24T/25.2	FF01	12.7	4 Puck design disc, Turbo, DOHC, Pull Type	KSB01
_egacy	2.5L	96-09	EJ25	1652	15801	319	254 20	3 15954	399	300	228						225	24T/25.2	FF02	12.7	Non-Turbo, SOHC, Stage 2 is Cushion Button Type disc	KSB04
egacy GT  Must change fi	2.5L	05-06 EE502A for	EJ25T performance of	2383	15804 15804 #15		376 30	1 15952	548	437	350			 IIV-Je	 2000		230	24T/25.2	FF502A	12.7	Turbo, Push Type, Must use FF502A Flywheel	FJK1001
egacy GT	2.5L	07-12	EJ25T	2383	15804		376 30	1 15952	548	437	350	J. /					230	24T/25.2	FF502A	12.7	Turbo, Push Type	FJK1001
egacy GT Spec B		07-09	EJ25T	2536	15803			2 15951		482		-//-/A\ \\-					240		FF501A		6 Speed Transmission, Spec B, Must use FF501A	FJK1002
loguo, o. opoc 2		57.00		2000				45054D4		482							240		FF501A		4 Puck design disc, 6 Speed Transmission, Spec B, Must use FF501A	FJK1002
egacy GT Spec B	2.51	07-09	EJ25T	3597	15803HD	741	590 47	2 15951HD	860	685	548						240	24T/25.2	FF501A	13.3	6 Speed Transmission, Spec B, Must use FF501A	FJK1002
-0540, 01 Opeo D		0. 00	20201	0001				4505411004		685							240		FF501A		4 Puck design disc, 6 Speed Transmission, Spec B, Must use FF501A	FJK1002
Legacy	3.0L	05	EZ30D	1652	15801	319	254 20	3 15954	399	300	228						225	24T/25.2	FF02	12.7	Non-Turbo, DOHC, Stage 2 is Cushion Button Type disc	KSB04

40



						STAGE	1		STAC	SE 2 Thic	k Pad					STA	AGE 2 T	hin Pac		Spline	Light	Weight		
Application	Engine Size	Year	Engine Code	Clamp Load	Kit Part #	Clutch	TQ@ Flywheel	TQ@ Wheels	Kit Part #	Clutch Torque	70	TQ@ Wheels				Kit Part #	Torque	т	Disc Size (mm)	Teeth/ Major Dia (mm)	Part #	Wheel Weight	Notes	Standard Clutch K Part #
oyota										1					1.7.7.	7								
Camry	2.5L	88-91	2VZF	2093	16803A	431	343	275	16953A	501	399	319							 240	21T/29.8				16082
Camry	3.0L	92-01		2093	16803A	431	343	275	16953A	501	399	319		1/1//	7				 240	21T/29.8				16082
Celica	1.8L	94-00	7AFE/1ZZ-FE	1543	16800	283	225	180	16950	328	261	209							 215	21T/24.1				KTY18
Celica	2.0L	88-89	3S-GTE	2093	16803C	431	343	275	16953C	501	399	319		- V					 240	21T/29.8			Turbo	16062
elica	2.0L	90-94	3S-GTE	2093	16803A	431	343	275	16953A	501	399	319							 240	21T/29.8			Turbo	KTY11
Celica GT-S	1.8L	00-05	1ZZ-FE/2ZZ-GE	1543	16800	283	225	180	16950	328	261	209							 215	21T/24.1			VVLT-I	KTY14
orolla	1.6L	80-82	3ТС	1212	16804A	212	169	133	16954A	246	196	157							 200	21T/24.1			4 Door 4 Speed & All w/5 Speed	16070
Corolla	1.6L	8/83-87	4ALC	1212	16804A	212	169	133	16954A	246	196	157							 200	21T/24.1			RWD, Except GTS	16070
Corolla	1.6L	8/83-89	4ALC	1212	16804B	212	169	133	16954B	246	196	157							 200	21T/24.1			FWD, Except GTS	16042
Corolla GT-S	1.6L	85-87	4AGE	1212	16804A	212	169	133	16954A	246	196	157	1		1				 200	21T/24.1				16070
Corolla GT-S	1.6L	88-7/89	4AGE	1212	16804B	212	169	133	16954B	246		157							 200	21T/24.1				16070
Corolla GT-S	1.6L	8/89-92	4AGE	1543	16800B	283	225	180	16950B	328	261	209	7						 215	21T/24.1	TF01	10.8	46	16074
orolla	1.6L	89-4/91	4AFE	1212	16804B	212	169	133	16954B	246	196	157							 200	21T/24.1			FWD, Except GTS	16070
orolla	1.6L			1212	16804C	212	169		16954C		196	157							 200	21T/24.1			FWD, 2WD, Except GTS	16070
orolla FX	1.6L	9/86-8/88	4AGELC	1212	16804B	212			16954B		196	157							 200	21T/24.1			FX16	KTY06
orolla FX	1.6L	2/87-8/88	4ALC	1212	16804B	212	169		16954B	246		157							 200	21T/24.1			TILL XS IIII Y	16042
Corolla	1.8L	93-04			16800	283	225		16950	328		209							 215	21T/24.1				KTY18
СНО	1.5L	00-05	1NZ-FE	1543	16800A	283			16950A	328		209							 215	21T/24.1			111111111111111111111111111111111111111	KTY15
T86	2.0L	2013-15	4U-GSE	1349	15806	259	207		15955		248	199							 230	24T/25.2	TF02	12.7		FJK1005
- 111 V	7 - 187 X	- 40	1ZZ-FE/	7 / X																				KTY03/
Matrix	1.8L	03-07	2ZZ-GE	1543	16800	283	225	180	16950	328	261	209							 215	21T/24.1			5 Speed, 6 Speed	TYK1500
/IR-2	1.6L	85	4AGELC	1212	16804B	212	169	133	16954B	246	196	157							 200	21T/24.1				16029
IR-2	1.6L	86-89	4AGE	1543	16800B	283	225	180	16950B	328	261	209							 215	21T/24.1	TF01	10.8		16074
1R-2	1.6L SC	88-89	4AGZ	1549	16802	299	238	191	16952	347	277	222							 225	21T/29.8			Supercharged	16075
IR-2	2.0L	90-95	3S-GTE	2093	16803A	431	343	275	16953A	501	399	319							 240	21T/29.8			Turbo	16062
IR-2 Spyder	1.8L	00-05	1ZZ-FE	1543	16800	283	225	180	16950	328	261	209							 215	21T/24.1				KTY03
aseo	1.5L	92-99	5E-FE	1212	16804B	212	169	133	16954B	246	196	157			1				 200	21T/24.1			14- 11 Li \V\ 8	16029
aris	1.5L	06	1NZ-FE	1543	16800A	283	225	180	16950A	328	261	209							 215	21T/24.1				
Supra	2.6L	79-80	4ME	1753	16801B				16951B		313	_		/ //	1				 225	21T/29.8			# 615 (1)	16016
Supra	2.8L	81	5ME	1753	16801B				16951B		313								 225	21T/29.8				16016
ercel	1.5L	91-94	3E-E	1212	16804B				16954B		196			74 N	1				 200	21T/24.1			4 Speed Only	16070
ercel	1.5L	95-98	5E-FE	1212	16804B				16954B		196								 200					16070
oyota Truck																								
-Runner	2.4L	85-87	22REC	1753	16801B	339	270	216	16951B	393	313	251	12	/-	1. 11				 225	21T/29.8			Non-Turbo	16057
-Runner	2.4L	89-92	22RE/22REC		16801A				16951A		313								 225	21T/29.8			2WD & 4 WD	16058
-Runner	2.4L	93-95	22RE/22REC		16801A				16951A		313	_	- 34		X				 225	21T/29.8			2WD	16058
-Runner	2.7L	96-00	3RZ-FE	1985	16806A				16956A		371								 250	21T/29.8				16090
-Runner	3.0L	88-95	3VZE	1852	16803B				16953B		399			-					 240	21T/29.8			2WD & 4 WD	16059
-Runner	3.4L	96-02	5VZ-FE	1985	16805		326												 250	21T/29.8				



														/ //			1						
	l					STAGE	1		STAG	E 2 Thic	k Pad			STA	GE 2 Th	in Pad		Disc	Spline	Light Fly	Weight wheel		Standard
Application	Engine Size	Year	Engine Code	Clamp Load	Kit Part #	Clutch Torque	TQ@ Flywheel	TQ@ Wheels	Kit Part #	Clutch Torque	TQ@ Flywheel	TQ@ Wheels		Kit Part #	Clutch Torque	TQ@ Flywheel	TQ@ Wheels	Size (mm)	Teeth/ Major Dia (mm)	Part #	Weight (lb)	Notes	Clutch Ki Part #
Toyota Truck	continue	d								7				/									
FJ Cruiser	4.0L	07-11	1GR-FE	2068					16957	563	450	360						275	21T/29.8				TYK1503
Pick-Up	2.4L	81-88	22R/22REC	1753	16801B	339	270	216	16951B	393	313	251						225	21T/29.8			Non-Turbo	16057
Pick-Up	2.4L	89-92	22R/22RE	1753	16801A	339	270	216	16951A	393	313	251	\V/					225	21T/29.8			2WD & 4 WD	16058
Pick-Up	2.4L	93-95	22R/22RE	1753	16801A	339	270	216	16951A	393	313	251						225	21T/29.8			2WD	16058
T100	2.7L	94-98	3RZ-FE	1985	16806A	420	326	272	16956A	502	371	309	Z = \ = \ \					250	21T/29.8			#	16090
T100	3.0L	93-94	3VZE	1852	16803B	369	294	235	16956B	502	371	309						240	21T/29.8			2WD	16059
T100	3.0L	93-94	3VZE	1852	16806B	420	326	272	16956B	502	371	309						250	21T/29.8			4WD	KTY16
T100	3.4L	95-98	5VZ-FE	1985	16805	420	326	272										250	21T/29.8				
Tacoma	2.4L	01-04	2RZ-FE	1985	16806A	420	326	272	16956A	502	371	309	Y					250	21T/29.8			4WD	16090
Tacoma	2.7L	95-04	3RZ-FE	1985	16806A	420	326	272	16956A	502	371	309						250	21T/29.8				16090
Tacoma	3.4L	95-04	5VZ-FE	1985	16805	420	326	272										250	21T/29.8			9 15 MA	-4-70e3
Tacoma	4.0L	05-11	1GR-FE	2068					16957A	563	450	360						275	21T/29.8				TYK1515
Tundra	3.4L	00-04	5VZ-FE	1985	16805	420	326	272										250	21T/29.8			//	\
Tundra	4.0L	05-06	1GR-FE	2068					16957	563	450	360						275	21T/29.8				TYK1503
Volkswagen																							
Corrado	2.8L	92-95	/	2091	17800	404	321	257	17950	474	377	302						228	28T/22.2			VR6, 5 Speed	17036
Golf/Golf III/ GTI	2.8L	95-02	AAA/AFP	2091	17800	404	321	257	17950	474	377	302						228	28T/22.2			VR6, 5 Speed	17036
Jetta/ Jetta III	2.8L	94-02	AAA/AFP	2091	17800	404	321	257	17950	474	377	302						228	28T/22.2			VR6, 5 Speed	17036
Passat	2.8L	93-97	AAA	2091	17800	404	321	257	17950	474	377	302						228	28T/22.2			VR6, 5 Speed	17036





# Stage 3 Single

The Hyper Single Clutch is engineered to optimize the performance of cars that are moderately modified, but do not require the clutch capacity of a multi-plate clutch. Similar to our multi-plate clutches, it has a purple anodized, forged aluminum cover. The aluminum cover is stiffer than a stamped cover and therefore allows a higher lever ratio to maintain the pedal efforts at a reasonable level. There is no clamp load deflection as found in a pressed metal type cover.

All Hyper Single clutches come with a chromoly steel flywheel, 6-puck cerametallic facing and a spring center damper disc assembly. The disc is generally smaller and thinner than the OEM disc making for lower inertia and therefore quicker, easier shifting and less wear and tear on the transmission synchros. The higher clamp load and cerametallic friction facings give approximately twice the holding torque of the OEM clutch and generally higher than other single plate clutches. An additional feature of the pressure plate is a series of turbine-like, air

 High friction coefficient, low wear, and a special heat resistant material (T5001) has been developed enabling clutch size to be reduced and increased durability to be achieved.

flow enhancing vanes that keep the clutch cooler under

extreme operating conditions to improve wear life.


- Durability is improved with the use of a stronger, smaller damper disc, specifically redesigned for the Hyper Single Clutch.
- A lower level of inertia is achieved over the genuine fitment clutch which improves shift response for faster gear changes particularly for racing applications.

#### **Pull Type Clutch**

The pull type clutch accommodates higher torque, in conjunction with lighter pedal efforts to produce a superior clutch operation, when adapted to most high-powered vehicles. An EXEDY Original design.

## **Advantages**

- Unlike the push type cover, when a pull type cover flexes, it will flex in the direction of disengagement, assisting in positive pedal feel.
- A longer lever ratio achieves a direct decrease in pedal effort.



## Patented One Touch Snap in Function

The problem of detachment difficulties is solved by the use of EXEDY original one-touch snap in bearing design. Detachment can easily be accomplished with the use of a screwdriver, alternatively, the bearing can be snapped back into place while activating the release fork.

#### What is Inertia?

Inertia is the tendency of the clutch and flywheel to maintain rotation even when not connected to the engine torque. This affects the responsiveness of the engine and also the feel of low rpm torque and start up driveability.

In the case of the clutch disc, lower inertia is always better to improve shift efforts and reduce the wear on the transmission synchros.





# Stage 4 & 5 Muliti Plate

#### **Twin and Triple Plate**

For high-powered applications, EXEDY offers twin and triple Multi-Plate Clutches. These are designed for high power street action as well as drag, road and rally racing.

The twin plate clutches are rated for approximately 500 ft.lbs. TQ @ FW. The triple plate clutches are rated for up to and over 800 ft.lbs. TQ @ FW. Twins come with both spring damper discs or solid discs depending on application. Triples are all solid discs and not recommended for street use.

All of our multi-plate clutches come with a lightweight, chromoly steel flywheel and the famous purple anodized forged aluminum clutch cover. Depending on the application, we have both strap drive and lug drive models. All have T5001 cerametallic friction materials for extreme heat resistance.



This model has been developed for high powered street cars and race cars with up to approximately 600TQ @ FW. They feature ventilated, thick intermediate plates for improved life and spring damper discs to protect your transmission and drive line.

**SR Type** 


This model has twin or triple plates developed to be lightweight for quick response. The Triple plate model is available for over 800TQ @ FW and the twin plate model is rated to approximately 600TQ @ FW. The combination of ultra lightweight solid discs and a lightweight chromoly flywheel gives the driver a lightened pedal effort and quick response. This can improve your times when running at the drag strip or road course. They feature ventilated, thick intermediate plates for improved life.


**HR Type** 

This model has three plates and is developed specifically for high power applications such as over 800TQ @ FW for drag racing. It handles high torque loads and shifts smooth, and because of the lightweight clutch discs, you can reduce your shift times.

# Patented Clutch Cushioning Function

The "cushion" function is a new innovation unique to EXEDY. The half engaged "zone" is expanded as a result of a decrease in rigidity of the pivot ring. Ideal pedal effort is achieved as a result of a longer lever ratio of the diaphragm spring coupled with the cushion reaction force.






#### **Engine Modifications**


Cam, timing, turbo modifications etc., cause engine pulsation and vibrations. These vibrations can cause clutch rattle when the clutch pedal is depressed by movement on the intermediate separator plate, in some applications. These noises will in no way affect the performance of the EXEDY Multi Plate Clutch. This rattle is well accepted in the performance industry where engine modifications have been carried out.

# Patented Center Plate Self Leveling Function

The amount of center plate travel during release is always maintained in a neutral position by the reaction force of the lifting plate attached to both sides of the center plate.

- Improved disengagement (accelerated separation from friction surface).
- Improved disc life by eliminating unbalanced wear at the T/M and F/W side.
- Prevents and lowers mechanical noise.





## **Working Theory**

Due to high temperatures generated by the clutch system during operation, the pressure plate tends to absorb a large portion of that heat, accelerating the wear of the pressure plate side disc. The Lifting plate location remains steady between the location area on the pressure plate shown as (A) and F/W location area shown as (B) on the chart above. Accordingly, the wear of the pressure plate side disc is accelerated, resulting in the F/W side disc automatically being engaged earlier than the pressure plate side, which in turn increases the F/W side disc's work and wear rate. Therefore, due to an increase in workload during half engaged operations, wear on the F/W side disc will be accelerated causing a reduction in the overall friction material thickness, resulting in the F/W disc registering a similar thickness friction material to that on the pressure plate side.






# 

The flagship model of EXEDY clutches, the Carbon Steel Multi Plate Clutch. These Clutches are lightweight, durable and resilient to high heat, contributing to an improvement in track times.

Warm Up Procedure

Due to the inherent properties of the carbon material, we must specify the proper way to bring the discs up to operating temperature.

This Process will heat the discs so they will hold the specified torque rating. The correct method is three, five second "slips" of the clutch within 30 seconds at low RPM.





#### **High Heat Resistance**

Carbon materials are baked at more than 3600°F, which allows the carbon material to dissipate heat far better than conventional metallic material. Heat expansion rate is 1/20th of iron therefore eliminating a change in clutch feel that may happen due to distortion caused by expansion during driving. Carbon material not only has a high heat resistance but also a "non-stick" characteristic that eliminates disengagement problems.

**Light in Weight** 

The heaviest components of the clutch system are the clutch cover, intermediate plates and flywheel. Semi-Carbon clutches incorporate an improved cover configuration and lightened flywheel also contributing to a reduction in vehicle rotating weight.






#### **Low Inertia Design**


The weight of a carbon clutch disc is one third that of a metallic disc. Utilizing a high friction coefficient Hyper Carbon disc which allows for quicker shift response. Low inertia discs allow the transmission to synchronize in a shorter space of time eliminating time loss during shift changing while also reducing the applied load to the synchronizer.

#### **Easy to Handle**

By controlling the carbon fibers and baking temperature, the cross layer type carbon material, which is the most appropriate for high revolution strength and high torque transmission, is applied to tuning car clutches. Semi-carbon clutches offer lightweight, high heat resistance and a stable friction coefficient.



EXEDY Carbon clutches are tuned so that at a lower temperature, engagement feeling is improved and conversely at high temperatures, engagement is ideal for spirited driving.



#### **Long Life**

Semi-Carbon clutches allow double the life when compared to conventional metallic type material, which equates to an improved cost performance thanks to longer overhaul cycles. Full carbon clutches have more wear than metallic however, when used with over-sized pressure plates, the life is identical to metallic.





# 

**Introducing the Next Generation...** 

...of clutch systems by EXEDY - Carbon-D, the revolutionary Carbon Clutch System.

Carbon-D was developed to achieve the ultimate goal of comfort and streetability by absorbing noise and vibration emitted from drivetrain components such as the differential, transmission and engine. The Carbon-D system is designed to protect the drivetrain by absorbing and dissipating "shock torque" by utilizing EXEDY Patented Technology. Superior engineering enables the Carbon-D clutch system to posses an ideal clutch engagement position, increased clamp loads and lower pedal effort, while the unique Carbon Fiber friction material allows comfortable half-engaged clutch operation and responsive gear changes.




- Introduction of a damper to absorb and dissipate noise and vibration
- High clamp load, lower pedal effort and ideal clutch engagement is obtained with the use of the re-engineered diaphragm spring
- Quiet Strap Drive design to minimize mechanical noise Patent Pending Disc System

Carbon-D Twin

Introduction of a damper to absorb and dissipate noise and vibration

With a reduction in pedal effort and an increase in disc size to 225mm, the Carbon-D Twin clutch is ideally suited to high performance street vehicles


By optimizing the weight and inertia of the Carbon-D Clutch System, driveability is improved at low speeds



**Engine Rotation (rpm)** Even engines that seem to run very smoothly always have some amount of fluctuation in engine rotation. These fluctuations, when transferred from the engine to the transmission, cause gear teeth carrying no torque to strike mating teeth, resulting in noise ("tooth hammer"). The noise is louder in the interior as well as outside the vehicle because the clutch housing acts as a speaker and magnifies the noise. Although the noise level and noisegenerating speed depend on the type and model of car, such noise is more frequent in a 6-speed vehicle than in a 5-speed vehicle.

## **Vibration-Absorbing Damper**

The conventional damper used in most sports clutches is designed to protect the transmission from shock torque caused by abrupt clutch engagement, so it does little to absorb vibration. Efficient absorption of fluctuations in engine speed requires a very flexible spring and proper setting of the hysteresis torque. The flexibility of the spring, however, is likely to run counter to the damper capacity. For this reason, Carbon-D is equipped with a new dual stage damper, a low-load stage and rapid-acceleration stage, both of which are perfectly tuned for each car type. This tuning technology is available only from EXEDY, the specialist in high performance clutch systems.





tana 2 Cinala Caramat	allia Cina	ula Cauban	Ctomo A Turin	Covomotalli	Turin Corbon	Ctono F Tu	inla Caramatallia	Triple C	auhan		1	Llunar Co	rios Cl	lutah Kiti	. Do Not In	oludo Pos	rina		
age 3 — Single Ceramet	allic Sing	gie Carbon	Stage 4 – IWIr	Cerametalli	c Twin Carbon	Stage 5 — Ir	ipie Cerametailic		arbon		_/		eries Ci	uten Kits	s Do Not In	clude Bea			
Application	Liter	Year	Engine	Clamp Load	Part #	Number of Disc	Disc Material	Sprung Center (D-core)	Clutch Torque		///	TQ Capac @Whls	Disc Size (mm)	Type (Push or Pull)	Spline Teeth/Major Dia (mm)	Flywheel to Crank Bolt ft-lb	to Flywhee	Notes	Standard Clutch Kit Part #
Acura											1 1 1 1					10			
ntegra	1.8L	90-91	B18A1	2023	HH06SD	SINGLE	CERA	YES	422			235	200	PUSH	24T/25	77	23	Cable Clutch	08017
· ·				2023	HM042SR	TWIN	CERA	NO	767			427	184			77	23		
ntegra	1.7/1.8L	92-93	B17A/B18A	2203	HH02SBMC1	SINGLE	CARBON	NO	422	- \V/		168	200	PUSH	24T/26	77	23	Cable Clutch	08028
				2023	HH02SD	SINGLE	CERA	YES	422	-7/		235	200	/		77	23		
				2023	HM022SR	TWIN	CERA	NO	767			427	184	/		77	23		> <del></del>
ntegra	1.8L	94-01	B18B/B18C	2203	HH02SBMC1	SINGLE	CARBON	NO	422			168	200	PUSH	24T/26	77	23	Hydraulic Clutch	KHC05
				2023	HH02SD	SINGLE	CERA	YES	422			235	200			77	23		
				2023	HM022SR	TWIN	CERA	NO	767			427	184			77	23		
ISX	3.0L	91-96	C30A1	2922	HH04SD1	SINGLE	CERA	YES	647			375	225	PULL	24T/26	77	23	Flywheel Crank bolts required Part # 90011-PR7-000 (8pcs), Input shaft must be changed on transmission to 91-96 mode	1
				2653	HH04SDMC	SINGLE	CARBON	YES	559			223	225		· /	77	23		/ >
				2630	HM012SBMC1	TWIN	CARBON	NO	1009			402	200	9	1-16	77	23		) 1(2/4)
				1765	HMG12SD	TWIN	ORG	YES	596			340	200	PULL	24T/26	77	23	Strap drive, Organic disc, Input shaft must be changed on transmission	
				1765	HM012SD	TWIN	CERA	YES	736			409	200		1	77	23		A
(0)	- (9)		16 2	1765	HM013SB	TRIPLE	CERA	YES	1074			614	200			77	23		
ISX	3.2L	97-05	C32B1	2922	HH04SD1	SINGLE	CERA	YES	647			375	225	PULL	24T/26	77	23	Flywheel Crank bolts required Part # 90011-PR7-000 (8pcs), Input shaft must be changed on transmission to 91-96 model	
				2653	HH04SDMC	SINGLE	CARBON	YES	559			223	225			77	23		
				2630	HM012SBMC1	TWIN	CARBON	NO	1009			402	200			77	23		
				1765	HMG12SD	TWIN	ORG	YES	596			340	200	PULL	24T/26	77	23	Strap drive, Organic disc, Input shaft must be changed on transmission to 91-96 model	
				1765	HM012SD	TWIN	CERA	YES	736			409	200			77	23		
		7 . 20.100		1765	HM013SB	TRIPLE	CERA	YES	1074			614	200			77	23		
RSX	2.0L	02-07	K20	2023	HH03SD	SINGLE	CERA	YES	422			235	200	PUSH	24T/26	91	23	5 Speed/6 Speed	KHC09/KHC
				2113	HH03SBMC	SINGLE	CARBON	NO	405			162	200	\	\	91	23		77 /
-ov	0.41	00.00	1/04	2428	HM032SBL	TWIN	CERA	NO	1012			563	200		0.47/00	91	23		
ΓSX	2.4L	03-08	K24	2023	HH03SD	SINGLE	CARRON	YES	422			235	200	PUSH	24T/26	91	23	6 Speed	HCK1001
				2113	HH03SBMC HM032SBL	SINGLE	CARBON	NO NO	700			102				31	-	_ <del></del>	
3MW				2420	HIVIU323BL	TWIN	CERA	NO	1012			563	200			91	23		
	4.01 //:	04.00	WAADAA		DUMAN	OINOL E	0504	VEO	100	Z - 1/1 1		005		DUIGU	4.47/05		300 (		DINICIONATIO
Mini Cooper-S	1.6L	01-06	W11B16	2023	BH01SD	SINGLE	CERA	YES	422		1	235	200	PUSH	14T/25	67	23	6 Speed, Supercharged	BMK1001FV
323i, 323is, 323Ci	2.5L	98	M52	2653	BH02SD	SINGLE	CERA	YES	612	77 73		340	225	PUSH	10T/29	78	23	E36	03011
323is, 323Ci	2.5L	99	M52	2653	BH02SD	SINGLE	CERA	YES	612	77 / A	77/	340	225	PUSH	10T/29	78	23	E36	03011
328i, 328Ci	2.8L	96-99	M52	2653	BH02SD	SINGLE	CERA	YES	612	7 7-	7. 7.	340	225	PUSH	10T/29	78	23	E36	KBM11
23	2.8L	97-98	M52	2653	BH02SD	SINGLE	CERA	YES	612		1 1.0	340	225	PUSH	10T/29	78	23	E36/7	KBM11
Chevrolet																			
Camaro	5.7L	98-02	LS-1	3597	GH01SD1	SINGLE	CERA	YES	918			506	250	PUSH	26T/29	74	23	6 Speed, Strap drive type. All others are lug drive type.	04173
				2428		TWIN	CERA	YES	1087			604	215			74	23		
				2608	GM013SBMC1	TRIPLE	CARBON	NO	1346			690	225			74	23		
				3035	GT04XD	TWIN	CERA	YES	1415			847	225			74	23		



age 3 — Single Ceramo	etallic Singl	e Carbon	Stage 4 – IWIN (	erametailio	Twin Carbon	stage 5 – Ir	pie Cerametailic	iripie C	arbon			пурег S	eries Ci	uten Kits	s Do Not Ind				
pplication	Liter	Year	Engine	Clamp Load	Part #	Number of Disc	Disc Material	Sprung Center (D-core)	Clutch Torque			TQ Capac @Whls	Disc Size (mm)	Type (Push or Pull)	Spline Teeth/Major Dia (mm)	Flywheel to Crank Bolt ft-lb	PP Assby. to Flywhee ft-lb	l Notes	Standard Clutch Kit Part #
hevrolet con	ntinued																		
amaro SS	6.2L	10-15	LS-3	2428	GT04SD	TWIN	CERA	YES	1087	- 77	1//	604	215	PUSH	26T/29	74	23	Strap drive type. All others are lug drive type.	4 1
				3035	GT04XD	TWIN	CERA	YES	1415	13	17	847	225		/	74	23		-4-
				2608	GM013SBMC1	TRIPLE	CARBON	NO	1346	_ \	V7	690	225		/	74	23		1
obalt SS	2.0L SC	05-07	LSJ	2653	GH02SD	SINGLE	CERA	YES	612			340	225	PUSH	14T/25	39 **	23	Supercharged	GMK1016
	2.0L Turbo	08-09		2653	GH02SD	SINGLE	CERA	YES	612			340	225	PUSH	14T/25	39 **	23	Turbo	
Corvette	5.7L/6.0L	97-08	LS-1/LS-2/LS-6	3597	GH01SD1	SINGLE	CERA	YES	918			506	250	PUSH	26T/29	74	23	6 Speed, Strap drive type. All others are lug drive type.	04173
				2428	GT04SD	TWIN	CERA	YES	1087			604	215	) <i>/</i>	~~ /	74	23	C5	X X
				2608	GM013SBMC1	TRIPLE	CARBON	NO	1346			690	225	4 6	37 /	74	23		19
			EW W W-X-	3035	GT04XD	TWIN	CERA	YES	1415		V	847	225	1 //	n//-\	74	23	XXXX I N N N N N X	y/
Corvette	7.0L	06-13	LS-7	3035	GT04XD	TWIN	CERA	YES	1415			847	225	PUSH	26T/29	74	23	Z06, C6, 6 Speed, Strap drive type. All others are lug drive type.	
				2608	GM013SBMC1	TRIPLE	CARBON	NO	1346			690	225			74	23		
Corvette	6.2L	09-13	LS-3	2428	GT04SD	TWIN	CERA	YES	1087			604	215	PUSH	26T/29	74	23	C6, 6 Speed, Strap drive type. All others are lug drive type.	y 16.7
				3035	GT04XD	TWIN	CERA	YES	1415		A	847	225		111-	74	23	A // //	
11 -4		714.1	2-3(1)	2608	GM013SBMC1	TRIPLE	CARBON	NO	1346			690	225		1 12-	74	23	4-1/ ///X	
ord																			
ocus	2.0L	00-03	Zetec	2653	EH01SD	SINGLE	CERA	YES	612			340	225	PUSH	23T/25	61	23	DOHC, 5 Speed, Not SVT	KFM01
			Duratec	2653	EH05SD	SINGLE	CERA	YES	612			340	225						FMK1009
lustang	4.6L	96-10		3597	EH02SD1	SINGLE	CERA	YES	909			506	250	PUSH	10T/27.5	59	23	8 Bolt Crank, SOHC/DOHC, Strap drive type. All others are lug drive type.	KFM08HP
				2428	ET01SD	TWIN	CERA	YES	1087			604	215			59	23		<del>7 //</del>
lustang	4.6L	96-10		2428	ET02SD	TWIN	CERA	YES	1087			604	215	PUSH	10T/27.5	59	23	6 Bolt Crank, SOHC, Strap drive type. All others are lug drive type.	KFM08HP
lustang	4.6L	96-10		3597	EH04SD1	SINGLE	CERA	YES	909			506	250	PUSH	26T/29	59	23	8 Bolt Crank, TREMAC TRANS, Strap drive type. All others are lug drive type.	-///
				2428	ET03SD	TWIN	CERA	YES	1087			604	215	\		59	23		12/ /
				3035	ET03XD	TWIN	CERA	YES	1415			847	225	\		59	23		74 /
lustang	5.0L	11-16		3597	EH06SD1	SINGLE	CERA	YES	909			506	250	PUSH	23T/26.2	59	23	Also fits BOSS 302	
lustang	5.0L	11-16		3035	ET04XD	TWIN	CERA	YES	1415			847	225	PUSH	23T/26.2				
lustang	5.4L	07-14			ET03XD	TWIN	CERA	YES	1415		g [	847		PUSH	26T/29	59	23	Shelby GT500/GT500KR, 8 Bolt crank	·////
londa				72 (															
ccord	2.2L	94-97	H22A	2022	HH05SD	SINGLE	CERA	YES	422			235	200	PUSH	24T/26				KHC03
ivic SI	1.6L	99-00	B16A		HH02SBMC1	SINGLE	CARBON	NO	422	- 7.7	71.2	168	200	PUSH	241/26 24T/26	77	23		KHC05
TVIC OI	1.02	33-00	BION	2023	HH02SD	SINGLE	CERA	YES	422	11	1/1	235	200			77	23		
				2023	HM023SR	TWIN	CERA	NO	767	17	7-17	427	184			77	23		
ivic SI	2.0L/2.4L	02-16	K20/K24	2023	HH03SD	SINGLE	CERA	YES	422	1.6.1		235	200	PUSH	24T/26	91	23		KHC09
		<b>J</b> _ 10			HH03SBMC	SINGLE	CARBON	NO	405			162	200			91	23		
				2428	HM032SBL	TWIN	CERA	NO	1012			563	200			91	23		
el Sol	1.6L	94-97	B16A		HH02SBMC	SINGLE	CARBON	NO	405	/ \		162	200	PUSH	24T/26	77	23		KHC06
1					HH02SD	SINGLE	CERA	YES	422		- T	235	200			77	23		
					HM022SR	TWIN	CERA	NO	767			427	184		/_	77	23		/

\*\* needs additional 25 degree turn



age 3 – Siligle Cela	ametallic Singl	le Carbon	Stage 4 – Twill	Cerametanic	Twin Carbon	Stage 3 – II	pie cerametanic		arborr	/	yper de	1163 01	aton Att	s Do Not Inc	lude Beal			
pplication	Liter	Year	Engine	Clamp Load	Part #	Number of Disc	Disc Material	Sprung Center (D-core)	Clutch Torque		TQ Capac @Whls	Disc Size (mm)	Type (Push or Pull)	Spline Teeth/Major Dia (mm)	Flywheel to Crank Bolt ft-lb	PP Assby. to Flywheel ft-lb	Notes	Standard Clutch Kit Part #
londa conti	inued									7-7-7-7								
S2000	2.0L/2.2L	00-08	F20C/F22C	2203	HH01SD	SINGLE	CERA	YES	459		255	200	PULL	24T/26	95	23	AP-1	KHC06
				2270	HH01SDV	SINGLE	CERA/ORG	YES	461		263	200	PULL	24T/26	95	23		KHC06
				2540	HH01SDMC1	SINGLE	CARBON	YES	563		213	200			95	23		
				2428	HM052SBMC	TWIN	CARBON	NO	1024		371	200			95	23	<u></u>	
				2338	HM052SR	TWIN	CERA	NO	974		542	200			95	23		
relude	2.2L	94-97	H22A	2023	HH05SD	SINGLE	CERA	YES	422		235	200	PUSH	24T/26	/	// V		KHC03
lyundai																		
Genesis	2.0L	10-12		2428	RM012SD	TWIN	CERA	YES	1012		563	200	PUSH	23T/26.2			Turbo	
nfiniti																		
35	3.5L	03-07	VQ35DE	2630	NM072SBMC1	TWIN	CARBON	NO	1009		402	200	PUSH	24T/25.6	66	23	8 flywheel crank bolts required part Number #12315-30P01	NSK1000
Fig.V	A. Tabl			2653	NM072SDMC1	TWIN	CARBON	YES	1150		458	225	25	1-0	66	23		· \/ \/
				2653	NM072HD	TWIN	CERA	YES	1106		615	200	PUSH	24T/25.6	66	23		
				3035	NT01HDMC	TWIN	CARBON	YES	1315		516	225			66	23	High clamp load and strap plate driven for high torque and eliminate rattling noise at shifting.	1-1
				3709	NMA73HBMC1	TRIPLE	CARBON	NO	2411		981	225		[0	66	23		( <del>(1)</del> )- L
Mazda																		
IX-5 Miata	1.6L/1.8L	90-05	B6/BP-ZE	2113	ZH03SBMC	SINGLE	CARBON	NO	405		162	200	PUSH	22T/24.3	75	23		
			20,2: ==	2023	ZH03SDMC1	SINGLE	CARBON	YES	422		168	200			75	23		
X-7	1.3L	86-91	13B-RE	2653	ZH02SBMC	SINGLE	CARBON	NO	508		223	200	PUSH	23T/26.2	48	23	Turbo, FC3S, Includes Flywheel Bolts	10037
		- 10		2653	ZH02SD	SINGLE	CERA	YES	562		340	225		1	48	23	Need adapter/counterweight N327-11-521A (Built prior to 1/1989	7 / /
				2023	ZH02SDMC	SINGLE	CARBON	YES	387		159	200		\	48	23	Need adapter/counterweight N351-11-521 (Built after 1/1989	) / //-
				2428	ZM012SBMC	TWIN	CARBON	NO	930		373	200		1. (	48	23		-///
				2205	ZM012SD	TWIN	CERA	YES	919		511	200		-77	48	23		191
				2205	ZM013SR	TRIPLE	CERA	NO	1378		767	200	\		48	23		V4 /
X-7	1.3L	93-95	13B-REW	2922	ZH01SD1	SINGLE	CERA	YES	674		375	225	PULL	23T/26.4	48	23	Turbo, FC3S, Includes Flywheel Bolts	KMZ01
				2630	ZM022SBMC1	TWIN	CARBON	NO	1009		402	200			48	23	Need adapter/counterweight N351-11-521.	
				2205	ZM022SD	TWIN	CERA	YES	919		511	200			48	23		
				2653	ZM022SDMC1	TWIN	CARBON	YES	1150		458	225			48	23		
				2428	ZM023SBMC	TRIPLE	CARBON	NO	1394		568	200			48	23		
				2205	ZM023SR	TRIPLE	CERA	NO	1378		767	200			48	23		
X-8	1.3L	03-11	13B-MSP	2653	ZH02SBMC	SINGLE	CARBON	NO	508	11 1	223	200	PUSH	23T/26.2	48	23		MZK1002
				2653	ZH02SD	SINGLE	CERA	YES	562	7 /\ \\	340	225			48	23	Need adapter/counterweight N3Z2-11-52X.	
				2023	ZH02SDMC	SINGLE	CARBON	YES	387		159	200	V		48	23		
				2428	ZM012SBMC	TWIN	CARBON	NO	930		373	200	^		48	23		
				2205	ZM012SD	TWIN	CERA	YES	919	. /3/1	511	200			48	23	CMIES	
				2205	ZM013SR	TRIPLE	CERA	NO	1378		767	200			48	23		



tage 3 — Single Ceramet	JII	ngic carbon	Juge 1 1WII	. cerametalli	Twin Carbon	Juge J III	pre cerametanie							s Do Not Inc				
Application	Liter	Year	Engine	Clamp Load	Part #	Number of Disc	Disc Material	Sprung Center (D-core)	Clutch Torque		TQ Capac @Whls	Disc Size (mm)	Type (Push or Pull)		Flywheel to Crank Bolt ft-Ib	PP Assby. to Flywheel ft-lb	Notes	Standard Clutch Kit Part #
Mitsubishi																		
ancer Evo 4/5/6/7	2.0L	8/96-02	4G63T	2922	MM022HBMC	TWIN	CARBON	NO	1121		447	200	PULL	23T/26.2	99	23	Model not sold in the USA	MBK1002
				2653	MM022HD	TWIN	CERA	YES	1106		615	200			99	23		
				2205	MM022SD	TWIN	CERA	YES	919		511	200			99	23		
				3170	MM023HBMC1	TRIPLE	CARBON	NO	1824		742	200			99	23		
				2653	MM023HR	TRIPLE	CERA	NO	1659		923	200			99	23		
				2205	MM023SR	TRIPLE	CERA	NO	1378		767	200			99	23		
ancer Evo 8/MR/9	2.0L	03-07	4G63T	2922	MM022HBMC	TWIN	CARBON	NO	1121		447	200	PULL	23T/26.2	99	23	5 Speed & 6 Speed	MBK1001
				2653	MM022HD	TWIN	CERA	YES	1106		615	200	1 8	3/ / //	99	23		-1/1/
				2205	MM022SD	TWIN	CERA	YES	919		511	200		/// N	99	23	OV LNINH	X-1
				3170	MM023HBMC1	TRIPLE	CARBON	NO	1824		742	200	-(0)	/ <del>- /-</del>	99	23		
				2653	MM023HR	TRIPLE	CERA	NO	1659		923	200	545	1	99	23	// 15 MA	V/Atv
		(0)		2205	MM023SR	TRIPLE	CERA	NO	1378		767	200		1-11	99	23		
ancer Evo 10	2.0L	08-Up	4B11T	2205	MM062SD	TWIN	CERA	YES	919		511	200	PULL	23T/26.2		23		MBK1009
				2653	MM062HD	TWIN	CERA	YES	1106		615	200	PULL			23		
				2428	MM062SBL	TWIN	CERA	NO			563	200	PULL			23		
				2653	MM062SDMC1	TWIN	CARBON	YES	1150		458	225	PULL			23		
				2205	MM063SB	TRIPLE	CERA	YES	1378		767	200	PULL			23		
				2653	MM063HB	TRIPLE	CERA	YES	1659		923	200	PULL			23		
lissan																		
40SX	2.4L	89-98	KA24E/DE	2922	NH08SD	SINGLE	CERA	YES	674		375	225	PUSH	24T/25.6	112	23		06009/ 0605
				2653	NM092HD	TWIN	CERA	YES	1106		615	200		\	112	23		//h
				2653	NM093HB	TRIPLE	CERA	YES	1659		923	225		-\- ((	112	23	4/	-///
00 ZX	3.0L	90-96	VG30DETT	2428	NM062SBMC	TWIN	CARBON	NO	931		371	200	PUSH	24T/25.6	66	23	Twin Turbo	06046
				2205	NM062SD	TWIN	CERA	YES	919		511	200			66	23		
				2428	NM063SBMC	TRIPLE	CARBON	NO			568	200			66	23		
				2205	NM063SR	TRIPLE	CERA	NO	1378		767	200			66	23		
50Z	3.5L	03-06	VQ35DE	2630	NM072SBMC1	TWIN	CARBON	NO	1009		402	200	PUSH	24T/25.6	66	23	8 flywheel crank bolts required part Number #12315-30P01	NSK1000
				2653	NM072SDMC1	TWIN	CARBON	YES	1150	7 A \	458	225		V-101	66	23		-////
				2653	NM072HD	TWIN	CERA	YES	1106	1/41	615	200	PUSH	24T/25.6	66	23		4
				3035	NT01HDMC	TWIN	CARBON	YES	1315		516	225		1	66	23	High clamp load and strap plate driven for high torque and eliminate rattling noise at shifting.	-
				3709	NMA73HBMC1	TRIPLE	CARBON	NO	2411	AVI	981	225			66	23		X



				/			/	1 /			//	/	_		1			_
age 3 — Single Cerametall	lic Singl	e Carbon	Stage 4 — Twin	Cerametallic	Twin Carbon	Stage 5 — Tri	ple Cerametallic	Triple C	arbon		Hyper S	eries Cl	utch Kits	s Do Not Inc	lude Bear	ring		
							-	Sprung			TQ	Disc	Туре	Spline	Flywheel	PP Assby.		Standard
pplication	Liter	Year	Engine	Clamp	Part #	Number of Disc	Disc Material	Center	Clutch Torque		Capac	Size	(Push	Teeth/Major	to Crank	to Flywheel	Notes	Clutch Ki
								(D-core)			@Whls	(mm)	or Pull)	Dia (mm)	Bolt ft-lb	ft-lb		Part #
lissan continue	ed																	
	2.6L	8/89-2/93	RB26DETT	2922	NH03SD1	SINGLE	CERA	YES	674		375	225	PUSH	24T/25.6	110	23		
on noz (curry)	2.02	5/00 E/00	ND20D211	2428	NM032SBMC	TWIN	CARBON	NO	931		371	200			110	23	Requires changing the release bearing to part no. 30502-14601 (BRG002), BRG002: 45mm contact diameter, to improve pedal effort than stock bearing 62mm diameter., Model not sold in the USA, Includes Flywheel Bolts	
				2205	NM032SD	TWIN	CERA	YES	919		511	200			110	23		
				2653	NM032SDMC1	TWIN	CARBON	YES	1150		458	225			110	23		
				2653	NM033HRW	TRIPLE	CERA	NO	1659		923	200	PUSH	24T/25.6	110	23	Recommended for Drag, Requires changing the release bearing to part no. 30502-14601 (BRG002), BRG002: 45mm contact diameter, to improve pedal effort than stock bearing 62mm diameter. Model not sold in the USA, Includes Flywheel Bolts	
				2653	NM033HRWH	TRIPLE	CERA	NO	1659		923	200	PUSH	26T/29.4	110	23	Recommended for Drag, Requires changing the release bearing to part no. 30502-14601 (BRG002), BRG002: 45mm contact diameter, to improve pedal effort than stock bearing 62mm diameter. Model not sold in the USA, Includes Flywheel Bolts, Set up for HKS transmission	 I
				2653	NM033HRWT	TRIPLE	CERA	NO	1659		923	200	PUSH	21T/29.8	110	23	Recommended for Drag, Requires changing the release bearing to part no. 30502-14601 (BRG002), BRG002: 45mm contact diameter, to improve pedal effort than stock bearing 62mm diameter. Model not sold in the USA, Includes Flywheel Bolts, Set up for Trust transmission	
				2428	NM033SBMC	TRIPLE	CARBON	NO	1397		568	200			110	23		
TR R32 (late), R33	2.6L	2/93-98	RB26DETT	2428	NM042SBMC	TWIN	CARBON	NO	931		371	200	PULL	24T/25.6	110	23	Model not sold in the USA, Includes Flywheel bolts	
				2205	NM042SD	TWIN	CERA	YES	919		511	200			110	23		
				2653	NM042SDMC1	TWIN	CARBON	YES	1150		458	225		1 14-	110	23		<b>9</b> - /
				2630	NM043SBMC1	TRIPLE	CARBON	NO	1513		616	200			110	23		y / /
		1		2205	NM043SR	TRIPLE	CERA	NO	1378		767	200		\	110	23		K / /
TR R34	2.6L	99-02	RB26DETT	2428	NM052SBMC	TWIN	CARBON	NO	931		371	200	PULL	24T/25.6	110	23	Model not sold in the USA, Includes Flywheel bolts	
				2205	NM052SD	TWIN	CERA	YES	919		511	200			110	23		
				2653	NM052SDMC1	TWIN	CARBON	YES	1150		458	225			110	23		
				2428	NM053SBMC	TRIPLE	CARBON	NO	1397		568	200			110	23		
kyline R32/R33	2.0L/2.5L	5/89-98	RB20, 25DET	2205	NM053SR NM032SBMC	TRIPLE	CARBON	NO NO	931		371	200	PUSH	24T/25.6	110	23	Non-GTR, 225mm, Requires changing the release bearing to part no. 30502-14601 (BRG002), BRG002: 45mm contact diameter, to improve pedal effort than stock bearing 62mm diameter. Model not sold in the USA, Includes Flywheel Bolts	 //
				2205	NM032SD	TWIN	CERA	YES	919	T/A\	511	200		X Y 5	110	23	/ / 1   2   5   6   1   1	4.7/
					NM032SDMC1	TWIN	CARBON	YES	1150	////	458	225		1	110	23		
					NM033HRW	TRIPLE	CERA	NO	1659		923	200	PUSH	24T/25.6	110	23	Recommended for Drag, Requires changing the release bearing to part no. 30502-14601 (BRG002), BRG002: 45mm contact diameter, to improve pedal effort than stock bearing 62mm diameter. Model not sold in the USA, Includes Flywheel Bolts	
				2653	NM033HRWH	TRIPLE	CERA	NO	1659		923	200	PUSH	26T/29.4	110	23	Recommended for Drag, Requires changing the release bearing to part no. 30502-14601 (BRG002), BRG002: 45mm contact diameter, to improve pedal effort than stock bearing 62mm diameter. Model not sold in the USA, Includes Flywheel Bolts, Set up for HKS transmission	
				2653	NM033HRWT	TRIPLE	CERA	NO	1659		923	200	PUSH	21T/29.8	110	23	Recommended for Drag, Requires changing the release bearing to part no. 30502-14601 (BRG002), BRG002: 45mm contact diameter, to improve pedal effort than stock bearing 62mm diameter. Model not sold in the USA, Includes Flywheel Bolts, Set up for Trust transmission	
				2428	NM033SBMC	TRIPLE	CARBON	NO	1397		568	200		/	110	23		/~~



Application	Liter	Year	Engine	Clamp	Part #	Number	Disc	Sprung Center	Clutch		TQ Capac	Disc Size	Type (Push	Spline Teeth/Major	Flywheel to Crank	PP Assby. to Flywheel	Notes	Standard Clutch Kit
				Load		of Disc	Material	(D-core)	Torque		@Whls	s (mm)	or Pull)		Bolt ft-lb	ft-lb		Part #
ssan contin	ued																	
yline R34	2.5L	5/99-00	RB25DET	2428	NM042SBMC	TWIN	CARBON	NO	931		371	200	PULL	24T/25.6	110	23	Non-GTR, Pull Type Clutch, Model not sold in the USA, Includes Flywheel bolts	
				2205	NM042SD	TWIN	CERA	YES	919		511	200			110	23		
				2653	NM042SDMC1	TWIN	CARBON	YES	1150		458	225			110	23		
				2630	NM043SBMC1	TRIPLE	CARBON	NO	1513		616	200			110	23	<u></u>	
				2205	NM043SR	TRIPLE	CERA	NO	1378		767	200		77/75/5/	110	23		
ilvia S13/S14	2.0L	93-99	SR20DET	2922	NH01SBMC1	SINGLE	CARBON	NO	633		246	225	PUSH	24T/25.6	66	23	5 Speed, Turbo, Requires changing the release bearing to part no. 30502-14601 (BRG002), BRG002: 45mm contact diameter, to improve pedal effort than stock bearing 62mm diameter. Model not sold in the USA, Includes Flywheel Bolts	
				2922	NH01SD1	SINGLE	CERA	YES	674		375	225	////	Ø/ >	66	23	A LIMINA	<u>→</u> `\
				2428	NM012SBMC	TWIN	CARBON	NO	931		371	200	-(0)	1 1 -	66	23		
				2205	NM012SD	TWIN	CERA	YES	919		511	200	95	1-	66			\( \( \)
				2428	NM013SBMC	TRIPLE	CARBON	NO	1397		568	200		1-#	66	23		
	200	008 I.		2653	NM013HB	TRIPLE	CERA	NO	1659		923	200		1 11			Const. Turks Damines sharping the values has in a temperature	
ilvia S15	2.0L	3/99-00	SR20DET	2653	NH02SBMC1	SINGLE	CARBON	NO	575		223	225	PUSH	24T/25.6	66	23	6 Speed, Turbo, Requires changing the release bearing to part no. 30502-14601 (BRG002), BRG002: 45mm contact diameter, to improve pedal effort than stock bearing 62mm diameter. Model not sold in the USA, Includes Flywheel Bolts	
				2922	NH02SD1	SINGLE	CERA	YES	674		375	225			66	23		
				2922	NH02SDMC1	SINGLE	CARBON	YES			246	225			66	23		
				2428	NM022SBMC	TWIN	CARBON	NO	931		371	200			66	23	<del></del>	
ontiac				2205	NM022SD	TWIN	CERA	YES	919		511	200			66	23	•••	
Onliac	V9 12			Z 200	7/						-21						Duck Time C. Creed Chem drive time All others are him	777
rebird	5.7L	98-02	LS-1	3597	GH01SD1	SINGLE	CERA	YES	918		506	250	PUSH	26T/29	74	23	Push Type, 6 Speed, Strap drive type. All others are lug drive type.	04173
				2428	GT04SD	TWIN	CERA	YES	1087		604	215	\		74	23		49/-/
				3035	GT04XD	TWIN	CERA	YES	1415		847	225	\	/ "	74	23		//
				2608	GM013SBMC1	TRIPLE	CARBON	NO	1346		690	225	\		74	23	//	/
то	5.7L/6.0L	04-06	LS-1/LS-2	3597	GH01SD1	SINGLE	CERA	YES	918		506	250	PUSH	26T/29	74	23	Push Type, 6 Speed, Strap drive type. All others are lug drive type.	04173
				2428	GT04SD	TWIN	CERA	YES	1087		604	215			74	23		
				3035	GT04XD	TWIN	CERA	YES	1415		847	225			74	23		
				2608	GM013SBMC1	TRIPLE	CARBON	NO	1346		690	225			74	23		
8 GXP	6.2L	08-09	LS-3	2428	GT04SD	TWIN	CERA	YES	1087	77-A-XX	604	215	PUSH	26T/29	74	23		
JO OXI	0.2L	00-03	LU-3	3035	GT04XD	TWIN	CERA	YES	1415	<del>-//-/-</del> /	847	225		201723	74	23		
					GM013SBMC1	TRIPLE	CARBON	NO	1346		690	225	X		74	23		
orsche		DA.		2000	0.110100111101		O/III DOII		1010	/ /	330	110				-0		
1	3.6L			2518	PM012SDMC1	TWIN	CARBON	YES	1099		475	225	PULL	23T/26.2			964, 993, 996 (GT3 only), Additional OE items required (Release Bearing: 944 116 080 01, Guide Tube: 950 116 813 30, Crank Bolts: 928 102 151 01, Pilot Bearing: 931 102 111 00)	
				2518	PM013SBMC1	TRIPLE	CARBON	NO	1648		666	225	PULL	23T/26.2			993, 996, Turbo, Additional OE items required (Release Bearing: 944 116 080 01, Guide Tube: 950 116 813 30, Crank Bolts: 928 102 151 01, Pilot Bearing: 931 102 111 00)	



tage 3 — Single Ceramet	allic Sing	gle Carbon	Stage 4 – Tw	vin Cerametallio	Twin Carbon	Stage 5 — Tri	ple Cerametallic	Triple Ca	arbon	Hyper S	eries C	utch Kits	s Do Not Inc	lude Bear	ring		
pplication	Liter	Year	Engine	Clamp Load	Part #	Number of Disc	Disc Material	Sprung Center (D-core)	Clutch Torque	TQ Capac @Whls	Disc Size (mm)	Type (Push or Pull)	Spline Teeth/Major Dia (mm)	Flywheel to Crank Bolt ft-Ib	PP Assby. to Flywheel ft-lb	Notes	Standard Clutch Kit Part #
aab				// /						1-1-1-1							
-2X	2.0L	05	J \	2922	FH01SD1	SINGLE	CERA	YES	689	375	225	PULL	24T/25.2	55	23	Aero, Turbo, Pull Type	KSB03
				2630	FM012SBMC1	TWIN	CARBON	NO	1009	402	200		/	55	23		411
				2205	FM012SD	TWIN	CERA	YES	919	511	200		/	55	23		
				2653	FM012SDMC1	TWIN	CARBON	YES	1150	458	225	/		55	23	(2)	
	2.5L	06		2428	FM032SD	TWIN	CERA	YES	1012	563	200	PUSH	24T/25.2	55	11		FJK1001
I I IZ X	Z.JL	00		2420	FIWIU323D	I WIIN	CERA	ILS	1012	303	200	РОЗП	241/23.2	33	23	Turbo, Push Type	PJKI001
Saturn																	
on Redline	2.0L SC	04-07	LSJ	2653	GH02SD	SINGLE	CERA	YES	612	340	225	PUSH	14T/25	39 **	23	Supercharged	GMK1016
Scion																	
¢Α	1.5L	03-06	1NZ-FE	2113	TH06SBMC	SINGLE	CARBON	YES	405	162	200	PUSH	21T/24.1	66	23	/ \\	KTY15
MAN !		1		2023	TH06SD	SINGLE	CERA	YES	422	235	200			66	23	)\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	λ\/\
кВ	1.5L	03-06	1NZ-FE	2113	TH06SBMC	SINGLE	CARBON	YES	405	162	200	PUSH	21T/24.1	66	23		KTY15
				2023	TH06SD	SINGLE	CERA	YES	422	235	200			66	23		
R-S	2.0L	13-16	D-4S	2203	TH08SDV	SINGLE	CERA/ORG	YES	459	255	200	PUSH	24T/25.2	55	23	14-11 11/1/ NVL Y	FJK1005
				2653	TM052SD	TWIN	CERA	YES	1106	615	200			55	23		(A)
īc	2.4L	05-10	2AZ-FE	2205	TM012SR	TWIN	CERA	NO	919	511	200	PUSH	21T/29.8	80	23		TYK1505
Subaru																	
BAJA	2.5L	04-05	EJ25T	2922	FH01SD1	SINGLE	CERA	YES	689	375	225	PULL	24T/25.2	55	23	Turbo	KSB03
, AGA	2.02	04 00	20201	2630	FM012SBMC1	TWIN	CARBON	NO	1009	402	200			55	23		
				2205	FM012SD	TWIN	CERA	YES	919	511	200			55	23	# 1	<u> </u>
				2630	FM012SDMC1	TWIN	CARBON	YES	1150	458	225		\	55	23		S) //
RZ	2.0L	13-16	FA20	2203	TH08SDV	SINGLE	CERA/ORG	YES	459	255	200						FJK1005
				2653	TM052SD	TWIN	CERA	YES	1106	615	200						
orester	2.5L	04-05	EJ25T	2922	FH01SD1	SINGLE	CERA	YES	689	375	225	PULL	24T/25.2	55	23	Turbo	KSB03
				2630	FM012SBMC1	TWIN	CARBON	NO	1009	402	200	V	[7]	55	23		14/1/1
				2205	FM012SD	TWIN	CERA	YES	919	511	200	\		55	23	\//	- J. <del>J.</del>
	37/	7//-		2653	FM012SDMC1	TWIN	CARBON	YES	1150	458	225	\		55	23	//	//
mpreza WRX	2.0L	02-05	EJ20T	2922	FH01SD1	SINGLE	CERA	YES	689	375	225	PULL	24T/25.2	55	23	Turbo, (GC8, GF8, GDA)	KSB03
				2630	FM012SBMC1	TWIN	CARBON	NO	1009	402	200			55	23		
				2205	FM012SD	TWIN	CERA	YES	919	511	200			55	23	<u></u>	
				2653	FM012SDMC1	TWIN	CARBON	YES	1150	458	225			55	23		
				2630	FM013SBMC1	TRIPLE	CARBON	YES	1513	616	200			55	23		
			= 105=	2653	FM013HB	TRIPLE	CERA	YES	1659	923	200			55	23		
	2.5L	06-16	EJ25T	2428	FM032SD	TWIN	CERA	YES	1012	563	200	PUSH	24T/25.2	55	23	5 Speed, Push Type	
mpreza WRX STI	2.5L	04-16	EJ25T	2922	FH02SD1	SINGLE	CERA	YES	689	375	225	PULL	24T/25.2	55	23	Turbo, Also fits JDM (and European) STI 2.0L Turbo (GDB 6 Speed)	FJK1000
				2630	FM022SBMC1	TWIN	CARBON	NO	1009	402	200	<u> </u>		55	23		
				2203	FM022SD	TWIN	CERA	YES	919	511	200	/		55	23		
				2653	FM022HD	TWIN	CERA	YES	1106	615	200			55	23		
				2653	FM022SDMC1	TWIN	CARBON	YES	1150	458	225			55	23		
				2203	FM023SB	TRIPLE	CERA	NO	1378	766	200		//	55	23		
				2630	FM023SBMC1	TRIPLE	CARBON	NO	1513	616	200		<i>J.</i>	55	23		/

\*\* needs additional 25 degree turn



	_						/		11			/						
tage 3 — Single Ceramet	tallic Sin	gle Carbon	Stage 4 – Tw	in Cerametalli	c Twin Carbon	Stage 5 — Tri	ple Cerametallic	Triple C	arbon		Hyper S	eries Cl	lutch Kits	s Do Not Inc	lude Bear	ring		
Application	Liter	Year	Engine	Clamp Load	Part#	Number of Disc	Disc Material	Sprung Center (D-core)	Clutch Torque		TQ Capac @Whls	Disc Size (mm)	Type (Push or Pull)	Spline Teeth/Major Dia (mm)	Flywheel to Crank Bolt ft-lb	PP Assby. to Flywheel ft-Ib	Notes	Standard Clutch Ki Part #
Saab																		
)-2X	2.0L	05	J\	2922	FH01SD1	SINGLE	CERA	YES	689	V/ 1//	375	225	PULL	24T/25.2	55	23	Aero, Turbo, Pull Type	KSB03
				2630	FM012SBMC1	TWIN	CARBON	NO	1009	14//	402	200		/	55	23		-4 1.1
				2205	FM012SD	TWIN	CERA	YES	919	- \V/	511	200		7	55	23		-4 1 1
				2653	FM012SDMC1	TWIN	CARBON	YES	1150	- V	458	225	/		55	23		<\ \
	2.5L	06		2428	FM032SD	TWIN	CERA	YES	1012		563	200	PUSH	24T/25.2	55	23	Turbo, Push Type	FJK1001
Saturn	LIOL	00		2-120	1 11100200	TWIIV	OLIVA	120	1012		000	200	1 0011	Z-1/ZOIZ	, 00	20	Turbo, Tubir Type	10111001
on Redline	2.0L SC	04-07	LSJ	2653	GH02SD	SINGLE	CERA	YES	612		340	225	PUSH	14T/25	39 **	23	Supercharged	GMK1016
	2.0L 30	04-07	LOJ	2033	GHOZOD	SINGLE	CLIKA	123	UIZ		340	ZZJ	1 0011	141/23	39	23	ouper on an ged	OWINTOTO
Scion					3.3													
xA	1.5L	03-06	1NZ-FE	2113	TH06SBMC	SINGLE	CARBON	YES	405		162	200	PUSH	21T/24.1	66	23		KTY15
VP	4 FI	02.00	4N7 FF	2023	TH06SD	SINGLE	CARRON	YES	422 405		235	200		 24T/24.4	66	23		 VTV15
хВ	1.5L	03-06	1NZ-FE	2113	TH06SBMC TH06SD	SINGLE	CARBON CERA	YES YES	405		162	200	PUSH	21T/24.1	66	23	_ <del></del>	KTY15
FR-S	2.0L	13-16	D-4S	2023 2203	TH08SDV	SINGLE	CERA/ORG	YES	422 459		235 255	200	PUSH	24T/25.2	66 55	23		FJK1005
-N-3	2.UL	13-10	D-43	2653	TM052SD	TWIN	CERA/ORG	YES	1106		615	200		241/25.2	55	23		
Tc	2.4L	05-10	2AZ-FE	2205	TM012SR	TWIN	CERA	NO	919		511	200	PUSH	21T/29.8	80	23		TYK1505
Subaru																		
BAJA	2.5L	04-05	EJ25T	2922	FH01SD1	SINGLE	CERA	YES	689		375	225	PULL	24T/25.2	55	23	Turbo	KSB03
				2630	FM012SBMC1	TWIN	CARBON	NO	1009		402	200		1 11-	55	23		-
				2205	FM012SD	TWIN	CERA	YES	919		511	200			55	23	#1/1/1	W 1
1 1/1 12	4 A			2630	FM012SDMC1	TWIN	CARBON	YES	1150		458	225		\	55	23		S. / /
BRZ	2.0L	13-16	FA20	2203	TH08SDV	SINGLE	CERA/ORG	YES	459		255	200						FJK1005
				2653	TM052SD	TWIN	CERA	YES	1106		615	200						
Forester	2.5L	04-05	EJ25T	2922	FH01SD1	SINGLE	CERA	YES	689		375	225	PULL	24T/25.2	55	23	Turbo	KSB03
				2630	FM012SBMC1	TWIN	CARBON	NO	1009		402	200	\	\	55	23	A \	/5//
				2205	FM012SD	TWIN	CERA	YES	919		511	200	\		55	23		7/1-1
Improzo MDV	2.01	02.05	E IOOT	2653	FM012SDMC1	TWIN	CERA	YES	1150	A	458	225	DIII I	24T/25 2	55 55	23	Turks (CC9 CE9 CDA)	
mpreza WRX	2.0L	02-05	EJ20T	2922 2630	FH01SD1 FM012SBMC1	SINGLE	CERA	YES NO	689 1009		375 402	225	PULL 	24T/25.2	55 55	23	Turbo, (GC8, GF8, GDA)	KSB03
				2205	FM012SDMC1	TWIN	CERA	YES	919		511	200			55	23		
				2653	FM012SDMC1	TWIN	CARBON	YES	1150		458	225			55	23		
				2630	FM013SBMC1	TRIPLE	CARBON	YES	1513		616	200			55	23		
				2653	FM013HB	TRIPLE	CERA	YES	1659		923	200			55	23		
	2.5L	06-16	EJ25T	2428	FM032SD	TWIN	CERA	YES	1012		563	200	PUSH	24T/25.2	55	23	5 Speed, Push Type	
Impreza WRX STI	2.5L	04-16	EJ25T	2922	FH02SD1	SINGLE	CERA	YES	689	///	375	225	PULL	24T/25.2	55	23	Turbo, Also fits JDM (and European) STI 2.0L Turbo (GDB 6 Speed)	FJK1000
				2630	FM022SBMC1	TWIN	CARBON	NO	1009		402	200	<u> </u>		55	23		/
				2203	FM022SD	TWIN	CERA	YES	919	/ \	511	200	/		55	23	C.M. Liste	
				2653	FM022HD	TWIN	CERA	YES	1106		615	200			55	23		
				2653	FM022SDMC1	TWIN	CARBON	YES	1150		458	225			55	23		
				2203	FM023SB	TRIPLE	CERA	NO	1378	- W	766	200		/	55	23		

\*\* needs additional 25 degree turn

66



tage 3 — Single Cerameta	allic Sin	gle Carbon	Stage 4 – Tw	ın Cerametalli	c Twin Carbon	Stage 5 – Tr	ple Cerametallic	Triple C	arbon	Hyper S	eries C	utch Kit	s Do Not Inc	lude Bear	ing		1
Application	Liter	Year	Engine	Clamp Load	Part #	Number of Disc	Disc Material	Sprung Center (D-core)	Clutch Torque	TQ Capac @Whls	Disc Size (mm)	Type (Push or Pull)	Spline Teeth/Major Dia (mm)	Flywheel to Crank Bolt ft-Ib	PP Assby. to Flywheel ft-lb	Notes	Standard Clutch Kit Part #
Subaru continu	ued									/ / / /							
Legacy GT	2.5L	05-11	EJ25T	2428	FM032SD	TWIN	CERA	YES	1012	563	200	PUSH	24T/25.2	55	23	Turbo, 5 Speed Push Type	FJK1001F
egacy GT Spec B	2.5L	07-09	EJ25T	2922	FH02SD1	SINGLE	CERA	YES	689	375	225	PULL	24T/25.2	55	23	Turbo, 6 Speed	FJK1002
				2630	FM022SBMC1	TWIN	CARBON	NO	1009	402	200		/	55	23		
				2203	FM022SD	TWIN	CERA	YES	919	511	200	/		55	23	(17)	× 1
				2653	FM022HD	TWIN	CERA	YES	1106	615	200	/		55	23		-> <u>-</u> -\-
				2653	FM022SDMC1	TWIN	CARBON	YES	1150	458	225	V Z.	10072.	55	23		01
				2203	FM023SB	TRIPLE	CERA	NO	1378	766	200	//	<u> </u>	55	23		× \
Loude /				2203	. mozoob	11111 EE	VENA		.010	700	200	4 6	200	00	-0		1 1/1
Toyota																	
Celica	2.0L	90-94	3S-GTE	2653	TH02SBMC	SINGLE	CARBON	NO	559	223	225	PUSH	21T/29.8	80	23	Turbo, Includes Flywheel Bolts, Bearing, Sleeve	KTY11
				2653	TH02SD	SINGLE	CERA	YES	612	340	225			80	23		
		~~~20/20		2205	TM012SR	TWIN	CERA	NO	919	511	200			80	- 10.1 (17		
Corolla	1.6L	85-89	4A-GE	2023	TH01SD	SINGLE	CERA	YES	422	235	200	PUSH	21T/24.1	55	23	AE86/AE92/AE101/AE111, GTS	16070
СНО	1.5L	00-05	1NZ-FE	2023	TH06SD	SINGLE	CERA	YES	422	235	200	PUSH	21T/24.1	66			
GT86	2.0L	13-16	4U-GSE	2203	TH08SDV	SINGLE	CERA/ORG	YES	459	255	225	PUSH	24T/25.2	55	23		<del>(25)-1</del>
4D.0	1.01	00.00	14.05	2653	TM052SD	TWIN	CERA	YES	1106	615	200		047/044			#L11111	40074
/IR-2	1.6L	86-89	4A-GE	2023	TH01SD	SINGLE	CERA	YES	422	235	200	PUSH	21T/24.1	55			16074
	2.0L	90-95	3S-GTE	2653	TH02SBMC	SINGLE	CARBON	NO	559	223	225	PUSH	21T/29.8	80	23	Turbo, Includes Flywheel Bolts, Bearing, Sleeve	16062
				2653	TH02SD	SINGLE	CERA	YES	612	340	225			80		<del></del>	
				2630	TM012SBMC1	TWIN	CARBON	NO	1009	402	200			80	23	<del></del>	
STARLET	1.3L		4E-FTE	2205	TM012SR TH07SBMC	TWIN SINGLE	CARRON	NO	919	511	200	PUSH	24T/24 4	80		T	V / //
	3.0L	91-92	1JZ-GTE	2113 2653	TH0/SBMC	SINGLE	CARBON	NO YES	405 612	162 340	200 225	PULL	21T/24.1 21T/30	66 36*	23	Turbo Turbo	16063
Supra	3.UL	31-32	132-612	2630	TM032SBMC1	TWIN	CARBON	NO	1009	402	200		211/30	36*	23		
				2248	TM032SDWC1	TWIN	CERA	YES	937	521	200			36*	23		
				2653	TM032SDMC	TWIN	CARBON	NO	1150	458	225			36*			
				2630	TM033SBMC1	TRIPLE	CARBON	NO	1513	616	200			36*	23		
Supra	3.0L	93-98	2JZ-GTE	2630	TM042SBMC1	TWIN	CARBON	NO	1009	402	200	PULL	14T/32	36*	23	Turbo	16093
	//		101 011	2248	TM042SD	TWIN	CERA	YES	937	521	200		141/02	36*		8 FW crank bolts required. Part Number 90910-02103.	
				2653	TM042SDMC1	TWIN	CARBON	YES	1150	458	225		V	36*			4.7/
					TM043HBMC	TRIPLE	CARBON	NO	1826	743	225		1	36*	· //	/ / / / / / / / / / / / / / / / / /	
				2630	TM043SBMC1	TRIPLE	CARBON	NO	1513	616	200			36*	26 17		/
				2248	TM043SR	TRIPLE	CERA	NO	1405	782	200			36*	23		
Yaris	1.5L	07-08	1NZ-FE		TH06SD	SINGLE	CERA	YES	422	235	200	PUSH	21T/24.1	66	23		

<sup>\*</sup> needs additional 90 degree turn

<sup>\*\*</sup> needs additional 25 degree turn

# **Hyper Accessory Kits**



Application	Liter	Year	Engine	Part #	Accessory Kit #
Mazda			17		
MX-5 Miata	1.6L/1.8L	90-05	B6/BP-ZE	ZH03SBMC	MZAK100
				ZH03SDMC1	MZAK100
RX-7	1.3L	86-91	13B-RE	ZH02SBMC	MZAK101
				ZH02SD	MZAK101
				ZH02SDMC	MZAK101
				ZM012SBMC	MZAK101
				ZM012SD	MZAK101
				ZM013SR	MZAK101
RX-7	1.3L	93-95	13B-REW	ZH01SD1	MZAK102
				ZM022SBMC1	MZAK102
				ZM022SD	MZAK102
				ZM022SDMC1	MZAK102
				ZM023SBMC	MZAK102
				ZM023SR	MZAK102
RX-8	1.3L	03-07	13B-MSP	ZH02SBMC	MZAK101
				ZH02SD	MZAK101
				ZH02SDMC	MZAK101
				ZM012SBMC	MZAK101
				ZM012SD	MZAK101
				ZM013SR	MZAK101
Mitsubishi					
Lancer Evo 4/5/6/7	2.0L	8/96-02	4G63T	MM022HBMC	MBAK100
				MM022HD	MBAK100
				MM022SD	MBAK100
				MM023HBMC1	MBAK100
				MM023HR	MBAK100
				MM023SR	MBAK100
Lancer Evo 8/MR/9	2.0L	03-07	4G63T	MM022HBMC	MBAK100
				MM022HD	MBAK100
				MM022SD	MBAK100
				MM023HBMC1	MBAK100
				MM023HR	MBAK100
				MM023SR	MBAK100

Application	Liter	Year	Engine	Part #	Accessory Kit #
Mitsubishi continued	-/-				
Lancer Evo 10	2.0L	08-15	4B11T	MM062SD	MBAK101
				MM062HD	MBAK101
				MM062SBL	MBAK101
				MM062SDMC1	MBAK101
				MM063SB	MBAK101
				MM063HB	MBAK101
Nissan					7
240SX	2.4L	89-98	KA24E/DE	NH08SD	NSAK101
				NM092HD	NSAK101
				NM093HB	NSAK101
300 ZX	3.0L	90-96	VG30DETT	NM062SBMC	NSAK101
				NM062SD	NSAK101
				NM063SBMC	NSAK101
				NM063SR	NSAK101
350Z	3.5L	03-06	VQ35DE	NM072SBMC1	NSAK100
				NM072SDMC1	NSAK100
				NM072HD	NSAK100
				NT01HDMC	NSAK100
				NMA73HBMC1	NSAK100
GTR R32 (early)	2.6L	8/89-2/93	RB26DETT	NH03SD1	NSAK101
				NM032SBMC	NSAK102
				NM032SD	NSAK102
				NM032SDMC1	NSAK102
				NM033HRW	NSAK102
				NM033HRWH	NSAK102
				NM033HRWT	NSAK102
				NM033SBMC	NSAK102
GTR R32 (late), R33	2.6L	2/93-98	RB26DETT	NM042SBMC	NSAK103
				NM042SD	NSAK103
				NM042SDMC1	NSAK103
				NM043SBMC1	NSAK103
				NM043SR	NSAK103
GTR R34	2.6L	99-02	RB26DETT	NM052SBMC	NSAK103
				NM052SD	NSAK103
				NM052SDMC1	NSAK103
				NM053SBMC	NSAK103
				NM053SR	NSAK103

# **Hyper Accessory Kits**



Application	Liter	Year	Engine	Part #	Accessory Kit #
Nissan continued					
Skyline R32/R33	2.0L/2.5L	5/89-98	RB20, 25DET	NM032SBMC	NSAK102
				NM032SD	NSAK102
				NM032SDMC1	NSAK102
				NM033HRW	NSAK102
				NM033HRWH	NSAK102
				NM033HRWT	NSAK102
				NM033SBMC	NSAK102
Skyline R34	2.5L	5/99-00	RB25DET	NM042SBMC	NSAK103
				NM042SD	NSAK103
				NM042SDMC1	NSAK103
				NM043SBMC1	NSAK103
				NM043SR	NSAK103
Silvia S13/S14	2.0L	93-99	SR20DET	NH01SBMC1	NSAK101
				NH01SD1	NSAK101
				NM012SBMC	NSAK102
				NM012SD	NSAK102
				NM013SBMC	NSAK102
				NM013HB	NSAK102
Silvia S15	2.0L	3/99-00	SR20DET	NH02SBMC1	NSAK101
				NH02SD1	NSAK101
				NH02SDMC1	NSAK101
				NM022SBMC	NSAK102
				NM022SD	NSAK102
Pontiac					
Firebird	5.7L	98-02	LS-1	GH01SD1	GMAK100
				GT04SD	GMAK100
				GT04XD	GMAK100
				GM013SBMC1	GMAK100
GTO	5.7L/6.0L	04-06	LS-1/LS-2	GH01SD1	GMAK100
				GT04SD	GMAK100
				GT04XD	GMAK100
				GM013SBMC1	GMAK100

Application	Liter	Year	Engine	Part #	Accessory Kit #
Saab					
9-2X	2.0L	05	/ /	FH01SD1	FJAK100
				FM012SBMC1	FJAK100
				FM012SD	FJAK100
				FM012SDMC1	FJAK100
9-2X	2.5L	06		FM032SD	FJAK101
Scion					
xA	1.5L	03-06	1NZ-FE	TH06SBMC	TYAK100
				TH06SD	TYAK100
хВ	1.5L	03-06	1NZ-FE	TH06SBMC	TYAK100
7 / ///				TH06SD	TYAK100
FR-S	2.0L	13-16	D-4S	TM052SD	FJAK102
Tc	2.4L	05-10	2AZ-FE	TM012SR	TYAK104
Subaru		6-70	7//	1000	
BAJA	2.5L	04-05	EJ25T	FH01SD1	FJAK100
				FM012SBMC1	FJAK100
				FM012SD	FJAK100
				FM012SDMC1	FJAK100
BRZ	2.0L	13-16	FA20	TM052SD	FJAK102
Forester	2.5L	04-05	EJ25T	FH01SD1	FJAK100
				FM012SBMC1	FJAK100
				FM012SD	FJAK100
				FM012SDMC1	FJAK100
Impreza WRX	2.0L	02-05	EJ20T	FH01SD1	FJAK100
				FM012SBMC1	FJAK100
				FM012SD	FJAK100
				FM012SDMC1	FJAK100
				FM013SBMC1	FJAK100
				FM013HB	FJAK100
Impreza WRX	2.5L	06-14	EJ20T	FM032SD	FJAK100
Impreza WRX STI	2.5L	04-15	EJ25T	FH02SD1	FJAK100
				FM022SBMC1	FJAK100
				FM022SD	FJAK100
				FM022HD	FJAK100
				FM022SDMC1	FJAK100
				FM023SB	FJAK100
				FM023SBMC1	FJAK100

**Hyper Accessory Kits** 

Application	Liter	Year	Engine	Part #	Accessory Kit #
Subaru continued			17		
Legacy GT	2.5L	05-11	EJ25T	FM032SD	FJAK101
Legacy GT Spec B	2.5L	07-09	EJ25T	FH02SD1	FJAK100
				FM022SBMC1	FJAK100
				FM022SD	FJAK100
				FM022HD	FJAK100
				FM022SDMC1	FJAK100
				FM023SB	FJAK100
		WWW		FM023SBMC1	FJAK100
Toyota					
Celica	2.0L	90-94	3S-GTE	TH02SBMC	TYAK104
				TH02SD	TYAK104
				TM012SR	TYAK104
Corolla	1.6L	85-89	4A-GE	TH01SD	TYAK101
ЕСНО	1.5L	00-05	1NZ-FE	TH06SD	TYAK100
GT86	2.0L	13-16	4U-GSE	TH08SDV	FJAK102
				TM052SD	FJAK102
MR-2	1.6L	86-89	4A-GE	TH01SD	FJAK102
MR-2	2.0L	90-95	3S-GTE	TH02SBMC	TYAK104
				TH02SD	TYAK104
				TM012SBMC1	TYAK104
				TM012SR	TYAK104
Supra	3.0L	91-92	1JZ-GTE	TH04SD	TYAK102
				TM032SBMC1	TYAK102
				TM032SD	TYAK102
				TM032SDMC	TYAK102
				TM033SBMC1	TYAK102
Supra	3.0L	93-98	2JZ-GTE	TM042SBMC1	TYAK103
				TM042SD	TYAK103
				TM042SDMC1	TYAK103
				TM043HBMC	TYAK103
				TM043SBMC1	TYAK103
	221M	J.		TM043SR	TYAK103
Yaris	1.5L	07-08	1NZ-FE	TH06SD	TYAK100



# **Hyper Builder Series**




The EXEDY Hyper Builder Series allows the racer or custom car builder to assemble a clutch kit to fit their specific application. These kits can be used with any of the available flywheels or can be used with your custom made flywheel. These all come as a HD clamp load, push type diaphragm for use with a 44-46mm release bearing. The cerametallic clutch discs are all 200mm diameter with solid hub for reduced mass and high torque holding capacities.






Application	Clamp Load	Part #	Number of Disc	Disc Material	Sprung Center (D-core)	Clutch Torque	Torque Capacity @ Wheels	Disc Size (mm)	Type (Push or Pull)	Spline Teeth/ Major Dia (mm)	PP Assby. to Flywheel ft-lb	Notes
22 Suline (Catuari)	2653	MMR200	TWIN	CERA	NO	1106	615	200	PUSH	23T / 26.2	23	Does not include flywheel, will require custom clutch actuation, bearing contact 44-46mm, bearing stroke 7.5mm
23 Spline (Getrag)	2653	MMR300	TRIPLE	CERA	NO	1659	923	200	PUSH	23T / 26.2	23	Does not include flywheel, will require custom clutch actuation, bearing contact 44-46mm, bearing stroke 7.5mm
26 Spling (Tromas)	2653	GMR200	TWIN	CERA	NO	1106	615	200	PUSH	26T / 29	23	Does not include flywheel, will require custom clutch actuation, bearing contact 44-46mm, bearing stroke 7.5mm
26 Spline (Tremac)	2653	GMR300	TRIPLE	CERA	NO	1659	923	200	PUSH	26T / 29	23	Does not include flywheel, will require custom clutch actuation, bearing contact 44-46mm, bearing stroke 7.5mm
04 Online (Hem 14)	2653	HMR200	TWIN	CERA	NO	1106	615	200	PUSH	24T / 26	23	Does not include flywheel, will require custom clutch actuation, bearing contact 44-46mm, bearing stroke 7.5mm
24 Spline (Honda)	2653	HMR300	TRIPLE	CERA	NO	1659	923	200	PUSH	24T / 26	23	Does not include flywheel, will require custom clutch actuation, bearing contact 44-46mm, bearing stroke 7.5mm
24 Culing (Niccou)	2653	NSR200	TWIN	CERA	NO	1106	615	200	PUSH	24T / 25.6	23	Does not include flywheel, will require custom clutch actuation, bearing contact 44-46mm, bearing stroke 7.5mm
24 Spline (Nissan)	2653	NSR300	TRIPLE	CERA	NO	1659	923	200	PUSH	24T / 25.6	23	Does not include flywheel, will require custom clutch actuation, bearing contact 44-46mm, bearing stroke 7.5mm
OASalina (Subamu)	2653	FJR200	TWIN	CERA	NO	1106	615	200	PUSH	24T / 25.2	23	Does not include flywheel, will require custom clutch actuation, bearing contact 44-46mm, bearing stroke 7.5mm
24Spline (Subaru)	2653	FJR300	TRIPLE	CERA	NO	1659	923	200	PUSH	24T / 25.2	23	Does not include flywheel, will require custom clutch actuation, bearing contact 44-46mm, bearing stroke 7.5mm
24 Spling /Toursts	2653	TYR200	TWIN	CERA	NO	1106	615	200	PUSH	21T / 29.8	23	Does not include flywheel, will require custom clutch actuation, bearing contact 44-46mm, bearing stroke 7.5mm
21 Spline (Toyota)	2653	TYR300	TRIPLE	CERA	NO	1659	923	200	PUSH	21T / 29.8	23	Does not include flywheel, will require custom clutch actuation, bearing contact 44-46mm, bearing stroke 7.5mm

Flywheel Options	Part #
Subaru (EJ, FA)	FM13
Acura NSX	FM14
Mitsubishi Evo IV-IX	FM12
Mitsubishi Evo X	FM59
Nissan Silvia S13, S14	FM01
Nissan Silvia S15	FM02
Nissan Skyline R32, R33	FM03
Nissan Skyline R34	FM04
Nissan 300ZX	FM05
Nissan 350Z	FM34
Nissan 240SX	FM56
Hyundai Genesis 10-12	FM65
Toyota Supra (1JZ, 2JZ)	FM09
Mazda RX7 Turbo (FC, FD)	FM10
Toyota MR2 Turbo (3SGTE)	FM06
Toyota Celica (3SGTE)	FM06
Scion TC 04-10	FM06
V	5.500




PART NO.	C.COVER Assy	CD Assy	FLYWHEEL	COVER BOLT SE	FLYWHEEL BOLT
PART NO.	1	2	3	4 & 5	6
BH01SD	CH22S	DH18D	FH31	BS04	BF10
BH02SD	CH21S	DH19D	FH32	BS03	
EH01SD	CH21S	DH01D		BS03	
EH02SD1	CH14S	DH08D	FH25	BS10	
EH03SD	CH14S	DH08D	TBA	BS10	
EH04SD	CH14S	DH09D	FH25	BS10	
EH05SD	CH21S	DH03D	FM100	BS03	BS50
FH01SD1	CH02S1	DH02S1	FH02	BS03	
FH01SD	CH02S	DH02D	FH02	BS03	
FH02SD	CH02S	DH02D	FH08	BS03	
FH02SD1	CH02S1	DH02D1	FH08	BS03	
GH01SD	CH14S	DH09D	FH26	BS10	
GH01SD1	CH14S1	DH09D1	FH26	BS0	
GH02SD	CH21S	DH25D	FH36	BS03	
HH01SD	CH03S	DH04D	FH07	BS04	
HH01SDV	CH56S	DH35D	FH07	BS04	<del>/</del>
HH02SD	CH06S	DH04D	FH09	BS04	
HH03SD	CH07S	DH04D	FH10	BS04	/
HH04SD	CH13S	DH10D	FH19	BS04	
HH04SD1	CH13S1	DH10D1	FH19	BS04	/
HH05SD	CH06S	DH04D	FH09	BS04	
HH06SD	CH06S	DH13D	FH09	BS04	/
NH01SD	CH04S	DH05D	FH05	BS03	
NH01SD1	CH04S1	DH05D1	FH05	BS03	1
NH02SD	CH04S	DH05D	FH06	BS03	BF08
NH02SD1	CH04S1	DH05D1	FH06	BS03	BF08
NH03SD	CH04S	DH05D	FH04	BS03	
NH03SD1	CH04S1	DH05D1	FH04	BS03	
NH04SD	CH02S	DH05D	FH04	BS03	
NH08SD	CH04S	DH26D	FH37	BS03	= 7 \
TH01SD	CH08S	DH06D	FH11	BS04	
TH02SD	CH12S	DH07D	FH15	BS03	BF04
TH03SD	CH11S	DH07D	FH14	BS03	BF09
TH04SD	CH10S	DH07D	FH13	BS03	
TH06SD	CH07S	DH06D	FH16	BS04	
TH08SDV	CH60S	DH37D	FH54	BS04	J. 17
ZH01SD	CH02S	DH03D	FH03	BS03	BF07
ZH01SD1	CH02S1	DH03D1	FH03	BS03	BF07
ZH02SD	CH05S	DH03D	FH03	BS03	BF07
					///



PART NO.	C.COVER ASSY	SPLINE HUB	DISC ASSY	FLYWHEEL	BOLT SET	BOLT F/W	SCREW SET
	1	2	3	4	5 & 6	9	9.7
HH01SDMC1	CH33S		DH24D	FH35	BS03		
HH02SBMC	CH06S	SH13	DP01	FH09	BS04	19	SS01
HH02SBMC1	CH36S	SH13	DP01	FH09	BS04		SS01
HH03SBMC	CH07S	SH13	DP01	FH10	BS04		SS01
HH04SDMC	CH20S		DH17D	FH19	BS03		
HH05SBMC	CH06S	SH13	DP01	FH21	BS11		SS01
NH01SBMC	CH04S	SH09	DP02	FH05	BS11		SS01
NH02SDMC1	CH25S	7-//	DH21D	FH06	BS03	BF08	-/-//
TH02SBMC	CH12S	SH10	DP02	FH15	BS03	BF04	SS01
TH06SBMC	CH31S	SH18	DP01	FH16	BS04	\\	SS01
TH07SBMC	CH31S	SH18	DP01	FH17	BS04		SS01
ZH01SBMC	CH27S	SH11	DP02	FH03	BS11	BF07	SS01
ZH02SBMC	CH29S	SH11	DP02	FH03	BS03	BF07	SS01
ZH02SDMC	CH17S		DH14D	FH28	BS04	BF07	/
ZH03SBMC	CH31S	SH20	DP01	FH24	BS04		SS01
ZH03SDMC	CH28S		DH15D	FH29	BS04		/


# **Hyper Multi-Plate Repair Parts**






PART NO.	C.COVER	P. PLATE	I.M. PLATE	DISC Assy	DISC Assy	DISC Assy	SPLINE HUB	D.BOSS SET	F/W RING	FLY- WHEEL	COVER BOLT SET	BOLT SET	PIVOT RING	FLYWHEEL BOLT	SPECIAL SLEEVE/
	1	2	3	4-A	4-B	4-C			5	6	7,9	7,8,9	10	11	BEARING
ET01SD	CT01S		IM07	DT01D	DT01D					FT01	BS09				
ET02SD	CT01S	V	IM07	DT01D	DT01D	1		\#X	C	FT03	BS09			J	
ET03SD	CT01S		IM07	DT02D	DT02D					FT01	BS09				
ET03XD	CT01H	-4/	IM14	DT05DA	DT05DB			7//		FT06			/	BF12	- 4
ET04XD	CT01H		IM14	DT06DA	DT06DB					FT06				BF12	
FM012SD	CM02S	PP02	IM01	DM16DA	DM16DB		117	\	FR01	FM13	BS05	BS01	PR01	BF08	7
FM013HB	CM02H	PP02	IM02	DL03R	DL03R	DL03R	CH10		FR01	FM13	BS05	BS01	PR01	BF08	
FM022HD	CM29H	PP02	IM01	DM16DA	DM16DB	<i>J</i>	11/	1	FR01	FM13	BS05	BS01	PR01	BF08	/
FM022SD	CM03S	PP02	IM01	DM16DA	DM16DB				FR01	FM13	BS05	BS01	PR01	BF08	
FM022SDL	CM34S	PP09	IM05	DM35DA	DM35DB	_))		DB02		FM24	BS05	\	PR02	BF08	
FM023SB	CM03S	PP02	IM02	DL03R	DL03R	DL03R	CH10		FR01	FM13	BS05	BS01	PR01	BF08	
FM032SD	CM61S	PP41	IM01	DM16DA	DM16DB					FM13	BS05	BS01	=,2	BF08	
GT01SD	CT01S		IM07	DT02D	DT02D					FT02	BS09				
GT04SD	CT01S		IM07	DT04D	DT04D					FT02	BS09			\	/-/
GT04XD	CT01H		IM14	DT05DA	DT05DB					FT07					
HM012SD	CM08S	PP04	IM01	DM19DA	DM19DB				FR01	FM14	BS05	BS01		- J y	//
HM022SR	CM09S	PP05	IM04	DM22RA	DM22RB			DB05		FM15	BS05	BS01			
HM032SBL	CM49S	PP06	IM05	DL05R	DL05R		CH11	DB02		FM55	BS05			///	

Ī	1 11															
	DADTNO	C.COVER	P. PLATE	I.M. PLATE	DISC Assy	DISC Assy	DISC Assy	SPLINE HUB	D.BOSS SET	F/W RING	FLY- WHEEL	COVER BOLT SET	BOLT SET	PIVOT RING	FLYWHEEL BOLT	SPECIA
	PART NO.	1	2	3	4-A	4-B	4-C			5	6	7,9	7,8,9	10	11	SLEEV BEARII
	HM042SR	CM09S	PP05	IM04	DM23RA	DM23RB			DB05		FM15	BS05	BS01			
	HM052SR	CM08S	PP42	IM02	DL05R	DL05R		CH11	1/		FM66	BS05	BS01	PR05	\	\
	MM022HD	CM06H	PP02	IM01	DM13DA	DM13DB				FR01	FM12	BS05	BS01	PR01		
	MM022SBL	CM35S	PP09	IM05	DL01R	DL01R		CH07	DB02	\	FM23	BS05		PR02	1 )	1
	MM022SD	CM06S	PP02	IM01	DM13DA	DM13DB				FR01	FM12	BS05	BS01	PR01		
	MM023HR	CM06H	PP02	IM02	DL03R	DL03R	DL03R	CH16	A.	FR01	FM12	BS05	BS01	PR01		
	MM023SR	CM06S	PP02	IM02	DL03R	DL03R	DL03R	CH16		FR01	FM12	BS05	BS01	PR01		
	MM062HD	CM06H	PP02	IM01	DM09DA	DM09DB	1/1	/	X	FR01	FM59	BS05	BS01	PR01	VY.	\\\
	MM062SBL	CM35S	PP09	IM05	DL01R	DL01R		CH07	DB02		FM60	BS05		PR02		
	MM062SD	CM06S	PP02	IM01	DM09DA	DM09DB		7/-	\m'	FR01	FM59	BS05	BS01	PR01	/ 27/	14
	MM063HB	CM06H	PP02	IM02	DL03R	DL03R	DL03R	CH16		FR01	FM59	BS05	BS01	PR01		
	MM063SB	CM06S	PP02	IM02	DL03R	DL03R	DL03R	CH16	//	FR01	FM59	BS05	BS01	PR01	/\	\
	NM012SD	CM01S	PP01	IM01	DM01DA	DM01DB				FR01	FM01	BS05	BS01		BF01	
	NM022SD	CM01S	PP01	IM01	DM01DA	DM01DB	824/		/ //	FR01	FM02	BS05	BS01	J/	BF08	C
	NM032SD	CM01S	PP01	IM01	DM01DA	DM01DB				FR01	FM03	BS05	BS01		BF03	
	NM033HRW	CM01H	PP01	IM02	DL03R	DL03R	DL03R	CH12	/ .//	FR01	FM03W	BS05	BS01		BF03	
	NM033HRWH	CM01H	PP01	IM02	DM03R	DM03R	DM03R			FR01	FM03W	BS05	BS01		BF03	
	NM033HRWT	CM01H	PP01	IM02	DL03R	DL03R	DL03R			FR01	FM03W	BS05	BS01		BF03	
	NM033SR	CM01S	PP01	IM02	DL03R	DL03R	DL03R	CH12		FR01	FM03	BS05	BS01		BF03	
	NM042SD	CM02S	PP02	IM01	DM01DA	DM01DB	\\	- 77 /	1	FR01	FM03	BS05	BS01	PR01	BF03	-/ 1.
	NM043SR	CM02S	PP02	IM02	DL03R	DL03R	DL03R	CH12		FR01	FM03	BS05	BS01	PR01	BF03	
	NM052SD	CM03S	PP02	IM01	DM01DA	DM01DB	//	( A	11.17	FR01	FM04	BS05	BS01	PR01	BF03	77
	NM053SR	CM03S	PP02	IM02	DL03R	DL03R	DL03R	CH12		FR01	FM04	BS05	BS01	PR01	BF03	
	NM062SD	CM01S	PP01	IM01	DM01DA	DM01DB	, su (	34//	/)	FR01	FM05	BS05	BS01			(
	NM063SR	CM01S	PP01	IM02	DL03R	DL03R	DL03R	CH12		FR01	FM05	BS05	BS01			
	NM072HD	CM01H	PP01	IM01	DM01DA	DM01DB		/			FM34	BS05	BS01	\/	//	/
	NM092SD	CM01H	PP01	IM01	DM01DA	DM01DB				FR01	FM56	BS05	BS01		BF03	
	NM093HB	CM01H	PP01	IM02	DL03R	DL03R	DL03R	CH12	1/4	FR01	FM56	BS05	BS01	- 14	BF03	///
	RM012SD	CM60H	PP41	IM01	DM38DA	DM38DB					FM65	BS05	BS01			
	TM012SR	CM01S	PP01	IM03	DM04RA	DM04RB	\	(/	( 4	FR02	FM06	BS06			BF04	RB0
	TM032SD	CM04S	PP03	IM01	DM05DA	DM05DA				FR01	FM09	BS05	BS01			
	TM042SD	CM05S	PP03	IM01	DM07DA	DM07DA		74	·	FR01	FM09	BS05	BS01	/		- \
	TM043SR	CM05S	PP03	IM02	DL03R	DL03R	DL03R	CH15		FR01	FM09	BS05	BS01			
	ZM012SD	CM01S	PP01	IM01	DM09DA	DM09DB				FR01	FM10	BS05	BS01		BF07	
	ZM013HR	CM01H	PP01	IM02	DL03R	DL03R	DL03R	CH16		FR01	FM10	BS05	BS01		BF07	
	ZM013SR	CM01S	PP01	IM02	DL03R	DL03R	DL03R	CH16		FR01	FM10	BS05	BS01		BF07	
	ZM022SD	CM02S	PP02	IM01	DM09DA	DM09DB				FR01	FM10	BS05	BS01	PR01	BF07	
	ZM023HR	CM02H	PP02	IM02	DL03R	DL03R	DL03R	CH16		FR01	FM10	BS05	BS01	PR01	BF07	
	ZM023SR	CM02S	PP02	IM02	DL03R	DL03R	DL03R	CH16		FR01	FM10	BS05	BS01	PR01	BF07	




PART NO.	C.COVER	P. PLATE	I.M. PLATE	DISC Assy	DISC Assy	DISC Assy	SPLINE HUB	D.BOSS SET	F/W RING	FLY- WHEEL	COVER BOLT SET	BOLT SET	PIVOT RING	FLYWHEEL BOLT	SPECIAL SLEEVE/	
	1	2	3	4-A	4-B	4-C			5	6	7,9	7,8,9	10	11	BEARING	
FJR200	CM01H	PP01	IM02	DL03R	DL03R		CH08		FR02		BS05	BS01				
FJR300	CM01H	PP01	IM02	DL03R	DL03R	DL03R	CH10	\\	FR01	()	BS05	BS01		/ =		
GMR200	CM01H	PP01	IM02	DM03R	DM03R				FR02		BS05	BS01				
GMR300	CM01H	PP01	IM02	DM03R	DM03R	DM03R	\\	\	FR01	11/2	BS05	BS01	/:			
HMR200	CM01H	PP01	IM02	DL03R	DL03R		CH11		FR02		BS05	BS01				
HMR300	CM01H	PP01	IM02	DL03R	DL03R	DL03R	TBA	,=3	FR01	///	BS05	BS01	/		<i>J.</i>	
MMR200	CM01H	PP01	IM02	DM11R	DM11R				FR02		BS05	BS01				
MMR300	CM01H	PP01	IM02	DM11R	DM11R	DM11R	1	))	FR01		BS05	BS01		7111	Ę	
NSR200	CM01H	PP01	IM02	DM02R	DM02R				FR02		BS05	BS01				
NSR300	CM01H	PP01	IM02	DM02R	DM02R	DM02R			FR01	E	BS05	BS01		2 ).L.		
TYR200	CM01H	PP01	IM02	DM04RA	DM04RB				FR02		BS05	BS01				
TYR300	CM01H	PP01	IM02	DM21R	DM21R	DM21R			FR01	/	BS05	BS01	f	/		



# **Hyper Carbon Multi-Plate Repair Parts**





PART NO.	C.COVER	PRESS PLATE	I.M. PLATE	DRVN PLATE	SPLINE HUB/ DAMPER	D. BOSS SET	F/W	BOLT SET	PVT. RING	BOLT F/W
	1	2	3	4	5	6	7	8 & 9	10	11
FM012SBMC	CM40S	PP09	IM12	DP01	SH08	DB02	FM24	BS05	PR05	BF08
FM012SDMC1	CM32S	PP19	IM11	DP03	DD03	BU03	FM38	BS07	PR06	BF08
FM022SBMC1	CM34S	PP09	IM12	DP01	SH08	DB02	FM24	BS05	PR05	BF08
FM022SDMC1	CM46S	PP19	IM11	DP03	DD03	BU03	FM38	BS07	PR06	BF08
FM023SBMC1	CM40S	PP09	IM12	DP01	SH36	DB01	FM54	BS05	PR05	BF08
GM013SBMC1	CM27S	PP23	IM11	DP02	SH21	BU02	FM45	BS07	24.	
HM012SBMC1	CM38S	PP27	IM12	DP01	SH23	DB01	FM25	BS05		
HM052SBMC	CM38S	PP28	IM12	DP01	SH23	DB02	FM46	BS05	/	
MM022HBMC	CM13H	PP09	IM05	DP01	SH07	DB02	FM23	BS05	PR02	
MM023HBMC1	CM19H	PP09	IM05	DP01	SH19	DB01	FM32	BS05	PR02	<i></i>
MM062SDMC1	CM45S	PP19	IM11	DP03	DD02	BU03	FM61	BS07	PR06	

DARTNO	C.COVER	PRESS PLATE	I.M. PLATE	DRVN PLATE	SPLINE HUB/ DAMPER	D. BOSS SET	F/W	BOLT SET	PVT. RING	BOLT F/W
PART NO.	1	2	3	4	5	6	7	8 & 9	10	11
NM012SBMC	CM39S	PP25	IM12	DP01	SH04	DB02	FM16	BS05		BF01
NM013SBMC	CM39S	PP25	IM12	DP01	\\	DB01	FM30	BS05	-1	BF01
NM022SBMC	CM39S	PP26	IM12	DP01	SH04	DB01	FM17	BS05		BF08
NM032SBMC	CM39S	PP26	IM12	DP01	SH33	DB01	FM18	BS05		BF03
NM032SDMC	CM31S	PP32	IM11	DP03	DD01	BU02	FM36	BS07		BF03
NM033SBMC	CM39S	PP25	IM12	DP01	SH33	DB01	FM18	BS05	XII	BF03
NM042SBMC	CM40S	PP07	IM12	DP01	SH33	DB01	FM18	BS05	PR05	BF03
NM042SDMC1	CM48S	PP15	IM11	DP03	DD01	BU02	FM36	BS07	PR06	BF03
NM043SBMC	CM40S	PP09	IM12	DP01	SH33	DB01	FM18	BS05	PR05	BF03
NM052SBMC	CM34S	PP07	IM12	DP01	SH33	DB01	FM20	BS05	PR05	BF03
NM052SDMC1	CM46S	PP15	IM11	DP03	DD01	BU02	FM33	BS07	PR06	BF03
NM053SBMC	CM34S	PP09	IM12	DP01	SH33	DB01	FM20	BS05	PR05	BF03
NM062SBMC	CM39S	PP26	IM12	DP01	SH33	DB01	FM31	BS05		BF10
NM063SBMC	CM39S	PP25	IM12	DP01	SH33	DB01	FM31	BS05	M	BF10
NM072SBMC1	CM39S	PP26	IM12	DP01	SH33	DB01	FM27	BS05		BF08
NM072SDMC1	CM31S	PP32	IM11	DP03	DD01	BU02	FM40	BS07		] 4.]
NMA73HBMC1	CM52H	PP23	IM11	DP02	SH38	BU02	FM58	BS07		
NT01HDMC	CT04H		IM13	DP03	DD06		FT05	8-1	<i>y</i>	//A.
PM012SDMC1	CM53S	PP43	IM11	DP03	DD07		FM67	BS12	PR06	
PM013SBMC1	CM53S	PP44	IM11	DP03	SH40	\	FM67	BS12	PR06	/
TM032SBMC	CM36S	PP27	IM12	DP01	SH06	DB01	FM26	BS05		
TM032SDMC	CM47S	PP15	IM11	DP03	DD04	BU02	FM39	BS07	PR06	-/-/
TM033SBMC	CM36S	PP28	IM12	DP01	SH06	DB01	FM26	BS05		
TM042SBMC1	CM37S	PP27	IM12	DP01	SH15	DB01	FM26	BS05	U.	/
TM042SDMC	CM33S	PP15	IM11	DP03	DD05	BU02	FM39	BS07	PR06	
TM043SBMC1	CM37S	PP28	IM12	DP01	SH15	DB01	FM26	BS05		7
TM043HBMC	CM51H	PP24	IM08	DP02	SH15	BU02	FM39	BS07		
ZM012SBMC	CM39S	PP25	IM12	DP01	SH07	DB02	FM22	BS05		BF07
ZM022SBMC1	CM40S	PP09	IM12	DP01	SH07	DB02	FM22	BS05	PR05	BF07
ZM022SDMC1	CM46S	PP19	IM11	DP03	DD02	BU03	FM37	BS07	PR06	BF07
ZM023SBMC	CM40S	PP09	IM12	DP01	SH31	DB01	FM29	BS05	PR05	BF07

# **Conversions**



To Convert	Formula
Cubic Inches to Liters	LITERS times 61.024 equals CUBIC INCHES
Liters to Cubic Inches	CUBIC INCHES divided by 61.024 equals LITERS

LITERS	CC/CI	LITERS	CC/CI	LITERS	CC/CI	LITERS	CC/C
1.0L	61	1.6L	97	1.9L	116	2.2L	2180
1.0L	948	1.6L	98	1.9L	119	2.2L	2184
1.0L	995	1.6L	1565	1.9L	1858	2.2L	2187
1.0L	1000	1.6L	1573	1.9L	1872	2.2L	2189
1.0L	1146	1.6L	1586	1.9L	1895	2.2L	2195
1.1L	1100	1.6L	1587	1.9L	1896	2.2L	2197
1.1L	1116	1.6L	1588	1.9L	1898	2.2L	2200
1.1L	1146	1.6L	1588	1.9L	1900	2.2L	2212
1.2L	1166	1.6L	1589	1.9L	1915	2.2L	2226
1.2L	1189	1.6L	1590	1.9L	1949	2.2L	2237
1.2L	1196	1.6L	1595	2.0L	121	2.3L	138
1.2L	1200	1.6L	1596	2.0L	122	2.3L	140
1.2L	1237	1.6L	1597	2.0L	1952	2.3L	173
1.3L	79	1.6L	1599	2.0L	1955	2.3L	2253
1.3L	81	1.6L	1600	2.0L	1958	2.3L	2254
1.3L	1272	1.6L	1606	2.0L	1967	2.3L	2259
1.3L	1275	1.6L	1639	2.0L	1968	2.3L	2290
1.3L	1289	1.7L	104	2.0L	1970	2.3L	2295
1.3L	1290	1.7L	1678	2.0L	1971	2.3L	2299
1.3L	1295	1.7L	1700	2.0L	1972	2.3L	2300
1.3L	1300	1.7L	1715	2.0L	1974	2.3L	2302
1.3L	1301	1.7L	1721	2.0L	1975	2.3L	2307
1.3L	1308	1.8L	107	2.0L	1983	2.3L	2309
1.3L	1328	1.8L	110	2.0L	1984	2.3L	2316
1.3L	1335	1.8L	112	2.0L	1985	2.3L	2341
1.3L	1342	1.8L	113	2.0L	1986	2.4L	145
1.4L	85	1.8L	1590	2.0L	1989	2.4L	146
1.4L	1393	1.8L	1597	2.0L	1990	2.4L	148
1.4L	1397	1.8L	1751	2.0L	1991	2.4L	150
1.4L	1400	1.8L	1754	2.0L	1994	2.4L	2351
1.4L	1410	1.8L	1760	2.0L	1997	2.4L	2366
1.4L	1415	1.8L	1762	2.0L	1998	2.4L	2389
1.5L	90	1.8L	1770	2.0L	2792	2.4L	2393
1.5L	92	1.8L	1770	2.1L	126	2.4L	2398
1.5L	1452	1.8L	1781	2.1L	2056	2.4L	2400
1.5L	1456	1.8L	1790	2.1L 2.1L	2100	2.4L	2435
1.5L	1450	1.8L	1790	2.1L 2.1L	2109	2.4L 2.4L	2438
1.5L 1.5L	1468	1.8L	1795	2.1L 2.1L	2119	2.4L 2.5L	148
1.5L	1471	1.8L	1796	2.1L	2127	2.5L 2.5L	150
1.5L	1475 1487	1.8L	1797 1798	2.2L	132 133	2.5L	151
1.5L 1.5L		1.8L 1.8L		2.2L		2.5L	152 153
	1488		1800	2.2L	134	2.5L	
1.5L	1489	1.8L	1809	2.2L	135	2.5L	173
1.5L	1490	1.8L	1817	2.2L	2109	2.5L	262
1.5L	1491	1.8L	1829	2.2L	2144	2.5L	2451
1.5L	1493	1.8L	1834	2.2L	2147	2.5L	2458
1.5L	1495	1.8L	1836	2.2L	2155	2.5L	2459
1.5L	1497	1.8L	1839	2.2L	2156	2.5L	2475
1.5L	1500	1.8L	1840	2.2L	2163	2.5L	2492
1.5L	1508	1.8L	1845	2.2L	2164	2.5L	2493

To Convert	Formula
Cubic Inches to Liters	LITERS times 61.024 equals CUBIC INCHES
Liters to Cubic Inches	CUBIC INCHES divided by 61.024 equals LITERS

LITERS	CC/CI	LITERS	CC/CI	LITERS	CC/CI	LITERS	CC/CI
2.5L	2494	3.0L	2966	3.8L	230	5.5L	330
2.5L	2497	3.0L	2967	3.8L	231	5.6L	340
2.5L	2498	3.0L	2969	3.8L	232	5.6L	343
2.5L	2500	3.0L	2972	3.8L	3800	5.6L	5576
2.5L	2508	3.0L	2980	3.9L	235	5.7L	347
2.6L	156	3.0L	2983	3.9L	240	5.7L	348
2.6L	2555	3.0L	2985	3.9L	2950	5.7L	350
2.6L	2557	3.0L	2988	3.9L	3900	5.7L	351
2.6L	2559	3.0L	2997	3.9L	3950	5.8L	351
2.6L	2563	3.0L	2999	4.0L	242	5.8L	352
2.6L	2565	3.0L	3000	4.0L	244	5.8L	354
2.6L	2588	3.1L	189	4.0L	3950	5.8L	5800
2.6L	2597	3.1L	191	4.0L	3982	5.9L	360
2.6L	2599	3.1L	3137	4.0L	4016	5.9L	361
2.6L	2600	3.2L	194	4.1L	250	6.0L	363
2.6L	2606	3.2L	196	4.2L	255	6.1L	370
2.7L	165	3.2L	198	4.2L	258	6.2L	379
2.7L	167	3.2L	3165	4.2L	4172	6.3L	383
2.7L	294	3.2L	3179	4.2L	4196	6.4L	389
2.7L	2656	3.2L	3200	4.2L	4200	6.4L	390
2.7L	2671	3.2L	3206	4.3L	260	6.4L	391
2.7L	2672	3.3L	185	4.3L	261	6.5L	395
2.7L	2673	3.3L	200	4.3L	262	6.5L	396
2.7L 2.7L	2675	3.3L	3210	4.3L	265	6.6L	400
2.7L 2.7L	2688	3.3L	3230	4.3L	4294	6.6L	400
2.7L 2.7L	2693	3.3L	3275	4.4L	265	6.6L	402
2.7L 2.7L	2694	3.3L	3294	4.4L 4.4L	267	6.6L	402
2.7L	2700		3300	4.4L	270	6.6L	406
2.7L 2.8L	170	3.3L	204	4.5L	273	6.7L	409
2.8L	170	3.4L 3.4L	204	4.6L	281	6.8L	413
2.8L	173	3.4L 3.4L	3378	4.6L	283	6.8L	415
2.8L	231	3.4L 3.4L	3400	4.7L	285	6.9L	420
2.8L	2753	3.4L	3431	4.7L	287	6.9L	420
2.8L	2754		212	4.7L 4.7L	289	7.0L	425
2.8L	2771	3.5L		4.7L 4.8L	290	7.0L 7.0L	425 427
2.8L	2788	3.5L	3430	4.8L	292	7.0L 7.0L	427
		3.5L	3453		294		
2.8L 2.8L	2792 2793	3.5L	3475	4.8L 4.9L	300	7.0L 7.2L	429 439
2.8L	2800	3.5L	3500	4.9L	301	7.2L 7.2L	439
		3.5L	3524		302	7.2L 7.3L	
2.8L 2.8L	2827 2849	3.5L	3540	5.0L 5.0L	304	7.3L 7.4L	446 454
		3.5L	3543				
2.9L	177	3.6L	221	5.0L	305	7.4L	455 455
2.9L	179	3.6L	223	5.0L	307	7.5L	455 460
3.0L	181	3.6L	3562	5.0L	4950	7.5L	460
3.0L	182	3.6L	3590	5.2L	316	7.8L	477
3.0L	183	3.6L	3596	5.2L	318	8.0L	488
3.0L	2954	3.6L	3606	5.3L	326	8.0L	490
3.0L	2959	3.7L	225	5.4L	327	8.1L	496
3.0L	2960	3.7L	226	5.4L	329	8.3L	505
3.0L	2961	3.8L	229	5.4L	330		

Conversions


To Convert	Formula
Millimeters to Inches	MILLIMETERS divided by 25.4 equals INCHES
Inches to Millimeters	INCHES times 25.4 equals MILLIMETERS


DISC (IN)	DISC (MM)						
6-1/4	159	8-5/16	211	9-3/8	238	10-7/8	276
6-5/16	160	8-3/8	213	9-7/16	240	11	279
6-1/2	165	8-7/16	214	9-1/2	241	11-1/2	292
6-11/16	170	8-1/2	216	9-5/8	244	11-3/4	298
6-3/4	172	8-5/8	219	9-11/16	246	11-13/16	300
7	178	8-3/4	222	9-3/4	248	11-7/8	302
7-1/8	181	8-13/16	224	9-7/8	248	12	305
7-1/4	184	8-7/8	225	10	254	12-1/4	311
7-3/8	187	9	229	10-1/8	257	12-3/4	324
7-1/2	190	9-1/16	230	10-1/4	260	12-13/16	325
7-7/8	200	9-1/8	232	10-3/8	264	13	330
8	203	9-1/4	235	10-1/2	267	14	356
8-1/4	210	9-5/16	237	10-3/4	273	15	381

To Convert	Formula
Millimeters to Inches	MILLIMETERS divided by 25.4 equals INCHES
Inches to Millimeters	INCHES times 25.4 equals MILLIMETERS

	- V. W.						
DISC (MM)	DISC (IN)						
159	6-1/4	213	8-3/8	241	9-1/2	298	11-3/4
160	6-5/16	214	8-7/16	244	9-5/8	300	11-13/16
165	6-1/2	216	8-1/2	246	9-11/16	302	11-7/8
170	6-11/16	219	8-5/8	248	9-3/4	305	12
172	6-3/4	222	8-3/4	248	9-7/8	311	12-1/4
178	7	224	8-13/16	254	10	324	12-3/4
181	7-1/8	225	8-7/8	257	10-1/8	325	12-13/16
184	7-1/4	229	9	260	10-1/4	330	13
187	7-3/8	230	9-1/16	264	10-3/8	352	13-7/8
190	7-1/2	232	9-1/8	267	10-1/2	356	14
200	7-7/8	235	9-1/4	273	10-3/4	381	15
203	8	237	9-5/16	276	10-7/8	14	356
210	8-1/4	238	9-3/8	279	11	15	381
	- /-		•				1 77 1

**NOTES** 







EXEDY GLOBALPARTS CORPORATION 8601 HAGGERTY RD. SOUTH BELLEVILLE, MI 48111

> www.exedyusa.com 800.346.6091

TECHNICAL SUPPORT — MON.-FRI. 8:30AM-6:00PM EST CALL/TEXT INQUIRES TO 734.740.1986 or 734.612.8172