





LED PROFILES






profile LED SHELF MULTI

can be used as the shelf or cables hiding cover
giving decorative and uniform light;
accessories for cables hiding click-on cover profile



anodized aluminium

standard lengths: 500, 1000, 2000mm;
not standard length - surcharge for quantities below 20pcs
max. length 4000mm; length above 2000mm - own collection




profile LED SHELF MULTI
anodized
500mm 25010020
1000mm 25020020
2000mm 25030020




cover PH/LO/SM
standard
500mm 63570000
1000mm 63580000
2000mm 63590000




cover PH/LO/SM
narrow
500mm 63600000
1000mm 63610000
2000mm 63620000



cover PH/LO/SM
anodized
500mm 63540020
1000mm 63550020
2000mm 63560020




cover SL/BA/SM
transparent
500mm 89050016
1000mm 89060016
2000mm 89070016




glass fixing SM
500 - 25040020
1000 - 25050020
2000 - 25060020




LED mounting SM
500 - 25070000
1000 - 25080000
2000 - 25090000




holder SM galvan.
25100030




socket frame SM
0,5 - 25190020
1 - 25200020
2 - 25210020




ending SM
25110022




ending SM
shelf
25120022




ending SM
connector
25130022



ending SM
connector shelf
25140022



ending SM
pass through
25150022



ending SM
pass through shelf
25160022




sockets




switches

applications


1 shelf




2 profile with glass




3 floor profile




4 undercabinet profile




5 office profile




6 extension lead






profile LED FLAT

extremely slim, fit to the plasterboard;
does not interfere with the construction
of the plasterboard;
uniform, smooth light; optional extra diffuser;
can be mounted to the furniture,
walls or floor profiles
using the mounting plates (easy click system) or
directly by screwing or using the glue (pasting)



raw aluminium (optional painting) or anodized aluminium


standard lengths: 500, 1000, 2000mm;
not standard length - surcharge for quantities below 20pcs
max. length 4000mm; length above 2000mm - own collection



profile LED FLAT
- raw aluminium:
500mm 23030000
1000mm 23040000
2000mm 23050000
- anod.:
500mm 23030020
1000mm 23040020
2000mm 23050020



ending FL /set= 2pcs/
23120022



cover FL white	cover FL transparent
500mm 23060038	500mm 23060016
1000mm 23070038	1000mm 23070016
2000mm 23080038	2000mm 23080016

optional mounting:



mounting plate
SU/GR/CO /set = 2pcs/
76260000




flexible mounting plate
SU/GR/CO /set = 2pcs/
76380000


optional connector



connector SU/GR/CO
76350000




LED strip + cable
+ power supply
---> pages 21 - 23




profile LED DEEP

the profile can be installed in the surface,
furniture or tile gap, in the wall or ceiling;
the profile gives effect of lighting line;
6 different covers;



anodized aluminium


standard lengths: 500, 1000, 2000mm;
not standard length - surcharge for quantities below 20pcs
max. length 4000mm; length above 2000mm - own collection




profile LED DEEP
anod.:
500mm 96010020
1000mm 96020020
2000mm 96030020



ending DE /set=2pcs/
96090022




ending thickness increases
the length of the profile



cover SU/GR/CO white	cover SU/GR/CO frosted	cover SU/GR/CO transparent	cover SU/GR/CO click transparent	cover SU/GR/CO click white	cover SU/GR/CO lens 60°
500mm 76230038	500mm 76230039	500mm 76230016	500mm 76310000	500mm 76310038	500mm 76280000
1000mm 76240038	1000mm 76240039	1000mm 76240016	1000mm 76320000	1000mm 76320038	1000mm 76290000
2000mm 76250038	2000mm 76250039	2000mm 76250016	2000mm 76330000	2000mm 76330038	2000mm 76300000

optional mounting:



mounting plate
SU/GR/CO /set = 2pcs/
76260000




flexible mounting plate
SU/GR/CO /set = 2pcs/
76380000

optional connector



connector SU/GR/CO
76350000




LED strip + cable
+ power supply
---> pages 21 - 23




profile LED OVAL

a stick to hang clothes;
fitting to furniture's wall
by using mounting holder OV;
the lighting of wardrobe's inside



anodized aluminium


standard lengths: 500, 1000, 2000mm;
not standard length - surcharge for quantities below 20pcs
max. length 4000mm; length above 2000mm - own collection



profile LED OVAL
anod.:
500mm 92010020
1000mm 92020020
2000mm 92030020



holder OV side
/set= 2pcs/
92040022




cover SU/GR/CO	cover SU/GR/CO	cover SU/GR/CO	cover SU/GR/CO	cover SU/GR/CO	cover SU/GR/CO
white	frosted	transparent	click transparent	click white	lens 60°
500mm 76230038	500mm 76230039	500mm 76230016	500mm 76310000	500mm 76310038	500mm 76280000
1000mm 76240038	1000mm 76240039	1000mm 76240016	1000mm 76320000	1000mm 76320038	1000mm 76290000
2000mm 76250038	2000mm 76250039	2000mm 76250016	2000mm 76330000	2000mm 76330038	2000mm 76300000

optional mounting:




holder OV simple
/set= 2pcs/
92070030




LED strip or
Fortimo LED
deco mini strip
PHILIPS
+ cable + power supply
---> pages 21 - 23

example applications




profile is fixed by mounting holder OV to wardrobe's walls;
LED strip 120 pts/m warm white




profile LED TRIO 45°

corner profile 45° used in cabinets corners
profile can be mounted on a surface by screws
or inside a surface by fitting glue
perfect fitting of a cover



anodized aluminium

standard lengths: 500, 1000, 2000mm;
not standard length - surcharge for quantities below 20pcs
max. length 4000mm; length above 2000mm - own collection




profile LED TRIO
anod.:
500mm 91010020
1000mm 91020020
2000mm 91030020



ending TR /set= 2pcs/
91040022




ending thickness increases
the length of the profile




cover SU/GR/CO	cover SU/GR/CO	cover SU/GR/CO	cover SU/GR/CO	cover SU/GR/CO	cover SU/GR/CO
white	frosted	transparent	click transparent	click white	lens 60°
500mm 76230038	500mm 76230039	500mm 76230016	500mm 76310000	500mm 76310038	500mm 76280000
1000mm 76240038	1000mm 76240039	1000mm 76240016	1000mm 76320000	1000mm 76320038	1000mm 76290000
2000mm 76250038	2000mm 76250039	2000mm 76250016	2000mm 76330000	2000mm 76330038	2000mm 76300000

optional mounting:




LED strip + cable
+ power supply
---> pages 21 - 23






profile LED SLIM

the smallest profile for LED strip 8mm wide, which can be mounted on the surface; various applications



raw aluminium (optional painting) or anodized aluminium


standard lengths: 500, 1000, 2000mm;
not standard length - surcharge for quantities below 20pcs
max. length 4000mm; length above 2000mm - own collection



profile LED SLIM
- raw aluminium:
500mm 89010000
1000mm 89020000
2000mm 89030000
- anod.:
500mm 89010020
1000mm 89020020
2000mm 89030020



ending SL /set= 2pcs/
89090022




ending thickness increases
the length of the profile




cover SL/BA cover SL/BA cover SL/BA
white frosted transparent

500mm	500mm	500mm
89050038	89050039	89050016
1000mm	1000mm	1000mm
89060038	89060039	89060016
2000mm	2000mm	2000mm
89070038	89070039	89070016

optional mounting:




holder SL simple
/set = 2pcs/
89110030




LED strip + cable
+ power supply
--> pages 21 - 23

example applications



profile mounted on the socle with warm white light




profile mounted in the furniture;
warm white light




profile LED BACK

profile can be mounted on a wall or in a cupboard, mounting plate SU/GR/CO can be applied; two-way glow of light; decorative lighting



aluminium (optionally painted)


standard lengths: 500, 1000, 2000mm;
not standard length - surcharge for quantities below 20pcs
max. length 4000mm; length above 2000mm - own collection



profile LED BACK
- raw aluminium:
500mm 90010000
1000mm 90020000
2000mm 90030000
- anod.:
500mm 90010020
1000mm 90020020
2000mm 90030020



ending BA /set= 2pcs/
90050022




ending thickness increases
the length of the profile



cover SL/BA cover SL/BA cover SL/BA
white frosted transparent

500mm	500mm	500mm
89050038	89050039	89050016
1000mm	1000mm	1000mm
89060038	89060039	89060016
2000mm	2000mm	2000mm
89070038	89070039	89070016

optional mounting:



mounting plate
SU/GR/CO /set = 2pcs/
76260000



flexible mounting plate
SU/GR/CO /set = 2pcs/
76380000




connector SU/GR/CO
76350000

example applications



profile mounted on the wall
with 2pcs warm white LED strips



profile mounted on the wall
with 2pcs green LED strips




frame mounted around a wall niche;
first LED strip - red, the other cool white




profile LED PEN

interior lighting for display cases,
images, exposure of trinkets;
possibility of directing the light;
specially tailored lampshade;
various mounting accessories




anodized aluminium


standard lengths: 500, 1000, 2000mm;
not standard length - surcharge for quantities below 20pcs
max. length 4000mm; length above 2000mm - own collection



profile LED PEN
- anod.:
500mm 86010020
1000mm 86020020
2000mm 86030020



cover PE
500mm 86040000
1000mm 86050000
2000mm 86060000




mounting elements



optional mounting:



holder PE simple
/set = 2pcs/
86370030




LED strip + cable
+ power supply
---> pages 21 - 23


example applications




lighting of company's logo
on trade fairs exhibition
/SATURN/



mirror lighting in bathroom
with double holder with ceilings;
LED strip 3528 120pts/m



cabinet lighting with flat holder



holder PE flat
silver

86070022



set consists of 2 holders and 2 endings



stretcher holder PE
chromium

86290003



set consists of 2 holders



end holder PE
chromium

86160003


set consists of 1 holder and 1 ending



holder PE jointed
with ceiling
chromium


86080003

set consists of 1 holder and 1 ending



length options:
"0"


86080003
100mm
86300003
200mm
86100003
300mm
86120003



holder PE jointed
with thread
chromium


86090003

set consists of 1 holder and 1 ending



length options:
"0"


86090003
100mm
86310003
200mm
86110003
300mm
86130003



double holder PE 100
with ceiling
chromium

86320003

set consists of 2 holders



outriggers
length options:


100mm
86320003
200mm
86170003
300mm
86190003



double holder PE 100
with thread
chromium


86330003

set consists of 2 holders





outriggers
length options:

100mm
86330003
200mm
86180003
300mm
86200003




profile LED WIDE

for mounting on the surface by using a special flat double-sided adhesive tape; the fixture can be used under cupboards e.g. as a lighting of kitchen tops



aluminium (optionally painted)

standard lengths: 500, 1000, 2000mm;
not standard length - surcharge for quantities below 20pcs
max. length 4000mm; length above 2000mm - own collection



profile LED WIDE
- raw aluminium:
500mm 84010000
1000mm 84020000
2000mm 84030000
- anod.:
500mm 84010020
1000mm 84020020
2000mm 84030020



ending WI /set= 2pcs/
84040022



ending thickness increases
the length of the profile




cover WI white
cover WI frosted
cover WI transparent

500mm	500mm	500mm
84050038	84050039	84050016
1000mm	1000mm	1000mm
84060038	84060039	84060016
2000mm	2000mm	2000mm
84070038	84070039	84070016




optional mounting:

holder WI simple
/set = 2pcs/
84220030



LED strip + cable
+ power supply
---> pages 21 - 23


example applications



Cabinet lighting
with cool white LED strip



cabinet lighting
with 3 LED strips warm white




under cabinet lighting in the kitchen
with 3 LED strips - first: warm white,
the other: cool white




profile LED WIDE

universal mounting profile



aluminium (optionally painted)


standard lengths: 500, 1000, 2000mm;
not standard length - surcharge for quantities below 20pcs
max. length 4000mm; length above 2000mm - own collection



profile LED WIDE
- raw aluminium:
500mm 84010000
1000mm 84020000
2000mm 84030000
- anod.:
500mm 84010020
1000mm 84020020
2000mm 84030020



ending WI-O /set= 2pcs/
84120022



ending thickness increases
the length of the profile




cover WI aluminium

500mm
84090000
1000mm
84100000
2000mm
84110000




profile LED GROOVE

the profile can be installed in the surface, furniture or tile gap, in the wall or ceiling; mounted directly or by a mounting plate



anodized aluminium

standard lengths: 500, 1000, 2000mm;
not standard length - surcharge for quantities below 20pcs
max. length 4000mm; length above 2000mm - own collection




profile LED GROOVE
anod.:
500mm 76190020
1000mm 76200020
2000mm 76210020



ending GR /set= 2pcs/
76380022



ending thickness increases
the length of the profile



cover SU/GR/CO	cover SU/GR/CO	cover SU/GR/CO	cover SU/GR/CO	cover SU/GR/CO	cover SU/GR/CO
white	frosted	transparent	click transparent	click white	lens 60°
500mm 76230038	500mm 76230039	500mm 76230016	500mm 76310000	500mm 76310038	500mm 76280000
1000mm 76240038	1000mm 76240039	1000mm 76240016	1000mm 76320000	1000mm 76320038	1000mm 76290000
2000mm 76250038	2000mm 76250039	2000mm 76250016	2000mm 76330000	2000mm 76330038	2000mm 76300000




optional mounting:
mounting plate
SU/GR/CO /set = 2pcs/
76260000



flexible mounting plate
SU/GR/CO /set = 2pcs/
76380000




optional connector
connector SU/GR/CO
76350000



LED strip + cable
+ power supply
---> pages 21 - 23


example applications



Cabinet lighting
with RGB LED strip




Cabinet lighting
with cool white LED strip



profile LED CORNER 30°/60°

Corner 30° or 60°, can be used as a lighting inside cabinets and cupboards; mounted directly or by mounting plate (2-4pcs/1m)



anodized aluminium


standard lengths: 500, 1000, 2000mm;
not standard length - surcharge for quantities below 20pcs
max. length 4000mm; length above 2000mm - own collection




profile LED CORNER
anod.:
500mm 83030020
1000mm 83040020
2000mm 83050020



ending CO /set= 2pcs/
83070022



ending thickness increases
the length of the profile



cover SU/GR/CO	cover SU/GR/CO	cover SU/GR/CO	cover SU/GR/CO	cover SU/GR/CO	cover SU/GR/CO
white	frosted	transparent	click transparent	click white	lens 60°
500mm 76230038	500mm 76230039	500mm 76230016	500mm 76310000	500mm 76310038	500mm 76280000
1000mm 76240038	1000mm 76240039	1000mm 76240016	1000mm 76320000	1000mm 76320038	1000mm 76290000
2000mm 76250038	2000mm 76250039	2000mm 76250016	2000mm 76330000	2000mm 76330038	2000mm 76300000



optional mounting:
mounting plate
SU/GR/CO /set = 2pcs/
76260000





flexible mounting plate
SU/GR/CO /set = 2pcs/
76380000



optional connector
connector SU/GR/CO
76350000

beam angles depend on way of mounting:




LED strip + cable
+ power supply
---> pages 21 - 23


example applications



lighting behind TV drawer
and exhibition on the shelf
/ TV room, DOMINICANS/



cabinet lighting with cool white LED
and lens cover SU/GR/CO



corner cabinet lighting
with cool white LED strip




profile LED SURFACE

can be used as lighting under cupboards,
inside cabinets and cupboards; mounted on a flat
surface directly or by mounting plate (2-4pcs/1m)



anodized aluminium


standard lengths: 500, 1000, 2000mm;
not standard length - surcharge for quantities below 20pcs
max. length 4000mm; length above 2000mm - own collection




profile LED
SURFACE
- anod.:
500mm 77250020
1000mm 77260020
2000mm 77270020



ending SU /set= 2pcs/
77280022



ending thickness increases
the length of the profile



cover SU/GR/CO white	cover SU/GR/CO frosted	cover SU/GR/CO transparent	cover SU/GR/CO click transparent	cover SU/GR/CO click white	cover SU/GR/CO lens 60°
500mm 76230038	500mm 76230039	500mm 76230016	500mm 76310000	500mm 76310038	500mm 76280000
1000mm 76240038	1000mm 76240039	1000mm 76240016	1000mm 76320000	1000mm 76320038	1000mm 76290000
2000mm 76250038	2000mm 76250039	2000mm 76250016	2000mm 76330000	2000mm 76330038	2000mm 76300000

optional mounting:



mounting plate
SU/GR/CO /set = 2pcs/
76260000



flexible mounting plate
SU/GR/CO /set = 2pcs/
76380000




holder SU simple
/set = 2pcs/
77370030

optional connector




connector SU/GR/CO
76350000




LED strip + cable
+ power supply
---> pages 21 - 23




bookcase lighting
with different colors LED strips



lighting under table top
/ART-CON/




banquet hall lighting
/ECOTECHNOLOGIES/




profile LED FIX

for stiffening a LED strip or as a supplement
of the profiles LED Surface, Corner, Groove





raw aluminium

standard lengths: 500, 1000, 2000mm;
not standard length - surcharge for quantities below 20pcs
max. length 4000mm; length above 2000mm - own collection



profile LED FIX
- raw aluminium:
500mm 87010000
1000mm 87020000
2000mm 87030000

optional application




LED strip + cable
+ power supply
---> pages 21 - 23




profile LED MIKRO-LINE LINIA

the profile gives effect of lighting line;
various mounting possibilities: flat, back, side;



aluminium (optionally painted)


standard lengths profili i kloszy: 500, 1000, 2000mm;
not standard length - surcharge for quantities below 20pcs
max. length 4000mm; length above 2000mm - own collection




profile LED MIKRO-LINE
- raw aluminium:
500mm 70260000
1000mm 70270000
2000mm 70280000
- anod.:
500mm 70260020
1000mm 70270020
2000mm 70280020



ending M-LL /set= 2pcs/
70300000




ending thickness increases
the length of the profile




cover M-LL
white

500mm
70310038
1000mm
70320038
2000mm
70330038




LED strip + cable
+ power supply
---> pages 21 - 23

example applications



MIKRO-LINE LINIA
with different colours of LED strips



lines mounted on the wall
with different colours of LED strips




example profile with cool white LED strip




profile LED TWIN

for lighting furniture back wall
or optionally also the glass (max thickness 8mm)



aluminium (optionally painted)

standard lengths: 500, 1000, 2000mm;
not standard length - surcharge for quantities below 20pcs
max. length 4000mm; length above 2000mm - own collection




profile LED TWIN
- raw aluminium:
500mm 82110000
1000mm 82130000
2000mm 82150000


profile LED TWIN Plus with slots



profile LED TWIN Plus
- aluminium:
500mm 82120000
1000mm 82140000
2000mm 82160000



lighting of cabinet back wall with LED TWIN Plus version




LED strip + cable
+ power supply
---> pages 21 - 23


example applications



lighting of cabinet back wall
/MATKOWSKI/



lighting of cabinet back wall
/MATKOWSKI/




lighting of cabinet back wall
/MATKOWSKI/




profile LED MIKRO

for lighting a glass (thickness 6mm)



anodized aluminium (glossy)


standard lengths: 500, 1000, 2000mm;
not standard length - surcharge for quantities below 20pcs
max. length 4000mm; length above 2000mm - own collection




profile LED MIKRO
- anod.:
500mm 68520020
1000mm 68530020
2000mm 68540020



ending MI /set= 2pcs/
68550000




ending thickness increases
the length of the profile




LED strip + cable
+ power supply
---> pages 21 - 23

example applications



example piece ready for mounting
and connection



backlight of graphics on the glass top




glass lighting with blue LED strip




profile LED MIKRO-LINE

for lighting a glass (thickness 5-9mm)



raw aluminium (optional painting) or anodized aluminium


standard lengths: 500, 1000, 2000mm;
not standard length - surcharge for quantities below 20pcs
max. length 4000mm; length above 2000mm - own collection




profile LED MIKRO-LINE
- raw aluminium:
500mm 70260000
1000mm 70270000
2000mm 70280000
- anod.:
500mm 70260020
1000mm 70270020
2000mm 70280020



ending M-L /set= 2pcs/
70330000




ending thickness increases
the length of the profile




LED strip + cable
+ power supply
---> pages 21 - 23


example applications



backlight of advertising plate
with RGB LED strip



backlight of small desk plates with names



backlight of the glass
with cool white LED strip

mini connector



6-way
distributor box
for mini connector
85366900



mini connector
with cable
1800mm
85430002



mini connector
(plug + socket)
150mm
85060002

AMP connector



6-way
distributor box
for AMP connectors
85420002



AMP connector
with cable 1800mm
85440002
AMP
extension cable
(plug + socket)
85450002

LED power supplies sets



with footswitch
6-way distributor box
+ LED power supply
+ cable 2,5m with footswitch
+ cable 1m with plug mains 230V

mini connector; 10W 69230002 AMP connector; 10W 69130002
mini connector; 25W 69260002 AMP connector; 25W 69250002
mini connector; 50W 69280002 AMP connector; 50W 69270002



with AC Adapter
AC Adapter for LED 3W
+ cable 1,5m with handswitch
+ cable 0,2m with 6-way distributor box
for mini connector
mini connector; 12W 69380002



with touch switch
6-way distributor box
+ LED power supply
+ cable 4m with plug for mains 230V
+ cable 2m with metal touchswitch

mini connector; 10W 26870002 AMP connector; 10W 26530002
mini connector; 25W 26890002 AMP connector; 25W 26880002
mini connector; 50W 26910002 AMP connector; 50W 26900002

LED power supplies



LED power supply 6W
• Pri: 220-240V~50/60Hz
• Sec: 12V DC eff, 700mA
• max load 6W
• short circuit protection
KPB-6F



LED power supply 10W
• Pri: 220-240V~50/60Hz
• Sec: 12V DC eff, 800mA
• max load 10W
• short circuit protection
KLP-1018HV



LED power supply 25W
• Pri: 220-240V~50/60Hz
• Sec: 12V DC eff, 2A
• max load 25W
• short circuit protection
KLP-2518HV



LED power supply 50W
• Pri: 220-240V~50/60Hz
• Sec: 12V DC eff, 4.16A
• max load 50W
• short circuit protection
KLP-5018HV

LED contactless sensor switches



LED contactless door sensor switch
12V/15W
15530000



LED contactless hand sensor switch
12V/15W
15540000

LED STRIPS



LED strip
cool white
12V; 4,8W/m; 60P/m
85414010



LED strip
warm white
12V; 4,8W/m; 60P/m
85414011



LED strip
blue
12V; 4,8W/m; 60P/m
85414012



LED strip
green
12V; 4,8W/m; 60P/m
85414018




LED strip
yellow
12V; 4,8W/m; 60P/m
85414016



LED strip
red
12V; 4,8W/m; 60P/m
85414017

max length: 5000mm



others:

LED strip
RGB
12V; 7,2W/m; 30P/m
85414025

LED strip
cool white
12V; 2,4W/m; 30P/m
85414021

LED strip
warm white
12V; 2,4W/m; 30P/m
85414022

LED strip
cool white
12V; 9,6W/m; 120P/m
85414055






LED strip
warm white
12V; 9,6W/m; 120P/m
85414056

waterproof LED strip
cool white
12V; 4,8W/m; 60P/m
85414031

waterproof LED strip
warm white
12V; 4,8W/m; 60P/m
85414032

waterproof LED strip
cool white
12V; 9,6W/m; 120P/m
85414029

waterproof LED strip
warm white
12V; 9,6W/m; 120P/m
85414028



PROFILES

oval	
trio	
surface	
groove	
corner	
deep	
back	
slim	
wide	
mikro-line linia	
mikro-line	
mikro	
twin	
pen	
fix	
flat	
shelf multi	

ENDINGS

ending TR	
ending SU	
ending GR	
ending CO	
ending DE	
ending BA	
ending SL	
ending WI	
ending WI-o	
ending M-L	
ending M-L	
ending MI	
ending PE	
ending FL	
ending SM	

COVERS

cover SU/GR/CO white/frosted/ transparent	
cover SU/GR/CO lens transparent	
cover SU/GR/CO click transparent/ white	
cover SL/BA white/frosted/ transparent	
cover WI white/frosted/ transparent	
alu cover WI	
cover M-L white	
glass 5-6 mm	
glass 6 mm	
glass 8 mm	
cover PE	
cover FL white/frosted/ transparent	
cover PH/LO/SM narrow	
cover PH/LO/SM	
alu cover PH/LO/SM	

HOLDERS

holder OV	
mounting plate SU/GR/CO	
flexible mounting plate SU/GR/CO	
two-sided adhesive tape	
connector SU/GR/CO	
two-sided adhesive tape	
flat holder PE	
others: - end - stretcher - jointed with thread - double with thread - jointed with ceiling - double with ceiling	
mounting plate SU/GR/CO	
flexible mounting plate SU/GR/CO	
holder SM	
wall bracket SM	



TOPMET light
K.Kłosowicz M.Wiśniewski Sp.J.

Ostrowska 354
61-312 Poznań, PL

tel. +48 61 872 75 00
fax +48 61 872 75 18



www.topmet.pl

The catalogue is not an offer under Polish Civil Code regulations.
Colors of particular products may vary slightly from color shown in pictures.
The dimensions given are approximate and can not be a reason for complaint.
TOPMET Company reserves the right to make technical changes.

brochure designer & photo: Katarzyna Samulska / 06.2013r.