

GREY

ROTATIVE


CONNECTOR

SYSTEMS

FLUORESCENT

GREY SOW

ROTATIONAL PENDANT SYSTEM




GREY SO /ROTATIONAL SYSTEM/ 600 2x14W anod. 74190220
230V; G5; TL5



- 600 - 2x14W 74190220 - 2x24W 74210220
- 900 - 2x21W 74200220 - 2x39W 74240220
- 1200 - 2x28W 74220220 - 2x54W 74260220
- 1500 - 2x35W 74230220 - 2x49W 74250220

GREY SOW


SCHEME




spotlights:

- RETAKA
- MAXI STAR TECHNO
- TOMA
- TOMA mini


connectors SOW




GREY SOW
connector L - 74300020
anod.




T - 74310020
anod.



X - 74320020
anod.




I - 74290020
anod.



E - 74280020
anod.



each connector has a prepared plot for power supply

spotlights




GREY SO RETAKA
anod.*

- halogen12V 50W
74430120
- CDM-Rm 35W
74440120




GREY SO MAXI STAR TECHNO
anod.*

- halogen230V 50W
74450120
- halogen12V 50W
74460120
- CDM-Rm 35W
74470120




GREY SO TOMA
anod.*

- CDM-R111 35W
74480120
- QR111 100W
74490120



GREY SO TOMA mini
anod.*

- CDM-Rm 35W
74500120
- halogen12V 50W
74510120



* spotlights are painted satin

- luminaires with PHILIPS, OSRAM electronic (for a customer requests other components available)
- luminaires do not contain a source of light



power supply



power supply S Fi80
satin 62980024

GREY SOU

UNIVERSAL ROTATIONAL SYSTEM



GREY SO /ROTATIONAL SYSTEM/ 600 2x14W anod. 74190220


230V; G5; TL5








- 600 - 2x14W 74190220 - 2x24W 74210220
- 900 - 2x21W 74200220 - 2x39W 74240220
- 1200 - 2x28W 74220220 - 2x54W 74260220
- 1500 - 2x35W 74230220 - 2x49W 74250220

GREY SOUC

UNIVERSAL ROTATIONAL 'THIN' SYSTEM



connectors SOUC




GREY SOUC
connector I - 74400020
anod.

E left
74380020
anod.

E right
74390020
anod.

SCHEME

GREY SOUG UNIVERSAL ROTATIONAL 'THICK' SYSTEM



spotlight:







str. 3

- RETAKA
- MAXI STAR TECHNO
- TOMA
- TOMA mini

ELEMENTS

GREY SOUG UNIVERSAL ROTATIONAL 'THICK' SYSTEM

connectors SOUG



GREY SOUG
connector L - 74350020
anod.


T - 74360020
anod.

X - 74370020
anod.

I - 74340020
anod.y

E - 74330020
anod.y

GREY SK CONNECTOR SYSTEM




GREY SK /CONNECTOR SYSTEM/ 950 21W anod. 74700220
230V; G5; TL5



- 650 - 2x14W 74680220 - 2x24W 74690220
- 950 - 2x21W 74700220 - 2x39W 74710220
- 1250 - 2x28W 74720220 - 2x54W 74730220
- 1550 - 2x35W 74740220 - 2x49W 74750220

GREY SK SCHEME





spotlights:

- RETAKA
- MAXI STAR TECHNO
- TOMA
- TOMA mini


connectors SK



GREY SK connector Z - 74760020
anod.



L right - 74770020
L left - 74780020
anod.



F - 74790020
anod.

spotlight




GREY SK RETAKA
anod.*



GREY SK MAXI STAR TECHNO
anod.*




GREY SK TOMA
anod.*




GREY SK TOMA mini
anod.*


- halogen12V 50W (100mm) 74800120
- CDM-Rm 35W (100mm) 74810120




- halogen230V 50W (100mm) 74820120
- halogen12V 50W (200mm) 74830120
- CDM-Rm 35W (200mm) 74840120



- CDM-R111 35W (200mm) 74850120
- QR111 100W (200mm) 74860120



- CDM-Rm 35W (200mm) 74870120
- halogen12V 50W (200mm) 74880120



* spotlights are painted satin

- luminaires with PHILIPS, OSRAM electronic (for a customer requests other components available)
- luminaires do not contain a source of light

power supply



GREY SK connector Z
74760020
anod.



power supply SK
plug - satin 63260024
socket - satin 63270024



TOPMET light
K.Kłosowicz M.Wiśniewski Sp.J.

Ul. Ostrowska 354
61-312 Poznań, PL

tel. +48 61 872 75 00
fax +48 61 872 75 18



www.topmet.pl