



**TOPMET**  
Light®

# PHIL53 SK LED



50.000 h



up to 5 years  
do 5 lat



32 W, 49 W



4400 lm, 6600 lm



830, 840

LED connector system • system konektorowy LED


# PHIL53 SK LED

LED connector system • system konektorowy LED



LED technology

## PHIL53 SK LED 230V



cover PH/LO/SM NARROW  
klosz PH/LO/SM NARROW



cover PH/LO/SM WIDE  
klosz PH/LO/SM WIDE



cover PH/LO/SM OPAL  
klosz PH/LO/SM OPAL

1200; 4400 lm  
A+ 32 W

830 NARROW  
WIDE  
OPAL  
840 NARROW  
WIDE  
OPAL

anod.

28030220  
28040220  
28270220  
28050220  
28060220  
28280220

silver  
srebro

28030222  
28040222  
28270222  
28050222  
28060222  
28280222

white  
biały

28030201  
28040201  
28270201  
28050201  
28060201  
28280201

1800; 6600 lm  
A+ 49 W


830 NARROW  
WIDE  
OPAL  
840 NARROW  
WIDE  
OPAL

28070320  
28080320  
28290320  
28090320  
28100320  
28300320

28070322  
28080322  
28290322  
28090322  
28100322  
28300322

28070301  
28080301  
28290301  
28090301  
28100301  
28300301

## scheme • schemat



spotlights:  
reflektory:



VIGO LED






TOMA LED




MAXI STAR TECHNO

### connectors • łączniki




**PHIL53 SK connector Z**  
PHIL53 SK łącznik Z

**anod.**  
28990020  
**silver • srebro**  
28990022  
**white • biały**  
28990001



**L right**  
L prawy


**anod.**  
28960020  
**silver • srebro**  
28960022  
**white • biały**  
28960001



**L left**  
L lewy


**connector F**  
łącznik F

**anod.**  
28980020  
**silver • srebro**  
28980022  
**white • biały**  
28980001



**connector I**  
łącznik I



**anod.**  
28930020  
**silver • srebro**  
28930022  
**white • biały**  
28930001



**connector I 200**  
łącznik I 200

**anod.**  
28940020  
**silver • srebro**  
28940022  
**white • biały**  
28940001


### spotlights • reflektory






**PHIL53 SK VIGO LED anti-glare cover-straight**  
osłona antyolśnieniowa prosta  
**black • czarny**  
A8990002

**A** **PHIL53 SK LED VIGO LED ceiling • strop**  
1800 lm; 23 W

	<b>anod.</b>	<b>silver • srebro</b>	<b>white • biały</b>
830 24D	28670120	28670122	28670101
830 40D	28680120	28680122	28680101
840 24D	28690120	28690122	28690101
840 40D	28700120	28700122	28700101



**PHIL53 SK VIGO LED anti-glare cover-diagonal**  
osłona antyolśnieniowa skośna  
**black • czarny**  
A8980002



**A** **PHIL53 SK LED TOMA LED; 2700 lm; 34 W**

	<b>anod.</b>	<b>silver • srebro</b>	<b>white • biały</b>
830 24D	28660120	28660122	28660101
830 40D	28610120	28610122	28610101
840 24D	28620120	28620122	28620101
840 40D	28630120	28630122	28630101

**PHIL 53 SK LED MAXI STAR TECHNO**  
GU10; 230 V; 50 W

<b>anod.</b>	<b>silver srebro</b>	<b>white biały</b>
28710120	28710122	28710101



# PHIL53 SK LED

LED connector system • system konektorowy LED



technology

## power supply • zasilanie

PHIL53 SK connector Z  
łącznik Z



power supply SK  
zasilanie SK

plug  
wtyk

socket  
gniazdo






anod. 28990020  
silver • srebro 28990022  
white • biały 28990001

silver • srebro 63260022 63270022  
white • biały 63260001 63270001



## technical data • informacje techniczne

comparison of variations in the light curves measured on different covers:  
porównanie krzywych światłości przy zastosowaniu różnych kloszy:




cover PH/LO/SM NARROW  
klosz PH/LO/SM NARROW



cover PH/LO/SM WIDE  
klosz PH/LO/SM WIDE



cover PH/LO/SM OPAL  
klosz PH/LO/SM OPAL



The catalogue is not an offer under Polish Civil Code regulations. Colors of particular products may vary slightly from colors shown in pictures. The dimensions given are approximate and can not be a reason for complaint. TOPMET Company reserves the right to make technical changes.

Folder nie stanowi oferty w myśl przepisów Kodeksu Cywilnego. Aktualną ofertę firmy stanowi cennik. Kolory poszczególnych produktów mogą się nieznacznie różnić od kolorów prezentowanych na zdjęciach. Podane wymiary są wymiarami orientacyjnymi i nie mogą stanowić podstawy reklamacji. Firma TOPMET zastrzega sobie prawo do wprowadzania zmian technicznych.

brochure designer • proj. folderu: Michał Kędziora 27.04.2015; photo • fot. Katarzyna Samulska