

## ЦЕНТРИФУГИ ДЛЯ ЯИЧНОЙ СКОРЛУПЫ МОДЕЛЕЙ C430 (V) И C430-RB



### **МОДЕЛЬ C-430(V):**

Идеальна в сочетании с яйцеразбивочной машиной для извлечения белка, остающегося в скорлупе после разбивки яйца и для уменьшения объема скорлупы. Оставшийся белок будет извлечен на 98%, объем скорлупы снизится на 75 %.

C-430: макс. производительность: 65.000 – 75.000 скорлупок в час

C-430-V: макс. производительность: 120.000 – 140.000 скорлупок в час

Электричество: 3ф, 400В + земля

Мотор: 4 кВт

### **МОДЕЛЬ C-430-RB:**

Эта модель идентична C-430 с одним исключением: более вместительный стол подачи и наличие шнека с регулируемой скоростью позволяет работать без остановки и перегрузки машины.


Подходит для переработки целых яиц.

C-430-RB: макс. производительность: 25.000 – 35.000 яиц в час

C-430V-RB: макс. производительность: 35.000 – 50.000 яиц в час

Электричество: 3ф, 400В + земля

Мотор: 4 кВт + 0.18 кВт



#### Technical Information

Egg Breaking and separating Machines  
Continuous Scraper  
Filters and automatic filters  
Tube or Plate Coolers  
Homogenizers  
H.T.S.T., batch & UHT Pasteurizers  
Tanks  
Spray Drying Equipment  
Aseptic Liquid Packing  
Egg Shell Driers  
C.I.P. Equipment  
Laboratory Equipment  
All Auxiliary Equipment

Description

**ovobel**  
EQUIPMENT AND ENGINEERING FOR EGG PROCESSING  
Bilkske 93, 8000 BRUGGE  
BELGIUM  
Tel: +32 (50) 440-070  
Fax: +32 (50) 440-077  
e-mail: ovobel@ovobel.com

Date: Drawing n°:

Drawn By:

Checked By:

Project:

**OVOBEL -**

Filename:

Scale:

