



VPS armored VAN
based on Mercedes-Benz V250d extra long
W447 4Matic in CEN B4 with standard interior




VPS

Armored Mercedes-Benz V250d long W447 4Matic in CEN B4




VPS





Armored Mercedes-Benz V250d long W447 4Matic in CEN B4



All perimeter ballistic glazing - multi-layered ballistic glass with inner polycarbonate layer for protection against splinters except rear tailgate glass with ballistic glass behind




VPS

Armored Mercedes-Benz V250d long W447 4Matic in CEN B4

Ballistic partition wall with integrated multi-layered ballistic glass with inner polycarbonate layer for protection against splinters and electrically operable for emergency escape in case of armed assault or traffic accident





Armored Mercedes-Benz V250d long W447 4Matic in CEN B4



VPS

Lower part of the tailgate is protected by light weight ballistic material with overlapping over rear ballistic partition wall



VPS

Armored Mercedes-Benz V250d long W447 4Matic in CEN B4

Standard rear glass with heating behind partition wall with ballistic glass in the rear



VPS

Armored Mercedes-Benz V250d long W447 4Matic in CEN B4



VPS



VPS

Armored Mercedes-Benz V250d long W447 4Matic in CEN B4

VPS



VPS

Armored Mercedes-Benz V250d long W447 4Matic in CEN B4



VPS



VPS

Armored Mercedes-Benz V250d long W447 4Matic in CEN B4



VPS



VPS


Armored Mercedes-Benz V250d long W447 4Matic in CEN B4



VPS

Armored Mercedes-Benz V250d long W447 4Matic in CEN B4





Invisible overlapping of door apertures to stop fired bullets, integrated. Into window frame and glass



VPS

Armored Mercedes-Benz V250d long W447 4Matic in CEN B4

Front electrically operable windows, left/right



Armored Mercedes-Benz V250d long W447 4Matic in CEN B4



External steel overlapping of door apertures to stop fired bullets additionally to integrated. Into window frame and glass



VPS

Armored Mercedes-Benz V250d long W447 4Matic in CEN B4

23-25mm

Multi-layered ballistic glass with inner polycarbonate layer for protection against splinters



VPS

Asphored Mercedes-Benz V250d long W447 4Matic in CEN B4

Windshield with heating



VPS

Armored Mercedes-Benz V250d long W447 4Matic in CEN B4



VPS

Armored Mercedes-Benz V250d long W447 4Matic in CEN B4



VPS

Armored Mercedes-Benz V250d long W447 4Matic in CEN B4



VPS

Armored Mercedes-Benz V250d long W447 4Matic in CEN B4



VPS

Armored Mercedes-Benz V250d long W447 4Matic in CEN B4



Technical data:

- Wheelbase: 3200 mm
- Length/Width/Height: 5140/1928 with folded mirrors, /1880 mm
- Front/rear track: mm
- Front/rear overhang: 895/1045 mm
- Turning diameter: 13.1 m
- Fuel capacity: 57 l
- Seating: 6
- Fuel delivery: Common-rail diesel with twin turbochargers
- Engine displacement: 1950 c.cm
 - Power Output: 239 hp/176 kW @ 4200 rpm
 - Torque: 500Nm @ 1600-2400 rpm
- Transmission: 9G-TRONIC PLUS 9-speed automatic, electronically controlled
- Kerb weight: 2145 kg (before armoring)
- Maximum permissible weight: 3100 kg
- Maximum payload: 756 kg (before armoring)
- Terrain: 4Matic all wheel drive system
- Tire size front/rear: 225/55-R17 109H
- Rim size: 7.5J x 17"

Features & Safety

- Packages: standard, Edition and Avantgarde.
Specifications upon request ONLY!
- Extra long version: on request ONLY!





VPAM Chart



Prüfung VPAM APRIL 2006	Anmeldung bei		Zwei Vergleichs		Werkstoff (Bogen)	Farbe	Angaben zur Promotion				Ausgabe bei der Prüfbuchprüfung		
	VPAM	VPAM	VPAM	VPAM			Art	Art	Werkstoff	Werkstoff	Prüfung	Prüfung	Prüfung
1	VPAM	VPAM	VPAM	VPAM	VPAM	VPAM	VPAM	VPAM	VPAM	VPAM	VPAM	VPAM	VPAM
2	VPAM	VPAM	VPAM	VPAM	VPAM	VPAM	VPAM	VPAM	VPAM	VPAM	VPAM	VPAM	VPAM
3	VPAM	VPAM	VPAM	VPAM	VPAM	VPAM	VPAM	VPAM	VPAM	VPAM	VPAM	VPAM	VPAM
4	VPAM	VPAM	VPAM	VPAM	VPAM	VPAM	VPAM	VPAM	VPAM	VPAM	VPAM	VPAM	VPAM
5	VPAM	VPAM	VPAM	VPAM	VPAM	VPAM	VPAM	VPAM	VPAM	VPAM	VPAM	VPAM	VPAM
6	VPAM	VPAM	VPAM	VPAM	VPAM	VPAM	VPAM	VPAM	VPAM	VPAM	VPAM	VPAM	VPAM
7	VPAM	VPAM	VPAM	VPAM	VPAM	VPAM	VPAM	VPAM	VPAM	VPAM	VPAM	VPAM	VPAM
8	VPAM	VPAM	VPAM	VPAM	VPAM	VPAM	VPAM	VPAM	VPAM	VPAM	VPAM	VPAM	VPAM
9	VPAM	VPAM	VPAM	VPAM	VPAM	VPAM	VPAM	VPAM	VPAM	VPAM	VPAM	VPAM	VPAM
10	VPAM	VPAM	VPAM	VPAM	VPAM	VPAM	VPAM	VPAM	VPAM	VPAM	VPAM	VPAM	VPAM

* Die Angaben sind für die Verwendung in der Bundesrepublik Deutschland und in den Ländern der Europäischen Union. Die Angaben sind für die Verwendung in der Bundesrepublik Deutschland und in den Ländern der Europäischen Union. Die Angaben sind für die Verwendung in der Bundesrepublik Deutschland und in den Ländern der Europäischen Union.

Beschusaamt Ulm - Albstraße 74 - D-89081 Ulm

0731 / 98831-0 Beschusaamt@rzp.ted.de www.beschusaamt-ulm.de www.vpam.de

