


18.5" 1 Port DVI LCD Console (LD1801)




Overview


LD1801 is a single port DVI console which integrates the 18.5" widescreen LCD monitor, keyboard and mouse in a 1U rack housing; it is fit to be installed in a standard 19" rack. It can connect one DVI computer via standard DVI port, resolution is up to 1920 x 1080@60Hz.



1 LCD Monitor	6 Touchpad
2 Rear Bracket Slot	7 Handle
3 Display Menu Buttons	8 Release Switch
4 Mounting Bracket	9 Display Panel
5 Keyboard	

Structure






1	PC Port(DVI)	3	Power switch
2	Ground Connection Screw	4	Power input(AC or DC)

Features

- 3 in 1 LCD console integrates the monitor, keyboard and mouse.
- The console can be connected to a PC or a KVM switch to control and manage single/multiple PCs.
- 18.5" TFT LCD monitor with high brightness, high definition and high resolution.
- Resolution is up to 1920 x 1080@60Hz
- Ultra-slim keyboard with 99 keys and numeric keypad
- Standard PS/2 emulation
- Automatically lock up with the front panel lock latch
- Compact steel construction and high quality hand-protection sliding rails

Connection Diagram



Package Contents

- 1x LCD Console
- 1x Power Cord (Regional)
- 1x Quick Start Guide
- 2x Mounting Rails
- 1x USB+DVI KVM Cable(1.8m/6ft)

Specifications

Model	LD1801	
Computer Connections	1	
Port emulation	Keyboard, mouse	PS/2, USB
LCD monitor	LCD model	FHD TFT
	View area	18.47"
	Optimum resolution	1920x1080@60Hz
	Display color	16.7 M
	Brightness	500cd/m ² (T y p)
	Contrast ratio	1000 : 1 (T y p)
	Pixel pitch(mm)	0.213(H) x 0.213(W)
Mouse	X/Y resolution	>1000 points / inch, (40 points/mm)
	Touchpad	Eliminates the need for an external mouse
Keyboard	99 keys (82 keys main keyboard +17 independent small numeric keyboard)	
Input power	100V – 240Vac, 50 ~ 60Hz, <1.5A	
DVI Signal	DVI-D	
Power consumption	30W	
Operating temperature	0 – 40 °C	
Store temperature	-20 – 60 °C	
Humidity	0 – 80% RH, non-condensing	
Net weight	11 kg	
Product dimension (W x D x H)	448mmx560mmx42.5mm	
Package dimension (W x D x H)	765mmx615mmx185mm	