

1 ALPHA2 32-40 180



: 98520750

- AUTOADAPT

- 3/ (EEI) - ( N)

- Energieeinsparverordnung - EnEV § 14 (3).

- ALPHA2

ALPHA.

<0,8

TF : 110 : VDE,GS,CE,EAC

: 2.. 110 °C  
60 °C  
983.2 / 3

EN-GJL-150  
ASTM A48-150B  
PES 30%GF

: 0 .. 40 °C

: 10.2

: G 2

: PN 10

: 180

.-P1: 3 .. 18

: 50 Hz

: 1 x 230 V

: 0.04 .. 0.18 A

(IEC 34-5): X4D

(IEC 85): F

(EEI): 0.15

: 2.18

: 2.3

: 0.004 <sup>3</sup>

ALPHA2 32-40 180	
98520750	
EAN	5711496489549
TF	40
	110
	VDE,GS,CE,EAC
	D
	EN-GJL-150
	ASTM A48-150B
	PES 30%GF
	0 .. 40 °C
	10.2
	G 2
	PN 10
	180
	2 .. 110 °C
	60 °C
	983.2 / <sup>3</sup>
-P1:	3 .. 18
	50 Hz
	1 x 230 V
	0.04 .. 0.18 A
(IEC 34-5):	X4D
(IEC 85):	F
	ELEC
	6H
(EEI):	0.15
	2.18
	2.3
	0.004 <sup>3</sup>
	RU

