




Range brochure 2006

If sun is your style 



PHILIPS

If sun is your style

Piercings, tattoos and lingerie merely accentuate beauty which is already there. As you know, the essential part of beauty is a gorgeous skin. Philips CLEO offers a great variety of tanning lamps for different skin types and different purposes. If sun is your style, there's always a Philips CLEO lamp which perfectly suits your needs.

Superior tanning results, consistent output

Philips Lighting was the driving force behind innovative technologies like fluorescent tanning lamps, reflector tanning lamps and Extreme Power Technology. And now our reputation as innovator is confirmed yet again with the revolutionary new Philips CLEO Consistency™ tanning lamps. A combination of unique phosphor and Multi Layer Coating Technology results in tanning output that matches higher wattage lamps and the ability to remain at strength throughout the 1000 hrs of the lamp's useful lifetime. This means for the same erythemal doses you can now upgrade your 160W sunbeds to 200W and your 100W sunbeds to 160W. Just by changing the lamps.

NEW! Philips CLEO Consistency™

- Consistent output
- 200W tanning results from a 160W sunbed
- 160W tanning results from a 100W sunbed
- 1000 hrs useful lifetime



Contents

NEW!

- **Philips CLEO Consistency™** 3

Low pressure Euro types

- **Philips CLEO Advantage** 4
- **Philips CLEO Swift / Swift HP** 5
- **Philips CLEO Professional S / Professional** 6
- **Philips CLEO Emotions** 7
- **Philips CLEO Performance S / Performance** 8
- **Philips CLEO Compact S / Compact / Effect** 9

High pressure

- **Philips CLEO HPA** 10

CLEO Starters

- **Philips CLEOtronic** 11
- **Philips CLEO Power Starter** 11
- **Philips CLEO S12** 11
- **Philips CLEO Starter** 11
- **Philips CLEO S2** 11

NEW! Philips CLEO Consistency™



- Consistent output
- 200W tanning results from a 160W sunbed
- 160W tanning results from a 100W sunbed
- 1000 hrs useful lifetime



PHILIPS CLEO CONSISTANCY™												
	Lamp wattage	Tan result W	Reflector	XPT	Diameter mm	Length mm	UVA W	UVB/ * UVA %	UVA ** Mw/cm ²	Tanning *** time (min)	Useful life hrs	Ordering code
Philips CLEO Consistency™	100	160	Yes	No	38	1763	33	2.0	25	8	1000	142133
Philips CLEO Consistency™	160	200	Yes	Yes	38	1763	47	2.0	30	6	1000	142141

* The Philips CLEO Consistency™ output comes from a different spectrum, and therefore is equivalent to a 2.0 Philips CLEO Swift.

** Typical UVA irradiance of the unit.

*** Tanning time of a typical sunbed irradiance for Skintype 3.

Philips CLEO Advantage



- Fastest tanning lamp in the Philips CLEO range
- A deep beautiful tan that lasts
- Extreme care



PHILIPS CLEO ADVANTAGE (fluorescent tanning lamps)

	Lamp wattage	Reflector	XPT	Diameter mm	Length mm	UVA W	UVB/ UVA %	UVA * Mw/cm ²	Tanning ** time (min)	Lifetime hrs	Ordering code
Philips CLEO Advantage	80	No	No	38	1506	24	3,1	20	7	800	869319
Philips CLEO Advantage	80	Yes	No	38	1506	22	3,1	20	7	800	866196
Philips CLEO Advantage	100	No	No	38	1763	30	3,1	20	7	800	865663
Philips CLEO Advantage	100	Yes	No	38	1763	30	3,1	20	7	800	710369
Philips CLEO Advantage	140	Yes	Yes	38	1506	34	3,3	25	6	800	263131
Philips CLEO Advantage	140	Yes	No	38	1506	34	3,1	25	5	800	866219
Philips CLEO Advantage	160	Yes	No	38	1763	42	3,1	25	5	800	710383
Philips CLEO Advantage	160	Yes	Yes	38	1763	36	3,3	25	5	800	262950
Philips CLEO Advantage	235 Max	Yes	Yes	38	1999	56	3,3	25	4	800	NEW

* Typical irradiance of the sunbed.

** Tanning time at a typical sunbed irradiance for Skintype 3.

Philips CLEO Swift series



Philips CLEO Swift

- Supreme bronzing lamp for fast tanning
- 10% More effective than Professional S
- The new standard for professional tanning salons

Philips CLEO Swift HP

- High performance spectrum in a low pressure lamp
- Immediate tan



PHILIPS CLEO SWIFT (fluorescent tanning lamps)

	Lamp wattage	Reflector	XPT	Diameter mm	Length mm	UVA W	UVB/ UVA %	UVA * Mw/cm ²	Tanning ** time (min)	Lifetime hrs	Ordering code
Philips CLEO Swift	80	No	No	38	1506	25	2.0	25	8	800	867261
Philips CLEO Swift	80	Yes	No	38	1506	24	1.8	25	8	800	866042
Philips CLEO Swift	100	No	No	38	1763	31	2.0	25	8	800	867285
Philips CLEO Swift	100	Yes	No	38	1763	31	1.8	25	8	800	866189
Philips CLEO Swift	140	No	Yes	38	1506	40	2.2	30	6	800	263070
Philips CLEO Swift	140	Yes	Yes	38	1506	39	2.0	30	7	800	263094
Philips CLEO Swift	140	Yes	No	38	1506	40	2.0	30	7	800	866165
Philips CLEO Swift	160	No	No	38	1763	44	2.0	30	6	800	260048
Philips CLEO Swift	160	No	Yes	38	1763	38	2.2	30	6	800	263056
Philips CLEO Swift	160	Yes	No	38	1763	44	2.0	30	6	800	865601
Philips CLEO Swift	160	Yes	Yes	38	1763	46	2.0	30	6	800	262660
Philips CLEO Swift	180	Yes	Yes	38	1999	51	2.0	30	6	800	888112
Philips CLEO Swift	200	Yes	Yes	38	1999	53	2.0	30	6	800	541352
Philips CLEO Swift	200	Yes	Yes	38	1763	48	2.0	30	6	800	891075
Philips CLEO Swift	225	Yes	Yes	38	1999	59	2.0	30	5	800	NEW

PHILIPS CLEO SWIFT HP (fluorescent tanning lamps)

Philips CLEO Swift HP	100	No	No	38	1763	25	2.3	25	8	800	892065
Philips CLEO Swift HP	100	Yes	No	38	1763	24	2.2	25	8	800	892041
Philips CLEO Swift HP	160	Yes	No	38	1763	35	2.4	30	6	800	892027

* Typical irradiance of the sunbed.

** Tanning time at a typical sunbed irradiance for Skintype 3.

Philips CLEO Professional series



Philips CLEO Professional S

- The standard for professional tanning salons
- Fast tanning

Philips CLEO Professional

- Deep French Riviera tan
- The lamp of choice for most beds in Europe



PHILIPS CLEO PROFESSIONAL S (fluorescent tanning lamps)

	Lamp wattage	Reflector	Diameter mm	Length mm	UVA W	UVB/ UVA %	UVA * Mw/cm ²	Tanning ** time (min)	Lifetime hrs	Ordering code
Philips CLEO Professional S 80W	80	No	38	1506	22	2,4	20	10	800	641632
Philips CLEO Professional S 80W	80	Yes	38	1506	20	2,4	20	10	800	641656
Philips CLEO Professional S 100W	100	No	38	1763	27	2,4	20	10	800	641694
Philips CLEO Professional S 100W	100	Yes	38	1763	26	2,4	20	10	800	641717
Philips CLEO Professional S 140W	140	Yes	38	1506	32	2,4	25	8	800	641113
Philips CLEO Professional S 160W	160	Yes	38	1763	36	2,4	25	8	800	641137


PHILIPS CLEO PROFESSIONAL (fluorescent tanning lamps)

Philips CLEO Professional 80W	80	No	38	1506	22	1,4	20	12	800	622174
Philips CLEO Professional 80W	80	Yes	38	1506	20	1,4	20	12	800	622181
Philips CLEO Professional 100W	100	No	38	1763	27	1,4	20	12	800	622198
Philips CLEO Professional 100W	100	Yes	38	1763	26	1,4	20	12	800	622204
Philips CLEO Professional 140W	140	Yes	38	1506	32	1,4	25	10	800	629401
Philips CLEO Professional 160W	160	No	38	1763	39	1,4	25	10	800	629371
Philips CLEO Professional 160W	160	Yes	38	1763	37	1,4	25	10	800	629340

* Typical irradiance of the sunbed.

** Tanning time at a typical sunbed irradiance for Skintype 3.

Philips CLEO Emotions



- Concept for complete tanning program
- Build tailor-made programme to the perfect tan
- Each colour has its own power and mood



PHILIPS CLEO EMOTIONS (fluorescent tanning lamps)											
	Lamp wattage	Reflector	XPT	Diameter mm	Length mm	UVA W	UVB/ UVA %	UVA * Mw/cm ²	Tanning ** time (min)	Lifetime hrs	Ordering code
Philips CLEO Emotions Active - Red	100	Yes	No	38	1763	28	2,5	24	7	800	612922
Philips CLEO Emotions Vital - Green	100	Yes	No	38	1763	28	2,0	24	8	800	612885
Philips CLEO Emotions Mystique - Blue	100	Yes	No	38	1763	28	1,7	24	10	800	612908
Philips CLEO Emotions Active - Red	160	Yes	Yes	38	1763	40	2,5	28	5	800	612021
Philips CLEO Emotions Vital - Green	160	Yes	Yes	38	1763	40	2,0	28	7	800	612045
Philips CLEO Emotions Mystique - Blue	160	Yes	Yes	38	1763	40	1,7	28	8	800	612083
Philips CLEO Emotions Active - Red	225	Yes	Yes	38	1999	58	2,5	28	4	800	NEW

* Typical irradiance of the sunbed.

** Tanning time at a typical sunbed irradiance for Skintype 3.

Philips CLEO Performance series



Philips CLEO Performance S

- Perfect lamp for frequent tanning
- Produces a lasting sexy tan

Philips CLEO Performance

- For long and relaxing tanning sessions
- Also available in Pink (P)
- Also excellent for home use



PHILIPS CLEO PERFORMANCE S (fluorescent tanning lamps)

	Lamp wattage	Reflector	Diameter mm	Length mm	UVA W	UVB/ UVA %	UVA * Mw/cm ²	Tanning ** time (min)	Lifetime hrs	Ordering code
Philips CLEO Performance S 80W	80	No	38	1506	24	1,0	25	15	800	644237
Philips CLEO Performance S 80W	80	Yes	38	1506	22	1,0	25	15	800	644251
Philips CLEO Performance S 100W	100	No	38	1763	31	1,0	25	15	800	644046
Philips CLEO Performance S 100W	100	Yes	38	1763	27	1,0	25	15	800	644060

PHILIPS CLEO PERFORMANCE (fluorescent tanning lamps)

Philips CLEO Performance 40W	40	No	38	596	8,1	0,8	25	18	800	628305
Philips CLEO Performance 40W	40	Yes	38	596	7,6	0,8	25	18	800	628350
Philips CLEO Performance 80W	80	No	38	1506	24	0,8	25	18	800	628312
Philips CLEO Performance 80W	80	Yes	38	1506	22	0,8	25	18	800	628367
Philips CLEO Performance 100W	100	No	38	1763	31	0,8	25	18	800	628336
Philips CLEO Performance 100W	100	Yes	38	1763	28	0,8	25	18	800	628381

* Typical irradiance of the sunbed.

** Tanning time at a typical sunbed irradiance for Skintype 3.

Philips CLEO Compact series / Effect



Philips CLEO Compact S / Compact

- Compact lamps for facial tanning
- Great looking tan

Philips CLEO Effect

- Saves 10% energy compared to CLEO Performance
- Small diameter for efficient external reflector design



PHILIPS CLEO COMPACT S (fluorescent tanning lamps)

	Lamp wattage	Reflector	Diameter mm	Length mm	UVA W	UVB/ UVA %	UVA * Mw/cm ²	Tanning ** time (min)	Lifetime hrs	Ordering code
Philips CLEO Compact S 25W	25	No	16	524	4,7	2,0	20	12	500	629791
Philips CLEO Compact S 25W	25	Yes	16	524	4,7	2,0	20	12	500	633699

PHILIPS CLEO COMPACT (fluorescent tanning lamps)

Philips CLEO Compact PLL 36W	36	No	18	410	9,4	1,0	25	16	500	614100
Philips CLEO Compact 20W	20	No	28	444	3,8	1,0	25	16	500	359752
Philips CLEO Compact 15W	15	No	16	295	2,3	1,0	25	16	500	716460
Philips CLEO Compact 25W	25	No	16	524	4,7	1,0	25	16	500	619112

PHILIPS CLEO EFFECT (fluorescent tanning lamps)

	Lamp wattage	Reflector	Diameter mm	Length mm	UVA (W)	UVB/ UVA (%)	UVA * Mw/cm ²	Tanning ** time (min)	Lifetime (hrs)	Ordering code
Philips CLEO Effect 70W	70	No	28	1507	24	0,9	25	16	800	640222
Philips CLEO Effect 90W	90	No	28	1770	27	0,9	25	16	800	559999
Philips CLEO Effect 90W	90	Yes	28	1770	24	0,9	25	16	800	559920


* Typical irradiance of the sunbed.

** Tanning time at a typical sunbed irradiance for Skintype 3.

Philips CLEO HPA



- High intensity
- For more power and faster run-up in existing beds



PHILIPS CLEO HPA

	Lamp power W	Main voltage V	Cap / Base		UVA (Radiation W IEC)	Overall length mm	Ordering code
Philips CLEO HPA 400 SE	400	230	Single Ended	GY 9,5	82	126,5 + 2	198228
Philips CLEO HPA Swift 250-500/30 SD	250/500	230	R7s (Clip-in)	R7S	51/125	104	203885
Philips CLEO HPA 400/30 SD	400	230	R7s (Clip-in)	R7S	94	104	191656
Philips CLEO HPA 400/30 SD L	400	230	R7s (Clip-in)	R7S	94	106	204141
Philips CLEO HPA 400/30 S	400	230	R7s (Clip-in)	R7S	94	104	191595
Philips CLEO HPA 400/30 S L	400	230	R7s (Clip-in)	R7S	94	106	204240
Philips CLEO HPA 400 S	400	230	R7s (Clip-in)	R7S	87	117,9	192202
Philips CLEO HPA 400/30 SC	400	230	Cable	Ferrule	94	96 + 2	191182
Philips CLEO HPA 400/30 SDC	400	230	Cable	Ferrule	94	96 + 2	193001

PHILIPS CLEO HIGH WATTAGE HPA

Philips CLEO HPA 2000 S	2000	400	Cable	Cl4X ferrule	550	177 + 2	191311
Philips CLEO HPA 2020 S	2000	400	Cable	Cover	537	185 + 3	195357
Philips CLEO HPA 1200 S	1200	230	Cable	Cover	308	139 + 2	191304
Philips CLEO HPA 1000 SE	1000	230	Single Ended	Cap GQ 9,5	245	138 (max)	199300
Philips CLEO HPA 1000	1000	230	Cable	Ferrule	243	147 + 2	191090

Philips CLEO Starters



- The best starter for the best lamps!
- Fast and reliable ignition
- Lengthens economic lamp life
- Reduced end blackening
- Insensitive to voltage fluctuations
- UL and CSA approval



PHILIPS CLEO STARTERS									
	20W	25W	80W	100W	140W	160W	180W	200W	Ordering code
Philips CLEOtronic	•	•	•	•	•	•	•	•	159111
Philips CLEO Power				•	•	•	•		133672
Philips S12			•	•	•				246991
Philips CLEO		•	•	•					376335
Philips S2	•								331173

Head office:

Philips Lighting BV
UV Health & Wellness
Zwaanhoefstraat 2
4702 LC Roosendaal, The Netherlands
Tel: +31 165 577011
Fax: +31 165 577907

Austria

Philips Licht GmbH
Triester Straße 64
A-1101 Vienna, Austria
Tel: +43.1.60101.1433
Fax: +43.1.60101.1968
Website: www.philips.at/licht

Czech Republic

Philips lighting I.t.d.
Safrankova 1
155 00 , Prague 5, Czech Republic
Tel: +420 233 099 282
Fax: +420 233 099 325
E-mail: libor.stedron@philips.com

France

Philips Eclairage
Direction Lampes OEM et Ballasts
9 rue Pierre Rigaud
94856 Ivry-sur-Seine Cedex, France
Tel: +33.1.49876460
Fax: +33.1.49876461
E-mail: oem.info@philips.com

Italy

Philips S.p.A.-Divisione Lighting
Via G. Casati, 23
20052 Monza (MI), Italy
Tel: +39.039.203.6085/6084
Fax: +39.039.203.6127
E-mail: alessandro.cassina@philips.com

Spain

Philips Ibérica
División Comercial Alumbrado
Martínez Villergas, 49
Madrid 28027, Spain
Tel: +34.91.5669688
Fax: +34.91.5669292
E-mail: Atencion.al.cliente.oem@philips.com

Belgium

S.A. Philips Commercial Activities
N.V. Division/Divisie Lighting
Tweestationsstraat 80
rue des Deux Gares
B-1070 Anderlecht, Belgium
Tel: +32.2.525.7581
Fax: +32.2.525.7583
E-mail: Cees.Trouwee@philips.com

Germany

Philips Lighting – UB der Philips GmbH
Lübeckertordamm 5
20099 Hamburg, Germany
Tel: +49.40.2899.2408
Fax: +49.40.2899.72408
E-mail: stine.hartel@philips.com

Hungary

Philips
Fehervari ut 84/A
H-1119 Budapest, Hungary
Tel: +361.3821.853
Fax: +361.3821.851
E-mail: laslo.fabian@philips.com

The Netherlands

Philips Nederland BV
Light O.E.M.
Boschdijk 525
Postbus 90050
5600 PB Eindhoven, The Netherlands
Tel: +31.40.2785261
Fax: +31.40.2782273
E-mail: cees.trouwee@philips.com

Sweden

Philips AB Division Ljus
Kista Entré
Knarrarnäsgatan 7
SE-164 85 Stockholm, Sweden
Tel: +46.8.5985.2614
Fax: +46.8.5985.2797
E-mail: Rolf.gustafsson@philips.com
Website: www.philips.se

Denmark

Philips Lys A/S
Frederikskaj 6
1780 Copenhagen V, Denmark
Tel: +45.3329.3333
Fax: +45.3329.3931

Greece

Philips Hellas SA PD Lighting
Kifisias Avenue 44
Building B 4th floor,
151 25 Marousi
Athens, Greece
Tel: +30.210.6162454
Fax: +30.2106162429
E-mail: e.papadodimas@philips.com

Norway

Philips Norge AS
Division Lys
Sandstuveien 70
Postboks 1, Manglerud
N-0612 Oslo, Norway
Tel: +47 815 20025
Fax: +47.815 20090
E-mail: lysinfo@philips.com
Website: www.lys.philips.no

Switzerland

Elevite AG
Haerdlistrasse 17
CH-8957 Spreitenbach, Switzerland
Tel: +41.56.419.7070
Fax: +41.56.419.7080
E-mail: info@elevite.ch

Finland

OY Philips AB
Linnoitustie 11
FIN-02601 Espoo, Finland
Tel: +358.9.61580.577
Fax: +358.9.61580.941
Website: www.philips.fi

Ireland

Philips Electronics Ireland Limited
Newstead
Fonthill Industrial Park
Dublin 22, Ireland
Tel: +353.1.764.0000
Fax: +353.1.764.0121
Website: www.philips.ie

Poland

Philips Lighting Poland S.A.
Ul. Kossaka 150
64-920 Pila, Poland
Tel: +48.67.3513756
Fax: +48.67.3513104
E-mail: bogdan.slek@philips.com

Turkey

Turk Philips Ticaret A.S.
Yukari Dudullu Organize
Sanayi Bolgesi, 2. Cadde. No: 22
34776 Umraniye, Istanbul - Turkey
Tel: +90 216 522 18 44
Fax: +90 216 522 18 35
E-mail: selim.guvencc@philips.com

United Kingdom

Philips Lighting
Philips Centre
Guilford Business Park
Guilford, Surrey GU2 8XH, United Kingdom
Tel: +44 1483 293156
Fax: +44 1483 298 805
E-mail: ian.major@philips.com

© Koninklijke Philips Electronics N.V. 2006

All rights reserved. Reproduction in whole or in part is prohibited without the prior written consent of the copyright owner. The information presented in this document does not form part of any quotation or contract, is believed to be accurate and reliable and may be changed without notice. No liability will be accepted by the publisher for any consequence of its use. Publication thereof does not convey nor imply any license under patent- or other industrial or intellectual property rights.

Warning: DANGER-Ultraviolet radiation. Follow instructions. Avoid overexposure. As with natural sunlight, overexposure can cause eye and skin injury and allergic reactions. Repeated exposure may cause premature aging of the skin and skin cancer. WEAR PROTECTIVE EYEWEAR; FAILURE TO MAY RESULT IN SEVERE BURNS OF LONG-TERM INJURY TO THE EYES. Medications or cosmetics may increase your sensitivity to the ultraviolet radiation. Consult physician before using sunlamp if you use medications or have a history of skin problems or believe yourself especially sensitive to sunlight. If you do not tan in the sun, you are unlikely to tan from the use of this product. Complies with FDA performance standard 21 CFR Subchapter J. Use only in a fixture equipped with a timer:

Philips uses capsule technology to ensure that a minimum amount of mercury is dosed into the lamps. When replacing tanning lamps in existing equipment, always adjust the tanning times according to the equipment manufacturer's instructions for the new lamp type.

Disclaimer: Philips' liability is limited to defects in manufacture or design. Philips cannot be held responsible for the consequences of careless usage of this product or for the consequences of a violation of local regulations.

You can also visit our website: www.lighting.philips.com

