



Your Expert
in Parts

Our LED Lighting Solutions Your Optimal Visability and Safety



Our Lighting Program - Your Bright Business

HC-CARGO offers a wide range of innovative lighting products.

Innovative in regards to

- brightness
- lifetime (long lasting)
- power consumption (economical)

Products both for interior and exterior vehicle lighting fulfil the strictest legal safety regulations.

Regular product testing and supplier audits ensure the quality and durability of HC-CARGO lighting products.

The range is continuously extended with the latest state-of-the-art products in the market, for example:

- Rotating beacons
- Rear multi-function lamps
- Work lamps
- LED lamps



HC-CARGO 172027



HC-CARGO 171973



HC-CARGO 171931

HC-CARGO Amber LED Beacons

The essential features for road safety awareness are reliability and luminosity. This describes the HC-CARGO beacon range. HC-CARGO beacons are available in various designs and sizes and come with permanent or magnetic mount bases.

Amber LED Beacons

HC-CARGO no.	Vol-tage	Amp	Watt	Approval 2017	Mounting	LEDs	Cabel Lmm	Flash pattern	Dim mm	IP approval
172211	10-30	0.9	24	ECE-R10/ECE-R65	Plan	8 LED	200	3	140x93	IP 65
172114	10-100	0.3	5.5	CE/EMC	Plan	9 LED	0	1	122x103	IP54
171957	10-100	0.1	1.2	CE/EMC	Plan	12 LED	410	4	45x77	IP67
171673	11-110	0.7	6	SAE/CE	Plan	6 LED	300	1	130x72	IP 68
171674	11-110	0.7	6	SAE/CE	Plan	6 LED	300	5	98x86	IP 63
172145	11-110	0.4	3	SAE/ECE	Plan	3 LED	400	5	130x97.5	IP 63
171764	12-24	1.7/0.8	0	ECE-R65	Plan	8 LED	0	2	74x148	IP 66
171918	12-24	1.2/2.9	37	SAE/ECE-R65	Plan	10 LED	400	11	128x130	IP 65
171921	12-24	1.2/2.9	37	SAE/ECE-R65	Plan	10 LED	400	11	148x128	IP 65
171922	12-24	1.2/2.9	37	SAE/ECE-R65	Plan	10 LED	400	11	148x128	IP 65
172183	12-36	12-36	70	EMC-R10/ECE-R65	Plan	12 LED	340	5	82x161.9	IP 69K
171931	12-36	2.9/1.8	35/44	EMC-R10/ECE-R65	Plan	12 LED	340	5	88.5x161.9	IP 67
172100	10-30	0.4-1.4	9	ECE-R65	Plan Vaccum	40 LED	0	3	140x150	IP 65
172028	10-30	1.5	18	ECE-R65	Vaccum	80 LED	95	3	148x125	IP 65
172210	10-30	0.9	24	ECE-R10/ECE-R65	Magnetic/vaccum	8 LED	200	3	140x93	IP 65
172030	12	1.5	18	ECE-R65	Magnetic/vaccum	80 LED	0	3	148x125	IP 65
172075	10-30	1.5	18	ECE-R65	Magnetic/vaccum	80 LED	0	3	148x125	IP 65
172101	10-30	0.4-1.4	9	ECE-R65	Lighter Socket Mag-netic/vaccum	40 LED	180	3	140x150	IP 65
172027	10-30	1.5	18	ECE-R65	Lighter Socket Mag-netic/vaccum	80 LED	200	3	148x125	IP 65
171919	12-24	1.2/2.9	37	SAE/ECE-R65	Lighter Socket Magnetic	10 LED	3000	11	128x130	IP 65
171920	12-24	1.2/2.9	37	SAE/ECE-R65	Standard ISO A - Rod	10 LED	0	11	202x130	IP 65
171923	12-24	1.2/2.9	37	SAE/ECE-R65	Standard ISO A - Rod	10 LED	400	11	130x202	IP 65
172209	10-30	0.9	24	CE/EMC/ECE-R65	Standard ISO A - Rod	8 LED	0	3	140x143	IP 65
172184	12-36	12-36	70	EMC-R10/ECE-R65	Standard ISO A - Rod	12 LED	0	2	130.6x121.7	IP 69K
171763	12-24	1.7/0.8	0	ECE-R65	Standard ISO A - Rod	8 LED	0	2	121x120	IP 66
172029	10-30	1.5	18	ECE-R65	Standard ISO A - Rod	80 LED	0	3	235x128	IP 65
172099	10-30	0.4-1.4	9	ECE-R65	Standard ISO A - Rod	40 LED	95	3	140x240	IP 65

Exceptional Quality HC-CARGO Amber LED Light Bars

Excellent warning light

The HC-CARGO LED light bars offer excellent warning light indications - even in bright conditions. Most of the bars also offer possibility to set arrow direction. At night you can reduce the light intensity, reducing the risk of blinding oncoming traffic.

Benefits and features

- Broad assortment with various sizes
- Easy to mount
 - Proven quality - ECE R65 class I and II

Equipped with

- Multi-adjustable mounting feet or magnetic vacuum (except 172094)
- Superior 360° light dispersion
- Night and day functionality (dim functions)
- Various flash patterns, some incl. arrow functions
- Can be synchronized with other LED flash
- IP 64K

HC-CARGO 171850




HC-CARGO 171853



HC-CARGO 171854



HC-CARGO no.	Voltage	Amp	Length mm	Inches	Approval	Cabel L mm	IP approval	Flash pattern	Base
171854	12-24	4.2/1.05	248	9"	SAE/ECE-R65	3000	IP 64K	23	Magnetic
172115	12-24	2.88/1.44	355	14"	ECE-R10/ECE-R65	3000	IP 64K	23	Magnetic
171680	12-24	2.6/1.36	422	16"	SAE/CE	4570	IP 64K	26	Magnetic/vacuum
172094	12-24	2.88/1.44	355	14"	EMC-R10/ECE-R65	300	IP 64K	23	Bolt
171849	12	5.2	634	24"	SAE/ECE-R65	5750	IP 66	6	Flexible
171850	12	15	1087	43"	SAE/ECE-R65	5750	IP 66	21	Flexible
171851	24	15	1087	43"	SAE/ECE-R65	5750	IP 66	21	Flexible
171852	12	17	1387	54"	SAE/ECE-R65	5750	IP 66	21	Flexible
171853	24	17	1387	54"	SAE/ECE-R65	5750	IP 66	21	Flexible
171909	12	16.4	1087	43"	SAE/ECE-R65	5750	IP 66	21	Flexible
171910	12	8	935	36"	SAE/ECE-R65	5750	IP 66	21	Flexible
171912	12	16	1252	49"	SAE/ECE-R65	5750	IP 66	21	Flexible
171913	24	16	1252	49"	SAE/ECE-R65	5750	IP 66	21	Flexible
171914	24	18	1524	60"	SAE/ECE-R65	5750	IP 66	21	Flexible
172195	12-24	10/7.5	1087	43"	SAE/ECE-R65	5750	IP 66	7	Flexible
172196	12-24	15/7.5	1387	54"	SAE/ECE-R65	5750	IP 66	7	Flexible
172197	12-24	10/5	935	36"	SAE/ECE-R65	5750	IP 66	7	Flexible
172198	12-24	15/7.5	1252	49"	SAE/ECE-R65	5750	IP 66	7	Flexible
172199	12-24	15/7.5	1537	60"	SAE/ECE-R65	5750	IP 66	7	Flexible
172206	12-24	7.5/5	634	24"	SAE/ECE-R65	5750	IP 66	7	Flexible



HC-CARGO 171781
Alley light 3 LED, white



HC-CARGO 171762
Switchpanel for LED light-bar with basic 5 functions and momentary button for pattern switch



HC-CARGO LED flash
6 LED flash module
171856/171857 Xtreme, amber
171915 Xtreme, blue



HC-CARGO LED corner flash
12 LED flash corner module
171858/171859 Xtreme, amber
171916 Xtreme, blue



HC-CARGO 171815



HC-CARGO 172013



HC-CARGO 172086



HC-CARGO 172137



HC-CARGO 172011



HC-CARGO 172205

HC-CARGO LED Flash

HC-CARGO offers a wide range of LED flash lights. As with all other HC-CARGO lighting products, regular testing and quality control ensure that all our flash lights meet high quality standards.

Features:

- EMC/ECE-R10 approved for reduction of electro magnetic noise
- IP 67 protected against water and dust
- With aluminium base for optimal heat dissipation
- With reverse polarity protection

LED Flash Lights

HC-CARGO no.	Voltage	Amp	Approval	Cabel L mm	Dimension	Flash pattern
172123	12-24	0.24/0.12	SAE/ECE-R65	200	39x36	16
172124	12-24	0.24/0.12	SAE/ECE-R65	200	39x36	16
172122	12-24	0.24/0.12	SAE/CE	200	46.7x17	12
172141	12-24	1.14/0.57	SAE/ECE	200	66.7x34.8x7.5	16
172142	12-24	1.14/0.57	SAE/ECE	200	66.7x34.8x7.5	16
172139	12-24	1.14/0.57	SAE/ECE	200	96.8x35.9x34.5	16
172112	12-24	0.88/0.44	EMC/ECE-R65	250	98.54x35.07x10	16
172140	12-24	1.14/0.57	SAE/ECE	200	96.8x35.9x34.5	16
171905	12-24	0.32/0.16	SAE/ECE-R65	200	99x29	12
171642	12-24	0.32/0.17	CE/EMC	200	99x41x29	12
171644	12-24	0.32/0.17	CE/EMC	200	99x41x29	12
171933	12-24	0.55/0.26	SAE/ECE-R65	970	107x24	19
171934	12-24	0.43/0.29	SAE/ECE-R65	970	107x42x24	5
171746	12-24	0.27-0.13	SAE/CE	1200	109x28	19
172113	12-24	0.27-0.13	SAE/ECE-R65	1200	109x72x28	19
171943	12-24	0.27-0.13	SAE/CE	1200	109x72x28	19
171661	12-24	0.52	SAE/CE	200	116x23.8	12
171904	12-24	0.32/0.17	SAE/ECE-R65	200	122x29.4	23
171646	12-24	0.64/0.32	CE/EMC	200	122x41x29	19
171648	12-24	0.64/0.32	CE/EMC	200	122x41x29	19
172085	12-36	1.5/0.8	ECE-R10/ECE-R65	1800	127.3x78.8x38	1
172087	12-24	1	SAE/ECE-R65	970	127.5x17.2	5
171926	12-24	0.39/0.20	SAE/ECE-R65	3000	127.5x17.2	5
171813	12-24	0.39/0.20	SAE/ECE-R65	200	127.5x27.8x17.2	5
171814	12-24	0.39/0.20	SAE/ECE-R65	970	127.5x27.8x17.2	5
172012	12-24	0.88/0.44	ECE-R65	250	129x16.8	15
172137	12-24	1.14/0.57	SAE/ECE	250	129.2x27.2x15.79	23
172011	12-24	0.5/0.25	ECE-R65	250	129.2x31.4	15
172013	12-24	0.25/0.125	SAE/CE	200	130.5x6.6	23
171906	12-24	0.75/0.38	SAE/ECE-R65	200	131.8x48.7	25
172076	12-24	0.75/0.38	SAE/ECE-R65	2000	131.8x48.7	25
172108	12-24	0.88/0.44	EMC/ECE-R65	250	132.6x45x10	16
172109	12-24	0.88/0.44	EMC/ECE-R65	250	132.6x45x10	16
172203	12-24	1.35/0.75	ECE-R65	250	132x50x18.8	14
172204	12-24	1.35/0.75	ECE-R65	250	132x50x18.8	14
172205	12-24	1.35/0.75	ECE-R65	250	132x50x18.8	14
172086	12-36	1.5/0.8	ECE-R10/ECE-R65	1800	143.6x95.9x37.7	1
171662	12-24	0.46/0.24	SAE/CE	200	148x23	19

Our Lighting Program - Your Bright Business

Complete Lighting Program

The full HC-CARGO range of universal amber and blue warning lights - including LED flash lights, light bars (conventional and LED) and rotating beacons (in Xenon, conventional H3 and LED versions) - can be found in our catalogue "Accessories 2014-2015" (also available for download) and in our constantly updated e-catalogue at

www.hc-cargo.com

172031



172045




172004



171949



172098



Scan the QR code
to watch the
HC-CARGO video



For your nearest HC-CARGO dealer
and full program overview visit
www.hc-cargo.com



Your Expert in Parts

Not all products shown on the vehicles are available at HC-CARGO.

