

Kia

Spare parts for passenger cars



DRIVER'S BEST FRIEND

MEYLE

Sophisticated technology - considerably longer service life.



The MEYLE range of products features a wide variety of components. Spare parts from A to Z, from Alfa Romeo to Volvo, from minicars to top-of-the-range luxury models.



Steering & suspension

Control arms, Stabilizer links, Tie rod assemblies, and many more



Brakes

Brake discs, MEYLE PD, Brake pad sets, Brake drums, and many more



Drive components

C.V. joint kits, Wheel bearings, Belt drives, and many more



Damping parts

Shock absorbers, Strut mounts, Coil springs, and many more



Filters

Oil filters, Air filters, Cabin air filters, Fuel filters, and many more



Cooling components

Water pumps, Expansion tanks, Radiator hoses, and many more



Rubber-to-metal parts

Flex discs, Cardan shaft bearings, Engine mounts, and many more



Electrics and sensors

Crank position sensor, Control units, Glow plugs, and many more



Engine and transmission parts

Oil change kits, V-ribbed belts, Idlers/guide pulleys, and many more



Fluids

Coolant additives, Hydraulic oil, Engine oil, and many more



Complementary product range

Wiper blades, Gas springs, Window lifters, and many more

ORIGINAL, PD and HD – The MEYLE product lines



MEYLE-ORIGINAL: Fit as snugly as the original.

More than 21,000 spare parts for passenger cars, vans and trucks, quality-tested, robust, durable and tried and tested a thousand times over on the roads across the world – that's MEYLE-ORIGINAL. Relying on our comprehensive product portfolio – offering everything from A for axial joint to Z for zinc-coated screw – customers can be sure that they will always have safety on their side.

MEYLE-PD: Safety to the power of two.

Thinking outside the box to make our products better: MEYLE-PD stands for brake discs and pads delivering maximum braking performance and setting new standards in terms of durability, comfort, aesthetics, and ease of installation. Look for the „/PD“ part number extension.

MEYLE-HD: Better than originals.

MEYLE-HD parts simply last longer. Their technically optimised and reinforced designs make them more durable and reliable than OE components. So it is only natural for us to offer extended warranty protection for our MEYLE-HD parts: All parts of the HD range come with a full four-year guarantee. Look for the „/HD“ part number extension.



4-year guarantee on all MEYLE-HD parts!

Robust, high mileage, reliable and better than the original. MEYLE-HD parts simply last longer!

Our three success factors.

The success of the MEYLE brand is based on competence, quality and service.

The development of quality-approved automotive spare parts for the independent aftermarket is our trademark. And MEYLE-HD parts are our specialty: improved parts, developed by our team of engineers at our headquarters in Hamburg. We give a 4-year guarantee on our MEYLE-HD parts which have a far longer service life. Based on information from TÜV (Technical control board), from recall statistics as well as media and market information from workshops and other technical partners, MEYLE engineers identify parts in vehicles which become conspicuous on account of frequent, early wear. On the basis of their findings, they develop technical improvements for the respective weakness. In the end, this work is a

large benefit for all MEYLE parts. Something all reputable automotive manufacturers highly appreciate: MEYLE also develops customized products, for example for Morgan, the legendary sports car manufacturer.

Passing on our know-how to staff and customers is just as much a part of our service as high parts availability and swift delivery. Modern warehouse logistics with space covering 29,000 m² and 56,000 pallet places ensure the reliable supply of our partners.

We have now won the "Top Job Employer" award for the fifth time which confirms our outstanding internal business approach and excellent Human Resources policy. We have been one of Germany's leading SME employers for many years.

MEYLE

Guarantee certificate



A distinguishing feature of MEYLE is our high level of precision, achieved by the application of the most modern manufacturing methods. Our MEYLE articles meet highest quality standards and our supply plants are certified in accordance with ISO 9001:2008 and ISO/TS 16949.

We guarantee perfect material and faultless processing of all our MEYLE articles for a period of 24 months as of the date of installation. For MEYLE-HD articles, this guarantee applies for 48 months as of the date of installation.

Complementing this guarantee, we give an additional 100,000 miles (160,934 kilometres) performance guarantee against defects of material and workmanship for MEYLE passenger car water pumps purchased from 01 May 2016. The guarantee given for MEYLE passenger car water pumps terminates upon expiration of the guarantee period or the guaranteed mileage, whichever occurs later: if the guaranteed mileage has not been reached at the end of the guarantee period of 24 or 48 months respectively, the performance guarantee continues to be valid. Respectively, the guarantee period of 24 or 48 months continues to be valid also in any case where the guaranteed mileage was already exceeded.

During the guarantee period, we perform repair work on claimed MEYLE articles or provide a replacement. The MEYLE guarantee does not apply for normal wear and damage caused by inappropriate handling or inappropriate installation. The guarantee expires if the respective part is modified by third parties or via installation of parts from third parties, or if the part, or vehicle, is used in excess of the appropriate use and purpose. The MEYLE guarantee also expires if MEYLE instructions or vehicle manufacturer instructions, e.g. concerning maintenance and replacement intervals, are not observed. The guarantee only applies for MEYLE water pumps, if the cooling circuit has been flushed prior to installation of the MEYLE water pump. Rights granted by law continue to apply unrestrictedly, irrespective of this guarantee.

The customer must submit a written guarantee claim immediately, or at the latest 30 days after identifying an error in material or processing. This claim is to be submitted to the dealer from which he acquired the MEYLE article part. The customer should return the article, carefully packed. He must enclose the original sales receipt and a description of the error. The customer must also verify the date of installation and the mileage of the vehicle by means of respective documents.

Last amended January 2017

A handwritten signature in white ink, appearing to read 'M. Wunder', is centered on the dark blue background.

Director Quality Assurance
Manfred Wunder

Body/Cabin

1

Body, Interior fittings

Cabin air filter
Gas spring, rear window

Hood shock
Trunk-/tailgate shock

Wiper Blade

Brakes

15

Disc brake, Drum brake, Hydraulics

Brake disc
Brake drum
Brake hose

Brake pad set
Brake shoe kit

Brake shoe set, parking brake
Guide sleeve kit, brake caliper

Drive train/Transmission

70

Joints

C.V. joint kit

Electrics

72

Engine

Glow plug
Sensor, intake manifold pressure

Engine/Cooling/Clutch

77

Belt drive / Engine control, Cooling system, Fuel system, Lubrication system

Air filter
Fuel filter
Oil filter

Tensioner pulley, timing belt
Thermostat
Timing belt roller

Timing belt tensioner shock
V-ribbed belt
Water pump

Steering

120

Mounting parts, Tie rod assemblies

Axial rod
Steering boot kit

Tie rod end

Suspension

133

Control arms, Stabilizer, Suspension / damping, Wheel hubs / Wheel bearings

Ball joint
Control arm
Control arm bushing
Dust cover kit, shock absorber
Mount, axle rod

Mount, control arm
Mount, stabilizer
Rubber stop, suspension
Shock absorber
Stabilizer link

Strut mount bearing
Wheel bearing
Wheel bearing kit
Wheel hub

28-40 910 0014 | MTS0206

Trunk-/tailgate shock



Notes

Length [mm]	515
Force output F [N]	490

References

ØK2FB 62620	ØK2FB 63620
ØK2FB 62620A	ØK2FB 63620A
ØK2FB 62620B	ØK2FB 63620B

Application info

Carens II [07/02--]

28-40 910 0012 | MTS0204

Trunk-/tailgate shock



Notes

Length [mm]	480
Force output F [N]	335

References

81770 07000	81780 07000
-------------	-------------

Application info

Picanto I [04/04--]

28-40 910 0015 | MTS0207

Trunk-/tailgate shock



Notes

Length [mm]	490
Force output F [N]	380

References

81770 16000	81780 16000
-------------	-------------

Application info

Rio II [03/05--]

Trunk-/tailgate shock

28-40 910 0007 | MTS0202

Notes

Length [mm] 390
Force output F [N] 800

References

81770 1H510 81780 1H510



Application info

Cee'd I (12/06-12/09)

Trunk-/tailgate shock

28-40 910 0011 | MTS0203

Notes

Length [mm] 545
Force output F [N] 620

References

81771 3E011 81781 3E011
81771 3E020 81781 3E020



Application info

Sorento I (08/02--)

Wiper Blade

029 300 1211 | MBL0004

Notes

Bracket wiper blade
Beam wiper blade
Length [in] 12
Length [mm] 300
Rear



Application info

Venga (02/10--)

029 300 1213 | MBL0006

Wiper Blade



Notes

Length [in]
Length [mm]

Beam wiper blade
Bracket wiper blade
12
300
Rear

Application info

Soul [02/09-12/10]

029 350 1400 | MBL0013

Wiper Blade



Notes

Observe service information
Length [in]
Length [mm]

Flat wiper blade
Flat bar wiper blade
14
350
Front

Application info

Cee'd II [05/12--]

Venga [02/10--]

029 350 1413 | MBL0017

Wiper Blade



Notes

Length [in]
Length [mm]

Beam wiper blade
Bracket wiper blade
14
350
Rear

Application info

Carens III [09/06--]
Cerato [04/04--]

Rio II [03/05--]

Wiper Blade

029 350 1417 | MBL0052

Notes

Length [in]
Length [mm]

Bracket wiper blade
Beam wiper blade
14
350
Rear



Application info

Carens I [11/00-07/02]
Carens II [07/02--]

Rio I [08/00-02/05]
Sorento I [08/02--]

Wiper Blade

029 380 1514 | MBL0081

Notes

Length [in]
Length [mm]

Beam wiper blade
Bracket wiper blade
15
380
Rear



Application info

Pride [01/90-05/97]

Wiper Blade

029 400 1600 | MBL0021

Notes

Observe service information
Length [in]
Length [mm]

Flat bar wiper blade
Flat wiper blade
16
400
Front



Application info

Carens III [09/06--]
Cerato [04/04--]
Picanto I [04/04--]
Picanto II [05/11--]

Rio II [03/05--]
Rio III [09/11--]
Sportage II [09/04--]

029 450 1800 | MBL0027

Wiper Blade



Notes

Observe service information
Length [in]
Length [mm]

Flat wiper blade
Flat bar wiper blade

18
450
Front

Application info

Besta [02/96--]
Carens I [11/00-07/02]
Carens II [07/02--]
Carnival III [06/06--]
Cee'd I [12/06-12/09]
Joice [02/00--]
Opirus [09/03-09/06]

Pregio [08/95-09/04]
Pride [01/90-05/97]
Rio I [08/00-02/05]
Sorento I [08/02--]
Sportage III [07/10--]
Besta [07/93-12/03]
Pregio [08/95--]

029 475 1900 | MBL0028

Wiper Blade



Notes

Observe service information
Length [in]
Length [mm]

Flat bar wiper blade
Flat wiper blade

19
475
Front

Application info

Clarus [07/96--]
Sephia [09/93-10/97]
Shuma I [03/96-12/01]

Shuma II [05/01-08/04]
Soul [02/09-12/10]

029 500 2000 | MBL0029

Wiper Blade



Notes

Observe service information
Length [in]
Length [mm]

Flat bar wiper blade
Flat wiper blade

20
500
Front



Wiper Blade

029 500 2000 | MBL0029

Application info

Magentis I [05/01--]
Magentis II [11/05-12/08]

Sorento II [11/09--]
Sportage I [04/94-08/04]

Wiper Blade

029 530 2100 | MBL0030

Notes

Observe service information
Length [in]
Length [mm]

Flat bar wiper blade
Flat wiper blade

21
530
Front



Application info

Clarus [07/96--]
Joice [02/00--]
Pregio [08/95-09/04]
Rio I [08/00-02/05]

Sephia [09/93-10/97]
Shuma I [03/96-12/01]
Shuma II [05/01-08/04]
Pregio [08/95--]

Wiper Blade

029 550 2200 | MBL0032

Notes

Observe service information
Length [in]
Length [mm]

Flat bar wiper blade
Flat wiper blade

22
550
Front



Application info

Magentis I [05/01--]
Picanto I [04/04--]

Picanto II [05/11--]
Rio II [03/05--]

029 600 2400 | MBL0034

Wiper Blade



Notes

Observe service information
Length [in]
Length [mm]

Flat bar wiper blade
Flat wiper blade
24
600
Front

Application info

Carens I [11/00-07/02]
Carens II [07/02--]
Carnival I [08/99-10/01]
Carnival II [01/99-10/06]
Cee'd I [12/06-12/09]
Cerato [04/04--]
Magentis II [11/05-12/08]

Opirus [09/03-09/06]
Sorento I [08/02--]
Sorento II [11/09--]
Soul [02/09-12/10]
Sportage II [09/04--]
Sportage III [07/10--]

029 650 2600 | MBL0036

Wiper Blade



Notes

Observe service information
Length [in]
Length [mm]

Flat wiper blade
Flat bar wiper blade
26
650
Front

Application info

Carens III [09/06--]
Carnival III [06/06--]
Cee'd II [05/12--]

Rio III [09/11--]
Venga [02/10--]

28-12 319 0006/S | MCF0187

Cabin air filter



Notes

Height [mm]
Width [mm]
Length [mm]

Kit
12.5
108
260
Filter Insert
Particulate Filter

References

0K2C0 6152X
0K2C0 6153X

K2C56 152XA

Cabin air filter

28-12 319 0006/S | MCF0187

Application info

Carens I [11/00-07/02]

Carens II [07/02--]

Cabin air filter

28-12 319 0008/S | MCF0188

Notes

Height [mm]
Width [mm]
Length [mm]

Kit
20
108
262
Filter Insert
Particulate Filter



References

ØK2FA 6152X
ØK2FA 6152XA

ØK2FE 6152X

Application info

Carens I [11/00-07/02]

Carens II [07/02--]


Cabin air filter

28-12 319 0002 | MCF0183

Notes

Height [mm]
Width [mm]
Length [mm]

21
224
267
Filter Insert
Particulate Filter



References

ØK553 61C14
ØK553 61C14A

K5536 1C14

Application info

Carnival I [08/99-10/01]
Carnival II [01/99-10/06]

Carnival III [06/06--]

Cabin air filter

37-12 319 0008 | MCF0329

Notes

Height [mm]
Width [mm]
Length [mm]

13
181
187
Filter Insert
Particulate Filter



References

97133 07000
97133-07010

97133 0X900

37-12 319 0008 | MCF0329

Cabin air filter

Application info

Picanto I (04/04--)

28-12 319 0009 | MCF0189

Cabin air filter



Notes

Height [mm] 20
Width [mm] 238
Length [mm] 192
Filter Insert
Particulate Filter

References

97133 0Z000

Application info

Sportage III (07/10--)

37-12 319 0009 | MCF0330

Cabin air filter



Notes

Height [mm] 20
Width [mm] 171
Length [mm] 249
Filter Insert
Particulate Filter

References


97133 1H000

Application info

Cee'd I (12/06-12/09)

37-12 320 0009 | MCF0344

Cabin air filter



Notes

Height [mm] 20
Width [mm] 172
Length [mm] 247
Filter Insert
Activated Carbon Filter

References

97133 1H000

Cabin air filter

37-12 320 0009 | MCF0344

Application info

Cee'd I (12/06-12/09)

Cabin air filter

28-12 319 0005 | MCF0186

Notes

Height [mm]	20
Width [mm]	180
Length [mm]	230
	Filter Insert
	Particulate Filter

References

97133 1P000



Application info

Venga (02/10--)

Cabin air filter

37-12 319 0011 | MCF0332

Notes

Height [mm]	30
Width [mm]	251
Length [mm]	221
	Filter Insert
	Particulate Filter

References

97133-2B010 97133 3K000



Application info

Magentis I (05/01--)

Magentis II (11/05-12/08)

Cabin air filter


37-12 320 0010 | MCF0345

Notes

Height [mm]	16.5
Width [mm]	203.5
Length [mm]	222
	Filter Insert
	Activated Carbon Filter

References

97133 2E200



37-12 320 0010 | MCF0345

Cabin air filter


Application info

Carens II [07/02--]
Carens III [09/06--]
Rio II [03/05--]

Rio III [09/11--]
Sportage I [04/94-08/04]
Sportage II [09/04--]

37-12 319 0012/S | MCF0333

Cabin air filter



Notes

Height [mm]
Width [mm]
Length [mm]

Set
17
108
215
Filter Insert
Particulate Filter

References

97133 2E910


Application info

Sorento I [08/02--]

Sportage II [09/04--]

28-12 319 0001 | MCF0182

Cabin air filter



Notes

Height [mm]
Width [mm]
Length [mm]

17
211
240
Filter Insert
Particulate Filter

References

97133 2F000
97133 2F010

P8790 2F000
P8790 2F000A

Application info

Carnival III [06/06--]
Cerato [04/04--]

Sorento II [11/09--]

Cabin air filter

28-12 319 0004 | MCF0185

Notes

Height [mm] 25
 Width [mm] 160
 Length [mm] 182
 Filter Insert
 Particulate Filter

References

97133 2K000



Application info

Soul [02/09-12/10]

Cabin air filter


37-12 320 0011 | MCF0346

Notes

Height [mm] 30
 Width [mm] 221
 Length [mm] 250
 Filter Insert
 Activated Carbon Filter

References

97133 3K000



Application info

Magentis II [11/05-12/08]

Cabin air filter

37-12 319 0002 | MCF0323

Notes

Height [mm] 38
 Width [mm] 188
 Length [mm] 245
 Filter Insert
 Particulate Filter

References

97619 3C100 9999Z 07010



Application info

Magentis I [05/01--]
 Magentis II [11/05-12/08]

Sorento I [08/02--]

37-12 319 0010 | MCF0331

Cabin air filter



Notes

Height [mm] 17
Width [mm] 202.5
Length [mm] 224
Filter Insert
Particulate Filter

References

P8790 1F200

Application info

Carens II [07/02--]
Carens III [09/06--]
Rio II [03/05--]

Rio III [09/11--]
Sportage I [04/94-08/04]
Sportage II [09/04--]

1

Brake disc
28-15 521 0013 | MBD0439
Notes

Wheel Bolt Bore Ø [mm]	13
	Vented
Centering Diameter [mm]	72
Minimum thickness [mm]	24
Outer diameter [mm]	280
Height [mm]	49
Bolt Hole Circle Ø [mm]	114.3
Brake Disc Thickness [mm]	26
Required quantity	2
Number of Holes	4
	Front Axle

References

ØK2FA 33251


Application info


Carens II (07/02--)

Brake disc
28-15 521 0021/PD | MBD1846PD
Notes

Wheel Bolt Bore Ø [mm]	13.1
	Zink flake coated
	Vented
Centering Diameter [mm]	72
Minimum thickness [mm]	24
Outer diameter [mm]	276
Height [mm]	48.5
Bolt Hole Circle Ø [mm]	114.3
Brake Disc Thickness [mm]	26
Required quantity	2
Number of Holes	5
	Front Axle

References


ØK52Y 33251A


Application info

Carnival II (01/99-10/06)

28-15 521 0012 | MBD0438

Brake disc



Notes

Wheel Bolt Bore Ø [mm]	13
	Vented
Centering Diameter [mm]	72
Minimum thickness [mm]	24
Outer diameter [mm]	274
Height [mm]	48.5
Bolt Hole Circle Ø [mm]	114.3
Brake Disc Thickness [mm]	26.2
Required quantity	2
Number of Holes	5
	Front Axle

References

ØK55A 33251	ØK55B 33251
-------------	-------------

Application info

Carnival II (01/99-10/06)

28-15 521 0015 | MBD0441

Brake disc



Notes

Wheel Bolt Bore Ø [mm]	13
	Vented
Centering Diameter [mm]	72
Minimum thickness [mm]	26
Outer diameter [mm]	274
Height [mm]	50.6
Bolt Hole Circle Ø [mm]	114.3
Brake Disc Thickness [mm]	26
Required quantity	2
Number of Holes	5
	Front Axle

References

ØK58B 33251

Application info

Carnival II (01/99-10/06)

Brake disc
28-15 523 0002 | MBD0445
Notes

Wheel Bolt Bore Ø [mm]	13
	Solid
Centering Diameter [mm]	72
Minimum thickness [mm]	8
Outer diameter [mm]	261
Height [mm]	40
Bolt Hole Circle Ø [mm]	114.3
Brake Disc Thickness [mm]	10
Required quantity	2
Number of Holes	4
	Rear Axle

References

ØK9AA 26251	ØK9AA 26251B
ØK9AA 26251A	ØK9AA 26251C


Application info

 Carens I [11/00-07/02]
 Carens II [07/02--]


Clarus [07/96--]

Brake disc
28-15 521 0009 | MBD0436
Notes

Wheel Bolt Bore Ø [mm]	12.6
	Vented
Centering Diameter [mm]	62.2
Minimum thickness [mm]	16
Outer diameter [mm]	241
Height [mm]	49
Bolt Hole Circle Ø [mm]	100
Brake Disc Thickness [mm]	18
Required quantity	2
Number of Holes	4
	Front Axle

References

51712 07500


Application info

Picanto I [04/04--]

Picanto II [05/11--]

28-15 521 0010 | MBD0437

Brake disc



Notes

Wheel Bolt Bore Ø [mm]	12.6
	Vented
Centering Diameter [mm]	62.5
Minimum thickness [mm]	16
Outer diameter [mm]	252
Height [mm]	49
Bolt Hole Circle Ø [mm]	100
Brake Disc Thickness [mm]	18
Required quantity	2
Number of Holes	4
	Front Axle

References

51712 07700

Application info

Picanto I [04/04--]

37-15 521 0037/PD | MBD1992PD

Brake disc



Notes

Wheel Bolt Bore Ø [mm]	12.5
	Zink flake coated
	Vented
Centering Diameter [mm]	62.2
Minimum thickness [mm]	20
Outer diameter [mm]	256
Height [mm]	43.8
Bolt Hole Circle Ø [mm]	100
Brake Disc Thickness [mm]	22
Required quantity	2
Number of Holes	4
	Front Axle

References

51712 0U000

51712 1W200

Application info

Rio III [09/11--]

Brake disc
37-15 521 0030 | MBD1985
Notes

	Vented
Centering Diameter [mm]	69
Minimum thickness [mm]	26.4
Outer diameter [mm]	300
Height [mm]	47.2
Bolt Hole Circle Ø [mm]	114.3
Brake Disc Thickness [mm]	28
Required quantity	2
Number of Holes	5
	Front Axle


References

51712 0Z000

Application info

Sportage II [09/04--]

Sportage III [07/10--]

Brake disc
37-15 521 0030/PD | MBD1985PD
Notes

	Zink flake coated
	Vented
Centering Diameter [mm]	69
Minimum thickness [mm]	26.4
Outer diameter [mm]	300
Height [mm]	47.2
Bolt Hole Circle Ø [mm]	114.3
Brake Disc Thickness [mm]	28
Required quantity	2
Number of Holes	5
	Front Axle


References

51712-0Z000

Application info

Sportage II [09/04--]

Sportage III [07/10--]

37-15 521 0029 | MBD1984

Brake disc



Notes

Wheel Bolt Bore Ø [mm]	12.5
	Vented
Centering Diameter [mm]	69
Minimum thickness [mm]	24.4
Outer diameter [mm]	280
Height [mm]	47.4
Bolt Hole Circle Ø [mm]	114.3
Brake Disc Thickness [mm]	26
Required quantity	2
Number of Holes	5
	Front Axle

References

51712 1D100	51712 2C000
51712 1F000	51712 3K050

Application info

Carens III (09/06--)
Magentis II (11/05-12/08)

Sportage II (09/04--)
Venga (02/10--)

37-15 521 0031 | MBD1986

Brake disc



Notes

Wheel Bolt Bore Ø [mm]	12.5
	Vented
Centering Diameter [mm]	62
Minimum thickness [mm]	20
Outer diameter [mm]	256
Height [mm]	46.5
Bolt Hole Circle Ø [mm]	100
Brake Disc Thickness [mm]	22
Required quantity	2
Number of Holes	4
	Front Axle

References

51712 1G000

Application info

Rio II (03/05--)

Brake disc
37-15 521 0031/PD | MBD1986PD
Notes

Wheel Bolt Bore Ø [mm]	12.5
	Zink flake coated
	Vented
Centering Diameter [mm]	62
Minimum thickness [mm]	20
Outer diameter [mm]	256
Height [mm]	46.5
Bolt Hole Circle Ø [mm]	100
Brake Disc Thickness [mm]	22
Required quantity	2
Number of Holes	4
	Front Axle


References


51712-1G000

Application info

Rio II (03/05--)

Brake disc
28-15 521 0022 | MBD1847
Notes

Wheel Bolt Bore Ø [mm]	12.5
	Vented
Centering Diameter [mm]	69
Minimum thickness [mm]	24.4
Outer diameter [mm]	280
Height [mm]	47.2
Bolt Hole Circle Ø [mm]	114.3
Brake Disc Thickness [mm]	26
Required quantity	2
Number of Holes	5
	Front Axle


References

51712 1H000	51712 1M000
51712 1H100	51712 2K100

Application info

 Cee'd I (12/06-12/09)
 Cee'd II (05/12--)
 Soul (02/09-12/10)

 Soul II (02/14--)
 Venga (02/10--)

28-15 521 0022/PD | MBD1847PD

Brake disc



Notes

Wheel Bolt Bore Ø [mm]	12.5
	Zink flake coated
	Vented
Centering Diameter [mm]	69
Minimum thickness [mm]	24.4
Outer diameter [mm]	280
Height [mm]	47.2
Bolt Hole Circle Ø [mm]	114.3
Brake Disc Thickness [mm]	26
Required quantity	2
Number of Holes	5
	Front Axle

References

51712 1H000	51712 1M000
51712 1H100	51712 2K100

Application info

Cee'd I (12/06-12/09)
Cee'd II (05/12--)
Soul (02/09-12/10)

Soul II (02/14--)
Venga (02/10--)

28-15 521 0023/PD | MBD1848PD

Brake disc



Notes

	Zink flake coated
	Vented
Centering Diameter [mm]	62.2
Minimum thickness [mm]	19.4
Outer diameter [mm]	280
Height [mm]	44.2
Bolt Hole Circle Ø [mm]	100
Brake Disc Thickness [mm]	22
Required quantity	2
Number of Holes	4
	Front Axle

References

51712 1W050

Application info

Rio III (09/11--)

Brake disc
37-15 521 0029/PD | MBD1984PD
Notes

Wheel Bolt Bore Ø [mm]	12.5
	Zink flake coated
	Vented
Centering Diameter [mm]	69
Minimum thickness [mm]	24.4
Outer diameter [mm]	280
Height [mm]	47.4
Bolt Hole Circle Ø [mm]	114.3
Brake Disc Thickness [mm]	26
Required quantity	2
Number of Holes	5
	Front Axle


References

51712 1D100	51712 3K050
51712 2C000	

Application info

 Carens III [09/06--]
 Magentis II [11/05-12/08]

 Sportage II [09/04--]
 Venga [02/10--]

Brake disc
28-15 521 0006 | MBD0433
Notes

Wheel Bolt Bore Ø [mm]	13
	Vented
Centering Diameter [mm]	69
Minimum thickness [mm]	24
Outer diameter [mm]	275
Height [mm]	47.3
Bolt Hole Circle Ø [mm]	114.3
Brake Disc Thickness [mm]	26
Required quantity	2
Number of Holes	4
	Front Axle


References

51712 2F100

Application info

Cerato [04/04--]

37-15 521 0032 | MBD1987

Brake disc



Notes

Wheel Bolt Bore Ø [mm]	12.5
	Vented
Centering Diameter [mm]	69
Minimum thickness [mm]	26.4
Outer diameter [mm]	300
Height [mm]	47.4
Bolt Hole Circle Ø [mm]	114.3
Brake Disc Thickness [mm]	28
Required quantity	2
Number of Holes	5
	Front Axle

References

51712-2L500

Application info

Cee'd II [05/12--]

Soul II [02/14--]

37-15 521 0032/PD | MBD1987PD

Brake disc



Notes

Wheel Bolt Bore Ø [mm]	12.5
	Zink flake coated
	Vented
Centering Diameter [mm]	69
Minimum thickness [mm]	26.4
Outer diameter [mm]	300
Height [mm]	47.4
Bolt Hole Circle Ø [mm]	114.3
Brake Disc Thickness [mm]	28
Required quantity	2
Number of Holes	5
	Front Axle

References

51712-2L500

Application info

Cee'd II [05/12--]

Soul II [02/14--]

Brake disc
37-15 521 0035/PD | MBD1990PD
Notes

Wheel Bolt Bore Ø [mm]	12.5
	Zink flake coated
	Vented
Centering Diameter [mm]	69
Minimum thickness [mm]	26.4
Outer diameter [mm]	321
Height [mm]	49.1
Bolt Hole Circle Ø [mm]	114.3
Brake Disc Thickness [mm]	28
Required quantity	2
Number of Holes	5
	Front Axle


References

51712 2P700	51712 2W700
-------------	-------------

Application info

Sorento II [11/09--]

Brake disc
37-15 521 0036/PD | MBD1991PD
Notes

Wheel Bolt Bore Ø [mm]	12.5
	Zink flake coated
	Vented
Centering Diameter [mm]	69
Minimum thickness [mm]	26.5
Outer diameter [mm]	320
Height [mm]	47.4
Bolt Hole Circle Ø [mm]	114.3
Brake Disc Thickness [mm]	without wheel hub
Required quantity	2
Number of Holes	5
	Front Axle


References

51712 2T100

Application info

Optima [09/10--]

37-15 521 0014 | MBD1046

Brake disc



Notes

Wheel Bolt Bore Ø [mm]	12.7
	Vented
Centering Diameter [mm]	69
Minimum thickness [mm]	24.4
Outer diameter [mm]	280
Height [mm]	47.3
Bolt Hole Circle Ø [mm]	114.3
Brake Disc Thickness [mm]	26
Required quantity	2
Number of Holes	4
	Front Axle

References

51712 3C000	51712 3C100
-------------	-------------

Application info

Magentis I [05/01--]

37-15 521 0034 | MBD1989

Brake disc



Notes

Wheel Bolt Bore Ø [mm]	12.5
	Vented
Centering Diameter [mm]	96.3
Minimum thickness [mm]	26
Outer diameter [mm]	302
Height [mm]	54
Bolt Hole Circle Ø [mm]	139.6
Brake Disc Thickness [mm]	28
Required quantity	2
Number of Holes	5
	Front Axle

References

51712 3E000

Application info

Sorento I [08/02--]

Brake disc
28-15 521 0024/PD | MBD1849PD
Notes

Wheel Bolt Bore Ø [mm]	12.5
	Zink flake coated
	Vented
Centering Diameter [mm]	96.3
Minimum thickness [mm]	26
Outer diameter [mm]	300
Height [mm]	54
Bolt Hole Circle Ø [mm]	139.6
Brake Disc Thickness [mm]	28
Required quantity	2
Number of Holes	6
	Front Axle


References

51712 40200

Application info

Carnival III [06/06--]

Brake disc
37-15 521 0039 | MBD2118
Notes

Wheel Bolt Bore Ø [mm]	12.7
	Vented
Centering Diameter [mm]	69
Minimum thickness [mm]	21
Outer diameter [mm]	280
Height [mm]	44.4
Bolt Hole Circle Ø [mm]	114.3
Brake Disc Thickness [mm]	23
Required quantity	2
Number of Holes	5
	Front Axle


References

51712-A6000

Application info

Cee'd II [05/12--]

37-15 521 0039/PD | MBD2118PD

Brake disc



Notes

Wheel Bolt Bore Ø [mm]	12.7
	Zink flake coated
	Vented
Centering Diameter [mm]	69
Minimum thickness [mm]	21
Outer diameter [mm]	280
Height [mm]	44.4
Bolt Hole Circle Ø [mm]	114.3
Brake Disc Thickness [mm]	23
Required quantity	2
Number of Holes	5
	Front Axle

References

51712-A6000

Application info

Cee'd II [05/12--]

28-15 521 0014 | MBD0440

Brake disc



Notes

Wheel Bolt Bore Ø [mm]	13
	Vented
Centering Diameter [mm]	55
Minimum thickness [mm]	22
Outer diameter [mm]	254
Height [mm]	50.7
Bolt Hole Circle Ø [mm]	100
Brake Disc Thickness [mm]	24
Required quantity	2
Number of Holes	4
	Front Axle

References

51712 FD300

Application info

Rio I [08/00-02/05]



Brake disc

37-15 523 0014 | MBD1067

Notes

Wheel Bolt Bore Ø [mm]	12.6
	Solid
Centering Diameter [mm]	62.5
Minimum thickness [mm]	8
Outer diameter [mm]	234
Height [mm]	37.5
Bolt Hole Circle Ø [mm]	100
Brake Disc Thickness [mm]	10
Required quantity	2
Number of Holes	4
	Rear Axle



References

58411 07300	58411 07500
-------------	-------------

Application info

Picanto I [04/04--]


Picanto II [05/11--]

Brake disc

28-15 523 0009/PD | MBD1643PD

Notes

Wheel Bolt Bore Ø [mm]	62.5
	Zink flake coated
	Solid
Centering Diameter [mm]	12.6
Minimum thickness [mm]	8.4
Outer diameter [mm]	262
Height [mm]	44
Bolt Hole Circle Ø [mm]	100
Brake Disc Thickness [mm]	10
Required quantity	2
Number of Holes	4
	Rear Axle



References

58411-0U300

Application info

Rio III [09/11--]

2

37-15 523 0029 | MBD1996

Brake disc



Notes

Wheel Bolt Bore Ø [mm]	12.6
	Vented
Centering Diameter [mm]	62.5
Minimum thickness [mm]	8.4
Outer diameter [mm]	262
Height [mm]	64
Bolt Hole Circle Ø [mm]	100
Brake Disc Thickness [mm]	10
Required quantity	2
Number of Holes	4
	Rear Axle

References

58411 1C800	58411-1G300
-------------	-------------

Application info

Rio II (03/05--)

37-15 523 0029/PD | MBD1996PD

Brake disc



Notes

Wheel Bolt Bore Ø [mm]	12.6
	Zink flake coated
	Solid
Centering Diameter [mm]	62.5
Minimum thickness [mm]	8.4
Outer diameter [mm]	262
Height [mm]	64
Bolt Hole Circle Ø [mm]	100
Brake Disc Thickness [mm]	10
Required quantity	2
Number of Holes	4
	Rear Axle

References

58411 1C800	58411-1G300
-------------	-------------

Application info

Rio II (03/05--)



Brake disc


28-15 523 0011 | MBD1852

Notes

Wheel Bolt Bore Ø [mm]	12.5
	Solid
Centering Diameter [mm]	76
Minimum thickness [mm]	9
Outer diameter [mm]	275
Height [mm]	61.5
Bolt Hole Circle Ø [mm]	114.3
	without wheel hub
Brake Disc Thickness [mm]	10
Required quantity	2
Number of Holes	5
	Rear Axle

References

58411 10000



Application info

Carens III (09/06--)

Brake disc


28-15 523 0011/PD | MBD1852PD

Notes

Wheel Bolt Bore Ø [mm]	12.5
	Zink flake coated
	Solid
Centering Diameter [mm]	76
Minimum thickness [mm]	9
Outer diameter [mm]	275
Height [mm]	61.5
Bolt Hole Circle Ø [mm]	114.3
	without wheel hub
Brake Disc Thickness [mm]	10
Required quantity	2
Number of Holes	5
	Rear Axle

References

58411 10000



Application info

Carens III (09/06--)

2

28-15 523 0010 | MBD1851

Brake disc



Notes

Wheel Bolt Bore Ø [mm]	12.5
	Solid
Centering Diameter [mm]	76
Minimum thickness [mm]	8.4
Outer diameter [mm]	262
Height [mm]	61.1
Bolt Hole Circle Ø [mm]	114.3
Brake Disc Thickness [mm]	10
Required quantity	2
Number of Holes	5
	Rear Axle

References

58411 1H100	58411 1H300
-------------	-------------


Application info

Cee'd I [12/06-12/09]

Sportage III [07/10--]

28-15 523 0010/PD | MBD1851PD

Brake disc



Notes

Wheel Bolt Bore Ø [mm]	12.5
	Zink flake coated
	Solid
Centering Diameter [mm]	76
Minimum thickness [mm]	8.4
Outer diameter [mm]	262
Height [mm]	61.1
Bolt Hole Circle Ø [mm]	114.3
Brake Disc Thickness [mm]	10
Required quantity	2
Number of Holes	5
	Rear Axle

References

58411 1H100	58411 1H300
-------------	-------------

Application info

Cee'd I [12/06-12/09]

Sportage III [07/10--]



Brake disc

37-15 523 0031 | MBD1998

Notes

Wheel Bolt Bore Ø [mm]	12.5
	Solid
Centering Diameter [mm]	76
Minimum thickness [mm]	8.4
Outer diameter [mm]	258
Height [mm]	40.5
Bolt Hole Circle Ø [mm]	114.3
	without wheel hub
Brake Disc Thickness [mm]	10
Required quantity	2
Number of Holes	5
	Rear Axle

References

58411 1P300



Application info

Venga [02/10--]

Brake disc

37-15 523 0031/PD | MBD1998PD

Notes

Wheel Bolt Bore Ø [mm]	12.5
	Zink flake coated
	Solid
Centering Diameter [mm]	76
Minimum thickness [mm]	8.4
Outer diameter [mm]	258
Height [mm]	40.5
Bolt Hole Circle Ø [mm]	114.3
Brake Disc Thickness [mm]	10
Required quantity	2
Number of Holes	5
	Rear Axle

References

58411-1P300



Application info

Venga [02/10--]

2

28-15 523 0003 | MBD0446

Brake disc



Notes

Wheel Bolt Bore Ø [mm]	13
	Solid
Centering Diameter [mm]	76
Minimum thickness [mm]	8
Outer diameter [mm]	258
Height [mm]	41.4
Bolt Hole Circle Ø [mm]	114.3
Brake Disc Thickness [mm]	10
Required quantity	2
Number of Holes	4
	Rear Axle

References

58411 2F100

Application info

Cerato [04/04--]

28-15 523 0005 | MBD0447

Brake disc



Notes

Wheel Bolt Bore Ø [mm]	12.6
	Solid
Centering Diameter [mm]	76
Minimum thickness [mm]	8
Outer diameter [mm]	262
Height [mm]	64
Bolt Hole Circle Ø [mm]	112
Brake Disc Thickness [mm]	10
Required quantity	2
Number of Holes	5
	Rear Axle

References

58411 2K300

Application info

Soul [02/09-12/10]



Brake disc

37-15 523 0032 | MBD1999

Notes

Wheel Bolt Bore Ø [mm]	12.5
	Solid
Centering Diameter [mm]	69
Minimum thickness [mm]	9.4
Outer diameter [mm]	302
Height [mm]	71.4
Bolt Hole Circle Ø [mm]	114.3
	without wheel hub
Brake Disc Thickness [mm]	11
Required quantity	2
Number of Holes	5
	Rear Axle

References

58411 2P000



Application info

Sorento II [11/09--]

Brake disc


37-15 523 0032/PD | MBD1999PD

Notes

Wheel Bolt Bore Ø [mm]	12.5
	Zink flake coated
	Solid
Centering Diameter [mm]	69
Minimum thickness [mm]	9.4
Outer diameter [mm]	302
Height [mm]	71.4
Bolt Hole Circle Ø [mm]	114.3
Brake Disc Thickness [mm]	11
Required quantity	2
Number of Holes	5
	Rear Axle

References

58411 2P000



Application info

Sorento II [11/09--]

2

37-15 523 0028 | MBD1995

Brake disc



Notes

Wheel Bolt Bore Ø [mm]	12.6
	Solid
Centering Diameter [mm]	76
Minimum thickness [mm]	8.4
Outer diameter [mm]	262
Height [mm]	61
Bolt Hole Circle Ø [mm]	114.3
Brake Disc Thickness [mm]	10
Required quantity	2
Number of Holes	5
	Rear Axle

References

58411 39300


Application info

Magentis II [11/05-12/08]

Sportage II [09/04--]

37-15 523 0028/PD | MBD1995PD

Brake disc



Notes

Wheel Bolt Bore Ø [mm]	12.6
	Zink flake coated
	Solid
Centering Diameter [mm]	76
Minimum thickness [mm]	8.4
Outer diameter [mm]	262
Height [mm]	61
Bolt Hole Circle Ø [mm]	114.3
Brake Disc Thickness [mm]	10
Required quantity	2
Number of Holes	5
	Rear Axle

References

58411 39300


Application info

Magentis II [11/05-12/08]

Sportage II [09/04--]

Brake disc
37-15 523 0033 | MBD2000
Notes

Wheel Bolt Bore Ø [mm]	12.6
	Solid
	Single Part Brake Caliper
Centering Diameter [mm]	76
Minimum thickness [mm]	8.4
Outer diameter [mm]	262
Height [mm]	61
Bolt Hole Circle Ø [mm]	114.3
Brake Disc Thickness [mm]	10
Required quantity	2
Number of Holes	5
	Rear Axle


References

58411 39600


Application info

Magentis II (11/05-12/08)

Sportage II (09/04--)

Brake disc
37-15 523 0033/PD | MBD2000PD
Notes

Wheel Bolt Bore Ø [mm]	12.6
	Zink flake coated
	Solid
Centering Diameter [mm]	76
Minimum thickness [mm]	8.4
Outer diameter [mm]	262
Height [mm]	61
Bolt Hole Circle Ø [mm]	114.3
Brake Disc Thickness [mm]	10
Required quantity	2
Number of Holes	5
	Rear Axle


References

58411 39600

Application info

Magentis II (11/05-12/08)

Sportage II (09/04--)

37-15 523 0027 | MBD1994

Brake disc



Notes

Wheel Bolt Bore Ø [mm]	12.6
	Solid
Centering Diameter [mm]	76
Minimum thickness [mm]	8.4
Outer diameter [mm]	284
Height [mm]	61
Bolt Hole Circle Ø [mm]	114.3
Brake Disc Thickness [mm]	10
Required quantity	2
Number of Holes	5
	Rear Axle

References

58411 2Y300	58411 3A300
-------------	-------------

Application info

Sportage II (09/04--)

Sportage III (07/10--)

37-15 523 0027/PD | MBD1994PD

Brake disc



Notes

Wheel Bolt Bore Ø [mm]	12.6
	Zink flake coated
	Solid
Centering Diameter [mm]	76
Minimum thickness [mm]	8.4
Outer diameter [mm]	284
Height [mm]	61
Bolt Hole Circle Ø [mm]	114.3
Brake Disc Thickness [mm]	10
Required quantity	2
Number of Holes	5
	Rear Axle

References

58411 2Y300	58411 3A300
-------------	-------------

Application info

Sportage II (09/04--)

Sportage III (07/10--)



Brake disc

37-15 523 0030 | MBD1997

Notes

Wheel Bolt Bore Ø [mm]	12.5
	Vented
Centering Diameter [mm]	96.3
Minimum thickness [mm]	18.4
Outer diameter [mm]	315
Height [mm]	87.5
Bolt Hole Circle Ø [mm]	139.7
Brake Disc Thickness [mm]	20
Required quantity	2
Number of Holes	5
	Rear Axle

References

58411 3E300



Application info

Sorento I [08/02--]

Brake disc

37-15 523 0030/PD | MBD1997PD

Notes

Wheel Bolt Bore Ø [mm]	12.5
	Zink flake coated
	Vented
Centering Diameter [mm]	96.3
Minimum thickness [mm]	18.4
Outer diameter [mm]	315
Height [mm]	87.5
Bolt Hole Circle Ø [mm]	139.7
Brake Disc Thickness [mm]	20
Required quantity	2
Number of Holes	5
	Rear Axle

References

58411 3E300



Application info

Sorento I [08/02--]

2

28-15 523 0012 | MBD1853

Brake disc



Notes

Wheel Bolt Bore Ø [mm]	12.5
	Vented
Centering Diameter [mm]	96
Minimum thickness [mm]	18.4
Outer diameter [mm]	315
Height [mm]	78.5
Bolt Hole Circle Ø [mm]	140
	without wheel hub
Brake Disc Thickness [mm]	20
Required quantity	2
Number of Holes	5
	Rear Axle

References

58411 3E500

Application info

Sorento I [08/02--]

37-15 523 0016 | MBD1069

Brake disc



Notes

	Solid
Centering Diameter [mm]	75
Minimum thickness [mm]	9
Outer diameter [mm]	284
Height [mm]	55
Bolt Hole Circle Ø [mm]	114.3
Brake Disc Thickness [mm]	10
Required quantity	2
Number of Holes	5
	Rear Axle

References

58411 3K100

Application info

Magentis II [11/05-12/08]



Brake disc


37-15 523 0036/PD | MBD2003PD

Notes

Wheel Bolt Bore Ø [mm]	12.5
	Zink flake coated
	Solid
Centering Diameter [mm]	76
Minimum thickness [mm]	8.4
Outer diameter [mm]	284
Height [mm]	54.5
Bolt Hole Circle Ø [mm]	114.3
Brake Disc Thickness [mm]	10
Required quantity	2
Number of Holes	5
	Rear Axle

References

58411 3S100



Application info

Optima [09/10--]

Brake disc

28-15 523 0013/PD | MBD1854PD

Notes

Wheel Bolt Bore Ø [mm]	12.5
	Zink flake coated
	Solid
Centering Diameter [mm]	96.3
Minimum thickness [mm]	10.4
Outer diameter [mm]	324
Height [mm]	69.5
Bolt Hole Circle Ø [mm]	139.6
Brake Disc Thickness [mm]	11.9
Required quantity	2
Number of Holes	6
	Rear Axle

References

58411 40000



Application info

Carnival III [06/06--]

2

37-15 523 0038 | MBD2119

Brake disc



Notes

Wheel Bolt Bore Ø [mm]	12.5
	Solid
Centering Diameter [mm]	76
Minimum thickness [mm]	8.4
Outer diameter [mm]	284
Height [mm]	25.9
Bolt Hole Circle Ø [mm]	114.3
Brake Disc Thickness [mm]	10
Required quantity	2
Number of Holes	5
	Rear Axle

References

58411-A6200

Application info

Cee'd II (05/12--)

37-15 523 0038/PD | MBD2119PD

Brake disc



Notes

Wheel Bolt Bore Ø [mm]	12.5
	Solid
Centering Diameter [mm]	76
Minimum thickness [mm]	8.4
Outer diameter [mm]	284
Height [mm]	25.9
Bolt Hole Circle Ø [mm]	114.3
Brake Disc Thickness [mm]	10
Required quantity	2
Number of Holes	5
	Rear Axle

References

58411-A6200

Application info

Cee'd II (05/12--)



Brake disc

32-15 523 0010 | MBD0851

Notes

Wheel Bolt Bore Ø [mm]	12.6
	Solid
Centering Diameter [mm]	90
Minimum thickness [mm]	8.4
Outer diameter [mm]	262
Height [mm]	60
Bolt Hole Circle Ø [mm]	114.3
Brake Disc Thickness [mm]	10
Required quantity	2
Number of Holes	4
	Rear Axle

References

58411 M2050



Application info

Joice [02/00--]

Brake disc

28-15 521 0000 | MBD0428


Notes

Wheel Bolt Bore Ø [mm]	13
	Vented
Centering Diameter [mm]	55
Minimum thickness [mm]	20
Outer diameter [mm]	235
Height [mm]	45
Bolt Hole Circle Ø [mm]	100
Brake Disc Thickness [mm]	22
Required quantity	2
Number of Holes	4
	Front Axle

References

KDX74 33251

MDX74 33251




Application info

Rio I [08/00-02/05]

28-15 521 0002 | MB00430

Brake disc



Notes

Wheel Bolt Bore Ø [mm]	13
	Vented
Centering Diameter [mm]	72
Minimum thickness [mm]	22.2
Outer diameter [mm]	274
Height [mm]	47.5
Bolt Hole Circle Ø [mm]	114.3
Brake Disc Thickness [mm]	24.2
Required quantity	2
Number of Holes	5
	Front Axle

References


ØK552 33251	KJ002 33251C
ØK552 33251A	KJ002 33251D
ØK56A 33251	

Application info

Carnival I [08/99-10/01]

025 234 4215/W | MBP0347

Brake pad set



Notes

Thickness [mm]	15.3
Height [mm]	52.9
Width [mm]	149
Number of wear indicators [per axle]	2
	with acoustic wear warning
	with anti-squeak plate
	Front Axle

References

ØK045 3323Z

Application info

Retona [06/99--]

Sportage I [04/94-08/04]



Brake pad set


025 207 5318 | MBP0035

Notes

	not prepared for wear indicator
Thickness [mm]	17.3
Height [mm]	46.5
Width 2 [mm]	151.3
Width 1 [mm]	150.2
Brake System	ATE with anti-squeak plate Front Axle

References

ØK20A 3323Z	ØK240 3323ZA
ØK239 3323Z	ØK2X3 3323Z
ØK240 3323Z	ØK2Y1 3323Z



Application info

Sephia [09/93-10/97]

Brake pad set


025 231 0315 | MBP0263

Notes

	not prepared for wear indicator
Thickness [mm]	16.8
Height [mm]	46.5
Width 2 [mm]	150.2
Width 1 [mm]	151.3
Brake System	ATE with anti-squeak plate Front Axle

References

ØK20A 3323Z	ØK240 3323ZA
ØK239 3323Z	ØK2X3 3323Z
ØK240 3323Z	ØK2Y1 3323Z




Application info

Sephia [09/93-10/97]

2

025 239 6617/PD | MBP0809PD

Brake pad set



Notes

Quality	with acoustic wear warning
Thickness [mm]	PREMIUM
Height [mm]	17.7
Width [mm]	57.9
Number of wear indicators [per axle]	130
Brake System	2
	Mando
	with anti-squeak plate
	Front Axle

References

ØK2JA 3328Z	ØK2JA 3328ZA
-------------	--------------


Application info

Carens II [07/02--]

Cee'd I [12/06-12/09]

025 239 6617/W | MBP0486

Brake pad set



Notes

Thickness [mm]	with acoustic wear warning
Height [mm]	17.7
Width [mm]	57.9
Number of wear indicators [per axle]	130
Brake System	2
	Mando
	with anti-squeak plate
	Front Axle

References

ØK2JA 3328Z	ØK2JA 3328ZA
-------------	--------------

Application info

Carens II [07/02--]

Cee'd I [12/06-12/09]




Brake pad set

025 233 8418/W | MBP0331

Notes

Thickness [mm]	18.4
Height [mm]	46.4
Width [mm]	151.3
Number of wear indicators [per axle]	2
Brake System	ATE with anti-squeak plate Front Axle



References

0K0Y2 3323Z	0K2A2 3323ZB
0K20A 3323Z	0K2A3 3323Z
0K239 3323Z	0K2A4 3323Z
0K240 3323Z	0K2X3 3323Z
0K240 3323ZA	0K2Y1 3323Z
0K2A2 3323Z	0K2Y3 3323Z
0K2A2 3323ZA	0K2Y3 3323ZA

Application info

Sephia [09/93-10/97]
Shuma I [03/96-12/01]


Sportage I [04/94-08/04]

Brake pad set

025 218 2217 | MBP0198

Notes

Thickness [mm]	17.2
Height [mm]	54.1
Width [mm]	177
Brake System	Kelsey-Hayes with anti-squeak plate Front Axle



References

0K553 3323Z	0K553 3323ZB
0K553 3323ZA	K5533 323ZB


Application info

Carnival I [08/99-10/01]

Carnival II [01/99-10/06]

025 200 0215/W | MBP0001

Brake pad set



Notes

Thickness [mm]	with acoustic wear warning
Height [mm]	15
Width [mm]	52.1
Number of wear indicators [per axle]	133.1
Number of wear indicators [per axle]	2
Brake System	Akebono
	with anti-squeak plate
	Front Axle

References

ØK60A 3328Z	ØK71E 3328Z
ØK70Y 3328Z	ØK71F 3328Z


Application info

Besta [02/96--]

Besta [07/93-12/03]

025 236 4916/W | MBP0410

Brake pad set



Notes

Thickness [mm]	with acoustic wear warning
Height [mm]	16.2
Width [mm]	56.2
Number of wear indicators [per axle]	154.2
Number of wear indicators [per axle]	2
Brake System	Sumitomo
	with anti-squeak plate
	Front Axle

References

ØK56A 3323Z	ØK75A 3328Z
ØK72G 3328Z	ØK75B 3328Z


Application info

Carnival I [08/99-10/01]
Carnival II [01/99-10/06]

Pregio [08/95-09/04]
Pregio [08/95--]

025 234 5513/W | MBP0354

Brake pad set



Notes

Thickness [mm]	with acoustic wear warning
Height [mm]	13.7
Width [mm]	41.8
Number of wear indicators [per axle]	98.8
Number of wear indicators [per axle]	2
Brake System	Sumitomo
	with anti-squeak plate
	Rear Axle

References

ØK2FC 2628Z	ØK9A0 2628Z
-------------	-------------



Brake pad set

025 234 5513/W | MBP0354

Application info

Carens I [11/00-07/02]
 Carens II [07/02--]
 Cerato [04/04--]

Clarus [07/96--]
 Shuma I [03/96-12/01]
 Shuma II [05/01-08/04]

Brake pad set


025 242 7516/W | MBP0551

Notes

Thickness [mm]	with accessories
Height [mm]	with acoustic wear warning
Width [mm]	16.5
Number of wear indicators [per axle]	47.3
Brake System	115.9
	2
	Mando
	with anti-squeak plate
	Front Axle

References

58101 07A00	58101 07A20
58101 07A10	



Application info

Picanto I [04/04--]

Brake pad set


025 245 0116/PD | MBP1594PD

Notes

Thickness [mm]	with acoustic wear warning
Height [mm]	17.5
Width [mm]	60.9
Number of wear indicators [per axle]	137.8
Brake System	2
	Sumitomo
	with anti-squeak plate
	Front Axle

References

58101 1DE00	58101 2SA70
-------------	-------------




Application info

Carens II [07/02--]
 Carens III [09/06--]

Sportage III [07/10--]

025 245 0116/W | MBP0611

Brake pad set



Notes

Thickness [mm]	with acoustic wear warning
Height [mm]	17.5
Width [mm]	60.9
Number of wear indicators [per axle]	137.8
Brake System	2
	Sumitomo
	with anti-squeak plate
	Front Axle

References

58101 1DE00	58101 2SA70
-------------	-------------


Application info

Carens II (07/02--)
Carens III (09/06--)

Sportage III (07/10--)

025 243 1717/W | MBP0569

Brake pad set



Notes

Thickness [mm]	with acoustic wear warning
Height [mm]	17.6
Width [mm]	55.9
Number of wear indicators [per axle]	129.6
Brake System	2
	Mando
	with anti-squeak plate
	Front Axle

References


58101 1GE00

Application info

Rio II (03/05--)

025 251 8419/W | MBP0695

Brake pad set



Notes

Thickness [mm]	with acoustic wear warning
Height [mm]	19.4
Width [mm]	60.6
Number of wear indicators [per axle]	131.4
Brake System	2
	TRW
	with anti-squeak plate
	Front Axle

References

58101 1PA00



Brake pad set

025 251 8419/W | MBP0695

Application info

Venga (02/10--)

Brake pad set

025 253 6516 | MBP1722

Notes

	with acoustic wear warning
Thickness [mm]	16
Height [mm]	47.6
Width [mm]	110.2
Number of wear indicators [per axle]	2
Brake System	MANDO with anti-squeak plate Front Axle



References

581011YA00	581011YA30
------------	------------

Application info


Picanto II (05/11--)

Brake pad set

025 242 1817/W | MBP0541

Notes

	with accessories with acoustic wear warning
Thickness [mm]	17.2
Height [mm]	59.1
Width [mm]	165
Number of wear indicators [per axle]	2
Brake System	Mando with anti-squeak plate Front Axle



References

58101 2FA10	58101 2FA20
-------------	-------------


Application info

Cerato (04/04--)

2

025 243 5117/W | MBP0582

Brake pad set



Notes

Thickness [mm]	with acoustic wear warning
Height [mm]	17.6
Width [mm]	61.2
Number of wear indicators [per axle]	156.7
Brake System	2
	Mando
	with anti-squeak plate
	Front Axle

References

581012PA70	581014DU00
------------	------------

Application info

Sorento II [11/09--]

025 256 9218 | MBP1616

Brake pad set



Notes

Thickness [mm]	with acoustic wear warning
Height [mm]	17.2
Width [mm]	60
Number of wear indicators [per axle]	132.9
Brake System	2
	BOSCH
	with anti-squeak plate
	Front Axle

References

58101-2VA00	58101-A6A00
-------------	-------------


Application info

Cee'd II [05/12--]

Soul [02/09-12/10]

025 238 9116/PD | MBP1590PD

Brake pad set



Notes

Thickness [mm]	with acoustic wear warning
Height [mm]	16.9
Width [mm]	59.9
Number of wear indicators [per axle]	131.5
Brake System	2
	Mando
	with anti-squeak plate
	Front Axle

References

58101 2KA10	58101 3CA80
58101 3CA20	

Brake pad set

025 238 9116/PD | MBP1590PD

Application info

Magentis I (05/01--)
Soul (02/09-12/10)

Sportage II (09/04--)
Venga (02/10--)

Brake pad set


025 238 9116/W | MBP0466

Notes

Thickness [mm]	16.9
Height [mm]	59.9
Width [mm]	131.5
Number of wear indicators [per axle]	2
Brake System	Mando with anti-squeak plate Front Axle

References

58101 2KA10	58101 3CA80
58101 3CA20	



Application info

Magentis I (05/01--)
Soul (02/09-12/10)

Sportage II (09/04--)
Venga (02/10--)

Brake pad set


025 240 9217/W | MBP0522

Notes

Thickness [mm]	17.3
Height [mm]	60
Width [mm]	155
Number of wear indicators [per axle]	2
Brake System	Sumitomo with anti-squeak plate Front Axle

References

58101 3EE00	58101 3EE01
-------------	-------------




Application info

Sorento I (08/02--)

Sorento II (11/09--)

025 245 9717/W | MBP0636

Brake pad set



Notes

Thickness [mm]	with acoustic wear warning
Height [mm]	17.5
Width [mm]	63.3
Number of wear indicators [per axle]	164.6
Brake System	2
	Sumitomo
	with anti-squeak plate
	Front Axle

References


58101 4DE00

Application info

Carnival III [06/06--]

025 217 2517/W | MBP0190

Brake pad set



Notes

Thickness [mm]	with acoustic wear warning
Height [mm]	17
Width [mm]	54.2
Number of wear indicators [per axle]	137.2
Brake System	2
	Akebono
	with anti-squeak plate
	Front Axle

References

58101 M2A02

58101 M2A04


Application info

Joice [02/00--]

Magentis I [05/01--]

025 238 7316/W | MBP0463

Brake pad set



Notes

Thickness [mm]	with acoustic wear warning
Height [mm]	15.7
Width [mm]	51.4
Number of wear indicators [per axle]	129
Brake System	2
	Sumitomo
	with anti-squeak plate
	Front Axle

References

0K2N1 3328Z
0K2N1 3328ZA
0K900 3328Z

58115 FDA00
58115 FDC00

Brake pad set

025 238 7316/W | MBP0463

Application info

Carens I [11/00-07/02]
Carens II [07/02--]
Cerato [04/04--]
Clarus [07/96--]
Rio I [08/00-02/05]

Rio II [03/05--]
Sephia [09/93-10/97]
Shuma I [03/96-12/01]
Shuma II [05/01-08/04]

Brake pad set


025 242 7614/W | MBP0552

Notes

	with acoustic wear warning
Thickness [mm]	14.1
Height [mm]	41
Width [mm]	92.4
Number of wear indicators [per axle]	2
Brake System	Mando with anti-squeak plate Rear Axle

References

58302 07A00 58302 07A10



Application info

Picanto I [04/04--] Picanto II [05/11--]

Brake pad set


025 243 2015/PD | MBP1593PD

Notes

	with accessories with acoustic wear warning
Thickness [mm]	15.9
Height [mm]	41.1
Width [mm]	93.1
Number of wear indicators [per axle]	2
Brake System	Mando with anti-squeak plate Rear Axle

References

58302 0ZA00 58302 1HA00
58302 1GA00




Application info

Cee'd I [12/06-12/09] Sportage II [09/04--]
Rio II [03/05--] Sportage III [07/10--]

025 243 2015/W | MBP0570

Brake pad set



Notes

Thickness [mm]	with acoustic wear warning
Height [mm]	15.9
Width [mm]	41.1
Number of wear indicators [per axle]	93.1
Brake System	2
	Mando
	with anti-squeak plate
	Rear Axle

References

58302 0ZA00	58302 1HA00
58302 1GA00	


Application info

Cee'd I [12/06-12/09]
Rio II [03/05--]

Sportage II [09/04--]
Sportage III [07/10--]

025 244 9116/W | MBP0608

Brake pad set



Notes

Thickness [mm]	with acoustic wear warning
Height [mm]	16
Width [mm]	44
Number of wear indicators [per axle]	100.7
Brake System	2
	Mando
	with anti-squeak plate
	Rear Axle

References


58302 10E00

Application info

Carens III [09/06--]

025 234 1715/PD | MBP0791PD

Brake pad set



Notes

Quality	with acoustic wear warning
Thickness [mm]	PREMIUM
Height [mm]	15.2
Width [mm]	42.5
Number of wear indicators [per axle]	95.5
Brake System	2
	TRW
	with anti-squeak plate
	Rear Axle

References

58302 1PA30

Brake pad set

025 234 1715/PD | MBP0791PD

Application info


Venga [02/10--]

Brake pad set

025 234 1715/W | MBP0341

Notes

Thickness [mm]	with acoustic wear warning
Height [mm]	15.2
Width [mm]	42.5
Number of wear indicators [per axle]	95.5
Brake System	2
	TRW
	with anti-squeak plate
	Rear Axle



References

58302 1PA30

Application info

Venga [02/10--]

Brake pad set

025 256 7716 | MBP1726

Notes

Thickness [mm]	with acoustic wear warning
Height [mm]	15.9
Width [mm]	41.1
Number of wear indicators [per axle]	93.1
Brake System	2
	MANDO
	with anti-squeak plate
	Rear Axle



References

58302-1YA50


Application info

Picanto II [05/11--]

2

025 215 5314/W | MBP0156

Brake pad set



Notes

Thickness [mm]	14
Height [mm]	46.5
Width [mm]	85.3
Number of wear indicators [per axle]	2
Brake System	Sumitomo with anti-squeak plate Rear Axle

References


58302 2FA10

Application info

Cerato [04/04--]

025 235 4314/PD | MBP1584PD

Brake pad set



Notes

Thickness [mm]	14.4
Height [mm]	41
Width 2 [mm]	98.6
Width 1 [mm]	98.4
Number of wear indicators [per axle]	2
Brake System	Akebono with anti-squeak plate Rear Axle

References

58302 1FE00	58302 38A10
58302 2GA00	58302 3CA10

Application info

Magentis I [05/01--]
Magentis II [11/05-12/08]


Sportage II [09/04--]

Brake pad set
025 235 4314/W | MBP0377
Notes

	with accessories
	with acoustic wear warning
Thickness [mm]	14.4
Height [mm]	41
Width 2 [mm]	98.6
Width 1 [mm]	98.4
Number of wear indicators [per axle]	2
Brake System	Akebono with anti-squeak plate Rear Axle

References

58302 1FE00	58302 38A10
58302 2GA00	58302 3CA10


Application info

 Magentis I [05/01--]
 Magentis II [11/05-12/08]


Sportage II [09/04--]

Brake pad set
025 240 5815/W | MBP0513
Notes

	with acoustic wear warning
Thickness [mm]	15.8
Height [mm]	46.8
Width [mm]	118.2
Number of wear indicators [per axle]	2
Brake System	Sumitomo with anti-squeak plate Rear Axle

References

58302 3ED00	58302 3EE00
58302 3ED01	



Application info

Sorento I [08/02--]

Sorento II [11/09--]

025 249 3415/W | MBP0681

Brake pad set



Notes

Thickness [mm]
Height [mm]
Width [mm]
Number of wear indicators [per axle]
Brake System

with acoustic wear warning
15.5
41
99.9
2
Akebono
with anti-squeak plate
Rear Axle

References

58302 1RA30
58302 1WA35
58302 2KA10

58302 2TA70
58302 3FA11


Application info

Opirus [09/03-09/06]
Optima [09/10--]

Rio III [09/11--]
Soul [02/09-12/10]

025 245 5915/W | MBP0626

Brake pad set



Notes

Thickness [mm]
Height [mm]
Width [mm]
Number of wear indicators [per axle]
Brake System

with accessories
with acoustic wear warning
15.5
47.8
110.4
2
Mando
with anti-squeak plate
Rear Axle

References

58302 4DE00

Application info


Carnival III [06/06--]

Brake pad set
025 253 3715/W | MBP0702
Notes

Thickness [mm]	with accessories
Height [mm]	with acoustic wear warning
Width [mm]	15.7
Number of wear indicators [per axle]	40.9
Brake System	99.7
	2
	Akebono
	with anti-squeak plate
	Rear Axle

References

58302-A6A20


Application info


Cee'd II (05/12--)

Brake pad set
025 216 5415/PD | MBP0770PD
Notes

Quality	with acoustic wear warning
Thickness [mm]	PREMIUM
Height [mm]	15
Width [mm]	64
Number of wear indicators [per axle]	91.5
Brake System	2
	Sumitomo
	with anti-squeak plate
	Front Axle

References

K0BA2 3328Z


Application info


Rio I (08/00-02/05)

Brake pad set
025 216 5415/W | MBP0175
Notes

Thickness [mm]	with acoustic wear warning
Height [mm]	15
Width [mm]	64
Number of wear indicators [per axle]	91.5
Brake System	2
	Sumitomo
	with anti-squeak plate
	Front Axle

References

K0BA2 3328Z



025 216 5415/W | MBP0175


Brake pad set

Application info

Rio I [08/00-02/05]

025 213 5514/W | MBP0114

Brake pad set



Notes

Thickness [mm]	with acoustic wear warning
Height 2 [mm]	13.8
Height 1 [mm]	62.4
Width 2 [mm]	63.5
Width 1 [mm]	78.8
Number of wear indicators [per axle]	78.8
Brake System	2
	Sumitomo
	with anti-squeak plate
	Front Axle

References


KK150 3323Z	MDA19 3323Z
KK150 3328Z	

Application info

Pride [01/90-05/97]

025 253 4818 | MBP1575

Brake pad set



Notes

Thickness [mm]	with acoustic wear warning
Height [mm]	17.8
Width [mm]	58.2
Number of wear indicators [per axle]	133
Brake System	2
	MANDO
	with anti-squeak plate
	Front Axle

References

581011-WA05	581014-LA00
581011-WA35	

Application info

Rio III [09/11--]



Guide sleeve kit, brake caliper

014 698 0006 | MBX0010

Notes

Brake System

without guide bolts
ATE
Front Axle

References

0K20A 3325Z



Application info

Sephia [09/93-10/97]

Guide sleeve kit, brake caliper

014 698 0006/S | MBX0011

Notes

Brake System

with guide pin
ATE
Front Axle

References

0K20A 3325Z

Parts list

014 698 0006 | MBX0010
100 698 0008 | MBX0156

Guide sleeve kit, brake caliper
Guide bolt, brake caliper



Application info

Sephia [09/93-10/97]

Brake drum

28-15 523 0007 | MDR0026

Notes

Centering Diameter [mm]	54
Inner Brake Drum Height [mm]	31
Total Br. Drum Height [mm]	67.5
Bolt Hole Circle Ø [mm]	100
Max.skimmed drum measure [mm]	
Br. Drum outer diameter [mm]	201
Inner Br. Drum Diam. [mm]	230.5
Required quantity	200
Number of Holes	2
	4
	Rear Axle

References

0K30A 26251A



Application info

Rio I [08/00-02/05]

Rio II [03/05--]

2

28-15 523 0018 | MDR0027

Brake drum



Notes

Centering Diameter [mm]	62.5
Inner Brake Drum Height [mm]	39.5
Total Br. Drum Height [mm]	58
Bolt Hole Circle Ø [mm]	100
Br. Drum outer diameter [mm]	219.5
Max.skimmed drum measure [mm]	190
Inner Br. Drum Diam. [mm]	180
Required quantity	2
Number of Holes	4
	Rear Axle

References

58411 07000

Application info

Picanto I (04/04--)

Picanto II (05/11--)

28-14 533 0004 | MBS0069

Brake shoe kit



Notes

Diameter [mm]	without spring 260
Width [mm]	45
	Rear Axle

References

ØK045 2638Z

Application info

Sportage I (04/94-08/04)

28-14 533 0003 | MBS0068

Brake shoe kit



Notes

Diameter [mm]	without spring 200
Width [mm]	36
	Rear Axle

References

ØK201 2638Z	ØK23N 2638Z
ØK201 2638ZA	ØK2N1 2638Z

Brake shoe kit

28-14 533 0003 | MBS0068

Application info

Sephia [09/93-10/97]
Shuma I [03/96-12/01]

Shuma II [05/01-08/04]

Brake shoe kit

44-14 533 0002 | MBS0157

Notes


Diameter [mm]
Width [mm]

without spring
250
57
Rear Axle

References

ØK552 2638Z
ØK56A 2638Z

ØK56A 2638ZA
ØK58A 2638Z



Application info

Carnival I [08/99-10/01]

Carnival II [01/99-10/06]

Brake shoe kit

37-14 533 0007 | MBS0141

Notes

Diameter [mm]
Width [mm]

without spring
with lever
203
32
Rear Axle

References

58305 1GA00



Application info

Rio II [03/05--]

Brake shoe kit

37-14 533 0005 | MBS0139

Notes

Diameter [mm]
Width [mm]

without spring
with lever
168
32
Rear Axle

References

58305 2KA00



37-14 533 0005 | MBS0139

Brake shoe kit

Application info
Soul (02/09-12/10)

36-14 533 0015 | MBS0132

Brake shoe kit



Notes

Diameter [mm]
Width [mm]

without spring
200
31
Rear Axle

References

58315 FDA00

58315 FDA01

Application info
Rio I (08/00-02/05)

37-14 533 0006 | MBS0140

Brake shoe kit



Notes

Diameter [mm]
Width [mm]

without spring
with lever
170
32
Rear Axle

References

58350 1GA00

Application info
Rio II (03/05--)

28-14 533 0000 | MBS0066

Brake shoe kit



Notes

Diameter [mm]
Width [mm]

without lever
167
26.5
Rear Axle

References

58350 1HA00

Brake shoe kit

28-14 533 0000 | MBS0066

Application info

Cee'd I (12/06-12/09)

Cee'd II (05/12--)

Brake shoe kit

37-14 533 0008 | MBS0142

Notes

Diameter [mm]
Width [mm]

without spring
167
27
Rear Axle

References

58350 2EA00



Application info

Sportage II (09/04--)

Brake shoe kit

37-14 533 0014 | MPB0040

Notes

Diameter [mm]
Width [mm]

without spring
170
27
Rear Axle

References

58350 2EA00



Application info

Sportage II (09/04--)

Brake shoe set, parking brake

37-14 533 0008 | MBS0142

Notes

Diameter [mm]
Width [mm]

without spring
167
27
Rear Axle

References

58350 2EA00



37-14 533 0008 | MBS0142

Brake shoe set, parking brake

Application info
Sportage II (09/04--)

37-14 533 0014 | MPB0040

Brake shoe set, parking brake



Notes

Diameter [mm]
Width [mm]

without spring
170
27
Rear Axle

References

58350 2EA00

Application info
Sportage II (09/04--)

37-14 533 0018 | MPB0042

Brake shoe set, parking brake



Notes

Diameter [mm]
Width [mm]

without spring
with lever
170
32
Rear Axle

References

58350 3CA10

Application info
Magentis I (05/01--)

37-14 533 0015 | MPB0041

Brake shoe set, parking brake



Notes

Diameter [mm]
Width [mm]

without spring
190
40
Rear Axle

References

58350 3ED00



Brake shoe set, parking brake

37-14 533 0015 | MPB0041

Application info

Sorento I (08/02--)

Brake hose

28-14 525 0000 | MBH0295

Notes

Inner thread [mm]
Connector type
Length [mm]
Required quantity

M10x1
Banjo fitting
480
2
Front Axle

References

58732 FD100



Application info

Rio I (08/00-02/05)

28-14 498 0001 | MCV0164

C.V. joint kit



Notes

Seal Diameter [mm]
Length [mm]
Internal Teeth, wheel side
Outer gearing wheel side

CV Joint
without ABS ring
52
139
21
24
Wheel Side

References

ØK30A 22510	ØK30B 22610
ØK30A 22610	ØK30B 25400
ØK30A 25400	ØK30B 25600
ØK30B 22510	

Application info

Rio I (08/00-02/05)

28-14 498 0002 | MCV0165

C.V. joint kit



Notes

Seal Diameter [mm]
Length [mm]
Internal Teeth, wheel side
Outer gearing wheel side

CV Joint
without ABS ring
56
168.5
26
28
Wheel Side

References

ØK55C 22510A

Application info

Carnival I (08/99-10/01)

Carnival II (01/99-10/06)

28-14 498 0003 | MCV0166

C.V. joint kit



Notes

Number of Teeth, ABS ring
Seal Diameter [mm]
Length [mm]
Internal Teeth, wheel side
Outer gearing wheel side

CV Joint
with ABS ring
52.5
136.5
20
24
Wheel Side

References

49500 07010	49591 07010
49500 07060	49591 07091

Application info

Picanto I (04/04--)

C.V. joint kit

28-14 498 0004 | MCV0167

Notes

	CV Joint without ABS ring
Seal Diameter [mm]	56
Length [mm]	150
Internal Teeth, wheel side	24
Outer gearing wheel side	28
	Wheel Side

References

ØK200 22610	K9A42 2510
ØK200 22510	KA942 2510



Application info

Clarus [07/96--]

C.V. joint kit

28-14 498 0000 | MCV0163

Notes

	CV Joint without ABS ring
Seal Diameter [mm]	52
Length [mm]	144.5
Internal Teeth, wheel side	22
Outer gearing wheel side	24
	Wheel Side

References

KK388 22510	KK388 22610
-------------	-------------



Application info

Rio I [08/00-02/05]

3

714 860 0003 | MGP0094

Glow plug



Notes

Rated current [A]	15 after-glow capable Pencil-type Glow Plug
Spanner Size	12
Diameter [mm]	5
Thread Size	M10 x 1,25
Overall Length [mm]	84.5
Cone Pitch	12°
Fitting Depth [mm]	22.5
Connector type	M4
Voltage [V]	11

References

ØK054 18140	ØK71E 18140A
ØK710 18140	ØK75A 18140
ØK710 18140A	ØK75B 18140

Application info

Besta [02/96--]
K2700 [03/97-09/99]
Pregio [08/95-09/04]
Retona [06/99--]

Sportage I [04/94-08/04]
Besta [07/93-12/03]
K2700 [03/97--]
Pregio [08/95--]

37-14 860 0000 | MGP0064

Glow plug



Notes

Rated current [A]	15 after-glow capable Pencil-type Glow Plug
Spanner Size	10
Diameter [mm]	5.1
Thread Size	M10 x 1
Overall Length [mm]	111
Cone Pitch	63°
Fitting Depth [mm]	30
Connector type	M4
Voltage [V]	11

References

36710 27000

Application info

Carens II [07/02--]
Carens III [09/06--]
Carnival I [08/99-10/01]
Carnival II [01/99-10/06]

Cerato [04/04--]
Magentis II [11/05-12/08]
Sportage II [09/04--]

Glow plug

37-14 860 0001 | MGP0065

Notes

Rated current [A]	10 after-glow capable Pencil-type Glow Plug
Spanner Size	12
Diameter [mm]	5.1
Thread Size	M10 x 1,25
Overall Length [mm]	134
Cone Pitch	120°
Fitting Depth [mm]	30
Connector type	M4
Voltage [V]	11



References

36710 2A100

Application info

Carens III [09/06--]
Cee'd I [12/06-12/09]
Cee'd II [05/12--]
Cerato [04/04--]

Picanto I [04/04--]
Rio II [03/05--]
Soul [02/09-12/10]
Venga [02/10--]

Glow plug

37-14 860 0006 | MGP0135

References

36710 2A700



Application info

Carens IV [03/13--]
Cee'd I [12/06-12/09]
Optima [09/10--]

Sportage III [07/10--]
Venga [02/10--]

4

37-14 860 0005 | MGP0126

Glow plug



Notes

	Pencil-type Glow Plug
Spanner Size	10
Diameter [mm]	3
Thread Size	M10 X 1,25
Overall Length [mm]	139
Connector type	M4
Cone Pitch	93°
Fitting Depth [mm]	28
Voltage [V]	7

References

36710 2F000

Application info

Carnival III (06/06--)

Sportage III (07/10--)

37-14 860 0004 | MGP0114

Glow plug



Notes

Rated current [A]	8.5 after-glow capable Pencil-type Glow Plug
Spanner Size	10
Diameter [mm]	4.4
Thread Size	M10 x 1,25
Overall Length [mm]	139
Connector type	M4
Cone Pitch	90°
Fitting Depth [mm]	28.5
Voltage [V]	5

References

36710 2F100

Application info

Sorento II (11/09--)



Glow plug

37-14 860 0002 | MGP0100

Notes

Rated current [A]	10 after-glow capable Pencil-type Glow Plug
Spanner Size	12
Diameter [mm]	5
Thread Size	M10 x 1,25
Overall Length [mm]	95
Cone Pitch	123°
Fitting Depth [mm]	22
Connector type	M4
Voltage [V]	11

References

36710 42000	36710 42060
36710 42010	36710 42510
36710 42020	36710 42550
36710 42021	



Application info

K2500 [01/03--]

K2500 [01/03--]

Glow plug

32-14 860 0000 | MGP0054

Notes

Rated current [A]	15 after-glow capable Pencil-type Glow Plug
Spanner Size	12
Diameter [mm]	5
Thread Size	M10 x 1,25
Overall Length [mm]	84
Cone Pitch	123°
Fitting Depth [mm]	18
Connector type	M4
Voltage [V]	11

References

36710 42500



Application info

K2500 [01/03--]

Pregio [08/95-09/04]

K2500 [01/03--]

Pregio [08/95--]

4

28-14 860 0000 | MGP0041

Glow plug



Notes

Rated current [A]	11.4 after-glow capable Pencil-type Glow Plug
Spanner Size	12
Diameter [mm]	3.4
Thread Size	M10 x 1,25
Overall Length [mm]	151
Cone Pitch	119°
Fitting Depth [mm]	31
Connector type	M4
Voltage [V]	11

References


36710 4A000	36710 4A100
-------------	-------------

Application info

Sorento I [08/02--]

614 899 0017 | MEX0451

Sensor, intake manifold pressure



Notes

Pressure to [bar]	Piezoelectric Sensor 1.02
Pressure from [bar]	0.15
Operating voltage [V]	12
Number of Poles	3 without cable

References

0K950 18211

Application info

Pride [01/90-05/97]

Sephia [09/93-10/97]



Tensioner pulley, timing belt

28-51 902 1000 | MMX1640

Notes

Outer diameter [mm]	Piece
Width [mm]	60
	32

References

ØK95K 12750



Application info

Carnival I [08/99-10/01]

Carnival II [01/99-10/06]

Tensioner pulley, timing belt

37-51 902 1001 | MMX1644

Notes

Inner diameter [mm]	Piece
Outer diameter [mm]	8
Width [mm]	70
	31

References

24410 23050



Application info

Carens II [07/02--]
Cee'd I [12/06-12/09]

Cerato [04/04--]
Sportage II [09/04--]

Tensioner pulley, timing belt

37-51 902 1000 | MMX1643

Notes

Outer diameter [mm]	Piece
Width [mm]	58
	32

References

24410-27000 24410-27250



Application info

Carens II [07/02--]
Carens III [09/06--]
Cee'd I [12/06-12/09]

Cerato [04/04--]
Magentis II [11/05-12/08]
Sportage II [09/04--]

5

28-51 902 1001 | MMX1685

Tensioner pulley, timing belt



Notes

Outer diameter [mm]	Piece
Width [mm]	60
	35

References

24840 3E000	24840 3E500
-------------	-------------

Application info

Carnival III [06/06--]

Magentis II [11/05-12/08]

37-51 902 2000 | MMX1645

Timing belt roller



Notes

Outer diameter [mm]	58
Width [mm]	32

References

24810 27000	24810 27250
-------------	-------------

Application info

Carens II [07/02--]
Carens III [09/06--]
Cee'd I [12/06-12/09]

Cerato [04/04--]
Magentis II [11/05-12/08]
Sportage II [09/04--]

37-51 902 3000 | MMX1691

Timing belt tensioner shock



References

24410 3E100	24410 3E500
-------------	-------------

Application info

Carnival III [06/06--]

Magentis II [11/05-12/08]



V-ribbed belt


050 004 1045 | MRB0130

Notes

Number of Ribs 4
Length [mm] 1045

References

ØK244 15909A



Application info

Shuma I [03/96-12/01]

Shuma II [05/01-08/04]

V-ribbed belt


050 004 0870 | MRB0093

Notes

Number of Ribs 4
Length [mm] 870

References

ØK55215909



Application info

Carnival I [08/99-10/01]
Carnival II [01/99-10/06]

Picanto I [04/04--]

V-ribbed belt


050 006 1580 | MRB0431

Notes

Number of Ribs 6
Length [mm] 1580

References

ØK95K 15909



Application info


Carnival I [08/99-10/01]

Carnival II [01/99-10/06]

5

050 005 1060 | MRB0226

V-ribbed belt



Notes

Number of Ribs	5
Length [mm]	1060

References


ØK9A3 15909

Application info

Clarus [07/96--]

050 006 2013 | MRB0503

V-ribbed belt



Notes

Number of Ribs	6
Length [mm]	2013

References


ØK9A6 15987 ØK9A6 15987

Application info

Sephia [09/93-10/97]

050 005 0950 | MRB0207

V-ribbed belt



Notes

Number of Ribs	5
Length [mm]	950

References

ØK9AC 15907

Application info

Clarus [07/96--]



V-ribbed belt

050 004 0780 | MRB0075

Notes

Number of Ribs 4
Length [mm] 780

References

2521202550



Application info

Picanto I [04/04--]

V-ribbed belt


050 006 2590 | MRB0569

Notes

Number of Ribs 6
Length [mm] 2590

References

25212 25000



Application info

Carens III [09/06--]

Magentis II [11/05-12/08]

V-ribbed belt


050 006 2510 | MRB0564

Notes

Number of Ribs 6
Length [mm] 2510

References

25212 25020




Application info

Carens III [09/06--]

5

Ø50 006 1400 | MRB0410

V-ribbed belt



Notes

Number of Ribs	6
Length [mm]	1400

References


2521227160

Application info

Cee'd I [12/06-12/09]

Ø50 006 1510 | MRB0420

V-ribbed belt



Notes

Number of Ribs	6
Length [mm]	1510

References

25212 27002	25212 27350
25212 27010	


Application info

Carens II [07/02--]
Carens III [09/06--]
Cerato [04/04--]

Magentis II [11/05-12/08]
Sportage II [09/04--]

Ø50 006 1515 | MRB0421

V-ribbed belt



Notes

Number of Ribs	6
Length [mm]	1515

References

25212 27002	25212 27351
25212 27350	25212 27360

Application info

Carens III [09/06--]



V-ribbed belt


050 005 1788 | MRB0291

Notes

Number of Ribs 5
Length [mm] 1788

References

25212 2A000 25212 2A001



Application info

Picanto I [04/04--]

V-ribbed belt


050 005 1650 | MRB0283

Notes

Number of Ribs 5
Length [mm] 1650

References

25212 2A300



Application info

Rio II [03/05--]

Venga [02/10--]

V-ribbed belt


050 006 2140 | MRB0521

Notes

Number of Ribs 6
Length [mm] 2140

References

25212 2B000




Application info

Cerato [04/04--]

5

050 006 1530 | MRB0423

V-ribbed belt



Notes

Number of Ribs 6
Length [mm] 1530

References


25212 2B010

Application info

Cerato [04/04--]

050 006 1255 | MRB0387

V-ribbed belt



Notes

Number of Ribs 6
Length [mm] 1255

References

25212 2B020


Application info

Cee'd I [12/06-12/09]
Cee'd II [05/12--]
Picanto II [05/11--]
Rio III [09/11--]

Soul [02/09-12/10]
Sportage III [07/10--]
Venga [02/10--]

050 006 0955 | MRB0333

V-ribbed belt



Notes

Number of Ribs 6
Length [mm] 955

References

25212 2B030

V-ribbed belt

050 006 0955 | MRB0333

Application info

Cee'd I (12/06-12/09)
Cee'd II (05/12--)
Picanto II (05/11--)
Rio III (09/11--)

Soul (02/09-12/10)
Sportage III (07/10--)
Venga (02/10--)

V-ribbed belt


050 006 2498 | MRB0563

Notes

Number of Ribs 6
Length [mm] 2498

References

25212 2F000 25212 2F010



Application info

Sorento II (11/09--)

V-ribbed belt


050 006 2415 | MRB0555

Notes

Number of Ribs 6
Length [mm] 2415

References

25212 2F300




Application info

Sportage III (07/10--)

5

050 006 2125 | MRB0519

V-ribbed belt



Notes

Number of Ribs	6
Length [mm]	2125

References


25212 2G710

Application info

Sportage III (07/10--)

050 006 1705 | MRB0452

V-ribbed belt



Notes

Number of Ribs	6
Length [mm]	1705

References


25212 37160

Application info

Magentis I (05/01--)

050 006 2000 | MRB0502

V-ribbed belt



Notes

Number of Ribs	6
Length [mm]	2000

References

25212 37182

Application info

Magentis I (05/01--)

Sportage II (09/04--)



V-ribbed belt


050 006 2475 | MRB0560

Notes

Number of Ribs 6
Length [mm] 2475

References

25212 3C100 25212 3C200



Application info

Opirus [09/03-09/06]

V-ribbed belt


050 006 2055 | MRB0510

Notes

Number of Ribs 6
Length [mm] 2055

References

25212 3E000 25212 3E050



Application info

Carnival III [06/06--]

Magentis II [11/05-12/08]

V-ribbed belt


050 007 1730 | MRB0611

Notes

Number of Ribs 7
Length [mm] 1730

References

25212 4A010




Application info

Sorento I [08/02--]

050 007 2250 | MRB0630

V-ribbed belt



Notes

Number of Ribs	7
Length [mm]	2250

References


25212 4A011	25212 4A401
25212 4A400	

Application info

Sorento I [08/02--]

050 007 2271 | MRB0632

V-ribbed belt



Notes

Number of Ribs	7
Length [mm]	2271

References


25212 4A100

Application info

Sorento I [08/02--]

050 004 0750 | MRB0069

V-ribbed belt



Notes

Number of Ribs	4
Length [mm]	750

References

5717002710

Application info

Picanto I [04/04--]

V-ribbed belt


050 005 1393 | MRB0270

Notes

Number of Ribs 5
Length [mm] 1393

References

57170 38010



Application info

Magentis I [05/01--]

Sorento I [08/02--]

V-ribbed belt


050 005 0905 | MRB0200

Notes

Number of Ribs 5
Length [mm] 905

References

57170 39000 90916 02367



Application info

Opirus [09/03-09/06]

V-ribbed belt


050 004 0675 | MRB0058

Notes

Number of Ribs 4
Length [mm] 675

References

9771302000




Application info

Cee'd I [12/06-12/09]
Cee'd II [05/12--]
Picanto I [04/04--]

Rio III [09/11--]
Soul [02/09-12/10]

050 006 1195 | MRB0375

V-ribbed belt



Notes

Number of Ribs 6
Length [mm] 1195

References


97713 26300

Application info

Opirus [09/03-09/06]

050 004 0855 | MRB0090

V-ribbed belt



Notes

Number of Ribs 4
Length [mm] 855

References

9771320510


Application info

Carens II [07/02--]
Cerato [04/04--]

Sportage II [09/04--]

050 004 0875 | MRB0094

V-ribbed belt



Notes

Number of Ribs 4
Length [mm] 875

References

B3C71 8381B

Application info

Sephia [09/93-10/97]

Shuma I [03/96-12/01]



V-ribbed belt

050 004 0800 | MRB0079

Notes

Number of Ribs 4
Length [mm] 800

References

MB376 15907



Application info

Pride [01/90-05/97]

V-ribbed belt


050 004 0815 | MRB0082

Notes

Number of Ribs 4
Length [mm] 815

References

9771311200 977131C200



Application info

Cerato [04/04--]

Rio II [03/05--]

V-ribbed belt


050 004 0884 | MRB0096

Notes

Number of Ribs 4
Length [mm] 884

References

0K03815907 0K21A18381
0K21A18381




Application info

Carens I [11/00-07/02]
Carens II [07/02--]
Clarus [07/96--]
Rio I [08/00-02/05]

Sephia [09/93-10/97]
Shuma I [03/96-12/01]
Shuma II [05/01-08/04]

050 004 0890 | MRB0097

V-ribbed belt



Notes

Number of Ribs 4
Length [mm] 890

References

ØK21A 18381 MB36615907A
MB366 15907


Application info

Carens II [07/02--]
Cee'd I [12/06-12/09]
Cerato [04/04--]
Sephia [09/93-10/97]

Shuma I [03/96-12/01]
Shuma II [05/01-08/04]
Sportage II [09/04--]

050 004 0900 | MRB0099

V-ribbed belt



Notes

Number of Ribs 4
Length [mm] 900

References

ØK20A 15908 KK371 15909


Application info

Sephia [09/93-10/97]

Shuma I [03/96-12/01]

050 004 0925 | MRB0107

V-ribbed belt



Notes

Number of Ribs 4
Length [mm] 925

References

ØK011 18381A ØK2AA32907
ØK2AA 15907 KK140 15909

Application info

Carens I [11/00-07/02]
Carens II [07/02--]
Pride [01/90-05/97]

Shuma I [03/96-12/01]
Shuma II [05/01-08/04]
Sportage I [04/94-08/04]



V-ribbed belt


050 004 0962 | MRB0114

Notes

Number of Ribs 4
Length [mm] 962

References

ØK2AA15908 B3C715909C



Application info

Joice [02/00--]
Shuma I [03/96-12/01]

Shuma II [05/01-08/04]

V-ribbed belt


050 004 1020 | MRB0125

Notes

Number of Ribs 4
Length [mm] 1020

References

ØK20B 15909



Application info

Carens II [07/02--]
Sephia [09/93-10/97]

Shuma I [03/96-12/01]

V-ribbed belt


050 004 1050 | MRB0131

Notes

Number of Ribs 4
Length [mm] 1050

References

ØK244 15909A




Application info

Shuma I [03/96-12/01]

Shuma II [05/01-08/04]

050 004 1063 | MRB0133

V-ribbed belt



Notes

Number of Ribs 4
Length [mm] 1063

References

0K2CP15909 571814A000


Application info

Carens I [11/00-07/02]
Carens II [07/02--]
K2500 [01/03--]

Pregio [08/95-09/04]
K2500 [01/03--]
Pregio [08/95--]

050 004 1080 | MRB0136

V-ribbed belt



Notes

Number of Ribs 4
Length [mm] 1080

References

0K2A3 15909


Application info

Carens I [11/00-07/02]
Shuma I [03/96-12/01]

Shuma II [05/01-08/04]
Sorento I [08/02--]

050 005 0890 | MRB0198

V-ribbed belt



Notes

Number of Ribs 5
Length [mm] 890

Application info

Picanto II [05/11--]

Rio III [09/11--]




V-ribbed belt

050 006 1570 | MRB0429

Notes

Number of Ribs 6
Length [mm] 1570



Application info

Carnival I [08/99-10/01]

Carnival II [01/99-10/06]

Thermostat

28-28 228 0001 | MTH0086

Notes

Opening Temperature [°C]

with seal
88

References

ØK2C0 15171 ØK30E 15171
ØK2C0 15171A



Application info

Carens I [11/00-07/02]
Carens II [07/02--]
Rio I [08/00-02/05]

Rio II [03/05--]
Roadster [08/99--]
Shuma II [05/01-08/04]

Thermostat

28-28 228 0002 | MTH0054

Notes

Opening Temperature [°C]

with seal
82

References

ØK410 15171A



5



28-28 228 0002 | MTH0054

Thermostat

Application info

Carnival I [08/99-10/01]
Carnival II [01/99-10/06]
Carnival III [06/06--]
K2700 [03/97-09/99]

Pregio [08/95-09/04]
Retona [06/99--]
K2700 [03/97--]
Pregio [08/95--]

35-28 228 0000 | MTH0101

Thermostat



Notes

Opening Temperature [°C]

with seal
88

References

0K9FC 15171

KE5D3 15171

Application info

Clarus [07/96--]
Retona [06/99--]

Sportage I [04/94-08/04]
Sportage II [09/04--]

37-28 228 0005 | MTH0092

Thermostat



Notes

Opening Temperature [°C]

85

References

25500 27000

Application info

Carens II [07/02--]
Carens III [09/06--]
Cee'd I [12/06-12/09]
Cerato [04/04--]
Magentis II [11/05-12/08]

Rio II [03/05--]
Soul [02/09-12/10]
Sportage III [07/10--]
Venga [02/10--]

Thermostat

37-28 228 0004 | MTH0090

Notes

Opening Temperature [°C] with seal
82

References

25500 35530 25500 37200
25500 35531



Application info

Carnival I [08/99-10/01]
Carnival II [01/99-10/06]
Carnival III [06/06--]
Magentis II [11/05-12/08]

Sorento I [08/02--]
Sorento II [11/09--]
Sportage II [09/04--]

Thermostat

37-28 228 0001 | MTH0071

Notes

Diameter [mm] with seal
56
Opening Temperature [°C] 82

References

25510 42100



Application info

K2500 [01/03--]
Pregio [08/95-09/04]

K2500 [01/03--]
Pregio [08/95--]

Water pump

35-13 015 0001 | MWP0368

Notes

Quality with seal
Sealed with SiC/SiC

References

0K24A 15010



Application info


Pride [01/90-05/97]

Sephia [09/93-10/97]

5

28-13 220 0005 | MWP0258

Water pump



Notes

Quality

with seal
Sealed with SiC/SiC

References

25100 02566

Application info

Picanto I [04/04--]

37-13 220 0014 | MWP0526

Water pump



Notes

Quality

with seal
Sealed with SiC/SiC

References

25100 03010

Application info

Picanto II [05/11--]

Rio III [09/11--]

37-13 220 0003 | MWP0403

Water pump



Notes

with seal

References

25100 23003
25100 23010

25100 23022
25100 23530

Application info

Carens II [07/02--]
Cee'd I [12/06-12/09]

Cerato [04/04--]
Sportage II [09/04--]

Water pump

37-13 220 0005 | MWP0405

Notes

with seal

References

25100 26015	25100 26900
25100 26016	25100 26901
25100 26660	25100 26902



Application info

Cerato [04/04--]

Rio II [03/05--]

Water pump

37-13 220 0004 | MWP0404

Notes

for toothed belt drive
with seal
20

Number of Teeth

References

25100 27000	25100 27010
-------------	-------------



Application info

Carens II [07/02--]
Cerato [04/04--]

Sportage II [09/04--]

Water pump

37-13 220 0006 | MWP0406

Notes

for toothed belt drive
with seal
20

Number of Teeth

References

25100 27400



Application info

Carens II [07/02--]
Carens III [09/06--]
Cee'd I [12/06-12/09]

Cerato [04/04--]
Magentis II [11/05-12/08]
Sportage II [09/04--]

5

37-13 220 0007 | MWP0407

Water pump



Notes

with seal

References

25100 2A000

25100 2A001

Application info

Cee'd I [12/06-12/09]
Cerato [04/04--]

Picanto I [04/04--]
Rio II [03/05--]

37-13 220 0008 | MWP0534

Water pump



Notes

with seal

References

25100 2B000

Application info

Cee'd I [12/06-12/09]
Cerato [04/04--]

Soul [02/09-12/10]

37-13 220 0012 | MWP0410

Water pump



Notes

Quality

with seal
Sealed with SiC/SiC

References

25100 2B700

Water pump

37-13 220 0012 | MWP0410

Application info

Carens IV (03/13--)
Cee'd I (12/06-12/09)
Cee'd II (05/12--)
Cerato (04/04--)

Soul (02/09-12/10)
Soul II (02/14--)
Sportage III (07/10--)
Venga (02/10--)

Water pump

28-13 220 0004 | MWP0257

Notes

with seal

References

OK30C 15010A
25100 2X100

OK30C 15010A



Application info

Rio I (08/00-02/05)

Water pump

28-13 220 0006 | MWP0259

Notes

with seal

References

OK30E 15010
25100 2X200

25100 2X400
25100 2X401



Application info

Carens II (07/02--)
Rio I (08/00-02/05)

Shuma II (05/01-08/04)

37-13 220 0001 | MWP0401

Water pump



Notes

for toothed belt drive
with seal

References

25100 37102
25100 37200

25100 37201
25100 37202

Application info

Magentis I [05/01--]

Sportage II [09/04--]

37-13 220 0002 | MWP0402

Water pump



Notes

with seal

References

25100-38002


25100-38200

Application info

Magentis I [05/01--]

32-13 220 0005 | MWP0353

Water pump



Notes

with seal

References

25100 42501

25100 42541

Application info

K2500 [01/03--]
Pregio [08/95-09/04]

K2500 [01/03--]
Pregio [08/95--]



Water pump

28-13 220 0001 | MWP0254

Notes

with seal

References

25100 4A000
25100 4A100

25100 4A300
M25100 4A000



Application info

Sorento I [08/02--]

Water pump

28-13 220 0007 | MWP0260

Notes

with seal

References

25100 4X700



Application info

Carnival II [01/99-10/06]

Water pump

35-13 220 0001 | MWP0375

Notes

Number of Teeth

for toothed belt drive
with seal
22

References

RF951 5010




Application info

Besta [02/96--]

Besta [07/93-12/03]

28-12 011 1340 | MAF0306

Air filter



Notes

Height [mm]	37
Width [mm]	179
Length 1 [mm]	237
Width 1 [mm]	152
Length [mm]	263
	Filter Insert

References

0K011 13Z40	K0111 3Z40
-------------	------------


Application info

Retona [06/99--]

Sportage I [04/94-08/04]

28-12 321 0006 | MAF0313

Air filter



Notes

Height [mm]	60
Width [mm]	196
Length [mm]	304
	Filter Insert

References

0K552 23603A	0K552 23603A
--------------	--------------

Application info

Carnival I [08/99-10/01]

Carnival II [01/99-10/06]

28-12 321 0000 | MAF0307

Air filter



Notes

Height [mm]	38
Width [mm]	115.8
Length [mm]	251
	Filter Insert

References

28113 07100

Application info

Picanto I [04/04--]



Air filter

28-12 321 0008 | MAF0315

Notes

Height [mm]	50
Width [mm]	130
Length [mm]	260
	Filter Insert

References

28113 1G100



Application info

Rio II [03/05--]

Air filter

28-12 321 0013 | MAF0320

Notes

Height [mm]	50
Width [mm]	145
Length [mm]	255
	Filter Insert

References

28113 1R100



Application info

Rio III [09/11--]

Air filter

28-12 321 0014 | MAF0321

Notes

Height [mm]	34
Width [mm]	133
Length 1 [mm]	215
Length [mm]	241
	Filter Insert

References

28113 04000	28113 1Y100
-------------	-------------



Application info

Picanto II [05/11--]

5

37-12 321 0011 | MAF0515

Air filter



Notes

Height [mm] 50
Width [mm] 178
Length [mm] 259
Filter Insert

References

28113 26000

Application info

Magentis II [11/05-12/08]

37-12 321 0019 | MAF0522

Air filter



Notes

Height [mm] 40.5
Width [mm] 174
Length [mm] 255
Filter Insert

References

28113 20000

28113 2F000

Application info

Cerato [04/04--]

37-12 321 0000 | MAF0504

Air filter



Notes

Height [mm] 45.5
Width [mm] 172
Length [mm] 253
Filter Insert

References

28113 2F250

Application info

Cerato [04/04--]

Sportage II [09/04--]

Air filter

28-12 321 0009 | MAF0316

Notes

Height [mm] 54
Width [mm] 200
Length [mm] 264
Filter Insert

References

28113 2G300



Application info

Carens III [09/06--]

Magentis II [11/05-12/08]

Air filter

28-12 321 0010 | MAF0317

Notes

Height [mm] 49.5
Width [mm] 189
Length [mm] 200.5
Filter Insert

References

28113 2H000



Application info

Cee'd I [12/06-12/09]

Cee'd II [05/12--]

Air filter

37-12 321 0024 | MAF0527

Notes

Height [mm] 55
Width [mm] 130
Length [mm] 247
Filter Insert

References

28113 1J000 28113 2K000
28113 1P000



Application info

Soul [02/09-12/10]

Venga [02/10--]

37-12 321 0031 | MAF0534

Air filter



Notes

Height [mm]	39
Width [mm]	225
Length 1 [mm]	274
Width 1 [mm]	224
Length [mm]	277
	Filter Insert

References

28113 2P100

Application info

Sorento II (11/09--)

37-12 321 0030 | MAF0533

Air filter



Notes

Height [mm]	40
Width [mm]	196
Length 1 [mm]	274
Width 1 [mm]	193
Length [mm]	277
	Filter Insert

References

28113 2P300

Application info

Sorento II (11/09--)

37-12 321 0025 | MAF0528

Air filter



Notes

Height [mm]	54
Width [mm]	165
Length 1 [mm]	256
Width 1 [mm]	162
Length [mm]	259
	Filter Insert

References

28113 2S000

Application info

Carens IV (03/13--)

Sportage III (07/10--)

Air filter

37-12 321 0018 | MAF0521

Notes

Inner diameter [mm] 111
Outer diameter [mm] 206
Height [mm] 175
Filter Insert

References

28113 32510



Application info

Joice [02/00--]

Air filter

28-12 321 0005 | MAF0312

Notes

Height [mm] 33.5
Width [mm] 236
Length [mm] 297.5
Filter Insert

References

28113 3E000



Application info

Sorento I [08/02--]

Air filter

28-12 321 0011 | MAF0318

Notes

Height [mm] 55
Width [mm] 158.5
Length [mm] 303
Filter Insert

References

28113 40000



Application info

Carnival III [06/06--]

5

11-14 323 0001 | MFF0069

Fuel filter



Notes

Diameter [mm]
Height [mm]
Connecting thread

Zinc-coated
Steel
84
158
M16x1,5
Screw-on Filter

References

ØK2KB 13480

ØK2KK 13483

Application info

Carens II [07/02--]

Carens III [09/06--]

714 323 0002 | MFF0217

Fuel filter



Notes

Diameter [mm]
Height [mm]

Zinc-coated
Steel
80
148
with water drain screw

References

ØK52A-23570

Application info

Carnival I [08/99-10/01]
Carnival II [01/99-10/06]

Carnival III [06/06--]

28-14 323 0005 | MFF0118

Fuel filter



Notes

Diameter [mm]
Height [mm]
Thread Size
Connecting thread

Metal
84
165
M16x1,5
M12x1,5
Screw-on Filter

References

ØK552 12603A

31300 3E200

Application info

Sorento I [08/02--]

Fuel filter
42-14 323 0001 | MFF0198
Notes

Diameter [mm]	Metal
Height [mm]	80
Thread Size	120
Connecting thread	M20x1,5
	M22x1,5
	Screw-on Filter

References

ØK551 23570	ØK71E 23570A
ØK551 23570A	ØKJ1E 23570


Application info

Besta [02/96--]
 K2500 [01/03--]
 K2700 [03/97-09/99]
 Pregio [08/95-09/04]

Besta [07/93-12/03]
 K2500 [01/03--]
 K2700 [03/97--]
 Pregio [08/95--]

Fuel filter
35-14 323 0001 | MFF0170
Notes

Diameter [mm]	Metal
Height [mm]	94
Thread Size	139
Connecting thread	M20x1,5
	M36x1,5
	Screw-on Filter

References

31390 H1000	K4672 3570
-------------	------------


Application info

Carnival II [01/99-10/06]
 K2500 [01/03--]
 K2700 [03/97-09/99]
 Pregio [08/95-09/04]

K2500 [01/03--]
 K2700 [03/97--]
 Pregio [08/95--]

Fuel filter
37-14 323 0002 | MFF0183
Notes

Diameter [mm]	Plastic
Height [mm]	88
	130
	in fuel tank

References

31910 2H000



37-14 323 0002 | MFF0183

Fuel filter

Application info

Carens III (09/06--)
Cee'd I (12/06-12/09)

Cerato (04/04--)
Venga (02/10--)

30-14 323 0006 | MFF0127

Fuel filter



Notes

Diameter [mm]
Height [mm]
Connecting thread

Metal
70
114.5
M14x1,5
Screw-on Filter

References

31911 34000

Application info

Magentis II (11/05-12/08)

37-14 323 0007 | MFF0188

Fuel filter



Notes

Diameter 1 [mm]
Diameter [mm]
Height 1 [mm]
Height [mm]
Thread Size
Connecting thread

Metal
84
87.5
143
163
M16x1,5
M8x1,25
Screw-on Filter

References

31922 26910

Application info

Rio II (03/05--)

37-14 323 0001 | MFF0182

Fuel filter



Notes

Diameter [mm]
Height [mm]
Thread Size
Connecting thread

Aluminium
85
156.8
M16x1,5
M10x1,5
Screw-on Filter

References

31922 28900

Fuel filter

37-14 323 0001 | MFF0182

Application info

Carens II [07/02--]
Carens III [09/06--]
Carnival III [06/06--]
Magentis II [11/05-12/08]

Rio II [03/05--]
Sorento I [08/02--]
Sorento II [11/09--]
Venga [02/10--]

Fuel filter

28-14 323 0001 | MFF0114

Notes

Diameter [mm]
Height [mm]
Thread Size
Connecting thread

Metal
85
142
M16x1,5
M12x1,25
Screw-on Filter

References

31922-2E900 31922 3A850



Application info

Carens II [07/02--]
Cee'd I [12/06-12/09]
Cerato [04/04--]
Magentis II [11/05-12/08]
Picanto I [04/04--]

Rio III [09/11--]
Soul [02/09-12/10]
Sportage II [09/04--]
Sportage III [07/10--]

Oil filter

614 322 0000 | MOF0178

Notes

Bypass Valve Opening Pressure [bar]
Outer diameter [mm]
Height [mm]
Thread Size

1
65.5
85.6
M20x1,5
Screw-on Filter
with one anti-return valve

References

0JE15 14302



Application info

Sorento I [08/02--]

28-14 322 0001 | MOF0090

Oil filter



Notes

Bypass Valve Opening Pressure [bar] 1
 Diameter [mm] 102
 Height [mm] 150
 Thread Size M20x1,5
 Screw-on Filter

References

ØK410 23802A

Application info

Besta [02/96--]
 K2700 [03/97-09/99]
 Pregio [08/95-09/04]

Besta [07/93-12/03]
 K2700 [03/97--]
 Pregio [08/95--]

28-14 322 0002 | MOF0091

Oil filter



Notes

Bypass Valve Opening Pressure [bar] 1
 Diameter [mm] 93
 Height [mm] 121
 Thread Size M26x1,5
 Screw-on Filter with one anti-return valve

References

ØK551 14302 26330 4X000
 26300-42040 K5511 4302
 26330-4A000

Application info

Carnival II [01/99-10/06]
 Carnival III [06/06--]
 K2500 [01/03--]
 K2900 [01/08--]
 Pregio [08/95-09/04]

Sorento I [08/02--]
 K2500 [01/03--]
 K2900 [01/08--]
 Pregio [08/95--]

32-14 322 0001 | MOF0135

Oil filter



Notes

Bypass Valve Opening Pressure [bar] 1
 Diameter 1 [mm] 102
 Height [mm] 125
 Thread Size M26x1,5
 Screw-on Filter with one anti-return valve

References

ØVS01 14302



Oil filter

32-14 322 0001 | MOF0135

Application info

Carnival I (08/99-10/01)

Oil filter

37-14 322 0009 | MOF0169

Notes

Bypass Valve Opening Pressure [bar]	1
Diameter [mm]	68
Height [mm]	75
Thread Size	M20x1,5
	Screw-on Filter with one anti-return valve

References

26300 02501	26300 02502
-------------	-------------



Application info

Carens II (07/02--)
Picanto I (04/04--)
Picanto II (05/11--)

Rio I (08/00-02/05)
Rio III (09/11--)
Roadster (08/99--)

Oil filter

28-14 322 0005 | MOF0094

Notes

Bypass Valve Opening Pressure [bar]	1
Diameter [mm]	68
Height [mm]	74
Thread Size	M20x1,5
	Screw-on Filter with one anti-return valve

References

26300 2Y500



Application info

Carens I (11/00-07/02)
Carens II (07/02--)

Rio I (08/00-02/05)
Rio II (03/05--)

37-14 322 0001 | MOF0162

Oil filter



Notes

Bypass Valve Opening Pressure [bar]	1.5
Outer diameter [mm]	96.4
Height [mm]	133.5
Thread Size	M26x1,5
	Screw-on Filter

References

26310 4A000

Application info

Sorento I [08/02--]

37-14 322 0003 | MOF0164

Oil filter



Notes

	with seal
Inner diameter [mm]	30.5
Outer diameter [mm]	62.5
Height [mm]	118
	Filter Insert

References

26320 27001

Application info

Carens II [07/02--]
Cerato [04/04--]

Magentis II [11/05-12/08]
Sportage II [09/04--]

37-14 322 0002 | MOF0163

Oil filter



Notes

	with seal
Inner diameter [mm]	32
Outer diameter [mm]	72
Height [mm]	110
	Filter Insert

References

26320 27400

Application info

Carens II [07/02--]
Carens III [09/06--]
Cee'd I [12/06-12/09]

Magentis II [11/05-12/08]
Sportage II [09/04--]

Oil filter

28-14 322 0000 | MOF0089

Notes

	with seal
Inner diameter [mm]	25
Outer diameter [mm]	61
Height [mm]	121
	Filter Insert

References

26320 2A002	26320 3C300
26320 2A300	



Application info

Cee'd I [12/06-12/09]	Picanto I [04/04--]
Cerato [04/04--]	Rio II [03/05--]

Oil filter

28-14 322 0004 | MOF0093

Notes

	with seal
Inner diameter [mm]	25
Outer diameter [mm]	66
Height [mm]	104
	Filter Insert

References

26310 2A510	26320 3F100
26320 2A500	26330 3C300



Application info

Carens III [09/06--]	Rio III [09/11--]
Carens IV [03/13--]	Sorento I [08/02--]
Cee'd I [12/06-12/09]	Soul [02/09-12/10]
Cee'd II [05/12--]	Soul II [02/14--]
Optima [09/10--]	Sportage III [07/10--]
Optima IV [09/15--]	Sportage IV [09/15--]
Rio II [03/05--]	Venga [02/10--]

Oil filter

28-14 322 0003 | MOF0092

Notes

	with seal
Inner diameter [mm]	25
Outer diameter [mm]	66
Height [mm]	131
	Filter Insert

References

26320 2F000	26320 2F010
-------------	-------------



28-14 322 0003 | MOF0092

Oil filter

Application info

Carnival III [06/06--]
Sorento II [11/09--]
Sorento III [01/15--]

Sportage III [07/10--]
Sportage IV [09/15--]

32-14 322 0006 | MOF0139

Oil filter



Notes

Bypass Valve Opening Pressure [bar]	1
Diameter 1 [mm]	68
Diameter [mm]	70.7
Height 1 [mm]	85
Height [mm]	86.3
Thread Size	M20x1,5

Screw-on Filter
with one anti-return valve

References

0JE15-14-302 89315 67500

Application info

Carnival I [08/99-10/01]
Carnival II [01/99-10/06]

Clarus [07/96--]
Picanto I [04/04--]

35-14 322 0000 | MOF0149

Oil filter



Notes

Bypass Valve Opening Pressure [bar]	1
Outer diameter [mm]	65.6
Height [mm]	65.5
Thread Size	M20x1,5

Screw-on Filter
with one anti-return valve

References

B6Y11 4302A9A

Application info

Clarus [07/96--]
Picanto II [05/11--]
Pride [01/90-05/97]

Sephia [09/93-10/97]
Shuma I [03/96-12/01]
Shuma II [05/01-08/04]



Oil filter

35-14 322 0002 | MOF0151

Notes

Bypass Valve Opening Pressure [bar]	1
Diameter 1 [mm]	80
Diameter [mm]	83
Height 1 [mm]	74
Height [mm]	76.1
Thread Size	M20x1,5
	Screw-on Filter
	Main Stream Filtration
	with one anti-return valve

References

0K016 23802	26300 35503
0RF03 23802B	RF032 3802A
26300 35502	RF032 3802B



Application info

Besta [02/96--]
 Carens II [07/02--]
 Carens III [09/06--]
 Carnival III [06/06--]
 Cee'd I [12/06-12/09]
 Cerato [04/04--]
 Joice [02/00--]
 Magentis I [05/01--]
 Magentis II [11/05-12/08]
 Opirus [09/03-09/06]
 Retona [06/99--]

Rio II [03/05--]
 Rio III [09/11--]
 Sorento I [08/02--]
 Sorento II [11/09--]
 Soul [02/09-12/10]
 Sportage I [04/94-08/04]
 Sportage II [09/04--]
 Sportage III [07/10--]
 Venga [02/10--]
 Besta [07/93-12/03]

37-14 620 0002 | MSK0119

Steering boot kit



Notes

Inner diameter 2 [mm]
Inner diameter 1 [mm]
Height [mm]

with accessories
54.5
16
183
Front Axle Left
Front Axle Right

References

57728-2S000

Application info

Carens IV [03/13--]

Sportage III [07/10--]

37-14 620 0001 | MSK0118

Steering boot kit



Notes

Inner diameter 2 [mm]
Inner diameter 1 [mm]
Height [mm]

with accessories
47
16
172
Front Axle Left
Front Axle Right

References

57740-2K010

Application info

Soul [02/09-12/10]

Venga [02/10--]

614 620 0007 | MSK0051

Steering boot kit



Notes

Inner diameter 2 [mm]
Inner diameter 1 [mm]
Height [mm]

with accessories
48
14
158
Front Axle Left
Front Axle Right

References

57740-38000

Application info

Magentis I [05/01--]



Axial rod

28-16 030 0001 | MAR0151

Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

M14x1,5
M16x1,5
283
Front Axle Right
Front Axle Left

References

0K201 32240
0K201 32240A
0K203 32240

0K203 32240A
0K9A2 32240



Application info

Carens I [11/00-07/02]
Carens II [07/02--]
Clarus [07/96--]

Sephia [09/93-10/97]
Shuma I [03/96-12/01]
Shuma II [05/01-08/04]

Axial rod

28-16 031 0010 | MAR0155

Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

M14x1,5
M16x1,5
294
for vehicles with power steering
Front Axle Right
Front Axle Left

References

0K2A1 32240



Application info

Carens I [11/00-07/02]
Cerato [04/04--]

Shuma I [03/96-12/01]
Shuma II [05/01-08/04]

Axial rod

28-16 031 0022 | MAR0377

Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

16X1,5
16X1,5
218
Front Axle Right
Front Axle Left

References

565400U500



Application info

Rio III [09/11--]

28-16 031 0011 | MAR0156

Axial rod



Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

M14x1,5
M16x1,5
162
Front Axle Right
Front Axle Left

References

56540 2H000

Application info

Cee'd I [12/06-12/09]

28-16 031 0024/HD | MAR0511HD

Axial rod



Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

M14x1,5
M16x1,5
162
Front Axle Left
Front Axle Right

References

56540 2H000

Application info

Cee'd I [12/06-12/09]

28-16 031 0026/HD | MAR0513HD

Axial rod



Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

M12x1,25
M16x1,5
290
Front Axle Left
Front Axle Right

Reinforced Version

References

57724 07000

57724 07100

Application info

Picanto I [04/04--]



Axial rod

37-16 031 0005 | MAR0267

Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

M14x1,5
M16x1,5
327
Front Axle Right
Front Axle Left

References

57224 20020

57724 20000



Application info

Cerato [04/04--]

Axial rod

37-16 031 0001 | MAR0264

Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

M16x1,5
M16x1,5
242
Front Axle Right
Front Axle Left

References

57724 2E000



Application info

Sportage II [09/04--]

Sportage III [07/10--]

Axial rod

37-16 031 0000 | MAR0263

Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

M14x1,5
M16x1,5
189
Front Axle Right
Front Axle Left

References

57724 3B010

57724 3C010



Application info

Magentis I [05/01--]

28-16 031 0025/HD | MAR0512HD

Axial rod



Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

M14x1,5
M18x1,5
170
Front Axle Left
Front Axle Right

Reinforced Version

References

57731 3E010

57732 3E010

Application info

Sorento I [08/02--]

28-16 031 0023/HD | MAR0510HD

Axial rod



Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

M12x1,25
M16x1,5
279
Front Axle Right
Front Axle Left

Reinforced Version

References

KDX50 32240
KDX50 32240A
KDX50 32240B

KDX53 32240
KDX53 32240B

Application info

Rio I [08/00-02/05]

37-16 031 0002 | MAR0265

Axial rod



Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

M14x1,5
M16x1,5
195
Front Axle Right
Front Axle Left

References

57724-1E000

Application info

Rio II [03/05--]



Tie rod end

35-16 020 0001 | MTE0383

Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

M14x1,5
M12x1,25
95
Front Axle Right
Front Axle Left

References

0K201 32280

0K201 32280A



Application info

Carens I [11/00-07/02]
Carens II [07/02--]
Clarus [07/96--]

Sephia [09/93-10/97]
Shuma I [03/96-12/01]
Shuma II [05/01-08/04]

Tie rod end

28-16 020 0008 | MTE0262

Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

M14x1,5
M12x1,25
130
Front Axle Left

References

0K552 32240

Counterpart

28-16 020 0007 | MTE0261



Application info

Carnival I [08/99-10/01]

Carnival II [01/99-10/06]

Tie rod end

28-16 020 0007 | MTE0261

Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

M14x1,5
M12x1,25
130
Front Axle Right

References

0K552 32280

Counterpart

28-16 020 0008 | MTE0262



Application info

Carnival I [08/99-10/01]

Carnival II [01/99-10/06]

28-16 020 0003 | MTE0260

Tie rod end



Notes

Thread Measurement 2
Thread Measurement 1

M14x1,5
M12x1,25
Outer
Front Axle Right
Front Axle Left

References

ØK710 32240

Application info

Besta [02/96--]

Besta [07/93-12/03]

28-16 020 0009 | MTE0263

Tie rod end



Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

M12x1,25
M10x1,25
73
Outer
Front Axle Right
Front Axle Left

References

56820 07000
F4BZ3 A130A

K9921 1201
MDX50 32280

Application info

Picanto I [04/04--]
Picanto II [05/11--]

Rio I [08/00-02/05]

37-16 020 0022 | MTE0428

Tie rod end



Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

M14x1,5
M10x1,25
189
Front Axle Left

References

56820 1E000

56820 16900

Counterpart

37-16 020 0023 | MTE0429

Application info

Rio II [03/05--]



Tie rod end

37-16 020 0023 | MTE0429

Notes

Thread Measurement 2	M14x1,5
Thread Measurement 1	M10x1,25
Length [mm]	189
	Front Axle Right

References

56820 1E900	56820 1G000
-------------	-------------

Counterpart

37-16 020 0022 | MTE0428



Application info

Rio II (03/05--)

Tie rod end

37-16 020 0001 | MTE0414

Notes

Thread Measurement 2	M14x1,5
Thread Measurement 1	M10x1,25
Length [mm]	80
	Front Axle Right
	Front Axle Left

References

56820 28500



Application info

Cerato (04/04--)

Tie rod end

37-16 020 0018 | MTE0424

Notes

Thread Measurement 2	M16x1,5
Thread Measurement 1	M12x1,25
Length [mm]	229
	Front Axle Left

References

56820 2B000	56820 2P900
-------------	-------------

Counterpart

37-16 020 0019 | MTE0425



Application info

Sorento II (11/09--)

37-16 020 0019 | MTE0425

Tie rod end



Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

M16x1,5
M12x1,25
229
Front Axle Right

References

56820 2B900

56820 2P000

Counterpart

37-16 020 0018 | MTE0424

Application info

Sorento II (11/09--)

37-16 020 0006 | MTE0417

Tie rod end



Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

M16x1,5
M10x1,25
168
Front Axle Left

References

56820 2E000

Counterpart

37-16 020 0005 | MTE0416

Application info

Sportage II (09/04--)

37-16 020 0005 | MTE0416

Tie rod end



Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

M16x1,5
M10x1,25
168
Front Axle Right

References

56820 2E900

Counterpart

37-16 020 0006 | MTE0417

Application info

Sportage II (09/04--)



Tie rod end

28-16 020 0018 | MTE0266

Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

M16x1,5
M10x1,25
204
Front Axle Left

References

56820 2G000

Counterpart

28-16 020 0019 | MTE0267



Application info

Carens III (09/06--)

Magentis II (11/05-12/08)

Tie rod end

28-16 020 0019 | MTE0267

Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

M16x1,5
M10x1,25
204
Front Axle Right

References

56820 2G900

Counterpart

28-16 020 0018 | MTE0266



Application info

Carens III (09/06--)

Magentis II (11/05-12/08)

Tie rod end

28-16 020 0010 | MTE0264

Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

M14x1,5
M10x1,25
230
Front Axle Left

References

56820 2H000

Counterpart

28-16 020 0011 | MTE0265



Application info

Cee'd I (12/06-12/09)

28-16 020 0011 | MTE0265

Tie rod end



Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

M14x1,5
M10x1,25
230
Front Axle Right

References

56820 2H090

Counterpart

28-16 020 0010 | MTE0264

Application info

Cee'd I [12/06-12/09]

37-16 020 0014 | MTE0422

Tie rod end



Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

M16x1,5
M10x1,25
189
Front Axle Left

References

56820 2K000

Counterpart

37-16 020 0015 | MTE0423

Application info

Soul [02/09-12/10]

Venga [02/10--]

37-16 020 0015 | MTE0423

Tie rod end



Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

M16x1,5
M10x1,25
189
Front Axle Right

References

56820 2K050

Counterpart

37-16 020 0014 | MTE0422

Application info

Soul [02/09-12/10]

Venga [02/10--]



Tie rod end

37-16 020 0009 | MTE0419

Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

M14x1,5
M10x1,25
169
Front Axle Left

References

56820 38000

Counterpart

37-16 020 0010 | MTE0420



Application info

Magentis I [05/01--]

Opirus [09/03-09/06]

Tie rod end

28-16 020 0000 | MTE0258

Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

M14x1,5
M12x1,25
156
Outer
Front Axle Left

References

56820 3E000

Counterpart

28-16 020 0001 | MTE0259



Application info

Sorento I [08/02--]

Tie rod end

28-16 020 0001 | MTE0259

Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

M14x1,5
M12x1,25
156
Outer
Front Axle Right

References

56820 3E900

Counterpart

28-16 020 0000 | MTE0258



Application info

Sorento I [08/02--]

6

37-16 020 0003 | MTE0415

Tie rod end



Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

M14x1,5
M10x1,25
72
Front Axle Right
Front Axle Left

References

56820 M2000

Application info

Joice [02/00--]

37-16 020 0010 | MTE0420

Tie rod end



Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

M14x1,5
M10x1,25
169
Front Axle Right

References

57780 38010

Counterpart

37-16 020 0009 | MTE0419

Application info

Magentis I [05/01--]

Opirus [09/03-09/06]



Ball joint

35-16 010 0001 | MBJ0205

Notes

Outer diameter [mm]	43
	Lower
	Front Axle Right
	Front Axle Left

References

ØG030-34550A	ØG030-34550B
--------------	--------------



Application info

Clarus (07/96--)

Ball joint

28-16 010 0002 | MBJ0142

Notes

Cone Size [mm]	with accessories
	18
	Lower
	Front Axle Right
	Front Axle Left

References

ØK011 34510B



Application info

Retona (06/99--)

Sportage I (04/94-08/04)

Ball joint

28-16 010 0007 | MBJ0145

Notes

Cone Size [mm]	16
	Lower
	Front Axle Right
	Front Axle Left

References

ØK201 34550C	ØK201 34550E
ØK201 34550D	



Application info

Sephia (09/93-10/97)

7

28-16 010 0003 | MBJ0143

Ball joint



Notes

Cone Size [mm]

with accessories
18
Lower
Front Axle Right
Front Axle Left

References

ØK2A1-34-550A

Application info

Carens I [11/00-07/02]
Sephia [09/93-10/97]

Shuma I [03/96-12/01]
Shuma II [05/01-08/04]

35-16 010 0018 | MBJ0207

Ball joint



Notes

Thread Size

M16x1,5
Upper
Front Axle Right
Front Axle Left

References

ØK710 34540

Application info

Besta [02/96--]

Besta [07/93-12/03]

37-16 010 0020 | MBJ0240

Ball joint



Notes

Thread Measurement 1

with accessories
M12x1,25
Lower
Front Axle Right
Front Axle Left

References

51760 16000

51760 16001

Application info

Rio II [03/05--]



Ball joint

37-16 010 0004 | MBJ0232

Notes

Outer diameter [mm]	80
Flange Hole Diameter [mm]	12.2
Thread Measurement 1	M12x1,25
	Lower
	Front Axle Right
	Front Axle Left

References

51760 2E000	51770-2E010
-------------	-------------



Application info

Sportage II [09/04--]

Ball joint

37-16 010 0019 | MBJ0239

Notes

Thread Measurement 1	M12x1,25
	Front Axle Right
	Front Axle Left

References

51760-00000	51760 2H000
51760 2G000	



Application info

Cee'd I [12/06-12/09]
Magentis I [05/01--]

Magentis II [11/05-12/08]

Ball joint

37-16 010 0009 | MBJ0235

Notes

Thread Size	M14x1,5
	Lower
	Front Axle Right
	Front Axle Left

References

51760 3B000	51761 3BA00
-------------	-------------



Application info

Magentis I [05/01--]

37-16 010 0002 | MBJ0231

Ball joint



Notes

Outer diameter [mm]
Thread Size

with accessories
40
M12x1,25
Lower
Front Axle Right
Front Axle Left

References

54503 22A00
54503 25A00
54503 31600

54530 2F000
54530 31600

Application info

Cerato [04/04--]

Venga [02/10--]

28-16 010 0000 | MBJ0140

Ball joint



Notes

Outer diameter [mm]

40
Lower
Front Axle Right
Front Axle Left

References

54530 07000

Application info

Picanto I [04/04--]

37-16 010 0006 | MBJ0234

Ball joint



Notes

Outer diameter [mm]
Cone Size [mm]

43
20
Lower
Front Axle Right
Front Axle Left

References

54503 28A00
54530 28000

54530 38000

Application info

Sorento II [11/09--]



Ball joint

37-16 010 0027 | MBJ0311

Notes

Front Axle Right
Front Axle Left

References

54530 3S000



Application info

Sportage III (07/10--)

Ball joint

37-16 010 0026 | MBJ0337

Notes

Front Axle Right
Front Axle Left

References

54530 2T010

54530 3S100



Application info

Cee'd II (05/12--)

Ball joint

28-16 010 0001 | MBJ0141

Notes

Lower
Front Axle Right
Front Axle Left

References

54530 3J000

54530 40000



Application info

Carnival III (06/06--)

7

28-16 010 0005 | MBJ0144

Ball joint



Notes

Thread Size

M20x1,5
Lower
Front Axle Right
Front Axle Left

References

54570 3E000
54570 3E001

54570 3E100

Application info

Sorento I [08/02--]

28-16 050 0024 | MCA0354

Control arm



Notes

Cast Steel
with ball joint
with rubber mounting
Control Arm
Upper
Front Axle Right
Front Axle Left

References

0K011 34200

0K011 34200A

Application info

Retona [06/99--]

Sportage I [04/94-08/04]

28-16 050 0010 | MCA0346

Control arm



Notes

Cast Steel
with ball joint
with rubber mounting
Control Arm
Lower
Front Axle Right

References

0K30B 34300B

Counterpart

28-16 050 0011 | MCA0347

Application info

Rio I [08/00-02/05]



Control arm

28-16 050 0011 | MCA0347

Notes

Cast Steel
with ball joint
with rubber mounting
Control Arm
Lower
Front Axle Left



References

ØK30B 34350B

Counterpart

28-16 050 0010 | MCA0346

Application info

Rio I (08/00-02/05)

Control arm

28-16 050 0016 | MCA0350

Notes

Steel
with ball joint
with rubber mounting
Control Arm
Lower
Front Axle Right



References

ØK552 34300A
ØK552 34300B

ØK552 34300C

Counterpart

28-16 050 0017 | MCA0351

Application info

Carnival I (08/99-10/01)

Carnival II (01/99-10/06)

Control arm

28-16 050 0017 | MCA0351

Notes

Steel
with ball joint
with rubber mounting
Control Arm
Lower
Front Axle Left



References

ØK552 34350A
ØK552 34350B

ØK552 34350C

Counterpart

28-16 050 0016 | MCA0350



28-16 050 0017 | MCA0351

Control arm

Application info

Carnival I [08/99-10/01]

Carnival II [01/99-10/06]

28-16 050 0006 | MCA0342

Control arm



Notes

Cast Steel
with ball joint
with rubber mounting
Control Arm
Upper
Front Axle Left

References

54410 3E000
54410 3E001

54410 3E002

Counterpart

28-16 050 0007 | MCA0343

Application info

Sorento I [08/02--]

28-16 050 0007 | MCA0343

Control arm



Notes

Cast Steel
with ball joint
with rubber mounting
Control Arm
Upper
Front Axle Right

References

54420 3E000
54420 3E001

54420 3E002

Counterpart

28-16 050 0006 | MCA0342

Application info

Sorento I [08/02--]



Control arm

28-16 050 0020 | MCA0352

Notes

Sheet Steel
Control Arm
Lower
Front Axle Left



References

54500 07100
54500 07200

Parts list

28-16 010 0000 | MBJ0140 Ball joint
28-14 610 0004 | MCB0357 Control arm bushing

Counterpart

28-16 050 0021 | MCA0353

Application info

Picanto I [04/04--]

Control arm

37-16 050 0047 | MCA0636

Notes

Sheet Steel
without ball joint
with rubber mounting
Control Arm
Lower
Front Axle Left



References

54500 0J000 54500 1E000

Parts list

37-14 610 0017 | MCB0259 Control arm bushing
37-14 610 0018 | MCB0260 Control arm bushing

Counterpart

37-16 050 0048 | MCA0637

Application info

Rio II [03/05--]

37-16 050 0045 | MCA0634

Control arm



Notes

Sheet Steel
without ball joint
with rubber mounting
Control Arm
Lower
Front Axle Left

References

54500 2H000

54500 2H100

Parts list

37-14 610 0006 | MCB0255

37-14 610 0016 | MCB0258

Control arm bushing
Control arm bushing

Counterpart

37-16 050 0046 | MCA0635

Application info

Cee'd I [12/06-12/09]

28-16 050 0013 | MCA0349

Control arm



Notes

Steel
with rubber mounting
with ball joint
Control Arm
Lower
Front Axle Left

References

54500 FD000

Counterpart

28-16 050 0012 | MCA0348

Application info

Rio I [08/00-02/05]



Control arm

28-16 050 0021 | MCA0353

Notes

Sheet Steel
Control Arm
Lower
Front Axle Right

References

54501 07100
54501 07200

54501 07250

Parts list

28-16 010 0000 | MBJ0140
28-14 610 0004 | MCB0357

Ball joint
Control arm bushing

Counterpart

28-16 050 0020 | MCA0352



Application info

Picanto I [04/04--]

Control arm

37-16 050 0048 | MCA0637

Notes

Sheet Steel
without ball joint
with rubber mounting
Control Arm
Lower
Front Axle Right

References

54501 0J000

54501 1E000

Parts list

37-14 610 0017 | MCB0259
37-14 610 0018 | MCB0260

Control arm bushing
Control arm bushing

Counterpart

37-16 050 0047 | MCA0636



Application info

Rio II [03/05--]

37-16 050 0046 | MCA0635

Control arm



Notes

Sheet Steel
without ball joint
with rubber mounting
Control Arm
Lower
Front Axle Right

References

54501 2H000

54501 2H100

Parts list

37-14 610 0006 | MCB0255

37-14 610 0016 | MCB0258

Control arm bushing

Control arm bushing

Counterpart

37-16 050 0045 | MCA0634

Application info

Cee'd I [12/06-12/09]

28-16 050 0012 | MCA0348

Control arm



Notes

Steel
with rubber mounting
with ball joint
Control Arm
Lower
Front Axle Right

References

54501 FD000

Counterpart

28-16 050 0013 | MCA0349

Application info

Rio I [08/00-02/05]



Control arm

28-16 050 0008 | MCA0344

Notes

Thread Size

Sheet Steel
M20x1,5
with rubber mounting
with ball joint
Control Arm
Lower
Front Axle Left

References

54510 3E000
54510 3E001

54510 3E002

Parts list

28-16 010 0005 | MBJ0144
28-14 610 0001 | MCM0056
28-14 610 0000 | MCB0188
28-14 610 0002 | MCB0189

Ball joint
Mount, control arm
Control arm bushing
Control arm bushing

Counterpart

28-16 050 0009 | MCA0345



Application info

Sorento I (08/02--)

Control arm

28-16 050 0009 | MCA0345

Notes

Thread Size

Sheet Steel
M20x1,5
with rubber mounting
with ball joint
Control Arm
Lower
Front Axle Right

References

54520 3E000
54520 3E001

54520 3E002

Parts list

28-16 010 0005 | MBJ0144
28-14 610 0001 | MCM0056
28-14 610 0000 | MCB0188
28-14 610 0002 | MCB0189

Ball joint
Mount, control arm
Control arm bushing
Control arm bushing

Counterpart

28-16 050 0008 | MCA0344



Application info

Sorento I (08/02--)

28-16 050 0038 | MCA0355

Control arm



Notes

Length [mm]

Steel
195
with ball joint
with rubber mounting
Control Arm
Rear Axle Right
Rear Axle Left

References

55250 1H000

55250 2H000

Application info

Cee'd I (12/06-12/09)

37-14 610 0018 | MCB0260

Control arm bushing



Notes

Inner diameter [mm]
Outer diameter [mm]
Height [mm]

12
33
54
Front
Lower
Front Axle Right
Front Axle Left

References

54551 1E000

54551 2K000

Application info

Rio II (03/05--)

Rio III (09/11--)

37-14 610 0016 | MCB0258

Control arm bushing



Notes

Inner diameter [mm]
Outer diameter [mm]
Height [mm]

13
38
55
inner
Lower
Front Axle Right
Front Axle Left

References

54551 2H000

Application info

Cee'd I (12/06-12/09)

Sportage II (09/04--)



Control arm bushing


28-14 610 0000 | MCB0188

Notes

Inner diameter [mm]	18
Outer diameter [mm]	51
Height [mm]	69
	inner
	Lower
	Front Axle Right
	Front Axle Left

References

54580 3E001



Application info

Sorento I [08/02--]

Control arm bushing

28-14 610 0002 | MCB0189

Notes

Inner diameter [mm]	18
Outer diameter [mm]	54.5
Height 1 [mm]	69
	inner
	Lower
	Front Axle Right
	Front Axle Left

References

54580 3E002



Application info

Sorento I [08/02--]

Control arm bushing

28-14 610 0004 | MCB0357

Notes

Inner diameter [mm]	12
Outer diameter [mm]	60
Height [mm]	55
	Rear
	Lower
	Front Axle Right
	Front Axle Left

References

54584 07000



Application info

Picanto I [04/04--]

7

37-14 610 0017 | MCB0259

Control arm bushing



Notes

Inner diameter [mm]	14
Outer diameter [mm]	66
Height [mm]	60
	Rear
	Lower
	Front Axle Right
	Front Axle Left

References

54584 1G000

Application info

Rio II (03/05--)

37-14 610 0006 | MCB0255

Control arm bushing



Notes

Inner diameter [mm]	14
Outer diameter [mm]	66
Height [mm]	60
	Front
	Lower
	Front Axle Right
	Front Axle Left

References

54584 2B000	54584 2H000
54584 2E000	54584 3B100

Application info

Cee'd I (12/06-12/09)
Magentis I (05/01--)
Magentis II (11/05-12/08)

Opirus (09/03-09/06)
Sorento II (11/09--)
Sportage II (09/04--)

37-14 610 0026 | MCB0268

Control arm bushing



Notes

Inner diameter [mm]	14
Outer diameter [mm]	63
Height [mm]	55
	Rear
	Lower
	Front Axle Right
	Front Axle Left

References

54584 2F000

Application info

Cerato (04/04--)



Control arm bushing

37-14 610 0027 | MCB0354

Notes

Inner diameter [mm]	14
Outer diameter [mm]	70
Height [mm]	60
	Front Axle Right
	Front Axle Left

References

54584 2S000



Application info

Sportage III (07/10--)

Mount, axle rod

37-14 711 0000 | MAM0025

Notes

Outer diameter [mm]	70
	for drag link
	Rear Axle Right
	Rear Axle Left

References

55543 2H000



Application info

Cee'd I (12/06-12/09)

Mount, control arm

28-14 610 0001 | MCM0056

Notes

Outer diameter [mm]	54
Height [mm]	27
	Centre
	Front Axle Right
	Front Axle Left

References

54590 3E000



Application info

Sorento I (08/02--)

7

37-14 711 0002 | MCM0143

Mount, control arm



Notes

Inner diameter [mm]	14
Outer diameter [mm]	44
Height [mm]	59
	Rear Axle Left
	Rear Axle Right

References

55130-40000

Application info

Carens II (07/02--)
Carens III (09/06--)
Carnival III (06/06--)
Cee'd I (12/06-12/09)

Optima (09/10--)
Sorento II (11/09--)
Sportage III (07/10--)

37-14 615 0001 | MSB0185

Mount, stabilizer



Notes

Inner diameter [mm]	22
	Front Axle Right
	Front Axle Left

References

54813 2H000

Application info

Cee'd I (12/06-12/09)

37-14 715 0000 |

Mount, stabilizer



Notes

	Rear Axle Right
	Rear Axle Left

References

55513-28200

Application info

Sorento II (11/09--)



Mount, stabilizer

37-14 615 0005 | MSB0501

Notes

Rear Axle



References

55513-3N100

Application info

Optima [09/10--]

Sportage III [07/10--]

Mount, stabilizer

37-14 615 0008 | MSB0499

Notes

Inner diameter [mm]

15
Rear Axle



References

55513-3N200

Application info

Cee'd II [05/12--]

Sportage III [07/10--]

Mount, stabilizer

37-14 615 0009 |

Notes

Rear Axle



References

55513-3N300

Application info

Sportage III [07/10--]

28-16 060 0006 | MSL0203

Stabilizer link



Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

Coupling Rod
M16x1,25
M10x1,25
190
Front Axle Right
Front Axle Left

References

ØK011 34160A

Application info

Sportage I [04/94-08/04]

35-16 060 0003 | MSL0385

Stabilizer link



Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

Coupling Rod
M10x1,25
M10x1,25
88
Rear Axle Right
Rear Axle Left

References

ØK0A3 28170A

Application info

Clarus [07/96--]

28-16 060 0024 | MSL0219

Stabilizer link



Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

Coupling Rod
M10x1,25
M10x1,25
280
Front Axle Right

References

ØK2FA 34150

Counterpart

28-16 060 0027 | MSL0222

Application info

Carens I [11/00-07/02]

Carens II [07/02--]



Stabilizer link

28-16 060 0027 | MSL0222

Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

Coupling Rod
M10x1,25
M10x1,25
280
Front Axle Left

References

ØK2FA 34170

Counterpart

28-16 060 0024 | MSL0219



Application info

Carens I [11/00-07/02]

Carens II [07/02--]

Stabilizer link

28-16 060 0009 | MSL0206

Notes

Thread Measurement 1
Length [mm]

Coupling Rod
M10x1,25
90
Rear Axle Right
Rear Axle Left

References

ØK2A1 34150A
ØK2A1 34150B

ØK2M2 28150



Application info

Carens I [11/00-07/02]
Carens II [07/02--]
Sephia [09/93-10/97]

Shuma I [03/96-12/01]
Shuma II [05/01-08/04]

Stabilizer link

28-16 060 0020 | MSL0215

Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

Coupling Rod
M10x1,25
M10x1,25
274
Front Axle Right

References

ØK2N1 34150A

Counterpart

28-16 060 0014 | MSL0210



Application info

Shuma I [03/96-12/01]

Shuma II [05/01-08/04]

28-16 060 0014 | MSL0210

Stabilizer link



Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

Coupling Rod
M10x1,25
M10x1,25
274
Front Axle Left

References

ØK2N1 34170A

Counterpart

28-16 060 0020 | MSL0215

Application info

Shuma I [03/96-12/01]

Shuma II [05/01-08/04]

28-16 060 0026/HD | MSL0221HD

Stabilizer link



Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

with spanner attachment
Coupling Rod
M10x1,5
M10x1,5
240
Front Axle Right

Reinforced Version

References

ØK33C 34150A

Counterpart

28-16 060 0021/HD | MSL0216HD

Application info

Rio I [08/00-02/05]

28-16 060 0021/HD | MSL0216HD

Stabilizer link



Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

with spanner attachment
Coupling Rod
M10x1,5
M10x1,5
240
Front Axle Left

Reinforced Version

References

ØK33C 34160A

Counterpart

28-16 060 0026/HD | MSL0221HD

7

Stabilizer link

28-16 060 0021/HD | MSL0216HD

Application info

Rio I [08/00-02/05]

Stabilizer link

28-16 060 0019/HD | MSL0214HD

Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

Reinforced Version

References

0K552 34160B

with spanner attachment
Coupling Rod
M12X1,5
M12X1,5
64
Front Axle Right
Front Axle Left



Application info

Carnival I [08/99-10/01]

Carnival II [01/99-10/06]

Stabilizer link

37-16 060 0048 | MSL0587

Notes

Thread Size
Length [mm]

References

13251 10001
13251 10003

Coupling Rod
M10X1,25
190
Front Axle Right
Front Axle Left

54719 43001



Application info

Sorento I [08/02--]

Stabilizer link

28-16 060 0013 | MSL0209

Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

References

54810 3E000

Coupling Rod
M10x1,25
M12x1,25
154
Front Axle Right
Front Axle Left



28-16 060 0013 | MSL0209

Stabilizer link

Application info

Sorento I [08/02--]

28-16 060 0022/HD | MSL0217HD

Stabilizer link



Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

Reinforced Version

References

54811 3E010

with spanner attachment
Coupling Rod
M12X1,5
M12X1,5
85
Front Axle Left

54811 3E110

Counterpart

28-16 060 0011/HD | MSL0207HD

Application info

Sorento I [08/02--]

28-16 060 0011/HD | MSL0207HD

Stabilizer link



Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

Reinforced Version

References

54811 3E060

with spanner attachment
Coupling Rod
M12X1,5
M12X1,5
85
Front Axle Right

54811 3E160

Counterpart

28-16 060 0022/HD | MSL0217HD

Application info

Sorento I [08/02--]



Stabilizer link

28-16 060 0007 | MSL0204

Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

Coupling Rod
M10x1,25
M10x1,25
218
Front Axle Left

References

54820 F0000

Counterpart

28-16 060 0008 | MSL0205



Application info

Rio I (08/00-02/05)

Stabilizer link

28-16 060 0023/HD | MSL0218HD

Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

with spanner attachment
Coupling Rod
M10x1,5
M10x1,5
229
Front Axle Left

Reinforced Version

References

54830 07000

Counterpart

28-16 060 0025/HD | MSL0220HD



Application info

Picanto I (04/04--)

Stabilizer link

28-16 060 0035 | MSL0778

Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

with spanner attachment
Coupling Rod
M10x1,5
M10x1,5
229
Front Axle Left

References

54830 07000

Counterpart

28-16 060 0036 | MSL0779



28-16 060 0035 | MSL0778

Stabilizer link

Application info

Picanto I [04/04--]

37-16 060 0028/HD | MSL0453HD

Stabilizer link



Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

Reinforced Version

References

54830 1F000

with spanner attachment
Coupling Rod
M12X1,5
M12X1,5
237
Front Axle Right
Front Axle Left

Application info

Sportage II [09/04--]

37-16 060 0057 | MSL0866

Stabilizer link



Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

References

54830 1F000

with spanner attachment
Coupling Rod
M12X1,5
M12X1,5
237
Front Axle Right
Front Axle Left

Application info

Sportage II [09/04--]

Stabilizer link

37-16 060 0036/HD | MSL0461HD

Notes

with spanner attachment
Coupling Rod
Thread Measurement 2 M12x1,75
Thread Measurement 1 M12x1,75
Length [mm] 285
Front Axle Left

Reinforced Version

References

54830-1E000 54830 1G000
54830-1E100 54830 1G500

Counterpart

37-16 060 0034/HD | MSL0459HD



Application info

Rio II (03/05--)

Stabilizer link

37-16 060 0039 | MSL0462

Notes


Coupling Rod
Thread Measurement 2 M10x1,25
Thread Measurement 1 M10x1,25
Length [mm] 216
Front Axle Left

References

54830 1J000

Counterpart

37-16 060 0040 | MSL0463



Application info

Picanto II (05/11--)

Venga (02/10--)

Stabilizer link

37-16 060 0032/HD | MSL0457HD

Notes

with spanner attachment
Coupling Rod
Thread Measurement 2 M12x1,5
Thread Measurement 1 M12x1,5
Length [mm] 341
Front Axle Left


Reinforced Version

References

54830 2B000 54830 2B200

Counterpart

37-16 060 0031/HD | MSL0456HD



37-16 060 0032/HD | MSL0457HD

Stabilizer link

Application info

Sorento II [11/09--]

28-16 060 0017/HD | MSL0212HD

Stabilizer link



Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

Reinforced Version

References

54830 2F000

Counterpart

28-16 060 0018/HD | MSL0213HD

with spanner attachment
Coupling Rod
M10x1,5
M10x1,5
250.5
Front Axle Left

Application info

Cerato [04/04--]

28-16 060 0001 | MSL0198

Stabilizer link



Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

References

54830 2G000

Coupling Rod
M12x1,25
M12x1,25
241
Front Axle Right
Front Axle Left

Application info

Carens II [07/02--]
Carens III [09/06--]

Magentis II [11/05-12/08]



Stabilizer link

28-16 060 0028 | MSL0223

Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

Coupling Rod
M12x1,25
M12x1,25
243
Front Axle Right
Front Axle Left

References

54830 2H000 54830 2H100
54830 2H001 54830 2H200



Application info

Cee'd I [12/06-12/09]

Stabilizer link

37-16 060 0041/HD | MSL0464HD

Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

with spanner attachment
Coupling Rod
M12x1,5
M12x1,5
267
Front Axle Right
Front Axle Left

Reinforced Version

References

54830 2S200 54830-3W300



Application info

Sportage III [07/10--]

Stabilizer link

28-16 060 0012 | MSL0208

Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

Coupling Rod
M10x1,25
M10x1,25
104
Front Axle Right
Front Axle Left

References

54830 38100 54830 38110



Application info

Magentis I [05/01--]

Opirus [09/03-09/06]

28-16 060 0004 | MSL0201

Stabilizer link



Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

Coupling Rod
M12x1,25
M12x1,25
322
Front Axle Left

References

54830 40000

Counterpart

28-16 060 0005 | MSL0202

Application info

Carnival III [06/06--]

28-16 060 0008 | MSL0205

Stabilizer link



Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

Coupling Rod
M10x1,25
M10x1,25
218
Front Axle Right

References

54830 FD000

Counterpart

28-16 060 0007 | MSL0204

Application info

Rio I [08/00-02/05]

28-16 060 0025/HD | MSL0220HD

Stabilizer link



Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

with spanner attachment
Coupling Rod
M10x1,5
M10x1,5
229
Front Axle Right

Reinforced Version

References

54840 07000

Counterpart

28-16 060 0023/HD | MSL0218HD

Application info

Picanto I [04/04--]



Stabilizer link

28-16 060 0036 | MSL0779

Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

with spanner attachment
Coupling Rod
M10x1,5
M10x1,5
229
Front Axle Right

References

54840 07000

Counterpart

28-16 060 0035 | MSL0778



Application info

Picanto I [04/04--]

Stabilizer link

37-16 060 0034/HD | MSL0459HD

Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

with spanner attachment
Coupling Rod
M12x1,75
M12x1,75
285
Front Axle Right

Reinforced Version

References

54840 1E000

54840 1E100

54840 1G000

54840 1G500

Counterpart

37-16 060 0036/HD | MSL0461HD



Application info

Rio II [03/05--]

Stabilizer link

37-16 060 0040 | MSL0463

Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]


Coupling Rod
M10x1,25
M10x1,25
216
Front Axle Right

References

54840 1J000

Counterpart

37-16 060 0039 | MSL0462



37-16 060 0040 | MSL0463

Stabilizer link

Application info

Picanto II [05/11--]

Venga [02/10--]

37-16 060 0031/HD | MSL0456HD

Stabilizer link



Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

Reinforced Version

References

54840 2B000

with spanner attachment
Coupling Rod
M12X1,5
M12X1,5
341
Front Axle Right

54840 2B200

Counterpart

37-16 060 0032/HD | MSL0457HD

Application info

Sorento II [11/09--]

28-16 060 0018/HD | MSL0213HD

Stabilizer link



Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

Reinforced Version

References

54840 2F000

with spanner attachment
Coupling Rod
M10x1,5
M10x1,5
250.5
Front Axle Right

Counterpart

28-16 060 0017/HD | MSL0212HD

Application info

Cerato [04/04--]



Stabilizer link

28-16 060 0005 | MSL0202

Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

Coupling Rod
M12x1,25
M12x1,25
322
Front Axle Right

References

54840 40000

Counterpart

28-16 060 0004 | MSL0201



Application info

Carnival III [06/06--]

Stabilizer link

28-16 060 0015/HD | MSL0211HD

Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

Coupling Rod
M10x1,5
M10x1,5
130
Rear Axle Right
Rear Axle Left

Reinforced Version

References

55530 17000

55530 17010



Application info

Cerato [04/04--]

Stabilizer link

37-16 060 0010/HD | MSL0436HD

Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

with spanner attachment
Coupling Rod
M12x1,5
M12x1,5
220
Rear Axle Right
Rear Axle Left

Reinforced Version

References

55530-1F000



Application info

Sportage II [09/04--]

37-16 060 0053 | MSL0862

Stabilizer link



Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

with spanner attachment
Coupling Rod
M12X1,5
M12X1,5
220
Rear Axle Right
Rear Axle Left

References

55530-1F000

Application info

Sportage II [09/04--]

28-16 060 0029 | MSL0224

Stabilizer link



Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

Coupling Rod
M10x1,25
M10x1,25
170
Rear Axle Right
Rear Axle Left

References

55530 1H000
55530 1H100

55530 2H000

Application info

Cee'd I [12/06-12/09]

37-16 060 0033/HD | MSL0458HD

Stabilizer link



Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

Coupling Rod
M12X1,5
M12X1,5
99
Rear Axle Right
Rear Axle Left

Reinforced Version

References

55530 28000

55530 28200

Application info

Sorento II [11/09--]



Stabilizer link

37-16 060 0042 | MSL0465

Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

Coupling Rod
M12x1,25
M12x1,25
140
Rear Axle Right
Rear Axle Left

References

55530 2S100

55530 2S200



Application info

Sportage III (07/10--)

Stabilizer link

28-16 060 0002/HD | MSL0199HD

Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

with spanner attachment
Coupling Rod
M12X1,5
M12X1,5
120
Rear Axle Left


Reinforced Version

References

55580 3E000

Counterpart

28-16 060 0003/HD | MSL0200HD



Application info

Sorento I (08/02--)

Stabilizer link

28-16 060 0003/HD | MSL0200HD

Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

with spanner attachment
Coupling Rod
M12X1,5
M12X1,5
120
Rear Axle Right

Reinforced Version

References

55580 3E050

Counterpart

28-16 060 0002/HD | MSL0199HD



28-16 060 0003/HD | MSL0200HD

Stabilizer link

Application info

Sorento I (08/02--)

35-16 060 0002 | MSL0384

Stabilizer link



Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

Coupling Rod
M10x1,25
M10x1,25
105
Front Axle Right

References

KGA2A 34150
KGA2A 34150A

KGA2A 34150B

Counterpart

35-16 060 0001 | MSL0383

Application info

Clarus (07/96--)

35-16 060 0001 | MSL0383

Stabilizer link



Notes

Thread Measurement 2
Thread Measurement 1
Length [mm]

Coupling Rod
M10x1,25
M10x1,25
105
Front Axle Left

References

KGA2A 34170
KGA2A 34170A

KGA2A 34170B

Counterpart

35-16 060 0002 | MSL0384

Application info

Clarus (07/96--)



Dust cover kit, shock absorber

28-14 640 0000 | MSC0138

Notes

Kit
Front Axle



Application info

Cee'd I [12/06-12/09]

Dust cover kit, shock absorber

37-14 640 0000 | MSC0080

Notes

Kit
Front Axle



Application info

Sportage II [09/04--]

Dust cover kit, shock absorber

37-14 740 0000 | MSC0081

Notes

Kit
Rear Axle



Application info

Sorento II [11/09--]

Sportage II [09/04--]

7

28-14 742 0000 | MRS0128

Rubber stop, suspension



Notes

Height [mm] 106
Required quantity 2
Rear Axle

References

55326 07100

Application info

Picanto I [04/04--]

Picanto II [05/11--]

28-26 623 0005 | MSA0620

Shock absorber



Notes

Suspension Strut
Gas Pressure
Twin-Tube
Front Axle Left

References

54650 07100 54650 07200

Counterpart

28-26 623 0004 | MSA0619

Application info

Picanto I [04/04--]

37-26 623 0014 | MSA0390

Shock absorber



Notes

Suspension Strut
Gas Pressure
Twin-Tube
Front Axle Left

References

54650 1G200 54650 1G400

Counterpart

37-26 623 0015 | MSA0391

Application info

Rio II [03/05--]

7



Shock absorber

28-26 623 0008 | MSA0636

Notes

Suspension Strut
Gas Pressure
Twin-Tube
Front Axle Left

References

54651 1H000

54651 1H100

Counterpart

28-26 623 0009 | MSA0637



Application info

Cee'd I [12/06-12/09]

Shock absorber

37-26 623 0013 | MSA0389

Notes

Suspension Strut
Gas Pressure
Twin-Tube
Front Axle Right

References

54651 2E201

54651 2E500

54661 2E500

Counterpart

37-26 623 0012 | MSA0388



Application info

Sportage II [09/04--]

Shock absorber

28-26 623 0004 | MSA0619

Notes

Suspension Strut
Gas Pressure
Twin-Tube
Front Axle Right

References

54660 07100

54660 07200

Counterpart

28-26 623 0005 | MSA0620



Application info

Picanto I [04/04--]

37-26 623 0015 | MSA0391

Shock absorber



Notes

Suspension Strut
Gas Pressure
Twin-Tube
Front Axle Right

References

54660 1G200

54660 1G400

Counterpart

37-26 623 0014 | MSA0390

Application info

Rio II (03/05--)

28-26 623 0009 | MSA0637

Shock absorber



Notes

Suspension Strut
Gas Pressure
Twin-Tube
Front Axle Right

References

54661 1H000

54661 1H100

Counterpart

28-26 623 0008 | MSA0636

Application info

Cee'd I (12/06-12/09)

37-26 623 0012 | MSA0388

Shock absorber



Notes

Suspension Strut
Gas Pressure
Twin-Tube
Front Axle Left

References

54651 2E500

54661 2E201

54661 2E500

Counterpart

37-26 623 0013 | MSA0389

Application info

Sportage II (09/04--)

7



Shock absorber

28-26 725 0002 | MSA0644

Notes

Bottom eye
Top pin
Gas Pressure
Twin-Tube
Rear Axle

References

55300 1Y100 55310 07100
55300 1Y200 55310 07200



Application info

Picanto I (04/04--)

Picanto II (05/11--)

Shock absorber

37-26 725 0007 | MSA0638

Notes

Bottom Fork
Top pin
Gas Pressure
Twin-Tube
Rear Axle

References

55310 1H000 55311 1H100
55310 1H003 55311 1H200
55310 1H100 55311 1H500
55310 1H102 55311 1H600
55310 1H200 55311 2L000
55310 1H201 55311 2L100
55310 1H202 55311 2L200
55311 1D400 55311 2L600
55311 1H000 55311 2R200



Application info

Cee'd I (12/06-12/09)

Cee'd II (05/12--)

Shock absorber

37-26 723 0003 | MSA0400

Notes

Suspension Strut
Gas Pressure
Twin-Tube
Rear Axle Left

References

55351 2E501 55361 2E501
55361 2E201

Counterpart

37-26 723 0002 | MSA0399



7



37-26 723 0003 | MSA0400

Shock absorber

Application info
Sportage II (09/04--)

37-26 723 0002 | MSA0399

Shock absorber



Notes

Suspension Strut
Gas Pressure
Twin-Tube
Rear Axle Right

References

55351 2E202 55361 2E501
55351 2E501

Counterpart

37-26 723 0003 | MSA0400

Application info
Sportage II (09/04--)

214 770 0001 | MMB0014

Strut mount bearing



Notes

Inner diameter [mm]
Outer diameter [mm]
Height [mm]

Suspension Strut
66.5
99
20
Front Axle

References

54612-2C-000

Application info
Carens III (09/06--)
Cee'd I (12/06-12/09)

Rio II (03/05--)

014 098 0024 | MWB0001

Wheel bearing



Notes

Alternative Repair Kit
Alternative Repair Kit
Alternative Repair Kit
Alternative Repair Kit
Alternative Repair Kit
Inner diameter [mm]
Outer diameter [mm]
Height [mm]

614 750 0009
714 502 0006
014 033 0048
100 498 0023
100 598 0002
19
45
17

Wheel bearing

014 098 0024 | MWB0001

Application info

Rio I (08/00-02/05)

Wheel bearing kit

37-14 650 0001 | MWK0169

Notes

Inner diameter [mm]	with add-on material
Outer diameter [mm]	37
Height [mm]	70
	38
	Front Axle left and right

References

51720 02000



Application info

Rio II (03/05--)

Wheel bearing kit

37-14 650 0002 | MWK0170

Notes

Inner diameter [mm]	with add-on material
Outer diameter [mm]	38
Height [mm]	70
	37
	Front Axle left and right

References

51720 02000



Application info

Picanto I (04/04--)

Wheel bearing kit

37-14 650 0007 | MWK0216

Notes

Inner diameter [mm]	with accessories
Outer diameter [mm]	42
Height [mm]	78
	40
	Front Axle left and right

References

51720 00000	51720 2K000
51720 2H000	



37-14 650 0007 | MWK0216

Wheel bearing kit

Application info

Cee'd I [12/06-12/09]
Soul [02/09-12/10]

Venga [02/10--]

37-14 650 0004 | MWK0213

Wheel bearing kit



Notes

Inner diameter [mm]
Outer diameter [mm]
Height [mm]

with add-on material
45
84
41
Front Axle left and right

References

51720 38110

Application info

Carens III [09/06--]
Magentis I [05/01--]
Magentis II [11/05-12/08]

Sportage II [09/04--]
Sportage III [07/10--]

35-14 650 0000 | MWK0166

Wheel bearing kit



Notes

Inner diameter [mm]
Outer diameter [mm]
Height [mm]

with add-on material
42
80
45

References

ØK2JT 33047
ØK9A2 33047

KGA2A 33047

Application info

Carens II [07/02--]
Clarus [07/96--]

Shuma II [05/01-08/04]

7



Wheel bearing kit

35-14 013 3047/S | MWK0164

Notes

Inner diameter [mm]
Outer diameter [mm]
Height [mm]

with add-on material
37.5
63
17.25
Front Axle left and right

References

D06Y 33042
KK150 33047

MB001 33065A
MB092 33067



Application info

Pride (01/90-05/97)

Wheel bearing kit

35-14 553 3047 | MWK0165

Notes

Inner diameter [mm]
Outer diameter [mm]
Height [mm]

with add-on material
40
74
39.9

References

OK201 33047



Application info

Sephia (09/93-10/97)

Shuma I (03/96-12/01)

Wheel hub

37-14 652 0002 | MWH0236

Notes

Inner diameter [mm]
Outer diameter [mm]
Bolt Hole Circle Ø [mm]

with accessories
30
140
114.3
Four-point mounting
with wheel studs
with wheel hub
5

Number of Holes

References

51750-2B010

51750-3J000



Application info

Sorento II (11/09--)

37-14 752 0011 | MWH0254

Wheel hub



Notes

with accessories
for vehicles with ABS
Four-point mounting
with ABS sensor ring
with wheel studs
with integrated wheel bearing
5
Rear Axle left and right

Number of Holes

References

52730-2G200

Application info

Magentis II (11/05-12/08)

37-14 752 0008 | MWH0231

Wheel hub



Notes

without add-on material
for vehicles with ABS
148
114.3
Four-point mounting
with wheel studs
5
Rear Axle left and right

Outer diameter [mm]
Bolt Hole Circle Ø [mm]

Number of Holes

References

52730 2H000

Application info

Cee'd I (12/06-12/09)

Cee'd II (05/12--)

37-14 752 0010 | MWH0250

Wheel hub



Notes

with add-on material
Four-point mounting
5
Rear Axle left and right

Number of Holes

References

52730-3S200

Application info

Carens III (09/06--)
Optima (09/10--)

Sportage III (07/10--)

7

Wheel hub
37-14 752 0002 | MWH0152
Notes

 Outer diameter [mm]
 Bolt Hole Circle Ø [mm]
 Rim Hole Number

 without add-on material
 for vehicles without ABS
 140
 100
 4
 Four-point mounting
 with wheel studs
 with integrated wheel bearing
 Rear Axle left and right

References

52750 16000 52750 16001


Application info

Picanto I [04/04--]

Rio II [03/05--]

Wheel hub
37-14 752 0001 | MWH0151
Notes

 Outer diameter [mm]
 Bolt Hole Circle Ø [mm]
 Rim Hole Number

 without add-on material
 140
 100
 4
 with integrated ABS sensor
 with wheel studs
 with integrated wheel bearing
 Rear Axle left and right

References

52750 16100 52750 16101


Application info

Picanto I [04/04--]

Rio II [03/05--]

Wheel hub
37-14 752 0007 | MWH0155
Notes

 Outer diameter [mm]
 Outer diameter 2 [mm]
 Outer diameter 1 [mm]
 Bolt Hole Circle Ø [mm]
 Rim Hole Number

 without add-on material
 139.2
 69
 67
 114.3
 5
 Four-point mounting
 with integrated wheel bearing
 with wheel studs
 with integrated ABS sensor
 Rear Axle left and right

References

52750 28100



37-14 752 0007 | MWH0155

Wheel hub

Application info

Sorento II [11/09--]

37-14 752 0012 | MWH0255

Wheel hub



Notes

Rim Hole Number

without accessories
5
without wheel bearing
with wheel studs
Rear Axle left and right

Application info

Sportage I [04/94-08/04]

Sportage II [09/04--]

MEYLE no.	Ref. no.	Page
Kia		
014 098 0024	-	174
014 698 0006	0K20A 3325Z	63
014 698 0006/S	0K20A 3325Z	63
025 200 0215/W	0K60A 3328Z 0K70Y 3328Z 0K71E 3328Z 0K71F 3328Z	48
025 207 5318	0K20A 3323Z 0K239 3323Z 0K240 3323Z 0K240 3323ZA 0K2X3 3323Z 0K2Y1 3323Z	45
025 213 5514/W	KK150 3323Z KK150 3328Z MDA19 3323Z	62
025 215 5314/W	58302 2FA10	58
025 216 5415/PD	K0BA2 3328Z	61
025 216 5415/W	K0BA2 3328Z	61
025 217 2517/W	58101 M2A02 58101 M2A04	54
025 218 2217	0K553 3323Z 0K553 3323ZA 0K553 3323ZB K5533 323ZB	47
025 231 0315	0K20A 3323Z 0K239 3323Z 0K240 3323Z 0K240 3323ZA 0K2X3 3323Z 0K2Y1 3323Z	45
025 233 8418/W	0K0Y2 3323Z 0K20A 3323Z 0K239 3323Z 0K240 3323Z 0K240 3323ZA 0K2A2 3323Z 0K2A2 3323ZA 0K2A2 3323ZB 0K2A3 3323Z 0K2A4 3323Z 0K2X3 3323Z 0K2Y1 3323Z 0K2Y3 3323Z 0K2Y3 3323ZA	47
025 234 1715/PD	58302 1PA30	56

MEYLE no.	Ref. no.	Page
Kia		
025 234 1715/W	58302 1PA30	57
025 234 4215/W	0K045 3323Z	44
025 234 5513/W	0K2FC 2628Z 0K9A0 2628Z	48
025 235 4314/PD	58302 1FE00 58302 2GA00 58302 38A10 58302 3CA10	58
025 235 4314/W	58302 1FE00 58302 2GA00 58302 38A10 58302 3CA10	59
025 236 4916/W	0K56A 3323Z 0K72G 3328Z 0K75A 3328Z 0K75B 3328Z	48
025 238 7316/W	0K2N1 3328Z 0K2N1 3328ZA 0K900 3328Z 58115 FDA00 58115 FDC00	54
025 238 9116/PD	58101 2KA10 58101 3CA20 58101 3CA80	52
025 238 9116/W	58101 2KA10 58101 3CA20 58101 3CA80	53
025 239 6617/PD	0K2JA 3328Z 0K2JA 3328ZA	46
025 239 6617/W	0K2JA 3328Z 0K2JA 3328ZA	46
025 240 5815/W	58302 3ED00 58302 3ED01 58302 3EE00	59
025 240 9217/W	58101 3EE00 58101 3EE01	53
025 242 1817/W	58101 2FA10 58101 2FA20	51
025 242 7516/W	58101 07A00 58101 07A10 58101 07A20	49
025 242 7614/W	58302 07A00 58302 07A10	55
025 243 1717/W	58101 1GE00	50
025 243 2015/PD	58302 0ZA00 58302 1GA00	55

MEYLE no.	Ref. no.	Page
Kia		
	58302 1HA00	
025 243 2015/W	58302 0ZA00 58302 1GA00 58302 1HA00	56
025 243 5117/W	581012PA70 581014DU00	52
025 244 9116/W	58302 1DE00	56
025 245 0116/PD	58101 1DE00 58101 2SA70	49
025 245 0116/W	58101 1DE00 58101 2SA70	50
025 245 5915/W	58302 4DE00	60
025 245 9717/W	58101 4DE00	54
025 249 3415/W	58302 1RA30 58302 1WA35 58302 2KA10 58302 2TA70 58302 3FA11	60
025 251 8419/W	58101 1PA00	50
025 253 3715/W	58302-A6A20	61
025 253 4818	581011-WA05 581011-WA35 581014-LA00	62
025 253 6516	581011YA00 581011YA30	51
025 256 7716	58302-1YA50	57
025 256 9218	58101-2VA00 58101-A6A00	52
029 300 1211	-	3
029 300 1213	-	4
029 350 1400	-	4
029 350 1413	-	4
029 350 1417	-	5
029 380 1514	-	5
029 400 1600	-	5
029 450 1800	-	6
029 475 1900	-	6
029 500 2000	-	6
029 530 2100	-	7
029 550 2200	-	7
029 600 2400	-	8
029 650 2600	-	8
050 004 0675	9771302000	89
050 004 0750	5717002710	88
050 004 0780	2521202550	81
050 004 0800	MB376 15907	91

MEYLE no.	Ref. no.	Page
Kia		
050 004 0815	9771311200 977131C200	91
050 004 0855	977132D510	90
050 004 0870	0K55215909	79
050 004 0875	B3C71 8381B	90
050 004 0884	0K03815907 0K21A18381 0K21A18381	91
050 004 0890	0K21A 18381 MB366 15907 MB36615907A	92
050 004 0900	0K20A 15908 KK371 15909	92
050 004 0925	0K011 18381A 0K2AA 15907 0K2AA32907 KK140 15909	92
050 004 0962	0K2AA15908 B3C715909C	93
050 004 1020	0K20B 15909	93
050 004 1045	0K244 15909A	79
050 004 1050	0K244 15909A	93
050 004 1063	0K2CP15909 571814A000	94
050 004 1080	0K2A3 15909	94
050 005 0890	-	94
050 005 0905	57170 39000 90916 02367	89
050 005 0950	0K9AC 15907	80
050 005 1060	0K9A3 15909	80
050 005 1393	57170 38010	89
050 005 1650	25212 2A300	83
050 005 1788	25212 2A000 25212 2A001	83
050 006 0955	25212 2B030	84
050 006 1195	97713 26300	90
050 006 1255	25212 2B020	84
050 006 1400	2521227160	82
050 006 1510	25212 27002 25212 27010 25212 27350	82
050 006 1515	25212 27002 25212 27350 25212 27351 25212 27360	82
050 006 1530	25212 2B010	84

MEYLE no.	Ref. no.	Page
Kia		
050 006 1570	-	95
050 006 1580	0K95K 15909	79
050 006 1705	25212 37160	86
050 006 2000	25212 37182	86
050 006 2013	0K9A6 15987 0K9A6 15987	80
050 006 2055	25212 3E000 25212 3E050	87
050 006 2125	25212 2G710	86
050 006 2140	25212 2B000	83
050 006 2415	25212 2F300	85
050 006 2475	25212 3C100 25212 3C200	87
050 006 2498	25212 2F000 25212 2F010	85
050 006 2510	25212 25020	81
050 006 2590	25212 25000	81
050 007 1730	25212 4A010	87
050 007 2250	25212 4A011 25212 4A400 25212 4A401	88
050 007 2271	25212 4A100	88
11-14 323 0001	0K2KB 13480 0K2KK 13483	110
214 770 0001	54612-2C-000	174
28-12 011 1340	0K011 13Z40 K0111 3Z40	104
28-12 319 0001	97133 2F000 97133 2F010 P8790 2F000 P8790 2F000A	12
28-12 319 0002	0K553 61C14 0K553 61C14A K5536 1C14	9
28-12 319 0004	97133 2K000	13
28-12 319 0005	97133 1P000	11
28-12 319 0006/S	0K2C0 6152X 0K2C0 6153X K2C56 152XA	8
28-12 319 0008/S	0K2FA 6152X 0K2FA 6152XA 0K2FE 6152X	9
28-12 319 0009	97133 0Z000	10
28-12 321 0000	28113 07100	104
28-12 321 0005	28113 3E000	109
28-12 321 0006	0K552 23603A	104

MEYLE no.	Ref. no.	Page
Kia		
	0K552 23603A	
28-12 321 0008	28113 1G100	105
28-12 321 0009	28113 2G300	107
28-12 321 0010	28113 2H000	107
28-12 321 0011	28113 4D000	109
28-12 321 0013	28113 1R100	105
28-12 321 0014	28113 04000 28113 1Y100	105
28-13 220 0001	25100 4A000 25100 4A100 25100 4A300 M25100 4A000	103
28-13 220 0004	0K30C 15010A 25100 2X100 0K30C 15010A	101
28-13 220 0005	25100 02566	98
28-13 220 0006	0K30E 15010 25100 2X200 25100 2X400 25100 2X401	101
28-13 220 0007	25100 4X700	103
28-14 322 0000	26320 2A002 26320 2A300 26320 3C300	117
28-14 322 0001	0K410 23802A	114
28-14 322 0002	0K551 14302 26300-42040 26330-4A000 26330 4X000 K5511 4302	114
28-14 322 0003	26320 2F000 26320 2F010	117
28-14 322 0004	26310 2A510 26320 2A500 26320 3F100 26330 3C300	117
28-14 322 0005	26300 2Y500	115
28-14 323 0001	31922-2E900 31922 3A850	113
28-14 323 0005	0K552 12603A 31300 3E200	110
28-14 498 0000	KK388 22510 KK388 22610	71
28-14 498 0001	0K30A 22510 0K30A 22610 0K30A 25400	70

MEYLE no.	Ref. no.	Page
Kia		
	0K30B 22510 0K30B 22610 0K30B 25400 0K30B 25600	
28-14 498 0002	0K55C 22510A	70
28-14 498 0003	49500 07010 49500 07060 49591 07010 49591 07091	70
28-14 498 0004	0K200 22610 0K2C0 22510 K9A42 2510 KA942 2510	71
28-14 525 0000	58732 FD100	69
28-14 533 0000	58350 1HA00	66
28-14 533 0003	0K201 2638Z 0K201 2638ZA 0K23N 2638Z 0K2N1 2638Z	64
28-14 533 0004	0K045 2638Z	64
28-14 610 0000	54580 3E001	147
28-14 610 0001	54590 3E000	149
28-14 610 0002	54580 3E002	147
28-14 610 0004	54584 07000	147
28-14 640 0000	-	169
28-14 742 0000	55326 07100	170
28-14 860 0000	36710 4A000 36710 4A100	76
28-15 521 0000	KDX74 33251 MDX74 33251	43
28-15 521 0002	0K552 33251 0K552 33251A 0K56A 33251 KJ002 33251C KJ002 33251D	44
28-15 521 0006	51712 2F100	23
28-15 521 0009	51712 07500	17
28-15 521 0010	51712 07700	18
28-15 521 0012	0K55A 33251 0K55B 33251	16
28-15 521 0013	0K2FA 33251	15
28-15 521 0014	51712 FD300	28
28-15 521 0015	0K58B 33251	16
28-15 521 0021/PD	0K52Y 33251A	15
28-15 521 0022	51712 1H000 51712 1H100	21

MEYLE no.	Ref. no.	Page
Kia		
	51712 1M000 51712 2K100	
28-15 521 0022/PD	51712 1H000 51712 1H100 51712 1M000 51712 2K100	22
28-15 521 0023/PD	51712 1W050	22
28-15 521 0024/PD	51712 4D200	27
28-15 523 0002	0K9AA 26251 0K9AA 26251A 0K9AA 26251B 0K9AA 26251C	17
28-15 523 0003	58411 2F100	34
28-15 523 0005	58411 2K300	34
28-15 523 0007	0K30A 26251A	63
28-15 523 0009/PD	58411-0U300	29
28-15 523 0010	58411 1H100 58411 1H300	32
28-15 523 0010/PD	58411 1H100 58411 1H300	32
28-15 523 0011	58411 1D000	31
28-15 523 0011/PD	58411 1D000	31
28-15 523 0012	58411 3E500	40
28-15 523 0013/PD	58411 4D000	41
28-15 523 0018	58411 07000	64
28-16 010 0000	54530 07000	136
28-16 010 0001	54530 3J000 54530 4D000	137
28-16 010 0002	0K011 34510B	133
28-16 010 0003	0K2A1-34-550A	134
28-16 010 0005	54570 3E000 54570 3E001 54570 3E100	138
28-16 010 0007	0K201 34550C 0K201 34550D 0K201 34550E	133
28-16 020 0000	56820 3E000	131
28-16 020 0001	56820 3E900	131
28-16 020 0003	0K710 32240	126
28-16 020 0007	0K552 32280	125
28-16 020 0008	0K552 32240	125
28-16 020 0009	56820 07000 F4BZ3 A130A K9921 1201 MDX50 32280	126
28-16 020 0010	56820 2H000	129

MEYLE no.	Ref. no.	Page
Kia		
28-16 020 0011	56820 2H090	130
28-16 020 0018	56820 2G000	129
28-16 020 0019	56820 2G900	129
28-16 030 0001	0K201 32240 0K201 32240A 0K203 32240 0K203 32240A 0K9A2 32240	121
28-16 031 0010	0K2A1 32240	121
28-16 031 0011	56540 2H000	122
28-16 031 0022	565400U500	121
28-16 031 0023/HD	KDX50 32240 KDX50 32240A KDX50 32240B KDX53 32240 KDX53 32240B	124
28-16 031 0024/HD	56540 2H000	122
28-16 031 0025/HD	57731 3E010 57732 3E010	124
28-16 031 0026/HD	57724 07000 57724 07100	122
28-16 050 0006	54410 3E000 54410 3E001 54410 3E002	140
28-16 050 0007	54420 3E000 54420 3E001 54420 3E002	140
28-16 050 0008	54510 3E000 54510 3E001 54510 3E002	145
28-16 050 0009	54520 3E000 54520 3E001 54520 3E002	145
28-16 050 0010	0K30B 34300B	138
28-16 050 0011	0K30B 34350B	139
28-16 050 0012	54501 FD000	144
28-16 050 0013	54500 FD000	142
28-16 050 0016	0K552 34300A 0K552 34300B 0K552 34300C	139
28-16 050 0017	0K552 34350A 0K552 34350B 0K552 34350C	139
28-16 050 0020	54500 07100 54500 07200 54500 07250	141

MEYLE no.	Ref. no.	Page
Kia		
28-16 050 0021	54501 07100 54501 07200 54501 07250	143
28-16 050 0024	0K011 34200 0K011 34200A	138
28-16 050 0038	55250 1H000 55250 2H000	146
28-16 060 0001	54830 2G000	160
28-16 060 0002/HD	55580 3E000	167
28-16 060 0003/HD	55580 3E050	167
28-16 060 0004	54830 4D000	162
28-16 060 0005	54840 4D000	165
28-16 060 0006	0K011 34160A	152
28-16 060 0007	54820 FD000	157
28-16 060 0008	54830 FD000	162
28-16 060 0009	0K2A1 34150A 0K2A1 34150B 0K2M2 28150	153
28-16 060 0011/HD	54811 3E060 54811 3E160	156
28-16 060 0012	54830 38100 54830 38110	161
28-16 060 0013	54810 3E000	155
28-16 060 0014	0K2N1 34170A	154
28-16 060 0015/HD	55530 17000 55530 17010	165
28-16 060 0017/HD	54830 2F000	160
28-16 060 0018/HD	54840 2F000	164
28-16 060 0019/HD	0K552 34160B	155
28-16 060 0020	0K2N1 34150A	153
28-16 060 0021/HD	0K33C 34160A	154
28-16 060 0022/HD	54811 3E010 54811 3E110	156
28-16 060 0023/HD	54830 07000	157
28-16 060 0024	0K2FA 34150	152
28-16 060 0025/HD	54840 07000	162
28-16 060 0026/HD	0K33C 34150A	154
28-16 060 0027	0K2FA 34170	153
28-16 060 0028	54830 2H000 54830 2H001 54830 2H100 54830 2H200	161
28-16 060 0029	55530 1H000 55530 1H100 55530 2H000	166
28-16 060 0035	54830 07000	157

MEYLE no.	Ref. no.	Page
Kia		
28-16 060 0036	54840 07000	163
28-26 623 0004	54660 07100 54660 07200	171
28-26 623 0005	54650 07100 54650 07200	170
28-26 623 0008	54651 1H000 54651 1H100	171
28-26 623 0009	54661 1H000 54661 1H100	172
28-26 725 0002	55300 1Y100 55300 1Y200 55310 07100 55310 07200	173
28-28 228 0001	0K2C0 15171 0K2C0 15171A 0K30E 15171	95
28-28 228 0002	0K410 15171A	95
28-40 910 0007	81770 1H510 81780 1H510	3
28-40 910 0008	87170 3E000 87170 3E010 87180 3E000 87180 3E010	1
28-40 910 0009	81181 3E000 81181 3E001 81181 3E010 81181 3E011	1
28-40 910 0010	0K53Y 56620 0K53Y 56630 0K53Z 56620 0K53Z 56620A 0K53Z 56620B 0K53Z 56630 0K53Z 56630A 0K53Z 56630B	1
28-40 910 0011	81771 3E011 81771 3E020 81781 3E011 81781 3E020	3
28-40 910 0012	81770 07000 81780 07000	2
28-40 910 0014	0K2FB 62620 0K2FB 62620A 0K2FB 62620B 0K2FB 63620 0K2FB 63620A	2

MEYLE no.	Ref. no.	Page
Kia		
	0K2FB 63620B	
28-40 910 0015	81770 1G000 81780 1G000	2
28-51 902 1000	0K95K 12750	77
28-51 902 1001	24840 3E000 24840 3E500	78
30-14 323 0006	31911 34000	112
32-13 220 0005	25100 42501 25100 42541	102
32-14 322 0001	0VS01 14302	114
32-14 322 0006	0JE15-14-302 89315 67500	118
32-14 860 0000	36710 42500	75
32-15 523 0010	58411 M2050	43
35-13 015 0001	0K24A 15010	97
35-13 220 0001	RF951 5010	103
35-14 013 3047/S	006Y 33042 KK150 33047 MB001 33065A MB092 33067	177
35-14 322 0000	B6Y11 4302A9A	118
35-14 322 0002	0K016 23802 0RF03 23802B 26300 35502 26300 35503 RF032 3802A RF032 3802B	119
35-14 323 0001	31390 H1000 K4672 3570	111
35-14 553 3047	0K201 33047	177
35-14 650 0000	0K2JT 33047 0K9A2 33047 KGA2A 33047	176
35-16 010 0001	0G030-34550A 0G030-34550B	133
35-16 010 0018	0K710 34540	134
35-16 020 0001	0K201 32280 0K201 32280A	125
35-16 060 0001	KGA2A 34170 KGA2A 34170A KGA2A 34170B	168
35-16 060 0002	KGA2A 34150 KGA2A 34150A KGA2A 34150B	168
35-16 060 0003	0K0A3 28170A	152
35-28 228 0000	0K9FC 15171	96

MEYLE no.	Ref. no.	Page
Kia		
	KE503 15171	
36-14 533 0015	58315 FDA00 58315 FDA01	66
37-12 319 0002	97619 3C100 9999Z 07010	13
37-12 319 0008	97133 07000 97133-07010 97133 0X900	9
37-12 319 0009	97133 1H000	10
37-12 319 0010	P8790 1F200	14
37-12 319 0011	97133-2B010 97133 3K000	11
37-12 319 0012/S	97133 2E910	12
37-12 320 0009	97133 1H000	10
37-12 320 0010	97133 2E200	11
37-12 320 0011	97133 3K000	13
37-12 321 0000	28113 2F250	106
37-12 321 0011	28113 26000	106
37-12 321 0018	28113 32510	109
37-12 321 0019	28113 2D000 28113 2F000	106
37-12 321 0024	28113 1J000 28113 1P000 28113 2K000	107
37-12 321 0025	28113 2S000	108
37-12 321 0030	28113 2P300	108
37-12 321 0031	28113 2P100	108
37-13 220 0001	25100 37102 25100 37200 25100 37201 25100 37202	102
37-13 220 0002	25100-38002 25100-38200	102
37-13 220 0003	25100 23003 25100 23010 25100 23022 25100 23530	98
37-13 220 0004	25100 27000 25100 27010	99
37-13 220 0005	25100 26015 25100 26016 25100 26660 25100 26900 25100 26901 25100 26902	99
37-13 220 0006	25100 27400	99

MEYLE no.	Ref. no.	Page
Kia		
37-13 220 0007	25100 2A000 25100 2A001	100
37-13 220 0008	25100 2B000	100
37-13 220 0012	25100 2B700	100
37-13 220 0014	25100 03010	98
37-14 322 0001	26310 4A000	116
37-14 322 0002	26320 27400	116
37-14 322 0003	26320 27001	116
37-14 322 0009	26300 02501 26300 02502	115
37-14 323 0001	31922 2B900	112
37-14 323 0002	31910 2H000	111
37-14 323 0007	31922 26910	112
37-14 533 0005	58305 2KA00	65
37-14 533 0006	58350 1GA00	66
37-14 533 0007	58305 1GA00	65
37-14 533 0008	58350 2EA00	67
37-14 533 0008	58350 2EA00	67
37-14 533 0014	58350 2EA00	67-68
37-14 533 0014	58350 2EA00	67-68
37-14 533 0015	58350 3ED00	68
37-14 533 0018	58350 3CA10	68
37-14 610 0006	54584 2B000 54584 2E000 54584 2H000 54584 38100	148
37-14 610 0016	54551 2H000	146
37-14 610 0017	54584 1G000	148
37-14 610 0018	54551 1E000 54551 2K000	146
37-14 610 0026	54584 2F000	148
37-14 610 0027	54584 2S000	149
37-14 615 0001	54813 2H000	150
37-14 615 0005	55513-3N100	151
37-14 615 0008	55513-3N200	151
37-14 615 0009	55513-3N300	151
37-14 620 0001	57740-2K010	120
37-14 620 0002	57728-2S000	120
37-14 640 0000	-	169
37-14 650 0001	51720 02000	175
37-14 650 0002	51720 02000	175
37-14 650 0004	51720 38110	176
37-14 650 0007	51720 0Q000 51720 2H000 51720 2K000	175
37-14 652 0002	51750-2B010	177

MEYLE no.	Ref. no.	Page
Kia		
	51750-3J000	
37-14 711 0000	55543 2H000	149
37-14 711 0002	55130-4D000	150
37-14 715 0000	55513-2B200	150
37-14 740 0000	-	169
37-14 752 0001	52750 1G100 52750 1G101	179
37-14 752 0002	52750 1G000 52750 1G001	179
37-14 752 0007	52750 2B100	179
37-14 752 0008	52730 2H000	178
37-14 752 0010	52730-3S200	178
37-14 752 0011	52730-2G200	178
37-14 752 0012	-	180
37-14 860 0000	36710 27000	72
37-14 860 0001	36710 2A100	73
37-14 860 0002	36710 42000 36710 42010 36710 42020 36710 42021 36710 42060 36710 42510 36710 42550	75
37-14 860 0004	36710 2F100	74
37-14 860 0005	36710 2F000	74
37-14 860 0006	36710 2A700	73
37-15 521 0014	51712 3C000 51712 3C100	26
37-15 521 0029	51712 1D100 51712 1F000 51712 2C000 51712 3K050	20
37-15 521 0029/PD	51712 1D100 51712 2C000 51712 3K050	23
37-15 521 0030	51712 0Z000	19
37-15 521 0030/PD	51712-0Z000	19
37-15 521 0031	51712 1G000	20
37-15 521 0031/PD	51712-1G000	21
37-15 521 0032	51712-2L500	24
37-15 521 0032/PD	51712-2L500	24
37-15 521 0034	51712 3E000	26
37-15 521 0035/PD	51712 2P700 51712 2W700	25
37-15 521 0036/PD	51712 2T100	25
37-15 521 0037/PD	51712 0U000	18

MEYLE no.	Ref. no.	Page
Kia		
	51712 1W200	
37-15 521 0039	51712-A6000	27
37-15 521 0039/PD	51712-A6000	28
37-15 523 0014	58411 07300 58411 07500	29
37-15 523 0016	58411 3K100	40
37-15 523 0027	58411 2Y300 58411 3A300	38
37-15 523 0027/PD	58411 2Y300 58411 3A300	38
37-15 523 0028	58411 39300	36
37-15 523 0028/PD	58411 39300	36
37-15 523 0029	58411 1C800 58411-1G300	30
37-15 523 0029/PD	58411 1C800 58411-1G300	30
37-15 523 0030	58411 3E300	39
37-15 523 0030/PD	58411 3E300	39
37-15 523 0031	58411 1P300	33
37-15 523 0031/PD	58411-1P300	33
37-15 523 0032	58411 2P000	35
37-15 523 0032/PD	58411 2P000	35
37-15 523 0033	58411 39600	37
37-15 523 0033/PD	58411 39600	37
37-15 523 0036/PD	58411 3S100	41
37-15 523 0038	58411-A6200	42
37-15 523 0038/PD	58411-A6200	42
37-16 010 0002	54503 22A00 54503 25A00 54503 31600 54530 2F000 54530 31600	136
37-16 010 0004	51760 2E000 51770-2E010	135
37-16 010 0006	54503 2BA00 54530 2B000 54530 3B000	136
37-16 010 0009	51760 38000 51761 38A00	135
37-16 010 0019	51760-0Q000 51760 2G000 51760 2H000	135
37-16 010 0020	51760 1G000 51760 1G001	134
37-16 010 0026	54530 2T010 54530 3S100	137

MEYLE no.	Ref. no.	Page
Kia		
37-16 010 0027	54530 3S000	137
37-16 020 0001	56820 28500	127
37-16 020 0003	56820 M2000	132
37-16 020 0005	56820 2E900	128
37-16 020 0006	56820 2E000	128
37-16 020 0009	56820 38000	131
37-16 020 0010	57780 38010	132
37-16 020 0014	56820 2K000	130
37-16 020 0015	56820 2K050	130
37-16 020 0018	56820 2B000 56820 2P900	127
37-16 020 0019	56820 2B900 56820 2P000	128
37-16 020 0022	56820 1E000 56820 1G900	126
37-16 020 0023	56820 1E900 56820 1G000	127
37-16 031 0000	57724 38010 57724 3C010	123
37-16 031 0001	57724 2E000	123
37-16 031 0002	57724-1E000	124
37-16 031 0005	57224 2D020 57724 2D000	123
37-16 050 0045	54500 2H000 54500 2H100	142
37-16 050 0046	54501 2H000 54501 2H100	144
37-16 050 0047	54500 0J000 54500 1E000	141
37-16 050 0048	54501 0J000 54501 1E000	143
37-16 060 0010/HD	55530-1F000	165
37-16 060 0028/HD	54830 1F000	158
37-16 060 0031/HD	54840 2B000 54840 2B200	164
37-16 060 0032/HD	54830 2B000 54830 2B200	159
37-16 060 0033/HD	55530 2B000 55530 2B200	166
37-16 060 0034/HD	54840 1E000 54840 1E100 54840 1G000 54840 1G500	163
37-16 060 0036/HD	54830-1E000 54830-1E100 54830 1G000	159

MEYLE no.	Ref. no.	Page
Kia		
	54830 1G500	
37-16 060 0039	54830 1J000	159
37-16 060 0040	54840 1J000	163
37-16 060 0041/HD	54830 2S200 54830-3W300	161
37-16 060 0042	55530 2S100 55530 2S200	167
37-16 060 0048	13251 10001 13251 10003 54719 43001	155
37-16 060 0053	55530-1F000	166
37-16 060 0057	54830 1F000	158
37-26 623 0012	54651 2E500 54661 2E201 54661 2E500	172
37-26 623 0013	54651 2E201 54651 2E500 54661 2E500	171
37-26 623 0014	54650 1G200 54650 1G400	170
37-26 623 0015	54660 1G200 54660 1G400	172
37-26 723 0002	55351 2E202 55351 2E501 55361 2E501	174
37-26 723 0003	55351 2E501 55361 2E201 55361 2E501	173
37-26 725 0007	55310 1H000 55310 1H003 55310 1H100 55310 1H102 55310 1H200 55310 1H201 55310 1H202 55311 1D400 55311 1H000 55311 1H100 55311 1H200 55311 1H500 55311 1H600 55311 2L000 55311 2L100 55311 2L200 55311 2L600 55311 2R200	173

MEYLE no.	Ref. no.	Page
Kia		
37-28 228 0001	25510 42100	97
37-28 228 0004	25500 35530 25500 35531 25500 37200	97
37-28 228 0005	25500 27000	96
37-51 902 1000	24410-27000 24410-27250	77
37-51 902 1001	24410 23050	77
37-51 902 2000	24810 27000 24810 27250	78
37-51 902 3000	24410 3E100 24410 3E500	78
42-14 323 0001	0K551 23570 0K551 23570A 0K71E 23570A 0KJ1E 23570	111
44-14 533 0002	0K552 2638Z 0K56A 2638Z 0K56A 2638ZA 0K58A 2638Z	65
614 322 0000	0JE15 14302	113
614 620 0007	57740-38000	120
614 899 0017	0K950 18211	76
714 323 0002	0K52A-23570	110
714 860 0003	0K054 18140 0K710 18140 0K710 18140A 0K71E 18140A 0K75A 18140 0K75B 18140	72

Ref. no.	MEYLE no.	Page
Kia		
0G030-34550A	35-16 010 0001	133
0G030-34550B	35-16 010 0001	133
0JE15 14302	614 322 0000	113
0JE15-14-302	32-14 322 0006	118
0K011 13Z40	28-12 011 1340	104
0K011 18381A	050 004 0925	92
0K011 34160A	28-16 060 0006	152
0K011 34200	28-16 050 0024	138
0K011 34200A	28-16 050 0024	138
0K011 34510B	28-16 010 0002	133
0K016 23802	35-14 322 0002	119
0K03815907	050 004 0884	91
0K045 2638Z	28-14 533 0004	64
0K045 3323Z	025 234 4215/W	44
0K054 18140	714 860 0003	72
0K0A3 28170A	35-16 060 0003	152
0K0Y2 3323Z	025 233 8418/W	47
0K200 22610	28-14 498 0004	71
0K201 2638Z	28-14 533 0003	64
0K201 2638ZA	28-14 533 0003	64
0K201 32240	28-16 030 0001	121
0K201 32240A	28-16 030 0001	121
0K201 32280	35-16 020 0001	125
0K201 32280A	35-16 020 0001	125
0K201 34550C	28-16 010 0007	133
0K201 34550D	28-16 010 0007	133
0K201 34550E	28-16 010 0007	133
0K203 32240	28-16 030 0001	121
0K203 32240A	28-16 030 0001	121
0K20A 15908	050 004 0900	92
0K20A 3323Z	025 207 5318 025 231 0315 025 233 8418/W	45, 47
0K20A 3325Z	014 698 0006 014 698 0006/S	63
0K20B 15909	050 004 1020	93
0K21A 18381	050 004 0890	92
0K21A18381	050 004 0884	91
0K239 3323Z	025 207 5318 025 231 0315 025 233 8418/W	45, 47
0K23N 2638Z	28-14 533 0003	64
0K240 3323Z	025 207 5318 025 231 0315 025 233 8418/W	45, 47
0K240 3323ZA	025 207 5318	45, 47

Ref. no.	MEYLE no.	Page
Kia		
	025 231 0315 025 233 8418/W	
0K244 15909A	050 004 1045 050 004 1050	79, 93
0K24A 15010	35-13 015 0001	97
0K2A1 32240	28-16 031 0010	121
0K2A1 34150A	28-16 060 0009	153
0K2A1 34150B	28-16 060 0009	153
0K2A1-34-550A	28-16 010 0003	134
0K2A2 3323Z	025 233 8418/W	47
0K2A2 3323ZA	025 233 8418/W	47
0K2A2 3323ZB	025 233 8418/W	47
0K2A3 15909	050 004 1080	94
0K2A3 3323Z	025 233 8418/W	47
0K2A4 3323Z	025 233 8418/W	47
0K2AA 15907	050 004 0925	92
0K2AA15908	050 004 0962	93
0K2AA32907	050 004 0925	92
0K2C0 15171	28-28 228 0001	95
0K2C0 15171A	28-28 228 0001	95
0K2C0 22510	28-14 498 0004	71
0K2C0 6152X	28-12 319 0006/S	8
0K2C0 6153X	28-12 319 0006/S	8
0K2CP15909	050 004 1063	94
0K2FA 33251	28-15 521 0013	15
0K2FA 34150	28-16 060 0024	152
0K2FA 34170	28-16 060 0027	153
0K2FA 6152X	28-12 319 0008/S	9
0K2FA 6152XA	28-12 319 0008/S	9
0K2FB 62620	28-40 910 0014	2
0K2FB 62620A	28-40 910 0014	2
0K2FB 62620B	28-40 910 0014	2
0K2FB 63620	28-40 910 0014	2
0K2FB 63620A	28-40 910 0014	2
0K2FB 63620B	28-40 910 0014	2
0K2FC 2628Z	025 234 5513/W	48
0K2FE 6152X	28-12 319 0008/S	9
0K2JA 3328Z	025 239 6617/PD 025 239 6617/W	46
0K2JA 3328ZA	025 239 6617/PD 025 239 6617/W	46
0K2JT 33047	35-14 650 0000	176
0K2KB 13480	11-14 323 0001	110
0K2KK 13483	11-14 323 0001	110
0K2M2 28150	28-16 060 0009	153
0K2N1 2638Z	28-14 533 0003	64

Ref. no.	MEYLE no.	Page
Kia		
0K2N1 3328Z	025 238 7316/W	54
0K2N1 3328ZA	025 238 7316/W	54
0K2N1 34150A	28-16 060 0020	153
0K2N1 34170A	28-16 060 0014	154
0K2X3 3323Z	025 207 5318 025 231 0315 025 233 8418/W	45, 47
0K2Y1 3323Z	025 207 5318 025 231 0315 025 233 8418/W	45, 47
0K2Y3 3323Z	025 233 8418/W	47
0K2Y3 3323ZA	025 233 8418/W	47
0K30A 22510	28-14 498 0001	70
0K30A 22610	28-14 498 0001	70
0K30A 25400	28-14 498 0001	70
0K30A 26251A	28-15 523 0007	63
0K30B 22510	28-14 498 0001	70
0K30B 22610	28-14 498 0001	70
0K30B 25400	28-14 498 0001	70
0K30B 25600	28-14 498 0001	70
0K30B 34300B	28-16 050 0010	138
0K30B 34350B	28-16 050 0011	139
0K30C 15010A	28-13 220 0004	101
0K30E 15010	28-13 220 0006	101
0K30E 15171	28-28 228 0001	95
0K33C 34150A	28-16 060 0026/HD	154
0K33C 34160A	28-16 060 0021/HD	154
0K410 15171A	28-28 228 0002	95
0K410 23802A	28-14 322 0001	114
0K52A-23570	714 323 0002	110
0K52Y 33251A	28-15 521 0021/PD	15
0K53Y 56620	28-40 910 0010	1
0K53Y 56630	28-40 910 0010	1
0K53Z 56620	28-40 910 0010	1
0K53Z 56620A	28-40 910 0010	1
0K53Z 56620B	28-40 910 0010	1
0K53Z 56630	28-40 910 0010	1
0K53Z 56630A	28-40 910 0010	1
0K53Z 56630B	28-40 910 0010	1
0K551 14302	28-14 322 0002	114
0K551 23570	42-14 323 0001	111
0K551 23570A	42-14 323 0001	111
0K552 12603A	28-14 323 0005	110
0K55215909	050 004 0870	79
0K552 23603A	28-12 321 0006	104
0K552 2638Z	44-14 533 0002	65

Ref. no.	MEYLE no.	Page
Kia		
0K552 32240	28-16 020 0008	125
0K552 32280	28-16 020 0007	125
0K552 33251	28-15 521 0002	44
0K552 33251A	28-15 521 0002	44
0K552 34160B	28-16 060 0019/HD	155
0K552 34300A	28-16 050 0016	139
0K552 34300B	28-16 050 0016	139
0K552 34300C	28-16 050 0016	139
0K552 34350A	28-16 050 0017	139
0K552 34350B	28-16 050 0017	139
0K552 34350C	28-16 050 0017	139
0K553 3323Z	025 218 2217	47
0K553 3323ZA	025 218 2217	47
0K553 3323ZB	025 218 2217	47
0K553 61C14	28-12 319 0002	9
0K553 61C14A	28-12 319 0002	9
0K55A 33251	28-15 521 0012	16
0K55B 33251	28-15 521 0012	16
0K55C 22510A	28-14 498 0002	70
0K56A 2638Z	44-14 533 0002	65
0K56A 2638ZA	44-14 533 0002	65
0K56A 3323Z	025 236 4916/W	48
0K56A 33251	28-15 521 0002	44
0K58A 2638Z	44-14 533 0002	65
0K58B 33251	28-15 521 0015	16
0K60A 3328Z	025 200 0215/W	48
0K70Y 3328Z	025 200 0215/W	48
0K710 18140	714 860 0003	72
0K710 18140A	714 860 0003	72
0K710 32240	28-16 020 0003	126
0K710 34540	35-16 010 0018	134
0K71E 18140A	714 860 0003	72
0K71E 23570A	42-14 323 0001	111
0K71E 3328Z	025 200 0215/W	48
0K71F 3328Z	025 200 0215/W	48
0K72G 3328Z	025 236 4916/W	48
0K75A 18140	714 860 0003	72
0K75A 3328Z	025 236 4916/W	48
0K75B 18140	714 860 0003	72
0K75B 3328Z	025 236 4916/W	48
0K950 18211	614 899 0017	76
0K95K 12750	28-51 902 1000	77
0K95K 15909	050 006 1580	79
0K9A0 2628Z	025 234 5513/W	48
0K9A2 32240	28-16 030 0001	121
0K9A2 33047	35-14 650 0000	176

Ref. no.	MEYLE no.	Page
Kia		
0K9A3 15909	050 005 1060	80
0K9A6 15987	050 006 2013	80
0K9AA 26251	28-15 523 0002	17
0K9AA 26251A	28-15 523 0002	17
0K9AA 26251B	28-15 523 0002	17
0K9AA 26251C	28-15 523 0002	17
0K9AC 15907	050 005 0950	80
0K9D0 3328Z	025 238 7316/W	54
0K9FC 15171	35-28 228 0000	96
0KJ1E 23570	42-14 323 0001	111
0RF03 23802B	35-14 322 0002	119
0VS01 14302	32-14 322 0001	114
13251 10001	37-16 060 0048	155
13251 10003	37-16 060 0048	155
24410 23050	37-51 902 1001	77
24410-27000	37-51 902 1000	77
24410-27250	37-51 902 1000	77
24410 3E100	37-51 902 3000	78
24410 3E500	37-51 902 3000	78
24810 27000	37-51 902 2000	78
24810 27250	37-51 902 2000	78
24840 3E000	28-51 902 1001	78
24840 3E500	28-51 902 1001	78
25100 02566	28-13 220 0005	98
25100 03010	37-13 220 0014	98
25100 23003	37-13 220 0003	98
25100 23010	37-13 220 0003	98
25100 23022	37-13 220 0003	98
25100 23530	37-13 220 0003	98
25100 26015	37-13 220 0005	99
25100 26016	37-13 220 0005	99
25100 26660	37-13 220 0005	99
25100 26900	37-13 220 0005	99
25100 26901	37-13 220 0005	99
25100 26902	37-13 220 0005	99
25100 27000	37-13 220 0004	99
25100 27010	37-13 220 0004	99
25100 27400	37-13 220 0006	99
25100 2A000	37-13 220 0007	100
25100 2A001	37-13 220 0007	100
25100 2B000	37-13 220 0008	100
25100 2B700	37-13 220 0012	100
25100 2X100	28-13 220 0004	101
25100 2X200	28-13 220 0006	101
25100 2X400	28-13 220 0006	101
25100 2X401	28-13 220 0006	101

Ref. no.	MEYLE no.	Page
Kia		
25100 37102	37-13 220 0001	102
25100 37200	37-13 220 0001	102
25100 37201	37-13 220 0001	102
25100 37202	37-13 220 0001	102
25100-38002	37-13 220 0002	102
25100-38200	37-13 220 0002	102
25100 42501	32-13 220 0005	102
25100 42541	32-13 220 0005	102
25100 4A000	28-13 220 0001	103
25100 4A100	28-13 220 0001	103
25100 4A300	28-13 220 0001	103
25100 4X700	28-13 220 0007	103
2521202550	050 004 0780	81
25212 25000	050 006 2590	81
25212 25020	050 006 2510	81
25212 27002	050 006 1510 050 006 1515	82
25212 27010	050 006 1510	82
2521227160	050 006 1400	82
25212 27350	050 006 1510 050 006 1515	82
25212 27351	050 006 1515	82
25212 27360	050 006 1515	82
25212 2A000	050 005 1788	83
25212 2A001	050 005 1788	83
25212 2A300	050 005 1650	83
25212 2B000	050 006 2140	83
25212 2B010	050 006 1530	84
25212 2B020	050 006 1255	84
25212 2B030	050 006 0955	84
25212 2F000	050 006 2498	85
25212 2F010	050 006 2498	85
25212 2F300	050 006 2415	85
25212 2G710	050 006 2125	86
25212 37160	050 006 1705	86
25212 37182	050 006 2000	86
25212 3C100	050 006 2475	87
25212 3C200	050 006 2475	87
25212 3E000	050 006 2055	87
25212 3E050	050 006 2055	87
25212 4A010	050 007 1730	87
25212 4A011	050 007 2250	88
25212 4A100	050 007 2271	88
25212 4A400	050 007 2250	88
25212 4A401	050 007 2250	88
25500 27000	37-28 228 0005	96

Ref. no.	MEYLE no.	Page
Kia		
25500 35530	37-28 228 0004	97
25500 35531	37-28 228 0004	97
25500 37200	37-28 228 0004	97
25510 42100	37-28 228 0001	97
26300 02501	37-14 322 0009	115
26300 02502	37-14 322 0009	115
26300 2Y500	28-14 322 0005	115
26300 35502	35-14 322 0002	119
26300 35503	35-14 322 0002	119
26300-42040	28-14 322 0002	114
26310 2A510	28-14 322 0004	117
26310 4A000	37-14 322 0001	116
26320 27001	37-14 322 0003	116
26320 27400	37-14 322 0002	116
26320 2A002	28-14 322 0000	117
26320 2A300	28-14 322 0000	117
26320 2A500	28-14 322 0004	117
26320 2F000	28-14 322 0003	117
26320 2F010	28-14 322 0003	117
26320 3C300	28-14 322 0000	117
26320 3F100	28-14 322 0004	117
26330 3C300	28-14 322 0004	117
26330-4A000	28-14 322 0002	114
26330 4X000	28-14 322 0002	114
28113 04000	28-12 321 0014	105
28113 07100	28-12 321 0000	104
28113 1G100	28-12 321 0008	105
28113 1J000	37-12 321 0024	107
28113 1P000	37-12 321 0024	107
28113 1R100	28-12 321 0013	105
28113 1Y100	28-12 321 0014	105
28113 26000	37-12 321 0011	106
28113 2D000	37-12 321 0019	106
28113 2F000	37-12 321 0019	106
28113 2F250	37-12 321 0000	106
28113 2G300	28-12 321 0009	107
28113 2H000	28-12 321 0010	107
28113 2K000	37-12 321 0024	107
28113 2P100	37-12 321 0031	108
28113 2P300	37-12 321 0030	108
28113 2S000	37-12 321 0025	108
28113 32510	37-12 321 0018	109
28113 3E000	28-12 321 0005	109
28113 4D000	28-12 321 0011	109
31300 3E200	28-14 323 0005	110
31390 H1000	35-14 323 0001	111

Ref. no.	MEYLE no.	Page
Kia		
31910 2H000	37-14 323 0002	111
31911 34000	30-14 323 0006	112
31922 26910	37-14 323 0007	112
31922 2B900	37-14 323 0001	112
31922-2E900	28-14 323 0001	113
31922 3A850	28-14 323 0001	113
36710 27000	37-14 860 0000	72
36710 2A100	37-14 860 0001	73
36710 2A700	37-14 860 0006	73
36710 2F000	37-14 860 0005	74
36710 2F100	37-14 860 0004	74
36710 42000	37-14 860 0002	75
36710 42010	37-14 860 0002	75
36710 42020	37-14 860 0002	75
36710 42021	37-14 860 0002	75
36710 42060	37-14 860 0002	75
36710 42500	32-14 860 0000	75
36710 42510	37-14 860 0002	75
36710 42550	37-14 860 0002	75
36710 4A000	28-14 860 0000	76
36710 4A100	28-14 860 0000	76
49500 07010	28-14 498 0003	70
49500 07060	28-14 498 0003	70
49591 07010	28-14 498 0003	70
49591 07091	28-14 498 0003	70
51712 07500	28-15 521 0009	17
51712 07700	28-15 521 0010	18
51712 0U000	37-15 521 0037/PD	18
51712 0Z000	37-15 521 0030	19
51712-0Z000	37-15 521 0030/PD	19
51712 1D100	37-15 521 0029 37-15 521 0029/PD	20, 23
51712 1F000	37-15 521 0029	20
51712 1G000	37-15 521 0031	20
51712-1G000	37-15 521 0031/PD	21
51712 1H000	28-15 521 0022 28-15 521 0022/PD	21-22
51712 1H100	28-15 521 0022 28-15 521 0022/PD	21-22
51712 1M000	28-15 521 0022 28-15 521 0022/PD	21-22
51712 1W050	28-15 521 0023/PD	22
51712 1W200	37-15 521 0037/PD	18
51712 2C000	37-15 521 0029 37-15 521 0029/PD	20, 23
51712 2F100	28-15 521 0006	23

Ref. no.	MEYLE no.	Page
Kia		
51712 2K100	28-15 521 0022 28-15 521 0022/PD	21-22
51712-2L500	37-15 521 0032 37-15 521 0032/PD	24
51712 2P700	37-15 521 0035/PD	25
51712 2T100	37-15 521 0036/PD	25
51712 2W700	37-15 521 0035/PD	25
51712 3C000	37-15 521 0014	26
51712 3C100	37-15 521 0014	26
51712 3E000	37-15 521 0034	26
51712 3K050	37-15 521 0029 37-15 521 0029/PD	20, 23
51712 4D200	28-15 521 0024/PD	27
51712-A6000	37-15 521 0039 37-15 521 0039/PD	27-28
51712 FD300	28-15 521 0014	28
51720 02000	37-14 650 0001 37-14 650 0002	175
51720 0Q000	37-14 650 0007	175
51720 2H000	37-14 650 0007	175
51720 2K000	37-14 650 0007	175
51720 38110	37-14 650 0004	176
51750-2B010	37-14 652 0002	177
51750-3J000	37-14 652 0002	177
51760-0Q000	37-16 010 0019	135
51760 1G000	37-16 010 0020	134
51760 1G001	37-16 010 0020	134
51760 2E000	37-16 010 0004	135
51760 2G000	37-16 010 0019	135
51760 2H000	37-16 010 0019	135
51760 38000	37-16 010 0009	135
51761 38A00	37-16 010 0009	135
51770-2E010	37-16 010 0004	135
52730-2G200	37-14 752 0011	178
52730 2H000	37-14 752 0008	178
52730-3S200	37-14 752 0010	178
52750 1G000	37-14 752 0002	179
52750 1G001	37-14 752 0002	179
52750 1G100	37-14 752 0001	179
52750 1G101	37-14 752 0001	179
52750 2B100	37-14 752 0007	179
54410 3E000	28-16 050 0006	140
54410 3E001	28-16 050 0006	140
54410 3E002	28-16 050 0006	140
54420 3E000	28-16 050 0007	140
54420 3E001	28-16 050 0007	140

Ref. no.	MEYLE no.	Page
Kia		
54420 3E002	28-16 050 0007	140
54500 07100	28-16 050 0020	141
54500 07200	28-16 050 0020	141
54500 07250	28-16 050 0020	141
54500 0J000	37-16 050 0047	141
54500 1E000	37-16 050 0047	141
54500 2H000	37-16 050 0045	142
54500 2H100	37-16 050 0045	142
54500 FD000	28-16 050 0013	142
54501 07100	28-16 050 0021	143
54501 07200	28-16 050 0021	143
54501 07250	28-16 050 0021	143
54501 0J000	37-16 050 0048	143
54501 1E000	37-16 050 0048	143
54501 2H000	37-16 050 0046	144
54501 2H100	37-16 050 0046	144
54501 FD000	28-16 050 0012	144
54503 22A00	37-16 010 0002	136
54503 25A00	37-16 010 0002	136
54503 28A00	37-16 010 0006	136
54503 31600	37-16 010 0002	136
54510 3E000	28-16 050 0008	145
54510 3E001	28-16 050 0008	145
54510 3E002	28-16 050 0008	145
54520 3E000	28-16 050 0009	145
54520 3E001	28-16 050 0009	145
54520 3E002	28-16 050 0009	145
54530 07000	28-16 010 0000	136
54530 2B000	37-16 010 0006	136
54530 2F000	37-16 010 0002	136
54530 2T010	37-16 010 0026	137
54530 31600	37-16 010 0002	136
54530 38000	37-16 010 0006	136
54530 3J000	28-16 010 0001	137
54530 3S000	37-16 010 0027	137
54530 3S100	37-16 010 0026	137
54530 4D000	28-16 010 0001	137
54551 1E000	37-14 610 0018	146
54551 2H000	37-14 610 0016	146
54551 2K000	37-14 610 0018	146
54570 3E000	28-16 010 0005	138
54570 3E001	28-16 010 0005	138
54570 3E100	28-16 010 0005	138
54580 3E001	28-14 610 0000	147
54580 3E002	28-14 610 0002	147
54584 07000	28-14 610 0004	147

Ref. no.	MEYLE no.	Page
Kia		
54584 1G000	37-14 610 0017	148
54584 2B000	37-14 610 0006	148
54584 2E000	37-14 610 0006	148
54584 2F000	37-14 610 0026	148
54584 2H000	37-14 610 0006	148
54584 2S000	37-14 610 0027	149
54584 3B100	37-14 610 0006	148
54590 3E000	28-14 610 0001	149
54612-2C-000	214 770 0001	174
54650 07100	28-26 623 0005	170
54650 07200	28-26 623 0005	170
54650 1G200	37-26 623 0014	170
54650 1G400	37-26 623 0014	170
54651 1H000	28-26 623 0008	171
54651 1H100	28-26 623 0008	171
54651 2E201	37-26 623 0013	171
54651 2E500	37-26 623 0012 37-26 623 0013	171-172
54660 07100	28-26 623 0004	171
54660 07200	28-26 623 0004	171
54660 1G200	37-26 623 0015	172
54660 1G400	37-26 623 0015	172
54661 1H000	28-26 623 0009	172
54661 1H100	28-26 623 0009	172
54661 2E201	37-26 623 0012	172
54661 2E500	37-26 623 0012 37-26 623 0013	171-172
54719 43001	37-16 060 0048	155
54810 3E000	28-16 060 0013	155
54811 3E010	28-16 060 0022/HD	156
54811 3E060	28-16 060 0011/HD	156
54811 3E110	28-16 060 0022/HD	156
54811 3E160	28-16 060 0011/HD	156
54813 2H000	37-14 615 0001	150
54820 FD000	28-16 060 0007	157
54830 07000	28-16 060 0023/HD 28-16 060 0035	157
54830-1E000	37-16 060 0036/HD	159
54830-1E100	37-16 060 0036/HD	159
54830 1F000	37-16 060 0028/HD 37-16 060 0057	158
54830 1G000	37-16 060 0036/HD	159
54830 1G500	37-16 060 0036/HD	159
54830 1J000	37-16 060 0039	159
54830 2B000	37-16 060 0032/HD	159
54830 2B200	37-16 060 0032/HD	159

Ref. no.	MEYLE no.	Page
Kia		
54830 2F000	28-16 060 0017/HD	160
54830 2G000	28-16 060 0001	160
54830 2H000	28-16 060 0028	161
54830 2H001	28-16 060 0028	161
54830 2H100	28-16 060 0028	161
54830 2H200	28-16 060 0028	161
54830 2S200	37-16 060 0041/HD	161
54830 3B100	28-16 060 0012	161
54830 3B110	28-16 060 0012	161
54830-3W300	37-16 060 0041/HD	161
54830 4D000	28-16 060 0004	162
54830 FD000	28-16 060 0008	162
54840 07000	28-16 060 0025/HD 28-16 060 0036	162-163
54840 1E000	37-16 060 0034/HD	163
54840 1E100	37-16 060 0034/HD	163
54840 1G000	37-16 060 0034/HD	163
54840 1G500	37-16 060 0034/HD	163
54840 1J000	37-16 060 0040	163
54840 2B000	37-16 060 0031/HD	164
54840 2B200	37-16 060 0031/HD	164
54840 2F000	28-16 060 0018/HD	164
54840 4D000	28-16 060 0005	165
55130-4D000	37-14 711 0002	150
55250 1H000	28-16 050 0038	146
55250 2H000	28-16 050 0038	146
55300 1Y100	28-26 725 0002	173
55300 1Y200	28-26 725 0002	173
55310 07100	28-26 725 0002	173
55310 07200	28-26 725 0002	173
55310 1H000	37-26 725 0007	173
55310 1H003	37-26 725 0007	173
55310 1H100	37-26 725 0007	173
55310 1H102	37-26 725 0007	173
55310 1H200	37-26 725 0007	173
55310 1H201	37-26 725 0007	173
55310 1H202	37-26 725 0007	173
55311 1D400	37-26 725 0007	173
55311 1H000	37-26 725 0007	173
55311 1H100	37-26 725 0007	173
55311 1H200	37-26 725 0007	173
55311 1H500	37-26 725 0007	173
55311 1H600	37-26 725 0007	173
55311 2L000	37-26 725 0007	173
55311 2L100	37-26 725 0007	173
55311 2L200	37-26 725 0007	173

Ref. no.	MEYLE no.	Page
Kia		
55311 2L600	37-26 725 0007	173
55311 2R200	37-26 725 0007	173
55326 07100	28-14 742 0000	170
55351 2E202	37-26 723 0002	174
55351 2E501	37-26 723 0002 37-26 723 0003	173-174
55361 2E201	37-26 723 0003	173
55361 2E501	37-26 723 0002 37-26 723 0003	173-174
55513-2B200	37-14 715 0000	150
55513-3N100	37-14 615 0005	151
55513-3N200	37-14 615 0008	151
55513-3N300	37-14 615 0009	151
55530 17000	28-16 060 0015/HD	165
55530 17010	28-16 060 0015/HD	165
55530-1F000	37-16 060 0010/HD 37-16 060 0053	165-166
55530 1H000	28-16 060 0029	166
55530 1H100	28-16 060 0029	166
55530 2B000	37-16 060 0033/HD	166
55530 2B200	37-16 060 0033/HD	166
55530 2H000	28-16 060 0029	166
55530 2S100	37-16 060 0042	167
55530 2S200	37-16 060 0042	167
55543 2H000	37-14 711 0000	149
55580 3E000	28-16 060 0002/HD	167
55580 3E050	28-16 060 0003/HD	167
565400U500	28-16 031 0022	121
56540 2H000	28-16 031 0011 28-16 031 0024/HD	122
56820 07000	28-16 020 0009	126
56820 1E000	37-16 020 0022	126
56820 1E900	37-16 020 0023	127
56820 1G000	37-16 020 0023	127
56820 1G900	37-16 020 0022	126
56820 2B500	37-16 020 0001	127
56820 2B000	37-16 020 0018	127
56820 2B900	37-16 020 0019	128
56820 2E000	37-16 020 0006	128
56820 2E900	37-16 020 0005	128
56820 2G000	28-16 020 0018	129
56820 2G900	28-16 020 0019	129
56820 2H000	28-16 020 0010	129
56820 2H090	28-16 020 0011	130
56820 2K000	37-16 020 0014	130
56820 2K050	37-16 020 0015	130

Ref. no.	MEYLE no.	Page
Kia		
56820 2P000	37-16 020 0019	128
56820 2P900	37-16 020 0018	127
56820 3B000	37-16 020 0009	131
56820 3E000	28-16 020 0000	131
56820 3E900	28-16 020 0001	131
56820 M2000	37-16 020 0003	132
5717002710	050 004 0750	88
57170 3B010	050 005 1393	89
57170 39000	050 005 0905	89
571814A000	050 004 1063	94
57224 2D020	37-16 031 0005	123
57224 07000	28-16 031 0026/HD	122
57224 07100	28-16 031 0026/HD	122
57224-1E000	37-16 031 0002	124
57224 2D000	37-16 031 0005	123
57224 2E000	37-16 031 0001	123
57224 3B010	37-16 031 0000	123
57224 3C010	37-16 031 0000	123
57228-2S000	37-14 620 0002	120
57731 3E010	28-16 031 0025/HD	124
57732 3E010	28-16 031 0025/HD	124
57740-2K010	37-14 620 0001	120
57740-3B000	614 620 0007	120
57780 3B010	37-16 020 0010	132
58101 07A00	025 242 7516/W	49
58101 07A10	025 242 7516/W	49
58101 07A20	025 242 7516/W	49
58101 10E00	025 245 0116/PD 025 245 0116/W	49-50
58101 1G000	025 243 1717/W	50
58101 1PA00	025 251 8419/W	50
581011-WA05	025 253 4818	62
581011-WA35	025 253 4818	62
581011YA00	025 253 6516	51
581011YA30	025 253 6516	51
58101 2FA10	025 242 1817/W	51
58101 2FA20	025 242 1817/W	51
58101 2KA10	025 238 9116/PD 025 238 9116/W	52-53
581012PA70	025 243 5117/W	52
58101 2SA70	025 245 0116/PD 025 245 0116/W	49-50
58101-2VA00	025 256 9218	52
58101 3CA20	025 238 9116/PD 025 238 9116/W	52-53
58101 3CA80	025 238 9116/PD	52-53

Ref. no.	MEYLE no.	Page
Kia		
	025 238 9116/W	
58101 3EE00	025 240 9217/W	53
58101 3EE01	025 240 9217/W	53
58101 4DE00	025 245 9717/W	54
581014DU00	025 243 5117/W	52
581014-LA00	025 253 4818	62
58101-A6A00	025 256 9218	52
58101 M2A02	025 217 2517/W	54
58101 M2A04	025 217 2517/W	54
58115 FDA00	025 238 7316/W	54
58115 FDC00	025 238 7316/W	54
58302 07A00	025 242 7614/W	55
58302 07A10	025 242 7614/W	55
58302 0ZA00	025 243 2015/PD 025 243 2015/W	55-56
58302 1DE00	025 244 9116/W	56
58302 1FE00	025 235 4314/PD 025 235 4314/W	58-59
58302 1GA00	025 243 2015/PD 025 243 2015/W	55-56
58302 1HA00	025 243 2015/PD 025 243 2015/W	55-56
58302 1PA30	025 234 1715/PD 025 234 1715/W	56-57
58302 1RA30	025 249 3415/W	60
58302 1WA35	025 249 3415/W	60
58302-1YA50	025 256 7716	57
58302 2FA10	025 215 5314/W	58
58302 2GA00	025 235 4314/PD 025 235 4314/W	58-59
58302 2KA10	025 249 3415/W	60
58302 2TA70	025 249 3415/W	60
58302 38A10	025 235 4314/PD 025 235 4314/W	58-59
58302 3CA10	025 235 4314/PD 025 235 4314/W	58-59
58302 3ED00	025 240 5815/W	59
58302 3ED01	025 240 5815/W	59
58302 3EE00	025 240 5815/W	59
58302 3FA11	025 249 3415/W	60
58302 4DE00	025 245 5915/W	60
58302-A6A20	025 253 3715/W	61
58305 1GA00	37-14 533 0007	65
58305 2KA00	37-14 533 0005	65
58315 FDA00	36-14 533 0015	66
58315 FDA01	36-14 533 0015	66

Ref. no.	MEYLE no.	Page
Kia		
58350 1GA00	37-14 533 0006	66
58350 1HA00	28-14 533 0000	66
58350 2EA00	37-14 533 0008 37-14 533 0014	67-68
58350 3CA10	37-14 533 0018	68
58350 3ED00	37-14 533 0015	68
58411 07000	28-15 523 0018	64
58411 07300	37-15 523 0014	29
58411 07500	37-15 523 0014	29
58411-0U300	28-15 523 0009/PD	29
58411 1C800	37-15 523 0029 37-15 523 0029/PD	30
58411 1D000	28-15 523 0011 28-15 523 0011/PD	31
58411-1G300	37-15 523 0029 37-15 523 0029/PD	30
58411 1H100	28-15 523 0010 28-15 523 0010/PD	32
58411 1H300	28-15 523 0010 28-15 523 0010/PD	32
58411 1P300	37-15 523 0031	33
58411-1P300	37-15 523 0031/PD	33
58411 2F100	28-15 523 0003	34
58411 2K300	28-15 523 0005	34
58411 2P000	37-15 523 0032 37-15 523 0032/PD	35
58411 2Y300	37-15 523 0027 37-15 523 0027/PD	38
58411 39300	37-15 523 0028 37-15 523 0028/PD	36
58411 39600	37-15 523 0033 37-15 523 0033/PD	37
58411 3A300	37-15 523 0027 37-15 523 0027/PD	38
58411 3E300	37-15 523 0030 37-15 523 0030/PD	39
58411 3E500	28-15 523 0012	40
58411 3K100	37-15 523 0016	40
58411 3S100	37-15 523 0036/PD	41
58411 4D000	28-15 523 0013/PD	41
58411-A6200	37-15 523 0038 37-15 523 0038/PD	42
58411 M2050	32-15 523 0010	43
58732 FD100	28-14 525 0000	69
81181 3E000	28-40 910 0009	1
81181 3E001	28-40 910 0009	1

Ref. no.	MEYLE no.	Page
Kia		
81181 3E010	28-40 910 0009	1
81181 3E011	28-40 910 0009	1
81770 07000	28-40 910 0012	2
81770 1G000	28-40 910 0015	2
81770 1H510	28-40 910 0007	3
81771 3E011	28-40 910 0011	3
81771 3E020	28-40 910 0011	3
81780 07000	28-40 910 0012	2
81780 1G000	28-40 910 0015	2
81780 1H510	28-40 910 0007	3
81781 3E011	28-40 910 0011	3
81781 3E020	28-40 910 0011	3
87170 3E000	28-40 910 0008	1
87170 3E010	28-40 910 0008	1
87180 3E000	28-40 910 0008	1
87180 3E010	28-40 910 0008	1
89315 67500	32-14 322 0006	118
90916 02367	050 005 0905	89
97133 07000	37-12 319 0008	9
97133-07010	37-12 319 0008	9
97133 0X900	37-12 319 0008	9
97133 0Z000	28-12 319 0009	10
97133 1H000	37-12 319 0009 37-12 320 0009	10
97133 1P000	28-12 319 0005	11
97133-2B010	37-12 319 0011	11
97133 2E200	37-12 320 0010	11
97133 2E910	37-12 319 0012/S	12
97133 2F000	28-12 319 0001	12
97133 2F010	28-12 319 0001	12
97133 2K000	28-12 319 0004	13
97133 3K000	37-12 319 0011 37-12 320 0011	11, 13
97619 3C100	37-12 319 0002	13
9771302000	050 004 0675	89
9771311200	050 004 0815	91
977131C200	050 004 0815	91
97713 26300	050 006 1195	90
977132D510	050 004 0855	90
9999Z 07010	37-12 319 0002	13
B3C715909C	050 004 0962	93
B3C71 8381B	050 004 0875	90
B6Y11 4302A9A	35-14 322 0000	118
D06Y 33042	35-14 013 3047/S	177
F4BZ3 A130A	28-16 020 0009	126
K0111 3Z40	28-12 011 1340	104

Ref. no.	MEYLE no.	Page
Kia		
K0BA2 3328Z	025 216 5415/PD 025 216 5415/W	61
K2C56 152XA	28-12 319 0006/S	8
K4672 3570	35-14 323 0001	111
K5511 4302	28-14 322 0002	114
K5533 323ZB	025 218 2217	47
K5536 1C14	28-12 319 0002	9
K9921 1201	28-16 020 0009	126
K9A42 2510	28-14 498 0004	71
KA942 2510	28-14 498 0004	71
KDX50 32240	28-16 031 0023/HD	124
KDX50 32240A	28-16 031 0023/HD	124
KDX50 32240B	28-16 031 0023/HD	124
KDX53 32240	28-16 031 0023/HD	124
KDX53 32240B	28-16 031 0023/HD	124
KDX74 33251	28-15 521 0000	43
KE503 15171	35-28 228 0000	96
KGA2A 33047	35-14 650 0000	176
KGA2A 34150	35-16 060 0002	168
KGA2A 34150A	35-16 060 0002	168
KGA2A 34150B	35-16 060 0002	168
KGA2A 34170	35-16 060 0001	168
KGA2A 34170A	35-16 060 0001	168
KGA2A 34170B	35-16 060 0001	168
KJ002 33251C	28-15 521 0002	44
KJ002 33251D	28-15 521 0002	44
KK140 15909	050 004 0925	92
KK150 33047	35-14 013 3047/S	177
KK150 3323Z	025 213 5514/W	62
KK150 3328Z	025 213 5514/W	62
KK371 15909	050 004 0900	92
KK388 22510	28-14 498 0000	71
KK388 22610	28-14 498 0000	71
M25100 4A000	28-13 220 0001	103
MB001 33065A	35-14 013 3047/S	177
MB092 33067	35-14 013 3047/S	177
MB366 15907	050 004 0890	92
MB36615907A	050 004 0890	92
MB376 15907	050 004 0800	91
MDA19 3323Z	025 213 5514/W	62
MDX50 32280	28-16 020 0009	126
MDX74 33251	28-15 521 0000	43
OK201 33047	35-14 553 3047	177
OK21A18381	050 004 0884	91
OK30C 15010A	28-13 220 0004	101
OK552 23603A	28-12 321 0006	104



Ref. no.	MEYLE no.	Page
Kia		
OK9A6 15987	050 006 2013	80
P8790 1F200	37-12 319 0010	14
P8790 2F000	28-12 319 0001	12
P8790 2F000A	28-12 319 0001	12
RF032 3802A	35-14 322 0002	119
RF032 3802B	35-14 322 0002	119
RF951 5010	35-13 220 0001	103



Short no.	MEYLE no.	Page
Kia		
	37-14 615 0009	150-151
	37-14 715 0000	150-151
MAF0306	28-12 011 1340	104
MAF0307	28-12 321 0000	104
MAF0312	28-12 321 0005	109
MAF0313	28-12 321 0006	104
MAF0315	28-12 321 0008	105
MAF0316	28-12 321 0009	107
MAF0317	28-12 321 0010	107
MAF0318	28-12 321 0011	109
MAF0320	28-12 321 0013	105
MAF0321	28-12 321 0014	105
MAF0504	37-12 321 0000	106
MAF0515	37-12 321 0011	106
MAF0521	37-12 321 0018	109
MAF0522	37-12 321 0019	106
MAF0527	37-12 321 0024	107
MAF0528	37-12 321 0025	108
MAF0533	37-12 321 0030	108
MAF0534	37-12 321 0031	108
MAM0025	37-14 711 0000	149
MAR0151	28-16 030 0001	121
MAR0155	28-16 031 0010	121
MAR0156	28-16 031 0011	122
MAR0263	37-16 031 0000	123
MAR0264	37-16 031 0001	123
MAR0265	37-16 031 0002	124
MAR0267	37-16 031 0005	123
MAR0377	28-16 031 0022	121
MAR0510HD	28-16 031 0023/HD	124
MAR0511HD	28-16 031 0024/HD	122
MAR0512HD	28-16 031 0025/HD	124
MAR0513HD	28-16 031 0026/HD	122
MBD0428	28-15 521 0000	43
MBD0430	28-15 521 0002	44
MBD0433	28-15 521 0006	23
MBD0436	28-15 521 0009	17
MBD0437	28-15 521 0010	18
MBD0438	28-15 521 0012	16
MBD0439	28-15 521 0013	15
MBD0440	28-15 521 0014	28
MBD0441	28-15 521 0015	16
MBD0445	28-15 523 0002	17
MBD0446	28-15 523 0003	34
MBD0447	28-15 523 0005	34
MBD0851	32-15 523 0010	43

Short no.	MEYLE no.	Page
Kia		
MBD1046	37-15 521 0014	26
MBD1067	37-15 523 0014	29
MBD1069	37-15 523 0016	40
MBD1643PD	28-15 523 0009/PD	29
MBD1846PD	28-15 521 0021/PD	15
MBD1847	28-15 521 0022	21
MBD1847PD	28-15 521 0022/PD	22
MBD1848PD	28-15 521 0023/PD	22
MBD1849PD	28-15 521 0024/PD	27
MBD1851	28-15 523 0010	32
MBD1851PD	28-15 523 0010/PD	32
MBD1852	28-15 523 0011	31
MBD1852PD	28-15 523 0011/PD	31
MBD1853	28-15 523 0012	40
MBD1854PD	28-15 523 0013/PD	41
MBD1984	37-15 521 0029	20
MBD1984PD	37-15 521 0029/PD	23
MBD1985	37-15 521 0030	19
MBD1985PD	37-15 521 0030/PD	19
MBD1986	37-15 521 0031	20
MBD1986PD	37-15 521 0031/PD	21
MBD1987	37-15 521 0032	24
MBD1987PD	37-15 521 0032/PD	24
MBD1989	37-15 521 0034	26
MBD1990PD	37-15 521 0035/PD	25
MBD1991PD	37-15 521 0036/PD	25
MBD1992PD	37-15 521 0037/PD	18
MBD1994	37-15 523 0027	38
MBD1994PD	37-15 523 0027/PD	38
MBD1995	37-15 523 0028	36
MBD1995PD	37-15 523 0028/PD	36
MBD1996	37-15 523 0029	30
MBD1996PD	37-15 523 0029/PD	30
MBD1997	37-15 523 0030	39
MBD1997PD	37-15 523 0030/PD	39
MBD1998	37-15 523 0031	33
MBD1998PD	37-15 523 0031/PD	33
MBD1999	37-15 523 0032	35
MBD1999PD	37-15 523 0032/PD	35
MBD2000	37-15 523 0033	37
MBD2000PD	37-15 523 0033/PD	37
MBD2003PD	37-15 523 0036/PD	41
MBD2118	37-15 521 0039	27
MBD2118PD	37-15 521 0039/PD	28
MBD2119	37-15 523 0038	42
MBD2119PD	37-15 523 0038/PD	42

Short no.	MEYLE no.	Page
Kia		
MBH0295	28-14 525 0000	69
MBJ0140	28-16 010 0000	136
MBJ0141	28-16 010 0001	137
MBJ0142	28-16 010 0002	133
MBJ0143	28-16 010 0003	134
MBJ0144	28-16 010 0005	138
MBJ0145	28-16 010 0007	133
MBJ0205	35-16 010 0001	133
MBJ0207	35-16 010 0018	134
MBJ0231	37-16 010 0002	136
MBJ0232	37-16 010 0004	135
MBJ0234	37-16 010 0006	136
MBJ0235	37-16 010 0009	135
MBJ0239	37-16 010 0019	135
MBJ0240	37-16 010 0020	134
MBJ0311	37-16 010 0027	137
MBJ0337	37-16 010 0026	137
MBL0004	029 300 1211	3
MBL0006	029 300 1213	4
MBL0013	029 350 1400	4
MBL0017	029 350 1413	4
MBL0021	029 400 1600	5
MBL0027	029 450 1800	6
MBL0028	029 475 1900	6
MBL0029	029 500 2000	6
MBL0030	029 530 2100	7
MBL0032	029 550 2200	7
MBL0034	029 600 2400	8
MBL0036	029 650 2600	8
MBL0052	029 350 1417	5
MBL0081	029 380 1514	5
MBP0001	025 200 0215/W	48
MBP0035	025 207 5318	45
MBP0114	025 213 5514/W	62
MBP0156	025 215 5314/W	58
MBP0175	025 216 5415/W	61
MBP0190	025 217 2517/W	54
MBP0198	025 218 2217	47
MBP0263	025 231 0315	45
MBP0331	025 233 8418/W	47
MBP0341	025 234 1715/W	57
MBP0347	025 234 4215/W	44
MBP0354	025 234 5513/W	48
MBP0377	025 235 4314/W	59
MBP0410	025 236 4916/W	48
MBP0463	025 238 7316/W	54

Short no.	MEYLE no.	Page
Kia		
MBP0466	025 238 9116/W	53
MBP0486	025 239 6617/W	46
MBP0513	025 240 5815/W	59
MBP0522	025 240 9217/W	53
MBP0541	025 242 1817/W	51
MBP0551	025 242 7516/W	49
MBP0552	025 242 7614/W	55
MBP0569	025 243 1717/W	50
MBP0570	025 243 2015/W	56
MBP0582	025 243 5117/W	52
MBP0608	025 244 9116/W	56
MBP0611	025 245 0116/W	50
MBP0626	025 245 5915/W	60
MBP0636	025 245 9717/W	54
MBP0681	025 249 3415/W	60
MBP0695	025 251 8419/W	50
MBP0702	025 253 3715/W	61
MBP0770PD	025 216 5415/PD	61
MBP0791PD	025 234 1715/PD	56
MBP0809PD	025 239 6617/PD	46
MBP1575	025 253 4818	62
MBP1584PD	025 235 4314/PD	58
MBP1590PD	025 238 9116/PD	52
MBP1593PD	025 243 2015/PD	55
MBP1594PD	025 245 0116/PD	49
MBP1616	025 256 9218	52
MBP1722	025 253 6516	51
MBP1726	025 256 7716	57
MBS0066	28-14 533 0000	66
MBS0068	28-14 533 0003	64
MBS0069	28-14 533 0004	64
MBS0132	36-14 533 0015	66
MBS0139	37-14 533 0005	65
MBS0140	37-14 533 0006	66
MBS0141	37-14 533 0007	65
MBS0142	37-14 533 0008	67
MBS0142	37-14 533 0008	67
MBS0157	44-14 533 0002	65
MBX0010	014 698 0006	63
MBX0011	014 698 0006/S	63
MCA0342	28-16 050 0006	140
MCA0343	28-16 050 0007	140
MCA0344	28-16 050 0008	145
MCA0345	28-16 050 0009	145
MCA0346	28-16 050 0010	138
MCA0347	28-16 050 0011	139

Short no.	MEYLE no.	Page
Kia		
MCA0348	28-16 050 0012	144
MCA0349	28-16 050 0013	142
MCA0350	28-16 050 0016	139
MCA0351	28-16 050 0017	139
MCA0352	28-16 050 0020	141
MCA0353	28-16 050 0021	143
MCA0354	28-16 050 0024	138
MCA0355	28-16 050 0038	146
MCA0634	37-16 050 0045	142
MCA0635	37-16 050 0046	144
MCA0636	37-16 050 0047	141
MCA0637	37-16 050 0048	143
MCB0188	28-14 610 0000	147
MCB0189	28-14 610 0002	147
MCB0255	37-14 610 0006	148
MCB0258	37-14 610 0016	146
MCB0259	37-14 610 0017	148
MCB0260	37-14 610 0018	146
MCB0268	37-14 610 0026	148
MCB0354	37-14 610 0027	149
MCB0357	28-14 610 0004	147
MCF0182	28-12 319 0001	12
MCF0183	28-12 319 0002	9
MCF0185	28-12 319 0004	13
MCF0186	28-12 319 0005	11
MCF0187	28-12 319 0006/S	8
MCF0188	28-12 319 0008/S	9
MCF0189	28-12 319 0009	10
MCF0323	37-12 319 0002	13
MCF0329	37-12 319 0008	9
MCF0330	37-12 319 0009	10
MCF0331	37-12 319 0010	14
MCF0332	37-12 319 0011	11
MCF0333	37-12 319 0012/S	12
MCF0344	37-12 320 0009	10
MCF0345	37-12 320 0010	11
MCF0346	37-12 320 0011	13
MCM0056	28-14 610 0001	149
MCM0143	37-14 711 0002	150
MCV0163	28-14 498 0000	71
MCV0164	28-14 498 0001	70
MCV0165	28-14 498 0002	70
MCV0166	28-14 498 0003	70
MCV0167	28-14 498 0004	71
MDR0026	28-15 523 0007	63
MDR0027	28-15 523 0018	64

Short no.	MEYLE no.	Page
Kia		
MEX0451	614 899 0017	76
MFF0069	11-14 323 0001	110
MFF0114	28-14 323 0001	113
MFF0118	28-14 323 0005	110
MFF0127	30-14 323 0006	112
MFF0170	35-14 323 0001	111
MFF0182	37-14 323 0001	112
MFF0183	37-14 323 0002	111
MFF0188	37-14 323 0007	112
MFF0198	42-14 323 0001	111
MFF0217	714 323 0002	110
MGP0041	28-14 860 0000	76
MGP0054	32-14 860 0000	75
MGP0064	37-14 860 0000	72
MGP0065	37-14 860 0001	73
MGP0094	714 860 0003	72
MGP0100	37-14 860 0002	75
MGP0114	37-14 860 0004	74
MGP0126	37-14 860 0005	74
MGP0135	37-14 860 0006	73
MGS0011	28-40 910 0008	1
MHS0053	28-40 910 0009	1
MHS0054	28-40 910 0010	1
MMB0014	214 770 0001	174
MMX1640	28-51 902 1000	77
MMX1643	37-51 902 1000	77
MMX1644	37-51 902 1001	77
MMX1645	37-51 902 2000	78
MMX1685	28-51 902 1001	78
MMX1691	37-51 902 3000	78
MOF0089	28-14 322 0000	117
MOF0090	28-14 322 0001	114
MOF0091	28-14 322 0002	114
MOF0092	28-14 322 0003	117
MOF0093	28-14 322 0004	117
MOF0094	28-14 322 0005	115
MOF0135	32-14 322 0001	114
MOF0139	32-14 322 0006	118
MOF0149	35-14 322 0000	118
MOF0151	35-14 322 0002	119
MOF0162	37-14 322 0001	116
MOF0163	37-14 322 0002	116
MOF0164	37-14 322 0003	116
MOF0169	37-14 322 0009	115
MOF0178	614 322 0000	113
MPB0040	37-14 533 0014	67-68

Short no.	MEYLE no.	Page
Kia		
MPB0040	37-14 533 0014	67-68
MPB0041	37-14 533 0015	68
MPB0042	37-14 533 0018	68
MRB0058	050 004 0675	89
MRB0069	050 004 0750	88
MRB0075	050 004 0780	81
MRB0079	050 004 0800	91
MRB0082	050 004 0815	91
MRB0090	050 004 0855	90
MRB0093	050 004 0870	79
MRB0094	050 004 0875	90
MRB0096	050 004 0884	91
MRB0097	050 004 0890	92
MRB0099	050 004 0900	92
MRB0107	050 004 0925	92
MRB0114	050 004 0962	93
MRB0125	050 004 1020	93
MRB0130	050 004 1045	79
MRB0131	050 004 1050	93
MRB0133	050 004 1063	94
MRB0136	050 004 1080	94
MRB0198	050 005 0890	94
MRB0200	050 005 0905	89
MRB0207	050 005 0950	80
MRB0226	050 005 1060	80
MRB0270	050 005 1393	89
MRB0283	050 005 1650	83
MRB0291	050 005 1788	83
MRB0333	050 006 0955	84
MRB0375	050 006 1195	90
MRB0387	050 006 1255	84
MRB0410	050 006 1400	82
MRB0420	050 006 1510	82
MRB0421	050 006 1515	82
MRB0423	050 006 1530	84
MRB0429	050 006 1570	95
MRB0431	050 006 1580	79
MRB0452	050 006 1705	86
MRB0502	050 006 2000	86
MRB0503	050 006 2013	80
MRB0510	050 006 2055	87
MRB0519	050 006 2125	86
MRB0521	050 006 2140	83
MRB0555	050 006 2415	85
MRB0560	050 006 2475	87
MRB0563	050 006 2498	85

Short no.	MEYLE no.	Page
Kia		
MRB0564	050 006 2510	81
MRB0569	050 006 2590	81
MRB0611	050 007 1730	87
MRB0630	050 007 2250	88
MRB0632	050 007 2271	88
MRS0128	28-14 742 0000	170
MSA0388	37-26 623 0012	172
MSA0389	37-26 623 0013	171
MSA0390	37-26 623 0014	170
MSA0391	37-26 623 0015	172
MSA0399	37-26 723 0002	174
MSA0400	37-26 723 0003	173
MSA0619	28-26 623 0004	171
MSA0620	28-26 623 0005	170
MSA0636	28-26 623 0008	171
MSA0637	28-26 623 0009	172
MSA0638	37-26 725 0007	173
MSA0644	28-26 725 0002	173
MSB0185	37-14 615 0001	150
MSB0499	37-14 615 0008	151
MSB0501	37-14 615 0005	151
MSC0080	37-14 640 0000	169
MSC0081	37-14 740 0000	169
MSC0138	28-14 640 0000	169
MSK0051	614 620 0007	120
MSK0118	37-14 620 0001	120
MSK0119	37-14 620 0002	120
MSL0198	28-16 060 0001	160
MSL0199HD	28-16 060 0002/HD	167
MSL0200HD	28-16 060 0003/HD	167
MSL0201	28-16 060 0004	162
MSL0202	28-16 060 0005	165
MSL0203	28-16 060 0006	152
MSL0204	28-16 060 0007	157
MSL0205	28-16 060 0008	162
MSL0206	28-16 060 0009	153
MSL0207HD	28-16 060 0011/HD	156
MSL0208	28-16 060 0012	161
MSL0209	28-16 060 0013	155
MSL0210	28-16 060 0014	154
MSL0211HD	28-16 060 0015/HD	165
MSL0212HD	28-16 060 0017/HD	160
MSL0213HD	28-16 060 0018/HD	164
MSL0214HD	28-16 060 0019/HD	155
MSL0215	28-16 060 0020	153
MSL0216HD	28-16 060 0021/HD	154

Short no.	MEYLE no.	Page
Kia		
MSL0217HD	28-16 060 0022/HD	156
MSL0218HD	28-16 060 0023/HD	157
MSL0219	28-16 060 0024	152
MSL0220HD	28-16 060 0025/HD	162
MSL0221HD	28-16 060 0026/HD	154
MSL0222	28-16 060 0027	153
MSL0223	28-16 060 0028	161
MSL0224	28-16 060 0029	166
MSL0383	35-16 060 0001	168
MSL0384	35-16 060 0002	168
MSL0385	35-16 060 0003	152
MSL0436HD	37-16 060 0010/HD	165
MSL0453HD	37-16 060 0028/HD	158
MSL0456HD	37-16 060 0031/HD	164
MSL0457HD	37-16 060 0032/HD	159
MSL0458HD	37-16 060 0033/HD	166
MSL0459HD	37-16 060 0034/HD	163
MSL0461HD	37-16 060 0036/HD	159
MSL0462	37-16 060 0039	159
MSL0463	37-16 060 0040	163
MSL0464HD	37-16 060 0041/HD	161
MSL0465	37-16 060 0042	167
MSL0587	37-16 060 0048	155
MSL0778	28-16 060 0035	157
MSL0779	28-16 060 0036	163
MSL0862	37-16 060 0053	166
MSL0866	37-16 060 0057	158
MTE0258	28-16 020 0000	131
MTE0259	28-16 020 0001	131
MTE0260	28-16 020 0003	126
MTE0261	28-16 020 0007	125
MTE0262	28-16 020 0008	125
MTE0263	28-16 020 0009	126
MTE0264	28-16 020 0010	129
MTE0265	28-16 020 0011	130
MTE0266	28-16 020 0018	129
MTE0267	28-16 020 0019	129
MTE0383	35-16 020 0001	125
MTE0414	37-16 020 0001	127
MTE0415	37-16 020 0003	132
MTE0416	37-16 020 0005	128
MTE0417	37-16 020 0006	128
MTE0419	37-16 020 0009	131
MTE0420	37-16 020 0010	132
MTE0422	37-16 020 0014	130
MTE0423	37-16 020 0015	130

Short no.	MEYLE no.	Page
Kia		
MTE0424	37-16 020 0018	127
MTE0425	37-16 020 0019	128
MTE0428	37-16 020 0022	126
MTE0429	37-16 020 0023	127
MTH0054	28-28 228 0002	95
MTH0071	37-28 228 0001	97
MTH0086	28-28 228 0001	95
MTH0090	37-28 228 0004	97
MTH0092	37-28 228 0005	96
MTH0101	35-28 228 0000	96
MTS0202	28-40 910 0007	3
MTS0203	28-40 910 0011	3
MTS0204	28-40 910 0012	2
MTS0206	28-40 910 0014	2
MTS0207	28-40 910 0015	2
MWB0001	014 098 0024	174
MWH0151	37-14 752 0001	179
MWH0152	37-14 752 0002	179
MWH0155	37-14 752 0007	179
MWH0231	37-14 752 0008	178
MWH0236	37-14 652 0002	177
MWH0250	37-14 752 0010	178
MWH0254	37-14 752 0011	178
MWH0255	37-14 752 0012	180
MWK0164	35-14 013 3047/S	177
MWK0165	35-14 553 3047	177
MWK0166	35-14 650 0000	176
MWK0169	37-14 650 0001	175
MWK0170	37-14 650 0002	175
MWK0213	37-14 650 0004	176
MWK0216	37-14 650 0007	175
MWP0254	28-13 220 0001	103
MWP0257	28-13 220 0004	101
MWP0258	28-13 220 0005	98
MWP0259	28-13 220 0006	101
MWP0260	28-13 220 0007	103
MWP0353	32-13 220 0005	102
MWP0368	35-13 015 0001	97
MWP0375	35-13 220 0001	103
MWP0401	37-13 220 0001	102
MWP0402	37-13 220 0002	102
MWP0403	37-13 220 0003	98
MWP0404	37-13 220 0004	99
MWP0405	37-13 220 0005	99
MWP0406	37-13 220 0006	99
MWP0407	37-13 220 0007	100



Index

Short no. → MEYLE no.

MEYLE

Short no.	MEYLE no.	Page
Kia		
MWP0410	37-13 220 0012	100
MWP0526	37-13 220 0014	98
MWP0534	37-13 220 0008	100





MEYLE

**You see the pretty
curves, underneath
is what counts.**



The MEYLE brand supplies its customers with more than 21,000 extremely reliable and durable spare parts manufactured at our own production facilities or by trusted production partners. MEYLE boasts a highly diversified product range.

Whether steering and suspension components, rubber-to-metal parts, brakes, damping components, cooling systems, filters, drive components, electric and sensors MEYLE is synonymous with top-grade quality-tested spare parts.

Notes

This catalogue is protected by copyright. Reproduction of text, graphic elements, photographs and/or data, even in part, is prohibited. MEYLE, **MEYLE**, or parts thereof, are registered trademarks of MEYLE AG.

All supplies and services are subject to our General Terms and Conditions. The original spare part numbers shown in this catalogue are for cross-reference purposes only and shall not be disclosed to third parties on invoices and delivery notes. While the information in this catalogue was compiled and edited with utmost care we do not assume responsibility or accept claims arising from errors or inconsistencies. Subject to technical and/or design changes.

This issue of the catalogue supersedes all previous issues.
All rights reserved. © 2017 MEYLE AG



MEYLE parts are available through:

MEYLE AG

Merkurring 111, 22143 Hamburg, Germany
Tel. +49 40 67506 510, Fax +49 40 67506 506
contact@meyle.com

www.meyle.com

MEYLE