

Jøtul F 105						
Jøtul F 105 R LL BP (Long Legs) cat. no. 30050007; Jøtul F 105 R B BP (Base) cat. no. 30050005; Jøtul F 105 R SL BP (Short Legs) cat. no. 30050003						
Jøtul F 105 R LL WHE (Long Legs) cat. no. 30050008; Jøtul F 105 R B WHE (Base) cat. no. 30050006; Jøtul F 105 R SL WHE (Short Legs) cat. no. 30050004						
Jøtul F 105 LL BP (Long Legs) cat. no. 30048969; Jøtul F 105 B BP (Base) cat. no. 30046850; Jøtul F 105 SL BP (Short legs) cat. no. 30045743						
Jøtul F 105 LL WHE (Long Legs) cat. no. 30048970; Jøtul F 105 B WHE (Base) cat. no. 30047345; Jøtul F 105 SL WHE (Short legs), cat. no. 30047346						
BP= Sort lakk/Black Paint, UP= Ulakkert/Unpainted, BE= Black Enamel						
Antall	Pos. no.	Spareparts	Consist of pos.no:	Benevnelse	Description	Dim./Spec.
1	1	12049053		Bunn deksel BP	Cover Bottom Plate BP	Cast Iron min 4mm thickness
1	2	12048044	If the product is older than pin 443931, 23.03.2017, also order 10023576(pos. 34) and 10047057(pos.36).	Håndtak dør BP	Handle Door BP	Cast Iron min 4mm thickness
1	2	12048672	If the product is older than pin 443931, 23.03.2017, also order 10023576(pos. 34) and 10047057(pos.36).	Håndtak dør WHE	Handle Door WHE	Cast Iron min 4mm thickness
1	3	12049023		Frontplate BP	Front Plate BP	Cast Iron min 4mm thickness
1	4	12049021		Glassholder m/2 pakn. BP	Glass Holder Incl.2 Gaskets BP	Cast Iron min 4mm thickness
1	5	12049032	5,91(2pcs),92	Dør med pakninger BP	Door Incl. Gaskets BP	Cast Iron min 4mm thickness
1	5	12049628	5,91(2pcs),92	Dør med pakninger WHE	Door Incl. Gaskets WHE	Cast Iron min 4mm thickness
1	6	12049014		Sideplate venstre BP	Side Plate Left BP	Cast Iron min 4mm thickness
1	6	12049526		Sideplate venstre WHE	Side Plate Left WHE	Cast Iron min 4mm thickness
1	7	12049025		Front bak venstre BP	Front Rear Left BP	Cast Iron min 4mm thickness
1	8	12049012		Røykstuss UP	Smoke Outlet UP	Cast Iron min 4mm thickness
1	9	12049010		Topplate BP	Top Plate BP	Cast Iron min 4mm thickness
1	9	12049010		Topplate WHE	Top Plate WHE	Cast Iron min 4mm thickness
1	10	12049011		Luftkanal topp UP	Air Manifold Top UP	Cast Iron min 4mm thickness
1	11	12049040		Røykhullsdeksel BP	Cover For Smoke Outlet BP	Cast Iron min 4mm thickness
1	11	12049532		Røykhullsdeksel WHE	Cover For Smoke Outlet WHE	Cast Iron min 4mm thickness
1	12	12049019		Bakplate BP	Rear Plate BP	Cast Iron min 4mm thickness
1	12	12049529		Bakplate WHE	Rear Plate WHE	Cast Iron min 4mm thickness
1	13	12049016		Sideplate høyre BP	Side Plate Right BP	Cast Iron min 4mm thickness
1	13	12049527		Sideplate høyre WHE	Side Plate Right WHE	Cast Iron min 4mm thickness
1	14	12049524		Mellomstykke uteluft Ø80 BP	Spacer Part Inlet Air Ø80 BP	Cast Iron min 4mm thickness
1	15	12049523		Lufttilkopling uteluft Ø80 BP	Air Connection Inlet Air Ø80 BP	Cast Iron min 4mm thickness
1	16	12049027		Front bak høyre BP	Front Rear Right BP	Cast Iron min 4mm thickness
1	17	12049058	85,86,87	Bunnplate med pakn. BP	Bottom Plate W/Gaskets BP	Cast Iron min 4mm thickness
1	17	12049692	85,86,87	Bunnplate med pakn. WHE	Bottom Plate W/Gaskets WHE	Cast Iron min 4mm thickness
1	18	12049530		Inner bunn BP	Bottom Inner BP	Cast Iron min 4mm thickness
1	19	12049028		Fyr rist BP	Fire Grate BP	Cast Iron min 4mm thickness
1	20	12049035		Brennplate bakre m/pakn BP	Burn Plate Rear incl. Gasket BP	Cast Iron min 4mm thickness
1	21	12049030		Ledeplate UP	Air Deflector UP	Cast Iron min 4mm thickness
1	22	12049017		Bakplate indre UP	Rear Plate Inner UP	Cast Iron min 4mm thickness
2	23	12049042		Ben v framme h Bak LL BP	Leg L Front R Back LL BP	Cast Iron min 4mm thickness
2	23	12049533		Ben v framme h Bak LL WHE	Leg L Front R Back LL WHE	Cast Iron min 4mm thickness
2	24	12049044		Ben h framme v Bak LL BP	Ben H framme V Bak LL BP	Cast Iron min 4mm thickness
2	24	12049534		Ben h framme v Bak LL WHE	Ben H framme V Bak LL WHE	Cast Iron min 4mm thickness
1	25	12049046		Sokkel frontplate BP	Base Front Plate BP	Cast Iron min 4mm thickness
1	25	12049535		Sokkel frontplate WHE	Base Front Plate WHE	Cast Iron min 4mm thickness
2	26	12049051		Sokkel h/v sideplate BP	Base L/R Side Plate BP	Cast Iron min 4mm thickness
2	26	12049537		Sokkel h/v sideplate WHE	Base L/R Side Plate WHE	Cast Iron min 4mm thickness
1	27	12049048		Sokkel bakplate BP	Base Rear Plate BP	Cast Iron min 4mm thickness,
1	27	12049536		Sokkel bakplate WHE	Base Rear Plate WHE	Cast Iron min 4mm thickness,
2	28	12048652		Ben v framme h Bak SL BP	Leg L Front R Back SL BP	Cast Iron min 4mm thickness
2	28	12048667		Ben v framme h Bak SL WHE	Leg L Front R Back SL WHE	Cast Iron min 4mm thickness
2	29	12048653		Ben h framme v Bak SL BP	Leg R Front L Back SL BP	Cast Iron min 4mm thickness
2	29	12048669		Ben h framme v Bak SL WHE	Leg R Front L Back SL WHE	Cast Iron min 4mm thickness
1	31	10045797		Hendel luft	Hendel air	Steel

Jøtul F 105						
			<b>Jøtul F 105 R LL BP (Long Legs) cat. no. 30050007; Jøtul F 105 R B BP (Base) cat. no. 30050005; Jøtul F 105 R SL BP (Short Legs) cat. no. 30050003</b>			
			<b>Jøtul F 105 R LL WHE (Long Legs) cat. no. 30050008; Jøtul F 105 R B WHE (Base) cat. no. 30050006; Jøtul F 105 R SL WHE (Short Legs) cat. no. 30050004</b>			
			<b>Jøtul F 105 LL BP (Long Legs) cat. no. 30048969; Jøtul F 105 B BP (Base) cat. no. 30046850; Jøtul F 105 SL BP (Short legs) cat. no. 30045743</b>			
			<b>Jøtul F 105 LL WHE (Long Legs) cat. no. 30048970; Jøtul F 105 B WHE (Base) cat. no. 30047345; Jøtul F 105 SL WHE (Short legs), cat. no. 30047346</b>			
			<i>BP= Sort lakk/Black Paint, UP= Ulakkert/Unpainted, BE= Black Enamel</i>			
<i>Antall</i>	<i>Pos. no.</i>	<i>Spareparts</i>	<i>Consist of pos.no:</i>	<i>Benevnelse</i>	<i>Description</i>	<i>Dim./Spec.</i>
1	32	10047136		Luftventil	Air Valve	Steel
1	33	10047144		Ventilplate	Valveplate	Steel
1	34	10023576	If the product is older than pin 443931, 23.03.2017, Handle(pos. 2) and Hook (pos. 36) is needed.	Skrue Gjengestift med Hul ende M6x25	Screw Socket Set with Cup point M6x25	Steel
1	35	10024011		Fjær for klinke	Spring For Latch	Spring Steel
1	36	10047057	If the product is older than pin 443931, 23.03.2017, also order Handle(pos. 2) and Screw( pos.34).	Krok med aksel	Hook inclusive Bar	Steel
1	37	10047087		Glass Dør	Glas Door	Ceramic glass 4mm thick
1	38			Fjær dørhengsel Ø2mm	Spring Door Hinge Ø2mm	Spring Steel
1	39	10049232	38,40,41,42(2pcs),70	Hengsel komplett med fjær	Hinge Complete with Spring	Steel
	40			Hengsel brakett	Hinge Bracket	Steel
1	41			Aksel for hengsel	Axel For Hinge	Steel
2	42			Hengsel lås dør sintret	Hinge Lock Door Sintred	Sint, C50
1	43	21050740	3 parts + 71(2pcs)	Vermikulitt deler, hvelv og sidebrennplater	Vermiculite parts, Baffle And Side Burn Plates	Vermiculite 600Kg/m <sup>3</sup>
1	44	10047074		Lås brakett	Lock Bracket	Steel
1	45	51049941		Konveksjonspl bak stål BP	Convection Shield Rear BP	Steel
1	45	51049942		Konveksjonspl bak stål WHE	Convection Shield Rear WHE	Steel
1	46	10045798		Askeskuff	Ash Pan	Steel
1	47	10037359		Hylse Ø10xØ8x15	Sleeve Ø10xØ8x15	Steel
1	48	10026565		Fjær for ventiler	Spring For Valves	Stainless Spring Steel
4	49	10026268		Beskyttelseshette M8 6K sort	Protection Cap M8 Hex Black	Polypropylene
1	50	10047250		Deksel ben/askeleppe	Cover Legs/Ashlip	Steel
4	51	10038419		Høydejusteringssskrue M8x30	Hight Adjustment Screw M8x30	Steel
5	61	10023666		Mutter sekskant med flens M6 DIN 6923	Nut Hexagon Cap Flange M6 DIN 6923	St8.8 / ANSI B18.2
8	62	10023541		Skrue sekskant med flens M6x16 DIN 6921	Screw Hex Cap Flange M6x16 DIN 6921	St8.8 / ANSI B18.2
1	63	10023517		Mutter sekskant lav M8 DIN 439B	Nut Hexagonal Low M8 DIN 439B	Steel
4	64	10023578		Skive M10 svart, spesial	Washer M10 Black, Special	Ø10,5xØ25x1,5 Steel
1	65	10023559		Skive M8 Ø8,4xØ20x1.5 DIN 522	Washer M8 Ø8,4xØ20x1.5 DIN 522	St8.8 / ANSI B18.2
1	66	10038500		Låsemutter M8 med flens	Lock Nut M8 Collar	Steel
1	67	10023574		6kt skr m/f M6x40 DIN 6921-8.8	Hex FI Bolt DIN 6921-M6x40- 8.8	Steel
29	68	10023661		Skrue sekskant med flens M8x16 DIN 6921	Screw Hex Cap Flange M8x16 DIN 6921	St8.8 / ANSI B18.2
1	69	10023550		Skrue seksk M8x50 Elzn DIN 933	Screw Hexagon M8x50 Elzn DIN 933	St8.8 / ANSI B18.2
2	70			Festeskrive Ø8x15,3	Attachement Washer Ø8x15,3	Spring Steel
2	71	10023588		Skrue Sylinderhode Innv sekskant M6x12 DIN 912	Screw Cylinder Head Int Hexagon M6x12 DIN 912	St8.8 / ANSI B18.2
4	72	10023544		Skrue sekskant med flens M6x10 DIN 6921	Screw Hex Cap Flange M6x10 DIN 6921	St8.8 / ANSI B18.2
5	73	10023662		Skrue sekskant med flens M8x20 DIN 6921	Screw Hex Cap Flange M8x20 DIN 6921	St8.8 / ANSI B18.2
3	74	10023780		Skive Ø6,4xØ18x1,6 Elzn DIN9021	Washer Ø6,4xØ18x1,6 Elzn DIN9021	Steel
4	75	10023556		Skrue senkhode innv sekskant M6x16 DIN 7991	Screw Countersunk Flat Head Int Hex M6x16 DIN 7991	St8.8 / ANSI B18.2
4	76	10023469		Skrue seksk M8x20 Elzn DIN 933	Screw Hexagon M8x20 Elzn DIN 933	St8.8 / ANSI B18.2
4	77	10023663		Skrue sekskant med flens M8x25 DIN 6921	Screw Hex Cap Flange M8x25 DIN 6921	St8.8 / ANSI B18.2
4	78	10023664		Skrue sekskant med flens M8x30 DIN 6921	Screw Hex Cap Flange M8x30 DIN 6921	St8.8 / ANSI B18.2
2	79	10023579		Skive Ø6xØ12xØ0.5 -8.8 Elzn	Washer Ø6xØ12xØ0.5 -8.8 Elzn	St8,8 ELZN
2	80	10023580		Skrue, sylh. innv6k lavh. M6x16 DIN 7984	Screw, Cylinderh. int. hex, lowh. M6x16 DIN 7984	St8.8 / ANSI B18.2
2	81	10023588		Skrue Sylinderhode Innv sekskant M6x20 DIN 912	Screw Cylinder Head Int Hexagon M6x20 DIN 912	St8.8 / ANSI B18.2
1	86	10049974		Pakning flat bunn F 105	Gasket flat bottom F 105	SW 266x205x2mm
	87		50027205 (5m)	Pakning mellom bunn og bakplate indre	Gasket Between Bottom And Rear Plate Inner	LD 250-2 graph Ø6,4x650mm
1	88	10049008		Isolasjonsmatte bak	Insulating Blanket Rear	Fibre

Jøtul F 105						
<b>Jøtul F 105 R LL BP (Long Legs) cat. no. 30050007; Jøtul F 105 R B BP (Base) cat. no. 30050005; Jøtul F 105 R SL BP (Short Legs) cat. no. 30050003</b>						
<b>Jøtul F 105 R LL WHE (Long Legs) cat. no. 30050008; Jøtul F 105 R B WHE (Base) cat. no. 30050006; Jøtul F 105 R SL WHE (Short Legs) cat. no. 30050004</b>						
<b>Jøtul F 105 LL BP (Long Legs) cat. no. 30048969; Jøtul F 105 B BP (Base) cat. no. 30046850; Jøtul F 105 SL BP (Short legs) cat. no. 30045743</b>						
<b>Jøtul F 105 LL WHE (Long Legs) cat. no. 30048970; Jøtul F 105 B WHE (Base) cat. no. 30047345; Jøtul F 105 SL WHE (Short legs), cat. no. 30047346</b>						
<i>BP= Sort lakk/Black Paint, UP= Ulakkert/Unpainted, BE= Black Enamel</i>						
<i>Antall</i>	<i>Pos. no.</i>	<i>Spareparts</i>	<i>Consist of pos.no:</i>	<i>Benevnelse</i>	<i>Description</i>	<i>Dim./Spec.</i>
	89		50027205 (5m)	Pakning mellom brennplate bakre og bakplate indre	Gasket Between Burn Plate Rear And Rear Plate Inner	LD 250-2 graph Ø6,4x980mm
1	90		50027203 (5m)	Pakning mellom glassholder og front	Gasket Between Glass Holder And Front	LD 375-2 Ø9,5x1350mm
2	91		50027204 (5m)	Pakning under glass	Gasket Under Glass	V-125x40mm graph W/A
1	92		50027205 (5m)	Pakning til dørglass	Gasket For Door Glass	LD 250-2 graph Ø6,4x1180mm
2	93		50027205 (5m)	Pakning til røykrøstuss deksel	Gasket Smoke Outlet And Cover	LD 250-2 graph Ø6,4x500mm
1	94		50027212 (5m)	Pakning for røykrørstilkobling	Gasket For Flue Connection	WT-187x18,4 graph.W/A 660mm
1	95		50027203 (5m)	Pakning toppplate	Gasket Top Plate	LD 375-2 Ø9,5x1100mm
1	96		50027203 (5m)	Pakning mellom glass og dør	Gasket Between Glas And Door	LD 375-2 Ø9,5x1180mm
<b>Soapstone Top cat. no. 51049066 BP, 51049539 WHE</b>						
1	100	51049066		Kleber topp kompl BP	Soapstone Top Complete BP	
1	100	51049539		Kleber topp kompl WHE	Soapstone Top Complete WHE	
1	101	10048733		Kleber topp	Soapstone Top	Soapstone
1	102	12049055		Toppdeksel kleber BP	Cover Soapstone BP	Cast Iron min 4mm thickness
1	102	12049762		Toppdeksel kleber WHE	Cover Soapstone WHE	Cast Iron min 4mm thickness
1	103	12049056		Deksel Ø125 til kleber BP	Cover Ø125 For Soapstone BP	Cast Iron min 4mm thickness
1	103	12049763		Deksel Ø125 til kleber WHE	Cover Ø125 For Soapstone WHE	Cast Iron min 4mm thickness
1	104	10049465		Skjermplate kleber BP	Heatshield Soapston BP	Steel
1	104	10049466		Skjermplate kleber WP	Heatshield Soapston WP	Steel
2	105	10023680		Plateskrue med flens 4,2x13 DIN 6928	Tapping Screw 4,2x13 DIN 6928	
<b>Ash Lip cat. no. 51049065 BP</b>						
1	106	51049065	107,51	Askeleppe LL/SL BP	Ash Lip LL/SL BP	
1	107	12049054		Askeleppe BP	Ash Lip BP	Cast Iron min 4mm thickness
<b>Adaptor Ø125-Ø130mm cat. no. 51050233</b>						
1	108			Overgangsstuss Ø125-Ø130 0,8 BP	Adapter Ø125-Ø130 0,8 BP	Steel
<b>Outside Air Connection Ø80mm cat no. 51047509</b>						
1	109	51047509		Utelufttilkobling Ø80mm	Outside Air Connection Ø80mm	
<b>Handle For Ashpan cat.no.51049070</b>						
	110	51049070		Håndtak askeskuff	Handle For Ashpan	
<b>Floor Plate Glass (Germany) cat. no. 50049163</b>						
1	111	50049163		Gulvplate glass for Tyskland	Floor Plate Glass For Germany	W1022xD955mm, 6mm thick, tempered
<b>Floor Plate Steel W/HOLE (Germany) cat. no. 51049134</b>						
1	112	51049134		Gulvplate stål m/hull for Tyskland BP	Floor Plate Steel W/Hole For Germany BP	W1022xD955mm, 1,25mm thick, Black
<b>Floor Plate Glass W/HOLE (Germany) cat. no. 50049132</b>						
1	113	50049132		Gulvplate glass m/hull for Tyskland	Floor Plate Glass W/Hole For Germany	W1022xD955mm, 6mm thick, tempered
<b>Floor Plate Glass (NO/SE/DK/FI) cat. no. 50049162</b>						
1	114	50049162		Gulvplate glass for NO/SE/DK/FI	Floor Plate Glass For NO/SE/DK/FI	W722xD855mm, 6mm thick, tempered

Jøtul F 105						
			Jøtul F 105 R LL BP (Long Legs) cat. no. 30050007; Jøtul F 105 R B BP (Base) cat. no. 30050005; Jøtul F 105 R SL BP (Short Legs) cat. no. 30050003			
			Jøtul F 105 R LL WHE (Long Legs) cat. no. 30050008; Jøtul F 105 R B WHE (Base) cat. no. 30050006; Jøtul F 105 R SL WHE (Short Legs) cat. no. 30050004			
			Jøtul F 105 LL BP (Long Legs) cat. no. 30048969; Jøtul F 105 B BP (Base) cat. no. 30046850; Jøtul F 105 SL BP (Short legs) cat. no. 30045743			
			Jøtul F 105 LL WHE (Long Legs) cat. no. 30048970; Jøtul F 105 B WHE (Base) cat. no. 30047345; Jøtul F 105 SL WHE (Short legs), cat. no. 30047346			
			<i>BP= Sort lakk/Black Paint, UP= Ulakkert/Unpainted, BE= Black Enamel</i>			
<i>Antall</i>	<i>Pos. no.</i>	<i>Spareparts</i>	<i>Consist of pos.no:</i>	<i>Benevnelse</i>	<i>Description</i>	<i>Dim./Spec.</i>
			<b>Floor Plate Steel W/Hole (NO/SE/DK/FI) cat. no. 51049133</b>			
1	115	51049133		Gulvplate stål m/hull for NO/SE/DK/FI	Floor Plate Steel W/Hole For NO/SE/DK/FI	W722xD855mm, 1,25mm thick, Black
			<b>Floor Plate Glass W/Hole (NO/SE/DK/FI) cat. no. 50049131</b>			
1	116	50049131		Gulvplate glass m/hull for NO/SE/DK/FI	Floor Plate Glass W/Hole For NO/SE/DK/FI	W722xD855mm, 6mm thick, tempered
						<i>Draw.no. 900183-P07</i>