milliput

2-Part Epoxy Putty

The EPOXY PUTTY with a thousand uses



Product Information

STANDARD - TERRACOTTA

BLACK - SUPERFINE WHITE

SILVER GREY





MODELLING & SCULPTING
D.I.Y. & PLUMBING REPAIRS
PICTURE FRAME RESTORATION
MARINE REPAIRS

STANDARD MILLIPUT *is our general purpose grade – it has been used for many years for the toughest tasks. Suitable for modelmaking, sculpting, picture frame restoration, D.I.Y, marine and plumbing repairs. Temporary repairs for car petrol tanks, batteries, radiators and exhausts.*

milliput
STANDARD







GARDEN URNS
POTS & STATUETTES
DAMAGED BRICKWORK
QUARRY TILES

TERRACOTTA MILLIPUT *is suitable for the repair of terracotta pots, garden urns and for damaged brickwork and quarry tiles both internally and externally. Terracotta Milliput has been featured in the gardening sections of national newspapers and leading gardening magazines.*

milliput
TERRACOTTA







UPVC REPAIRS & FILLING
WHITE DOMESTIC APPLIANCES
PORCELAIN RESTORATION
BATHS & SINKS

SUPERFINE WHITE MILLIPUT *is for the restoration of porcelain and ceramics where a fine finish is desired. It is also suitable for UPVC (repairs and filling) and for chips and cracks in baths, sinks and tiles. Superfine White Milliput is recognised as one of the finest materials available for ceramic restoration.*

milliput
WHITE







REPAIRS TO SLATE
CAST IRON & CERAMICS
CAR APPLICATIONS
BLACK PLASTIC PARTS

BLACK MILLIPUT *is for the repair of antique clocks, guttering, ebonised wood, marble, slate, cast iron, basalt ceramics and black plastic parts. Black Milliput is ideal and is highly recommended for various* ***automotive applications.***

milliput
BLACK







MODELLING & SCULPTING
D.I.Y.
GARDEN ORNAMENTS
CERAMICS

SILVER GREY MILLIPUT *is ideal for modelling and sculpting and for the restoration of ceramics and garden ornaments.*
All grades of Milliput are frost, heat and water resistant. Ideal for external work.

milliput
SILVER GREY



Why **milliput** - *THE MOST VERSATILE MATERIAL AVAILABLE !*
It is

- Self hardening
- Non-shrinking
- Tough and durable
- Highly adhesive to most materials
- Water and chemical resistant
- Sets under water and is electrically insulating
- Moulds like putty - *sets like rock!*

milliput is very easy to use. Full instructions can be found in the pack.

BRIEF INSTRUCTIONS

Mix equal quantities of the two parts for at least five minutes until the colours merge and become uniform and no streaks can be seen. Milliput is then ready to use. Speed of hardening is dependant on temperature and at normal room temperatures Milliput becomes rock hard in 3-4 hours. (Pack weight 113.4 gm)



For much more information on the many uses for **milliput** please visit

www.milliput.com

The **milliput** Company
Unit 8, The Marian, DOLGELLAU, Gwynedd LL40 1UU
Tel/Fax 01341 422562
E-mail: info@milliput.demon.co.uk

Designed by Alcantra Ltd Copyright © 2010 All Rights Reserved