



**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

- **1.1 Product identifier**
- **Trade name** *AltroColor PU 5036 black*
- **Utilization of the substance of the formulation:** *polyurethane colour paste*
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
- **Sector of Use** *SU12 Manufacture of plastics products, including compounding and conversion*
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
*ALTROPOL KUNSTSTOFF GmbH  
Rudolf-Diesel-Str 9 - 13  
D-23617 Stockelsdorf  
Tel. +49 (0)451-49960-0  
Fax. +49 (0)451-49960-20  
e-mail: info@altropol.de*
- **Further information obtainable from:** *environment protection department*
- **1.4 Emergency telephone number:**  
*During normal opening times (7 am - 5 pm )  
phone : +49 (0)451-49960-0 or +49 (0)176-10232577*

**SECTION 2: Hazards identification**

- **2.1 Classification of the substance or mixture**
- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC**
-  *Xi; Sensitising*
- **R43:** *May cause sensitisation by skin contact.*
- **R52/53:** *Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.*
- **Information concerning particular hazards for human and environment:**  
*The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.*
- **Classification system:**  
*The classification is according to the latest editions of the EU-lists, and extended by company and literature data.*
- **2.2 Label elements**
- **Labelling according to EU guidelines:**  
*Observe the general safety regulations when handling chemicals.  
The product is not subject to identification regulations under EU Directives and the Ordinance on Hazardous Materials (German GefStoffV).*
- **Code letter and hazard designation of product:**
-  *Xi Irritant*
- **Hazard-determining components of labelling:**  
*Hydrocarbons*
- **Risk phrases:**  
*43 May cause sensitisation by skin contact.  
52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.*
- **Safety phrases:**  
*23 Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).  
24 Avoid contact with skin.  
37 Wear suitable gloves.  
60 This material and its container must be disposed of as hazardous waste.  
61 Avoid release to the environment. Refer to special instructions/safety data sheets.*

(Contd. on page 2)

Printing date 20.02.2015

Version number 16

Revision: 20.02.2015

Trade name AltroColor PU 5036 black

(Contd. of page 1)

- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

- **3.2 Chemical characterisation: Mixtures**
- **Description:** Mixture of substances listed below with nonhazardous additions.

#### · Dangerous components:

71302-83-5	Hydrocarbons ☒ Xi R43 R52/53 ⚠ Skin Sens. 1, H317; Aquatic Chronic 3, H412	75 - 100%
	Alkylammoniumsalz ☒ Xi R36/38; ☒ N R50/53 ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ⚠ Skin Irrit. 2, H315; Eye Irrit. 2, H319	0.25-2.5%

- **Additional information:** For the wording of the listed risk phrases refer to section 16.

### SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information:** No special measures required.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** Rinse out mouth and then drink plenty of water.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**  
CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **5.2 Special hazards arising from the substance or mixture**  
Carbon monoxide (CO)  
carbon dioxide
- **5.3 Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.
- **Additional information**  
Collect contaminated fire fighting water separately. It must not enter the sewage system.

### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Wear protective clothing.
- **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

(Contd. on page 3)

GB

Trade name AltroColor PU 5036 black

(Contd. of page 2)

- **6.4 Reference to other sections** No dangerous substances are released.

## SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** Take care by opening
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**  
Keep container tightly closed and dry and storage in a good ventilated room.
- Storage temperature: 15 - 25 °C.
- **Information about storage in one common storage facility:**  
Store away from oxidising agents.  
Store away from foodstuffs.
- **Further information about storage conditions:** None.
- **Storage class:** 10
- **7.3 Specific end use(s)** No further relevant information available.

## SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **8.1 Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists valid during the making were used as basis.
- **8.2 Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
The usual precautionary measures are to be adhered to when handling chemicals.
- **Respiratory protection:** Not necessary if room is well-ventilated.
- **Protection of hands:**  
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:**



Tightly sealed goggles

(Contd. on page 4)

Printing date 20.02.2015

Version number 16

Revision: 20.02.2015

Trade name AltroColor PU 5036 black

· **Body protection:** Protective work clothing

(Contd. of page 3)

**SECTION 9: Physical and chemical properties**· **9.1 Information on basic physical and chemical properties**· **General Information**· **Appearance:**

· <b>Form:</b>	Viscous
· <b>Colour:</b>	According to product specification
· <b>Odour:</b>	Characteristic

· **Change in condition**· **Melting point/Melting range:** Undetermined.· **Boiling point/Boiling range:** Undetermined.· **Flash point:** 140 °C· **Ignition temperature:** 450 °C· **Decomposition temperature:** > 250 °C· **Self-igniting:** Product is not selfigniting.· **Danger of explosion:** Product does not present an explosion hazard.· **Density at 20 °C:** ca. 1.1 g/cm<sup>3</sup>· **Solubility in / Miscibility with water:** not or difficult to mix· **Viscosity:**· **Dynamic at 20 °C:** ca. 2000 mPas· **Solvent content:**· **Organic solvents:** 0.0 %· **9.2 Other information** No further relevant information available.**SECTION 10: Stability and reactivity**· **10.1 Reactivity**· **10.2 Chemical stability**· **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.· **10.3 Possibility of hazardous reactions** No dangerous reactions known.· **10.4 Conditions to avoid** No further relevant information available.· **10.5 Incompatible materials:**

Incompatible with oxidizing agents, acids

water , alcohol , amine , base and acid

· **10.6 Hazardous decomposition products:** Carbon monoxide and carbon dioxide**SECTION 11: Toxicological information**· **11.1 Information on toxicological effects**· **Acute toxicity:**· **Primary irritant effect:**· **on the skin:** irritation feasible· **on the eye:** irritation feasible· **Sensitisation:** No sensitising effects known.

(Contd. on page 5)

GB

Printing date 20.02.2015

Version number 16

Revision: 20.02.2015

Trade name AltroColor PU 5036 black

(Contd. of page 4)

· **Additional toxicological information:**

The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

When used and handled according to specifications, the product does not have any harmful effects to our experience and the information provided to us.

**SECTION 12: Ecological information**· **12.1 Toxicity**· **Aquatic toxicity:****71302-83-5 Hydrocarbons**

EL50 (48h) 54 mg/l (D)

EL50 (72h) &gt;100 mg/l (A)

LL50(96h) 25.8 mg/l (F)

**Alkylammoniumsalz**

EC50 (72 h) 0.47 mg/l (Pseudokirchnerella Subcapitata)

· **12.2 Persistence and degradability** No further relevant information available.· **12.3 Bioaccumulative potential** No further relevant information available.· **12.4 Mobility in soil** No further relevant information available.· **Additional ecological information:**· **General notes:**

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· **12.5 Results of PBT and vPvB assessment**· **PBT:** Not applicable.· **vPvB:** Not applicable.· **12.6 Other adverse effects** No further relevant information available.**SECTION 13: Disposal considerations**· **13.1 Waste treatment methods**· **Recommendation** Must be specially treated adhering to official regulations.· **Uncleaned packaging:**· **Recommendation:** Disposal must be made according to official regulations.**SECTION 14: Transport information**· **14.1 UN-Number**· **ADR, ADN, IMDG, IATA** Void· **14.2 UN proper shipping name**· **ADR, ADN, IMDG, IATA** Void· **14.3 Transport hazard class(es)**· **ADR, ADN, IMDG, IATA**· **Class** Void· **14.4 Packing group**· **ADR, IMDG, IATA** Void· **14.5 Environmental hazards:**· **Marine pollutant:** No

(Contd. on page 6)

Printing date 20.02.2015

Version number 16

Revision: 20.02.2015

Trade name AltroColor PU 5036 black

(Contd. of page 5)

· **14.6 Special precautions for user** *Not applicable.*

· **14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code** *Not applicable.*

## SECTION 15: Regulatory information

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Labelling according to EU guidelines:**

*Observe the general safety regulations when handling chemicals.*

*The product is not subject to identification regulations under EU Directives and the Ordinance on Hazardous Materials (German GefStoffV).*

· **Code letter and hazard designation of product:**



*Xi Irritant*

· **Hazard-determining components of labelling:**

*Hydrocarbons*

· **Risk phrases:**

*43 May cause sensitisation by skin contact.*

*52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.*

· **Safety phrases:**

*23 Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer).*

*24 Avoid contact with skin.*

*37 Wear suitable gloves.*

*60 This material and its container must be disposed of as hazardous waste.*

*61 Avoid release to the environment. Refer to special instructions/safety data sheets.*

· **National regulations:**

· **Waterhazard class:** *Water hazard class 1 (VwVwS 17.05.99): slightly hazardous for water.*

· **15.2 Chemical safety assessment:** *A Chemical Safety Assessment has not been carried out.*

## SECTION 16: Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

· **Relevant phrases**

*H315 Causes skin irritation.*

*H317 May cause an allergic skin reaction.*

*H319 Causes serious eye irritation.*

*H400 Very toxic to aquatic life.*

*H410 Very toxic to aquatic life with long lasting effects.*

*H412 Harmful to aquatic life with long lasting effects.*

*R36/38 Irritating to eyes and skin.*

*R43 May cause sensitisation by skin contact.*

*R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.*

*R52/53 Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.*

· **Department issuing MSDS:** *environment protection department*

(Contd. on page 7)

Printing date 20.02.2015

Version number 16

Revision: 20.02.2015

**Trade name AltroColor PU 5036 black**

(Contd. of page 6)

· **Contact:**

Herr Karasmann Tel. +49 (0)451-49960-0

Herr Grützmacher Tel. +49 (0)2056-25863-6

· \* **Data compared to the previous version altered.**

GB