



Intonachino



Lime based eco-friendly product

Exterior & Interior



A wooden sculpture with a spiral design, mounted on a small black stand.

Three black ceramic pots of varying sizes, arranged in a row on the cabinet.

A woven basket resting on a wooden shelf above the cabinet.

A hanging lamp with a cylindrical shade, positioned to the right of the cabinet.



Intonachino Fine



Intonachino Medium



Intonachino Coarse



Intonachino+Velatura



INTONACHINO

Decorative plaster lime based for exteriors and interiors

It is high quality lime based with natural marble fillers which provide decor to high durability and vapor permeability, also perfect water and frost resistance.

This material is good for decoration exterior and interior surfaces, also opened balcony, public areas, corridors, bath areas etc.

Types

Intonachino coarse — size of grains 1,2-1,5 mm (yield 1kg/0,3-0,4 m²)

Intonachino medium — size of grains 0,7-1 mm (yield 1kg/0,5 m²)

Intonachino fine — size of grains 0,3-0,5 mm (yield 1kg/0,7-1 m²)

Application

Product ready to use. For particular needs it can be diluted with water 5%.

Apply 1 coat of Intonachino by stainless steel. While it wet, work it by special buffer RIGATO in order to create characteristic marble irregular veining. As soon as the product starts to dry proceed with the first polishing by stainless steel spatula to smooth more evident ripples. Leave to dry at least for 24 hours before to apply the finishing. When still wet it is possible to apply one second coat of Intonachino to obtain more thickness and work it as described for the first coat before.

Finishing Intonachino with colored veiled effect:

After 24 hours of Intonachino application, it is possible to apply 1 coat of Velatura in order to protect the lime and obtain an antiques effect.

Temperature of application: +10 +35 °C

Relative humidity of application: < 85 %

Touch dry: 2-4 hours

Recoatable after: 24 hours

Completely Cured: 20-25 days

Cleaning tools: by water

Density: 1,7 1,8 Kg/L

pH: 12-14

Weight Solids: 75%

Colour: Color chart

Aspect: Antique stone

Pack Size: 20 - 24 Kg

System Interior

Step	Name	Coats	Yields	Color code	Tools
1	Primer Normal	1	1lt/10 m ²	x	Roller
2	Ruvido	1	1lt/8-10 m ²	x	Roller
3	Intonachino	1-2	Individual	Color chart	Trowel

System Exterior

Step	Name	Coats	Yields	Color code	Tools
1	Primer Normal	1	1lt/7-8 m ²	x	Roller
2	Intonachino	1-2	Individual	Color chart	Trowel
3	Velatura	1-2	1lt/6-8 m ²	Color chart	Sponge