THE TIER OF THE





Silk effect decorative covering





SHABBY

Silky effect coating by brush

SHABBY is charming decorative refinishing for interiors with silk reflections. The product is indicated for decoration of interior walls and plasters of precious antiques and modern buildings.

Application

By brush: Product is ready for use. Thin it with water if necessary up to 5-10% About 6-8 hours after primer application proceed with application of first coat of SHABBY with cross brush movements. After 4-6 hours apply the second coat to obtain desired effect.

Temperature of application: +5 \div +35 °C Relative humidity of application: < 85 %

Touch dry: 1 ÷ 2 hours Recoatable after: 6-8 hours Completely Cured: 24 hours Tools cleaning: with water

Density: $0.7 \div 1.0 \text{ Kg/Lt}$

pH: 7-8

Weight Solids: 30% Coverage: 6–8 m2/Lt Colour: Color chart Aspect: Shabby silk

Pack Size: 0,75 - 4 - 14 Lt

System

Step	Name	Coats	Yields	Color code	Tools
1	Primer Normal	1	1lt/10 m ²	x	Roller
2	Ruvido	2	1lt/8-10 m ²	Color chart	Roller
3	Shabby	1-2	1lt/6-8 m ²	Color chart	Brush

Types

Shabby cool base — for creating cold colors

Shabby warm base — for creating warm colors

Shabby gold base — pure gold colorable other shades

Shabby smart base — colorable base with chameleon shades