




Wrench



Machined through round hole, holding angle of bolt/nut heads to fasten without deforming bolt/nut heads.

Jetech wrenches, precisely machined, made of chrome vanadium alloy steel, with well surface polished, assure that the dimensions of both open and ring end, meeting the standards of ANSI, DIN and GB.




Angle at 15 degree, convenient to use in narrow space.



Anti-skidding part on handle

Open end and torsion diagram




- Torsion correspondingly increase in parallel according to sizes of open end wrenches and comply to the following standard.

ISO 1711-1 NF ISO 1711-1 DIN 899



- Laser printed scale at the mouth of adjustable wrench, enable users to measure bolt/nut size

- Elastic plastic soft handle Comfortably strong grip




- Matt finish surface
- Thinner design, angle at 30 degree, convenient to use in narrow space
- Anti-skidding part on wrench body

Adjustable Wrench

Adjustable Wrench

○Standard: GB/T 4440-2008

○Refer to: ISO/CD 6787:1996




Code	Model No.	Amm	Bmm	Cmm	Dmm	Lmm	PCS	Kg	mm
040104	AW-4	6.5	9.2	13.5	14.0	100	120(10x12box)	7.50	264x226x154
040106	AW-6	8.3	12.0	20.0	20.0	150	60(10x6box)	7.90	252x196x181
040108	AW-8	9.0	14.0	24.5	25.0	200	60(10x6box)	15.80	252x239x199
040110	AW-10	9.5	16.0	30.0	30.0	250	60(10x6box)	24.40	332x302x265
040112	AW-12	10.5	17.5	36.0	36.0	300	40(10x4box)	25.90	350x335x215
040115	AW-15	12.8	22.0	47.0	46.0	375	24(4x6box)	33.50	412x259x239
040118	AW-18	19.0	29.0	53.5	55.0	450	8(2x4box)	15.10	493x290x137
040124	AW-24	21.0	33.5	67.0	63.0	600	6(1x6box)	26.90	643x318x151
040130	AW-30					750	2(1x2box)		

Soft Grip Adjustable Wrench

○Standard: GB/T 4440-2008

○Refer to: ISO/CD 6787:1996



Code	Model No.	Amm	Bmm	Cmm	Dmm	Lmm	PCS	Kg	mm
040206	AWS-6	6.5	10.3	20.5	20.0	150	60(6x10box)	9.30	324x196x181
040208	AWS-8	7.8	12.5	26.0	28.0	200	60(6x10box)	18.80	316x244x205
040210	AWS-10	8.5	14.5	32.0	30.0	250	60(6x10box)	29.80	452x308x244
040212	AWS-12	9.7	17.7	37.0	40.0	300	40(4x10box)	28.60	448x342x193

Wrench Set

Combination Wrench Set

○Standard: GB/T 4388-4393-2008

○Refer to: ISO 10102:1990 ISO 10103:1990

ISO 10104:1990 ISO 7738:1990



Code	Model No.	±O mm	PCS	Kg	mm
041006	COM-S6A	8 10 12 13 14 17	12(1x12box)	7.10	330x314x181
041007	COM-S6B	8 10 13 16 17 18	12(1x12box)	8.20	290x290x260
041008	COM-S8	5.5 8 10 12 13 14 17 19	24(2x12box)	18.25	433x294x234
041011	COM-S11	5.5 8 9 10 11 12 13 14 17 19 22	24(2x12box)	32.50	565x397x305
041015	COM-S15	5.5 8 9 10 11 12 13 14 15 16 17 18 19 22 24	12(2x6box)	22.70	394x382x232
041024	COM-S24	5.5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 27 30 32	6(1x6box)	29.20	484x346x241
041039	COM-S8B	6 8 10 12 14 17 19 22	24(2x12box)	22.326	433 × 294 × 234
041012	COM-S12	6 7 8 10 12 14 17 19 22 24 27 32	12(2x6box)	30.796	484 × 346 × 241
041026	COM-S26	6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 32	6(1x6box)	36.322	484 × 346 × 241

DR Combination wrench set

○Refer to: ISO 10102:1990 ISO 10103:1990

ISO 10104:1990 ISO 7738:1990



Code	Model No.	±O mm	PCS	Kg	mm
041001	COM-S5IN	5/16 3/8 7/16 1/2 9/16	12(1x12box)	4.884	330 × 314 × 181
041002	COM-S6IN	1/4 3/8 7/16 1/2 9/16 5/8	12(1x12box)	6.012	330 × 314 × 181
041003	COM-S7IN	11/16 3/8 7/16 1/2 9/16 5/8 3/4	12(1x12box)	9.528	330 × 314 × 181
041004	COM-S9IN	11/16 3/8 7/16 1/2 9/16 5/8 3/4 1/4 5/16	24(2x12box)	21.339	565 × 397 × 305
041005	COM-S11IN	11/16 3/8 7/16 1/2 9/16 5/8 3/4 13/16 7/8 15/16 1	24(2x12box)	46.083	565 × 397 × 305
041006	COM-S14IN	11/16 3/8 7/16 1/2 9/16 5/8 3/4 13/16 7/8 15/16 1 1-1/16 1-1/8 1-1/4	12(1x12box)	45.1	512 × 372 × 274

DR Combination wrench set



Code	Model No.	±O mm	PCS	Kg	mm
041018	COM-S12MI	8 9 10 11 13 15 7/16 1/2 9/16 5/8 11/16	12(1x12box)	12.718	394 × 382 × 232
041019	COM-S20MI	8 9 10 11 12 13 14 15 17 18 1/4 5/16 3/8 7/16 1/2 9/16 5/8 11/16 3/4 7/8	6(1x6box)	13.138	484 × 346 × 241

Ring Wrench Set


○Standard: GB/T 4388-4393-2008

○Refer to: ISO 10102:1990 ISO 10103:1990

ISO 10104:1990 ISO 7738:1990



Code	Model No.	±O mm	PCS	Kg	mm
040809	OFS-S9	5.5-7 8-10 11-13 12-14 14-17 17-19 19-21 22-24 24-27	12(2x6box)	24.50	512x372x274
040811	OFS-S11	8-10 10-12 11-13 12-14 14-17 17-19 19-22 21-23 22-24 23-26 24-27	12(2x6box)	32.80	512x372x274
040815	OFS-S15	5.5-7 8-10 10-12 11-13 12-14 13-15 14-17 16-18 17-19 19-22 21-23 22-24 23-26 24-27 30-32	6(1x6box)	24.80	512x372x274
040808	OFS-S8	18-19 16-17 14-15 12-13 6-7 8-9 10-11 20-22	12(2x6box)	15.04	484 × 346 × 241
040814	OFS-S12A	18-19A 16-17A 14-15A 12-13A 6-7A 8-9A 10-11A 20-22A 21-23A 24-27A 27-30A 30-32A	12(2x6box)	22.384	512 × 372 × 274



INDEX

Wrench Set

Double Open Wrench Set

- Standard: GB/T 4388-4393-2008
- Refer to: ISO 10102:1990 ISO 10103:1990
ISO 10104:1990 ISO 7738:1990




Code	Model No.	Size mm	PCS	Kg	mm
040016	OWS-S6A	5.5x7 8x10 11x13 14x17 17x19 22x24	12(1x12box)	10.80	330x314x181
040017	OWS-S6B	8x10 11x13 13x15 16x18 17x19 22x24	12(1x12box)	12.00	330x314x181
040909	OWS-S9	5.5x7 8x10 11x13 12x14 14x17 17x19 19x21 22x24 24x27	12(2x6box)	19.45	394x382x232
040916	OWS-S16	5.5x7 8x10 10x12 11x13 12x14 13x15 14x17 16x18 17x19 19x21 19x22 21x23 22x24 23x26 24x27 30x32	4(2x2box)	13.55	515x200x191

Combination Wrench

Combination Wrench


- Cr.V material, strong torque
- Thinner design, easy to use in narrow space
- Surface lapped, polished and sand blasted
- Standard: GB/T 4388-4393-2008
- Refer to: ISO 10102:1990 ISO 10103:1990
ISO 10104:1990 ISO 7738:1990



Code	Model No.	Amm	Bmm	Cmm	Lmm	PCS	Kg	mm
040305	COM-5.5	5.5	15.5	10.5	4.4	4.5	100	120(12x10box)
040306	COM-6	6	16	10.5	4.4	5	106	120(12x10box)
040307	COM-7	7	17	12	4.5	5.4	116	120(12x10box)
040308	COM-8	8	18	13.5	4.7	6	127	120(12x10box)
040309	COM-9	9	20.6	14.5	5	6.4	136	120(12x10box)
040310	COM-10	10	21.6	15.5	5.2	6.9	146	120(12x10box)
040311	COM-11	11	24.6	18	5.7	7.2	156	120(12x10box)
040312	COM-12	12	25.6	19.5	6.2	7.9	167	120(12x10box)
040313	COM-13	13	29.2	20	6.5	8.1	176	120(12x10box)
040314	COM-14	14	30.7	21.5	6.8	8.4	186	120(12x10box)
040315	COM-15	15	32.7	22.5	7	8.5	196	120(12x10box)
040316	COM-16	16	34.2	24.5	7.3	9.2	206	120(12x10box)
040317	COM-17	17	36.2	26	7.5	9.4	216	120(12x10box)
040318	COM-18	18	38.3	28	7.6	10.4	225	120(12x10box)
040319	COM-19	19	40.3	29	7.8	11.4	234	120(12x10box)
040320	COM-20	20	43.3	30	8.3	12.4	240	60(6x10box)
040321	COM-21	21	43.8	32	8.6	12	250	60(6x10box)
040322	COM-22	22	44.8	34	8.8	13.4	265	60(6x10box)
040323	COM-23	23	46.9	35	9	13.6	276	36(6x6box)
040324	COM-24	24	49.9	36	9.3	14.1	287	36(6x6box)
040325	COM-25	25	53.4	37	9.6	14.6	297	36(6x6box)
040326	COM-26	26	54.4	38	9.8	14.9	307	36(6x6box)
040327	COM-27	27	56	40.5	10	15.4	317	36(6x6box)
040328	COM-28	28	58	41.5	10.2	15.9	327	36(6x6box)
040329	COM-29	29	59	42	10.4	16.4	337	36(6x6box)
040330	COM-30	30	62	44	10.6	17.2	347	36(6x6box)
040332	COM-32	32	65	48	10.8	17.4	366	36(6x6box)

Combination Wrench Jumbo Size


- Cr.V material, strong torque
- Thinner design, easy to use in narrow space
- Surface lapped, polished and sand blasted
- Standard: GB/T 4388-4393-2008
- Refer to: ISO 10102:1990 ISO 10103:1990
ISO 10104:1990 ISO 7738:1990



Code	Model No.	Amm	Bmm	Cmm	Lmm	PCS	Kg	mm
040333	COM-33	33	66	48.5	12.0	15.5	372	36(6x6box)
040335	COM-35	35	72	53.5	13.5	17.0	450	24(2x12box)
040336	COM-36	36	72	53.5	14.0	18.0	450	24(2x12box)
040338	COM-38	38	77	57.5	14.5	19.5	461	16(2x8box)
040341	COM-41	41	83	63	15.5	20.5	475	16(2x8box)
040342	COM-42	42	83	63	15.5	20.5	475	16(2x8box)
040344	COM-44	44	92.5	68	15.5	21.5	485	16(2x8box)
040346	COM-46	46	92.5	68.5	15.5	21.5	485	16(2x8box)
040350	COM-50	50	101	76.5	16.5	22.5	500	12(2x6box)
040355	COM-55	55	108.5	81.5	20	30.0	670	4(1x4box)
040360	COM-60	60	120	88.5	22.5	30.0	695	4(1x4box)
040365	COM-65	65	120.5	88.5	22.5	30.0	695	4(1x4box)

Double Open Wrench (Metric)

- Cr.V material, strong torque
- Thinner design, easy to use in narrow space
- Surface lapped, polished and sand blasted
- Standard: GB/T 4388-4393-2008
- Refer to: ISO 10102:1990 ISO 10103:1990
ISO 10104:1990 ISO 7738:1990




Code	Model No.	Amm	Bmm	Cmm	Dmm	Emm	Lmm	PCS	Kg	mm
040607	OWS5.5-7	5.5	16	7	18	4	120	120(12x10box)	4.70	170x170x182
040610	OWS8-10	8	19.5	10	23.5	4.7	147	120(12x10box)	5.36	188x140x188
040612	OWS10-12	10	23.5	12	27.5	5.2	156	120(12x10box)	7.54	188x140x180
040613	OWS11-13	11	25.5	13	29.5	5.2	172	120(12x10box)	9.90	217x179x190
040614	OWS12-14	12	27.5	14	32	5.7	180	120(12x10box)	11.50	217x179x190
040615	OWS13-15	13	29.6	15	34.6	6.3	188	120(12x10box)	15.00	237x209x190
040616	OWS13-16	13	29.6	16	34.6	6.3	188	120(12x10box)	13.90	237x209x190
040617	OWS14-17	14	32.1	17	38.2	6.3	195	120(12x10box)	16.90	234x206x237
040618	OWS16-18	16	34.5	18	39.6	6.8	206	120(12x10box)	18.20	234x206x237
040619	OWS17-19	17	38.2	19	42.3	6.8	220	120(12x10box)	22.50	254x206x237
040620	OWS18-21	18	42.3	21	46.3	7.3	238	60(6x10box)	14.60	330x290x140
040621	OWS19-21	19	42.3	21	46.3	7.3	238	60(6x10box)	13.00	330x290x140
040622	OWS19-22	19	42.3	22	46.3	7.3	238	60(6x10box)	12.94	330x290x140
040623	OWS21-23	21	48.3	23	50.4	7.8	247	60(6x10box)	15.00	330x290x140
040624	OWS22-24	22	48.3	24	50.4	7.8	247	60(6x10box)	16.50	330x290x140
040626	OWS23-26	23	50.4	26	55.9	8.3	256	60(6x10box)	19.30	330x290x140
040627	OWS24-27	24	50.4	27	55.9	8.3	256	60(6x10box)	20.50	330x290x140
040630	OWS27-30	27	57.9	30	61.9	8.8	278	36(6x6box)	14.80	307x139x204
040632	OWS30-32	30	61.6	32	67.9	9.3	298	36(6x6box)	18.50	332x154x209

Combination Wrench

Double Ring Wrench (Metric)

- Cr.V material, strong torque
- Thinner design, easy to use in narrow space
- Surface lapped, polished and sand blasted
- Standard: GB/T 4388-4393-2008
- Refer to: ISO 10102:1990 ISO 10103:1990
ISO 10104:1990 ISO 7738:1990




Code	Model No.	Amm	Bmm	Cmm	Dmm	Lmm	PCS	Kg	mm
040707	OFS5.5-7	10	12	5	5.5		120(12x10box)	6.20	200x188x181
040710	OFS8-10	13.5	16	5.5	6		120(12x10box)	7.10	212x204x193
040712	OFS10-12	16	19.5	6	7.5		120(12x10box)	10.24	239x237x190
040713	OFS11-13	19.5	21.5	7.5	8		120(12x10box)	12.35	266x254x217
040714	OFS12-14	19.5	21.5	6.5	8		120(12x10box)	12.57	266x254x217
040715	OFS13-15	20	23	7.5	8.5		120(12x10box)	16.30	296x274x212
040716	OFS13-16	20	23	7.5	8.5		120(12x10box)	16.10	296x274x212
040717	OFS14-17	22	26	7.5	10.8		120(12x10box)	19.80	296x274x212
040718	OFS16-18	24.5	28	9.5	10		120(12x10box)	11.20	330x290x140
040719	OFS17-19	26	28.5	9	12.4		60(6x10box)	13.40	314x176x287
040720	OFS18-21	29	34	10.9	13		60(6x10box)	18.30	337x205x190
040721	OFS19-21	29	34	11	13		60(6x10box)	16.10	327x195x180
040722	OFS19-22	29	34	11	13		60(6x10box)	16.30	337x205x190
040723	OFS21-23	33	36	11	13.5		60(6x10box)	22.10	374x202x245
040724	OFS22-24	33	36	13	13.5		60(6x10box)	19.50	374x202x245
040726	OFS23-26	35.5	39	13.5	15		36(6x6box)	16.50	397x225x174
040727	OFS24-27	35.5	39	13.5	15		36(6x6box)	14.10	397x225x174
040730	OFS27-30	40.5	44	15	17		36(6x6box)	21.30	470x248x197
040732	OFS30-32	44	48	17	17		36(6x6box)	22.20	470x248x197

Combination Wrench Mirror Finish

Combination Wrench Mirror Finish (Metric)

- The mirror finish wrench with the thin shape design is forged by carbon steel
- The surface is processed by multiple polishing and milling
- Standard: GB/T 4388-4393-2008
- Refer to: ISO 10102:1990 ISO 10103:1990
ISO 10104:1990 ISO 7738:1990



Code	Model No.	Amm	Bmm	Cmm	Dmm	Lmm	PCS	Kg	mm
041106	COMF-6	6	16	10.5	4.4	5.5	120(12x10box)	2.65	140x132x190
041107	COMF-7	7	17	12	4.5	5.4	116	3.30	157x149x190
041108	COMF-8	8	18	13.5	4.7	6	127	4.00	170x170x182
041109	COMF-9	9	20.6	14.5	5	6.4	136	4.60	170x170x182
041110	COMF-10	10	21.6	15.5	5.2	6.9	146	5.25	192x174x185
041111	COMF-11	11	24.6	18	5.7	7.2	157	6.90	200x188x181
041112	COMF-12	12	25.6	19.5	6.2	7.9	167	8.20	212x204x193
041113	COMF-13	13	29.2	20	6.5	8.1	176	10.00	212x204x193
041114	COMF-14	14	30.7	21.5	6.8	8.4	186	11.40	239x237x190
041115	COMF-15	15	32.7	22.5	7	8.8	196	13.60	236x234x237
041116	COMF-16	16	34.2	24.5	7.3	9.2	206	13.35	254x236x237
041117	COMF-17	17	36.2	26	7.5	9.4	217	16.60	266x254x217

Connect the next page

Combination Wrench Mirror Finish

Combination Wrench Mirror Finish (Metric)

Connect the previous page

Code	Model No.	A _{mm}	B _{mm}		C _{mm}		L _{mm}	PCS	Kg	mm
041118	COMF-18	18	38.3	28	7.6	10.4	226	120 (12x10盒)	19.70	267x259x240
041119	COMF-19	19	40.3	29	7.8	11.4	236	120 (12x10盒)	21.40	267x259x240
041120	COMF-20	20	42.3	30	8.3	12.4	246	60 (6x10盒)	11.20	272x176x237
041121	COMF-21	21	42.8	32	8.6	12	256	60 (6x10盒)	13.80	330x290x140
041122	COMF-22	22	44.8	34	8.8	13.4	268	60 (6x10盒)	14.10	314x176x287
041123	COMF-23	23	46.9	35	9	13.6	279	60 (6x10盒)	17.40	314x176x287
041124	COMF-24	24	49.9	36	9.3	14.1	287	36 (6x6盒)	11.80	327x195x184
041125	COMF-25	25	53.4	37	9.6	14.6	297	36 (6x6盒)	11.90	350x175x192
041126	COMF-26	26	54.4	38	9.8	14.9	307	36 (6x6盒)	13.20	362x194x209
041127	COMF-27	27	56	40.5	10	15.4	317	36 (6x6盒)	14.40	362x194x209
041128	COMF-28	28	58	41.5	10.2	15.9	327	36 (6x6盒)	21.30	397x225x174
041129	COMF-29	29	59	42	10.4	16.4	336	36 (6x6盒)	22.00	397x225x174
041130	COMF-30	30	62	44	10.6	17.2	347	36 (6x6盒)	23.50	397x225x174
041132	COMF-32	32	65	48	10.8	17.4	366	36 (6x6盒)	24.00	397x321x150

Combination Wrench Jumbo Size Mirror Finish

Code	Model No.	A _{mm}		B _{mm}		C _{mm}		L _{mm}	PCS	Kg	mm
041133	COMF-33	33	66	48.5	12.1	15.5	372	36(6x6box)	24.50	397x321x150	
041134	COMF-34	34	66	48.5	12.1	15.5	372	24(2x12box)	27.40	506x356x187	
041135	COMF-35	35	72	53.5	13.5	15.17	450	24(2x12box)	25.60	506x356x187	
041136	COMF-36	36	72	53.5	14.0	18	450	24(2x12box)	26.80	506x356x187	
041138	COMF-38	38	77	57.5	14.5	19.5	461	16(2x8box)	21.90	532x415x135	
041141	COMF-41	41	83	63	15.5	20.5	475	16(2x8box)	23.80	532x415x135	
041142	COMF-42	42	83	63	15.5	20.5	475	16(2x8box)	23.70	532x415x135	
041144	COMF-44	44	92.5	68	15.5	21.5	485	16(2x8box)	29.30	532x415x135	
041146	COMF-46	46	92.5	68.5	16.5	22.5	485	16(2x8box)	26.60	532x415x135	
041148	COMF-48	48	101	76.5	16.5	22.5	500	12(2x6box)	24.80	535x325x145	
041150	COMF-50	50	101	76.5	16.5	22.5	500	12(2x6box)	24.50	532x316x140	
041155	COMF-55	55	108	81.5	20	30	670	4(1x4box)	14.50	728x260x121	
041160	COMF-60	60	120	88.5	22.5	30	695	4(1x4box)	20.60	728x260x121	
041165	COMF-65	65	120.5	88.5	22.5	30	695	4(1x4box)	20.40	728x260x121	


Double Open Wrench Mirror Finish

- The mirror finish wrench with the thin shape design is forged by carbon steel
- The surface is processed by multiple polishing and milling
- Standard: GB/T 4388-4393-2008
- Refer to: ISO 10102:1990 ISO 10103:1990
ISO 10104:1990 ISO 7738:1990



Code	Model No.	Amm	Bmm	Cmm	Dmm	Emm	Lmm	PCS	Kg	mm
041206	OWSF5.5-7							120(12x10box)		
041207	OWSF6-7	6	16.5	7	18.5	4.2	128	120(12x10box)	3.70	170x170x182
041210	OWSF8-10	8	19.5	10	23.5	4.7	147	120(12x10box)	5.76	188x140x188
041211	OWSF9-11							156	60(6x10box)	
041212	OWSF10-12	10	23.5	12	22.5	5.2	156	120(12x10box)	7.86	188x140x188
041213	OWSF11-13	11	25.5	13	29.5	5.2	172	120(12x10box)	9.20	217x179x190
041214	OWSF12-14	12	27.5	14	32	5.7	180	120(12x10box)	11.70	217x179x190

Connect the next page



Combination Wrench Mirror Finish

Double Open Wrench Mirror Finish

Connect the previous page


Code	Model No.	Amm	Bmm	Cmm	Dmm	Emm	Lmm	PCS	Kg	mm
041215	OWSF13-15	13	29.6	15	34.6	6.3	188	120(12x10box)	13.75	237x209x190
041216	OWSF13-16	13	29.6	16	34.6	6.3	188	120(12x10box)	14.10	237x209x190
041217	OWSF14-17	14	32	17	38.2	6.3	195	120(12x10box)	16.00	234x206x237
041218	OWSF16-18	16	34.5	18	39.6	6.8	206	120(12x10box)	17.60	234x206x237
041219	OWSF17-19	17	38.2	19	42.3	6.8	220	120(12x10box)	20.15	254x206x237
041220	OWSF18-21	18	42.3	21	46.3	7.3	238	60(6x10box)	14.30	230x290x140
041221	OWSF19-21	19	42.3	21	46.3	7.3	238	60(6x10box)	13.20	230x290x140
041222	OWSF19-22	19	42.3	22	46.3	7.3	238	60(6x10box)	13.40	230x290x140
041223	OWSF21-23	21	48.3	23	50.4	7.8	247	60(6x10box)	16.20	230x290x140
041224	OWSF22-24	22	48.3	24	50.4	7.8	247	60(6x10box)	15.10	230x290x140
041226	OWSF23-26	23	50.4	26	55.9	8.3	256	60(6x10box)	19.20	230x290x140
041227	OWSF24-27	24	50.4	27	55.9	8.3	256	60(6x10box)	19.10	230x290x140
041230	OWSF27-30	27	57.9	30	61.9	8.8	278	36(6x6box)	16.70	314x208x148
041232	OWSF30-32	30	61.6	32	67.9	9.3	298	36(6x6box)	17.20	332x154x209

Double Open Wrench Jumbo Size Mirror Finish

Code	Model No.	Amm	Bmm	Cmm	Dmm	Emm	Lmm	PCS	Kg	mm
041236	OWSF32-36	32	68	36	75.5	12.5	315	18(3x6box)	14.20	370x288x115
041234	OWSF34-36							18(3x6box)		
041241	OWSF36-41	36	75	41	84.5	13.5	335	18(3x6box)	24.00	370x288x115
041246	OWSF41-46	41	83.5	46	92.5	13.5	335	18(3x6box)	24.60	397x321x150
041250	OWSF46-50	46	93.5	50	103	15	395	12(2x6box)	21.40	448x268x136

Double Ring Wrench Jumbo Size Mirror Finish

- The mirror finish wrench with the thin shape design is forged by carbon steel
- The surface is processed by multiple polishing and milling
- Standard: GB/T 4388-4393-2008
- Refer to: ISO 10102:1990 ISO 10103:1990
- ISO 10104:1990 ISO 7738:1990



Code	Model No.	Amm	Bmm	Cmm	Dmm	Lmm	PCS	Kg	mm
041306	OFSF5.5-7						120(12x10box)		
041307	OFSF6-7	10	12	5	5.5	159	120(12x10box)	5.90	200x188x181
041310	OFSF8-10	13.5	16	5.5	6	169	120(12x10box)	7.50	212x204x193
041311	OFSF9-11						120(12x10box)		
041312	OFSF10-12	16	19.5	6	7.5	183	120(12x10box)	9.40	239x237x190
041313	OFSF11-13	19.5	21.5	7.5	8	197	120(12x10box)	12.62	266x254x217
041314	OFSF12-14	19.5	21.5	7.5	8	197	120(12x10box)	12.30	266x254x217
041315	OFSF13-15	20	23	7.5	8.5	213	120(12x10box)	15.20	266x254x217
041316	OFSF13-16	20	23	7.5	8.5	213	120(12x10box)	17.20	296x274x212
041317	OFSF14-17	22	26	9.5	10.8	235	120(12x10box)	18.20	296x274x212
041318	OFSF16-18	24.5	28	9	10	246	120(12x10box)	10.80	330x290x140
041319	OFSF17-19	26	28.5	10.9	12.4	265	60(6x10box)	13.10	314x176x287
041320	OFSF18-21	29	34	11	13	284	60(6x10box)	17.30	337x205x190
041321	OFSF19-21	29	34	11	13	284	60(6x10box)	16.60	337x205x190
041322	OFSF19-22	29	34	11	13	284	60(6x10box)	14.80	337x205x190
041323	OFSF21-23	33	36	13	13.5	306	60(6x10box)	19.70	374x202x245
041324	OFSF22-24	33	36	13	13.5	306	60(6x10box)	16.50	374x202x245
041326	OFSF23-26	35.5	39	13	15	330	36(6x6box)	14.90	397x225x174
041327	OFSF24-27	35.5	39	13.5	15	330	36(6x6box)	14.10	397x225x174
041330	OFSF27-30	40.5	44	15	17	330	36(6x6box)	17.60	417x265x141
041332	OFSF30-32	44	48	17	17	330	36(6x6box)	23.10	470x248x179

Connect the next page

Double Ring Wrench Jumbo Size Mirror Finish

Double Ring Wrench Jumbo Size Mirror Finish

Code	Model No.	Amm	Bmm	Cmm	Dmm	Emm	Lmm	PCS	Kg	mm
041336	OFSF32-36							18(3x6box)		
041334	OFSF34-36							18(3x6box)		
041341	OFSF36-41							18(3x6box)		
041346	OFSF41-46							18(3x6box)		
041350	OFSF46-50							12(2x6box)		

Connect the previous page

Wrench Set

Combination Wrench Set Mirror Finish

- Standard: GB/T 4388-4393-2008
- Refer to: ISO 10102:1990 ISO 10103:1990
- ISO 10104:1990 ISO 7738:1990



Code	Model No.	mm	PCS	Kg	mm
041408	COMF-S8	6 8 10 12 13 14 17 19	24(2x12box)	18.20	433x294x234
041411	COMF-S11	6 8 9 10 11 12 13 14 17 19 22	24(2x12box)	28.20	565x397x305
041415	COMF-S15	6 8 9 10 11 12 13 14 15 16 17 18 19 22 24	12(2x6box)	22.30	394x382x232
041424	COMF-S24	6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 30 32	6(1x6box)	30.70	484x346x241

Combination Wrench Set Mirror Finish

- Standard: GB/T 4388-4393-2008
- Refer to: ISO 10102:1990 ISO 10103:1990
- ISO 10104:1990 ISO 7738:1990



Code	Model No.	mm	PCS	Kg	mm
040819	OFSF-S9	6-7 8-10 11-13 12-14 14-17 17-19 21-23 22-24 24-27	12(2x6box)	24.80	512x372x274
040820	OFSF-S10	6-7 8-10 11-13 12-14 14-17 17-19 21-23 22-24 24-27 30-32	12(2x6box)	31.00	512x372x274
040822	OFSF-S10A	6-7 8-10 11-13 12-14 14-17 17-19 21-23 22-24 24-27 27-30	12(2x6box)	30.60	512x372x274
040821	OFSF-S11	8-10 10-12 11-13 12-14 14-17 17-19 19-22 21-23 22-24 23-26 24-27	12(2x6box)	33.40	512x372x274
040825	OFSF-S15	6-7 8-10 10-12 11-13 12-14 13-15 14-17 16-18 17-19 19-22 21-23 22-24 23-26 24-27 30-32	6(1x6box)	24.10	512x372x274

Double Open Wrench Jumbo Size Mirror Finish

- Standard: GB/T 4388-4393-2008
- Refer to: ISO 10102:1990 ISO 10103:1990
- ISO 10104:1990 ISO 7738:1990



Code	Model No.	mm	PCS	Kg	mm
041509	OWSF-S9	6-7 8-10 11-13 12-14 14-17 17-19 21-23 22-24 24-27	12(2x6box)	19.75	394x382x232
041516	OWSF-S16	6-7 8-10 10-12 11-13 12-14 13-15 14-17 16-18 17-19 19-21 19-22 21-23 22-24 23-26 24-27 30-32	4(2x2box)	13.50	515x200x191
041510	OWSF-S10	6-7 8-10 11-13 12-14 14-17 17-19 21-23 22-24 24-27 30-32	12(2x6box)	24.20	394x382x232
041511	OWSF-S10A	6-7 8-10 11-13 12-14 14-17 17-19 21-23 22-24 24-27 27-30	12(2x6box)	24.00	394x382x232

Wrench

Double Ring Wrench Inch Size



Code	Model No.	PCS
043409	OFS1/4-5/16	120(10x12box)
043401	OFS3/8-7/16	120(10x12box)
043402	OFS1/2-9/16	120(10x12box)
043403	OFS5/8-11/16	120(10x12box)
043408	OFS5/8-3/4	120(10x12box)
043405	OFS3/4-7/8	60(6x10box)
043406	OFS15/16-1	36(6x6box)

Double Open Wrench Inch Size



Code	Model No.	PCS
043302	OWS1/4-5/16	120(10x12box)
043303	OWS5/16-3/8	120(10x12box)
043304	OWS3/8-7/16	120(10x12box)
043305	OWS7/16-1/2	120(10x12box)
043306	OWS1/2-9/16	120(10x12box)
043308	OWS5/8-3/4	60(6x10box)
043310	OWS5/8-11/16	60(6x10box)
043313	OWS3/4-7/8	60(6x10box)
043315	OWS15/16-1	60(6x10box)

Combination Wrench Inch Size



Code	Model No.	PCS
043201	COM-1/4	120(10x12box)
043202	COM-5/16	120(10x12box)
043203	COM-3/8	120(10x12box)
043204	COM-7/16	120(10x12box)
043205	COM-1/2	120(10x12box)
043206	COM-9/16	120(10x12box)
043207	COM-5/8	120(10x12box)
043208	COM-11/16	120(10x12box)
043209	COM-3/4	120(10x12box)
043210	COM-13/16	60(6x10box)
043211	COM-7/8	60(6x10box)
043212	COM-15/16	36(6x6box)
043213	COM-1	36(6x6box)
043214	COM-1-1/16	36(6x6box)
043215	COM-1-1/8	36(6x6box)
043216	COM-1-1/4	36(6x6box)

Combination Wrench Set Inch Size




Code	Model No.	mm	PCS	kg	mm
041001	COM-S5IN	5/16 3/8 7/16 1/2 9/16			
041002	COM-S6IN	1/4 3/8 7/16 1/2 9/16 5/8			
041003	COM-S7IN	11/16 3/8 7/16 1/2 9/16 5/8 3/4			
041004	COM-S9IN	11/16 3/8 7/16 1/2 9/16 5/8 3/4 1/4 5/16			
041005	COM-S11IN	11/16 3/8 7/16 1/2 9/16 5/8 3/4 13/16 7/8 15/16 1			
041010	COM-S14IN	11/16 3/8 7/16 1/2 9/16 5/8 3/4 13/16 7/8 15/16 1 1-1/16 1-1/8 1-1/4			
040901	OWS-S6IN	1/4-5/16 3/8-7/16 1/2-9/16 5/8-11/16 3/4-7/8 15/16-1			
040801	OFS-S6IN	1/4-5/16 3/8-7/16 1/2-9/16 5/8-11/16 3/4-7/8 15/16-1			
041018	COM-S12MI	8 9 10 11 3/8 13 7/16 15 1/2 9/16 5/8 11/16			
041019	COM-S20MI	8 9 10 11 12 13 14 15 17 18 1/4 5/16 3/8 7/16 1/2 9/16 5/8 11/16 3/4 7/8			

Gear Wrench

○Standard: GB/T 4388-4393-2008

○Refer to: ISO 10102:1990 ISO 10103:1990
ISO 10104:1990 ISO 7738:1990



Code	Model No.	Amm	Bmm	Cmm	Lmm	PCS	Kg	mm
041606	GR-6	6	13	14	6.3	4.3	128	120(10x12box)
041607	GR-7	7	16.3	16.5	6.5	4.3	140	100(10x10box)
041608	GR-8	8	18	18	6.5	4.3	141	100(10x10box)
041609	GR-9	9	19	19	7.0	4.8	150	100(10x10box)
041610	GR-10	10	21	21	8	5	160	100(10x10box)
041611	GR-11	11	23	23	8	5	165	100(10x10box)
041612	GR-12	12	25	26	8	5	170	100(10x10box)
041613	GR-13	13	26	27	8.5	5.5	181	100(10x10box)
041614	GR-14	14	23	30	9.1	7	191	100(10x10box)
041615	GR-15	15	29	32	10	7	200	100(10x10box)
041616	GR-16	16	31	33	10	8	210	100(10x10box)
041617	GR-17	17	33	36	10	7.5	226	100(10x10box)
041618	GR-18	18	35	39	10	8.5	236	100(10x10box)
041619	GR-19	19	36	40	10.5	9	246	100(10x10box)
041621	GR-21	21	42	44	13	9.5	290	36(6x6box)
041622	GR-22	22	43	45	14.5	9.5	292	36(6x6box)
041624	GR-24	24	48	52	14	9.5	333	36(6x6box)
041627	GR-27	27	51	54	15.6	10.5	355	36(6x6box)
041630	GR-30	30	56	60	17.5	11	402	10(5x2box)
041632	GR-32	32	61	64	18	12	420	10(5x2box)


Gear Wrench

○Standard: GB/T 4388-4393-2008




Code	Model No.	mm	PCS	Kg	mm
040007	GR-S7	8 10 12 13 14 17 19	24(2x12box)	22.80	346x314x310
040008	GR-S8	10 11 12 13 14 15 17 19	24(2x12box)	27.85	346x314x310
040009	GR-S9	8 10 12 13 14 16 17 18 19	24(2x12box)	29.60	346x314x310
040012	GR-S12	8 9 10 11 12 13 14 15 16 17 18 19	12(2x6box)	20.70	394x382x232
040020	GR-S20	6 7 8 9 10 11 12 13 14 15 16 17 18 19 21 22 24 27 30 32	6(1x6box)	35.00	484x346x241

Flexible Gear Wrench



Code	Model No.	PCS
041908	GRA-8	100(10x10box)
041909	GRA-9	100(10x10box)

Connect the next page



INDEX

Wrench

Flexible Gear Wrench

Connect the previous page

Code	Model No.	PCS
041910	GRA-10	100(10x10box)
041911	GRA-11	100(10x10box)
041912	GRA-12	100(10x10box)
041913	GRA-13	100(10x10box)
041914	GRA-14	100(10x10box)
041915	GRA-15	100(10x10box)
041916	GRA-16	100(10x10box)
041917	GRA-17	100(10x10box)
041918	GRA-18	100(10x10box)
041919	GRA-19	100(10x10box)
041921	GRA-21	100(10x10box)
041922	GRA-22	36(6x6box)
041924	GRA-24	36(6x6box)
041927	GRA-27	36(6x6box)
041930	GRA-30	10(5x2box)
041932	GRA-32	10(5x2box)


Gear Socket Wrench

Connect the previous page

Code	Model No.	PCS
042113	CGR13-17	100(10x10box)
042114	CGR14-17	100(10x10box)
042115	CGR16-18	100(10x10box)
042116	CGR17-19	100(10x10box)
042117	CGR17-21	100(10x10box)
042118	CGR19-21	100(10x10box)
042119	CGR19-22	36(6x6box)
042120	CGR19-24	36(6x6box)
042125	CGR21-23	36(6x6box)
042126	CGR21-24	36(6x6box)
042121	CGR21-26	36(6x6box)
042122	CGR22-24	36(6x6box)
042123	CGR24-27	36(6x6box)
042129	CGR27-30	36(6x6box)
042130	CGR30-32	10(5x2box)

Double Ring Gear Wrench

- Wrench body material: Cr.V Inner material: Cr.Mo
- Indestructible and long life



Code	Model No.	PCS
042009	GRD8-9	100(10x10box)
042010	GRD8-10	100(10x10box)
042011	GRD10-11	100(10x10box)
042013	GRD12-13	100(10x10box)
042015	GRD14-15	100(10x10box)
042018	GRD16-18	100(10x10box)
042019	GRD17-19	100(10x10box)

Ring Slogging Spanner


- Material: Carbon Steel



Code	Model No.	Model name	PCS
043801	OFSS-24	24mm Ring Slogging Spanner	60(6x10box)
043802	OFSS-27	27mm Ring Slogging Spanner	60(6x10box)
043803	OFSS-30	30mm Ring Slogging Spanner	60(6x10box)
043804	OFSS-32	32mm Ring Slogging Spanner	36(6x6box)
043805	OFSS-34	34mm Ring Slogging Spanner	36(6x6box)
043806	OFSS-36	36mm Ring Slogging Spanner	36(6x6box)
043807	OFSS-38	38mm Ring Slogging Spanner	36(6x6box)
043808	OFSS-41	41mm Ring Slogging Spanner	24(4x6box)
043809	OFSS-46	46mm Ring Slogging Spanner	24(4x6box)
043810	OFSS-50	50mm Ring Slogging Spanner	24(4x6box)
043811	OFSS-55	55mm Ring Slogging Spanner	16(2x8box)
043812	OFSS-60	60mm Ring Slogging Spanner	16(2x8box)
043813	OFSS-65	65mm Ring Slogging Spanner	16(2x8box)
043814	OFSS-70	70mm Ring Slogging Spanner	12(2x6box)
043815	OFSS-75	75mm Ring Slogging Spanner	12(2x6box)
043816	OFSS-80		

Gear Socket Wrench

- Material: Cr.Mo
- Black finish, strong torque




Code	Model No.	PCS
042110	CGR10-12	100(10x10box)
042111	CGR11-13	100(10x10box)
042112	CGR12-14	100(10x10box)

Connect the next page

Wrench

Slogging Spanner

○Material:Carbon Steel




Code	Model No.	Model name	PCS
043901	OWSS-24	24mm Slogging Spanner	60 (6x10box)
043902	OWSS-27	27mm Slogging Spanner	60 (6x10box)
043903	OWSS-30	30mm Slogging Spanner	60 (6x10box)
043904	OWSS-32	32mm Slogging Spanner	36 (6x6box)
043905	OWSS-34	34mm Slogging Spanner	36 (6x6box)
043906	OWSS-36	36mm Slogging Spanner	36 (6x6box)
043907	OWSS-38	38mm Slogging Spanner	36 (6x6box)
043908	OWSS-41	41mm Slogging Spanner	24 (4x6box)
043909	OWSS-46	46mm Slogging Spanner	24 (4x6box)
043910	OWSS-50	50mm Slogging Spanner	12 (2x6box)
043911	OWSS-55	55mm Slogging Spanner	16 (2x8box)
043912	OWSS-60	60mm Slogging Spanner	16 (2x8box)
043913	OWSS-65	65mm Slogging Spanner	16 (2x8box)
043914	OWSS-70	70mm Slogging Spanner	12 (2x6box)
043915	OWSS-75	75mm Slogging Spanner	12 (2x6box)
043916	OWSS-80		

Flare Nut Wrench

○Material: Carbon steel


○Standard: Q/TKGS 20-2010




Code	Model No.	Amm	Bmm	Cmm	Dmm	Emm	Lmm	PCS	Kg	mm
043110	OESF8-10	6	18	7	21	9	140	120(12x10box)	9.80	200x188x181
043111	OESF9-11	7	19	8	22	9	150	120(12x10box)	9.10	217x179x190
043112	OESF10-12							120(12x10box)		
043114	OESF13-14	9	25	10	26	10	175	120(12x10box)	13.60	254x206x237
043117	OESF16-17	13	28	14	30	12	200	120(12x10box)	18.30	254x206x237

L Type Pipe Wrench

○Material: Cr.V



Code	Model No.	Amm	Lmm	Bmm	PCS	Kg	mm
041806	LTW-6	25	110	6	60(6x10box)	3.75	254x206x237
041807	LTW-7	30	115	7	60(6x10box)	4.40	254x206x237
041808	LTW-8	35	120	8	60(6x10box)	4.80	254x206x237
041809	LTW-9	35	125	9	60(6x10box)	6.10	254x206x237
041810	LTW-10	35	130	10	60(6x10box)	7.40	254x206x237
041811	LTW-11	40	135	11	60(6x10box)	8.70	254x206x237
041812	LTW-12	45	145	12	60(6x10box)	10.80	555x202x245
041813	LTW-13	45	155	13	60(6x10box)	12.00	555x202x245
041814	LTW-14	50	165	14	60(6x10box)	14.30	252x244x285
041815	LTW-15	50	175	15	60(6x10box)	15.80	252x244x285
041816	LTW-16	55	185	16	60(6x10box)	16.50	296x294x291
041817	LTW-17	55	200	17	60(6x10box)	21.20	296x294x291
041818	LTW-18	55	215	18	40(4x10box)	16.60	315x297x149
041819	LTW-19	60	225	19	40(4x10box)	19.00	296x294x291
041820	LTW-20	65	225	20	40(4x10box)	20.60	296x294x291
041821	LTW-21	65	235	21	36(6x6box)	21.60	484x346x241
041822	LTW-22	65	250	22	36(6x6box)	23.10	484x346x241
041823	LTW-23	75	260	23	36(6x6box)	27.70	484x346x241
041824	LTW-24	75	270	24	36(6x6box)	30.80	484x346x241
041825	LTW-25				8(2x4box)		



INDEX