

Impact Socket



Made of Cr-Mo alloy steel, cold forging, immensely enhance the ability of impact proof and the ability of impact proof is 50% more than Cr-V alloy steel.



Made of Cr-Mo alloy steel, cold forging, immensely enhance the ability of impact proof and the ability of impact proof is 50% more than Cr-V alloy steel.



Made of Cr-Mo alloy steel, cold forging, immensely enhance the ability of impact proof and the ability of impact proof is 50% more than Cr-V alloy steel.

Socket Set

- Made of Cr-Mo alloy steel, cold forging, immensely enhance the ability of impact proof and the ability of impact proof is 50% more than Cr-V alloy steel.

- Standard: Q/TKGS 7-2007



Code	Model No.	Model name	PCS
016280	FK1/2-T8S	8PCS 1/2 DR Torque-Bit Impact Deep Socket	16(1x16box)
8PCS	1/2 DR Torque-Bit Impact Deep Socket (mm) T30D T40D T45D T47D T50D T55D T60D T70D		8 PCS

- Made of Cr-Mo alloy steel, cold forging, immensely enhance the ability of impact proof and the ability of impact proof is 50% more than Cr-V alloy steel.

- Standard: Q/TKGS 7-2007




Code	Model No.	Model name	PCS
012580	FK1/2-H8S	8PCS 1/2 DR Hex-Bit Impact Socket	16(1x16box)
8PCS	1/2 DR Hex-Bit Impact Socket HX5 HX6 HX8 HX10 HX12 HX14 HX17 HX19		8 PCS

Extension Bar Socket

- Made of Cr-Mo alloy steel, cold forging, immensely enhance the ability of impact proof and the ability of impact proof is 50% more than Cr-V alloy steel.


- Standard: Q/TKGS 7-2007



Code	Model No.	Amm	Bmm	Cmm	Lmm	PCS	Kg	mm
015010	FK1/2-EB6-10					60PCS(6x10box)		
015012	FK1/2-EB6-12					60PCS(6x10box)		
015013	FK1/2-EB6-13					60PCS(6x10box)		
015014	FK1/2-EB6-14					60PCS(6x10box)		
015015	FK1/2-EB6-15					60PCS(6x10box)		
015017	FK1/2-EB6-17					60PCS(6x10box)		
015019	FK1/2-EB6-19					60PCS(6x10box)		
015020	FK1/2-EB6-20					60PCS(6x10box)		
015021	FK1/2-EB6-21					60PCS(6x10box)		
015008	FK1/2-EB6-8					60PCS(6x10box)		
019910	FK1/2-EB8-10					60PCS(6x10box)		
019912	FK1/2-EB8-12					60PCS(6x10box)		
019913	FK1/2-EB8-13					60PCS(6x10box)		
019914	FK1/2-EB8-14					60PCS(6x10box)		
019915	FK1/2-EB8-15					60PCS(6x10box)		
019917	FK1/2-EB8-17					60PCS(6x10box)		
019919	FK1/2-EB8-19					60PCS(6x10box)		
019920	FK1/2-EB8-20					60PCS(6x10box)		
019921	FK1/2-EB8-21					60PCS(6x10box)		
019908	FK1/2-EB8-8					60PCS(6x10box)		

- Made of Cr-Mo alloy steel, cold forging, immensely enhance the ability of impact proof and the ability of impact proof is 50% more than Cr-V alloy steel.

- Standard: Q/TKGS 7-2007




Code	Model No.	Amm	Bmm	Cmm	Lmm	PCS	Kg	mm
014710	FK3/8-EB6-10					120PCS(10x12box)		
014712	FK3/8-EB6-12					120PCS(10x12box)		
014713	FK3/8-EB6-13					120PCS(10x12box)		
014714	FK3/8-EB6-14					120PCS(10x12box)		
014715	FK3/8-EB6-15					120PCS(10x12box)		
014716	FK3/8-EB6-16					120PCS(10x12box)		
014717	FK3/8-EB6-17					120PCS(10x12box)		
014706	FK3/8-EB6-6					120PCS(10x12box)		
014708	FK3/8-EB6-8					120PCS(10x12box)		
014910	FK3/8-EB8-10					120PCS(10x12box)		
014912	FK3/8-EB8-12					120PCS(10x12box)		
014913	FK3/8-EB8-13					120PCS(10x12box)		
014914	FK3/8-EB8-14					120PCS(10x12box)		
014915	FK3/8-EB8-15					120PCS(10x12box)		
014916	FK3/8-EB8-16					120PCS(10x12box)		
014917	FK3/8-EB8-17					120PCS(10x12box)		
014906	FK3/8-EB8-6					120PCS(10x12box)		
014908	FK3/8-EB8-8					120PCS(10x12box)		

1/2 DR Impact Socket

Cr-Mo 1/2 DR Impact Socket

- Made of Cr-Mo alloy steel, cold forging, immensely enhance the ability of impact proof and the ability of impact proof is 50% more than Cr-V alloy steel.

- Standard: Q/TKGS 7-2007



Code	Model No.	Amm	Lmm	Bmm	PCS	Kg	mm
016308	FK1/2-8	25	38	8	120(10x12box)	8.40	286x146x154
016310	FK1/2-10	25	38	10	120(10x12box)	10.10	208x174x198
016311	FK1/2-11	25	38	11	120(10x12box)	11.30	208x174x198
016312	FK1/2-12	25	38	12	120(10x12box)	9.10	208x174x198
016313	FK1/2-13	25	38	13	120(10x12box)	9.50	208x174x198
016314	FK1/2-14	25	38	14	120(10x12box)	9.90	286x142x200
016315	FK1/2-15	30	40	15	120(10x12box)	9.60	286x142x200
016316	FK1/2-16	30	40	16	120(10x12box)	14.40	286x142x200
016317	FK1/2-17	30	40	17	120(10x12box)	11.70	253x194x197
016318	FK1/2-18	30	40	18	120(10x12box)	14.60	360x200x175
016319	FK1/2-19	30	40	19	120(10x12box)	15.10	360x200x175
016321	FK1/2-21	30	40	21	120(10x12box)	15.50	360x200x175
016322	FK1/2-22	32	40	22	120(10x12box)	16.50	360x200x175
016323	FK1/2-23	34	40	23	120(10x12box)	15.40	298x214x238
016324	FK1/2-24	34	40	24	120(10x12box)	20.20	298x214x238
016327	FK1/2-27	38	43	27	60(10x6box)	11.10	234x206x184
016329	FK1/2-29	40	43	29	60(10x6box)	11.30	234x206x184
016330	FK1/2-30	42	45	30	60(10x6box)	17.80	254x206x184
016332	FK1/2-32	43	45	32	60(10x6box)	19.20	254x206x184

Cr-Mo 1/2 DR Impact Deep Socket

- Made of Cr-Mo alloy steel, cold forging, immensely enhance the ability of impact proof and the ability of impact proof is 50% more than Cr-V alloy steel.

- Standard: Q/TKGS 7-2007




Code	Model No.	Amm	Lmm	Bmm	PCS	Kg	mm
016408	FK1/2-D8	25	80	8	120(10x12box)	23.30	286x202x214
016410	FK1/2-D10	25	80	10	60(6x10box)	9.60	237x209x190
016411	FK1/2-D11	25	80	11	60(6x10box)	9.90	237x209x190
016412	FK1/2-D12	25	80	12	60(6x10box)	11.00	237x209x190
016413	FK1/2-D13	25	80	13	60(6x10box)	11.00	237x209x190
016414	FK1/2-D14	25	80	14	60(6x10box)	13.30	237x209x190
016415	FK1/2-D15	30	80	15	60(6x10box)	14.50	214x206x291
016416	FK1/2-D16	30	80	16	60(6x10box)	15.10	214x206x291
016417	FK1/2-D17	30	80	17	60(6x10box)	14.10	214x206x291
016418	FK1/2-D18	30	80	18	60(6x10box)	16.80	214x206x291
016419	FK1/2-D19	30	80	19	60(6x10box)	17.80	214x206x291
016421	FK1/2-D21	30	80	21	60(6x10box)	15.30	214x206x291
016422	FK1/2-D22	32	80	22	60(6x10box)	20.00	234x206x291
016424	FK1/2-D24	34	80	24	60(6x10box)	22.50	234x206x291
016426	FK1/2-D26	36	80	26	60(6x10box)	24.80	234x206x291
016427	FK1/2-D27	38	80	27	40(4x10box)	19.20	234x206x291
016429	FK1/2-D29	40	80	29	40(4x10box)	18.80	234x206x291
016430	FK1/2-D30	42	80	30	40(4x10box)	22.70	234x206x291
016432	FK1/2-D32	44	80	32	40(4x10box)	25.50	234x206x291

1/2 DR 12P.T Bit Socket (Cr-Mo)

- Made of Cr-Mo alloy steel, cold forging, immensely enhance the ability of impact proof and the ability of impact proof is 50% more than Cr-V alloy steel.

- Standard: Q/TKGS 7-2007




Code	Model No.	Amm	Lmm	Bmm	PCS	Kg	mm
011605	FK1/2-M5	25	60	4.6	60(6x10box)		
011606	FK1/2-M6	25	60	5.9	60(6x10box)		
011608	FK1/2-M8	25	60	7.1	60(6x10box)		
011610	FK1/2-M10	25	60	9.5	60(6x10box)		
011612	FK1/2-M12	25	60	11.3	60(6x10box)		
011614	FK1/2-M14	25	60	13.1	60(6x10box)		
011616	FK1/2-M16	25	60	15.3	60(6x10box)		
011618	FK1/2-M18				60(6x10box)		


1/2 DR 12P.T Bit Deep Socket (Cr-Mo)

- Made of Cr-Mo alloy steel, cold forging, immensely enhance the ability of impact proof and the ability of impact proof is 50% more than Cr-V alloy steel.

- Standard: Q/TKGS 7-2007



Code	Model No.	Amm	Lmm	Bmm	PCS	Kg	mm
011705	FK1/2-M5D	25	100	4.6	60(6x10box)		
011706	FK1/2-M6D	25	100	5.9	60(6x10box)		
011708	FK1/2-M8D	25	100	7.1	60(6x10box)		
011710	FK1/2-M10D	25	100	9.5	60(6x10box)		
011712	FK1/2-M12D	25	100	11.3	60(6x10box)		
011714	FK1/2-M14D	25	100	13.1	60(6x10box)		
011716	FK1/2-M16D	25	100	15.3	60(6x10box)		
011718	FK1/2-M18D				60(6x10box)		




INDEX

1/2 DR Impact Socket

Cr-Mo 1/2 DR Torque-Bit Impact Socket

- Made of Cr-Mo alloy steel, cold forging, immensely enhance the ability of impact proof and the ability of impact proof is 50% more than Cr-V alloy steel.

- Standard: Q/TKGS 7-2007




Code	Model No.	Amm	Lmm	Bmm	PCS	Kg	mm
016220	FK1/2-T20	25	60	3.8	60(6x10box)		
016225	FK1/2-T25	25	60	4.4	60(6x10box)		
016227	FK1/2-T27	25	60	4.9	60(6x10box)		
016230	FK1/2-T30	25	60	5.5	60(6x10box)		
016240	FK1/2-T40	25	60	6.6	60(6x10box)		
016245	FK1/2-T45	25	60	7.8	60(6x10box)		
016247	FK1/2-T47	25	60	8.4	60(6x10box)		
016250	FK1/2-T50	25	60	8.8	60(6x10box)		
016255	FK1/2-T55	25	60	11.2	60(6x10box)		
016260	FK1/2-T60	25	60	13.2	60(6x10box)		
016270	FK1/2-T70	25	60	15.5	60(6x10box)		

Cr-Mo 1/2 DR Hex-Bit Impact Socket

- Made of Cr-Mo alloy steel, cold forging, immensely enhance the ability of impact proof and the ability of impact proof is 50% more than Cr-V alloy steel.

- Standard: Q/TKGS 7-2007




Code	Model No.	Amm	Lmm	Bmm	PCS	Kg	mm
012504	FK1/2-HX4	25	78	4.0	60(6x10box)		
012505	FK1/2-HX5	25	78	5.0	60(6x10box)		
012506	FK1/2-HX6	25	78	6.0	60(6x10box)		
012507	FK1/2-HX7	25	78	7.0	60(6x10box)		
012508	FK1/2-HX8	25	78	8.0	60(6x10box)		
012510	FK1/2-HX10	25	78	10.0	60(6x10box)		
012512	FK1/2-HX12	25	78	12.0	60(6x10box)		
012514	FK1/2-HX14	25	78	14.0	60(6x10box)		
012517	FK1/2-HX17	25	78	17.0	60(6x10box)		
012518	FK1/2-HX18	25	78	18.0	60(6x10box)		
012519	FK1/2-HX19	25	78	19.0	60(6x10box)		

Cr-Mo 1/2 DR Torque-Bit Impact Deep Socket

- Made of Cr-Mo alloy steel, cold forging, immensely enhance the ability of impact proof and the ability of impact proof is 50% more than Cr-V alloy steel.

- Standard: Q/TKGS 7-2007




Code	Model No.	Amm	Lmm	Bmm	PCS	Kg	mm
013020	FK1/2-T20D	25	78	3.8	60(6x10box)		
013021	FK1/2-T25D	25	78	4.4	60(6x10box)		
013022	FK1/2-T27D	25	78	4.9	60(6x10box)		
013023	FK1/2-T30D	25	78	5.5	60(6x10box)		
013024	FK1/2-T40D	25	78	6.6	60(6x10box)		
013025	FK1/2-T45D	25	78	7.8	60(6x10box)		
013026	FK1/2-T47D	25	78	8.4	60(6x10box)		
013027	FK1/2-T50D	25	78	8.8	60(6x10box)		
013028	FK1/2-T55D	25	78	11.2	60(6x10box)		
013029	FK1/2-T60D	25	78	13.2	60(6x10box)		
013030	FK1/2-T70D	25	78	15.5	60(6x10box)		

Cr-Mo 1/2 DR Hex-Bit Universal Joint for Impact Socket

- Made of Cr-Mo alloy steel, cold forging, immensely enhance the ability of impact proof and the ability of impact proof is 50% more than Cr-V alloy steel.

- Standard: Q/TKGS 7-2007




Code	Model No.	Amm	Lmm	Bmm	PCS	Kg	mm
014510	FUJ1/2-10	28	66	15.0	60(6x10box)		
014511	FUJ1/2-11	28	66	17.0	60(6x10box)		
014512	FUJ1/2-12	28	66	19.0	60(6x10box)		
014513	FUJ1/2-13	28	66	20.0	60(6x10box)		
014514	FUJ1/2-14	28	66	22.0	60(6x10box)		
014515	FUJ1/2-15	28	66	24.0	60(6x10box)		
014516	FUJ1/2-16	28	66	24.0	60(6x10box)		
014517	FUJ1/2-17	28	66	26.0	60(6x10box)		
014518	FUJ1/2-18	28	66	26.0	60(6x10box)		
014519	FUJ1/2-19	28	66	26.0	60(6x10box)		
014520	FUJ1/2-20	28	66	28.0	60(6x10box)		
014521	FUJ1/2-21	28	66	30.0	60(6x10box)		
014522	FUJ1/2-22	28	66	30.0	60(6x10box)		
014523	FUJ1/2-23	28	66	32.0	60(6x10box)		
014524	FUJ1/2-24	28	66	34.0	60(6x10box)		

1/2 DR Impact Socket

Cr-Mo 1/2 DR Hex-Bit Universal Joint for Deep Impact Socket

- Made of Cr-Mo alloy steel, cold forging, immensely enhance the ability of impact proof and the ability of impact proof is 50% more than Cr-V alloy steel.

- Standard: Q/TKGS 7-2007




CR-Mo

Code	Model No.	Amm	Lmm	Bmm	PCS	Kg	mm
014610	FUJ1/2-D10	28	66	15.0	60(6x10box)		
014611	FUJ1/2-D11	28	66	17.0	60(6x10box)		
014612	FUJ1/2-D12	28	66	19.0	60(6x10box)		
014613	FUJ1/2-D13	28	66	20.0	60(6x10box)		
014614	FUJ1/2-D14	28	66	22.0	60(6x10box)		
014615	FUJ1/2-D15	28	66	24.0	60(6x10box)		
014616	FUJ1/2-D16	28	66	24.0	60(6x10box)		
014617	FUJ1/2-D17	28	66	26.0	60(6x10box)		
014618	FUJ1/2-D18	28	66	26.0	60(6x10box)		
014619	FUJ1/2-D19	28	66	26.0	60(6x10box)		
014620	FUJ1/2-D20	28	66	28.0	60(6x10box)		
014621	FUJ1/2-D21	28	66	30.0	60(6x10box)		
014622	FUJ1/2-D22	28	66	30.0	60(6x10box)		
014623	FUJ1/2-D23	28	66	32.0	60(6x10box)		
014624	FUJ1/2-D24	28	66	34.0	60(6x10box)		

Cr-Mo 1/2 Magnetic Impact Socket

- Made of Cr-Mo alloy steel, cold forging, immensely enhance the ability of impact proof and the ability of impact proof is 50% more than Cr-V alloy steel.

- Standard: Q/TKGS 7-2007




CR-Mo

Code	Model No.	Amm	Lmm	Bmm	PCS	Kg	mm
015708	FKM1/2-8	25	38	14.1	120(10x12box)		
015709	FKM1/2-9	25	38	15.0	120(10x12box)		
015710	FKM1/2-10	25	38	17.0	120(10x12box)		
015711	FKM1/2-11	25	38	18.1	120(10x12box)		
015712	FKM1/2-12	25	38	19.3	120(10x12box)		
015713	FKM1/2-13	25	38	20.1	120(10x12box)		
015714	FKM1/2-14	25	38	21.3	120(10x12box)		
015715	FKM1/2-15	30	38	23.1	120(10x12box)		
015716	FKM1/2-16	30	38	23.9	120(10x12box)		
015717	FKM1/2-17	30	38	26.1	120(10x12box)		
015718	FKM1/2-18	30	38	27.3	120(10x12box)		
015719	FKM1/2-19	30	38	28.1	120(10x12box)		
015720	FKM1/2-20	30	38	29.1	120(10x12box)		
015721	FKM1/2-21	30	38	30.0	120(10x12box)		
015722	FKM1/2-22	30	38	31.9	120(10x12box)		
015724	FKM1/2-24	30	40	34.0	120(10x12box)		

Cr-Mo 1/2 DR Hex-Bit Magnetic Impact Deep Socket

- Made of Cr-Mo alloy steel, cold forging, immensely enhance the ability of impact proof and the ability of impact proof is 50% more than Cr-V alloy steel.

- Standard: Q/TKGS 7-2007



CR-Mo


Code	Model No.	Amm	Lmm	Bmm	PCS	Kg	mm
015808	FKM1/2-D8	25	80	14.1	60(6x10box)		
015809	FKM1/2-D9	25	80	15.0	60(6x10box)		
015810	FKM1/2-D10	25	80	17.0	60(6x10box)		
015811	FKM1/2-D11	25	80	18.1	60(6x10box)		
015812	FKM1/2-D12	25	80	19.3	60(6x10box)		
015813	FKM1/2-D13	25	80	20.1	60(6x10box)		
015814	FKM1/2-D14	25	80	21.3	60(6x10box)		
015815	FKM1/2-D15	30	80	23.1	60(6x10box)		
015816	FKM1/2-D16	30	80	23.9	60(6x10box)		
015817	FKM1/2-D17	30	80	26.1	60(6x10box)		
015818	FKM1/2-D18	30	80	27.3	60(6x10box)		
015819	FKM1/2-D19	30	80	28.1	60(6x10box)		
015820	FKM1/2-D20	30	80	29.1	60(6x10box)		
015821	FKM1/2-D21	30	80	30.0	60(6x10box)		
015822	FKM1/2-D22	30	80	31.9	60(6x10box)		
015824	FKM1/2-D24	30	80	34.0	60(6x10box)		

1/2 DR Impact Socket Accessories

1/2 Extension Bar for Impact Socket


- Made of Cr-Mo alloy steel, cold forging, immensely enhance the ability of impact proof and the ability of impact proof is 50% more than Cr-V alloy steel.

- Standard: Q/TKGS 7-2007



CR-Mo

Code	Model No.	Amm	Bmm	Cmm	Lmm	PCS	Kg	mm
011203	FEB1/2-3	12.5	25	25	75	60(6x10box)	9.40	237x176x174
011205	FEB1/2-5	12.5	25	25	125	60(6x10box)	14.50	262x165x190
012210	FEB1/2-10	12.5	25	25	250	60(6x10box)	26.50	287x264x235




INDEX

1/2 DR Impact Socket Accessories

1/2 DR Universal Joint for Impact Socket

- Made of Cr-Mo alloy steel, cold forging, immensely enhance the ability of impact proof and the ability of impact proof is 50% more than Cr-V alloy steel.

- Standard: Q/TKGS 7-2007




Code	Model No.	Amm	Bmm	Cmm	Dmm	Emm	Lmm	PCS	Kg	mm
011100	FUJ1/2	37	23	28	31	12.5	65	120(10x12box)	21	460x215x190

1" DR Impact Socket

1" DR Impact Socket

- Made of Cr-Mo alloy steel, cold forging, immensely enhance the ability of impact proof and the ability of impact proof is 50% more than Cr-V alloy steel.

- Standard: Q/TKGS 7-2007




Code	Model No.	Amm	Lmm	Bmm	PCS	Kg	mm
018819	FKV1-19	49	80	19	36(1x36box)	20.70	309x162x177
018821	FKV1-21	49	80	21	36(1x36box)	21.85	309x162x177
018822	FKV1-22	49	80	22	36(1x36box)	21.75	309x162x177
018823	FKV1-23	49	80	23	36(1x36box)	22.50	309x162x177
018824	FKV1-24	49	80	24	36(1x36box)	23.85	309x162x177
018827	FKV1-27	49	80	27	36(1x36box)	16.80	213x164x182
018828	FKV1-28	49	80	28	24(1x24box)	17.20	213x164x182
018829	FKV1-29	49	80	29	24(1x24box)	17.75	213x164x182
018830	FKV1-30	52	80	30	24(1x24box)	19.20	233x179x182
018832	FKV1-32	52	80	32	24(1x24box)	19.20	233x179x182
018833	FKV1-33	53	80	33	24(1x24box)	20.30	233x179x182
018834	FKV1-34	53	80	34	24(1x24box)	20.30	233x179x182
018835	FKV1-35	53	80	35	24(1x24box)	20.30	233x179x182
018836	FKV1-36	53	80	36	24(1x24box)	20.40	233x179x182
018838	FKV1-38	54	80	38	24(1x24box)	22.14	233x179x182
018841	FKV1-41	54	80	41	12(1x12box)	12.10	258x198x101
018846	FKV1-46	54	80	46	12(1x12box)	15.00	282x216x114
018850	FKV1-50	57	83	50	12(1x12box)	16.60	320x240x116
018855	FKV1-55	57	85	55	12(1x12box)	19.50	306x209x197
018860	FKV1-60	60	87	60	12(1x12box)	26.00	306x209x197
018865	FKV1-65	65	92	65	12(1x12box)	31.40	306x209x197

1" DR Impact Socket

1" DR Impact Deep Socket

- Made of Cr-Mo alloy steel, cold forging, immensely enhance the ability of impact proof and the ability of impact proof is 50% more than Cr-V alloy steel.

- Standard: Q/TKGS 7-2007




Code	Model No.	Amm	Lmm	PCS	Kg	mm
018519	FKV1-D19	49	88	24(1x24box)	15.40	284x218x208
018521	FKV1-D21	49	88	24(1x24box)	16.00	284x218x208
018524	FKV1-D24	49	88	24(1x24box)	17.10	284x218x208
018527	FKV1-D27	49	88	24(1x24box)	19.50	284x218x208
018528	FKV1-D28	49	88	24(1x24box)	19.50	284x218x208
018530	FKV1-D30	52	88	24(1x24box)	21.50	284x218x208
018532	FKV1-D32	52	88	24(1x24box)	21.80	284x218x208
018533	FKV1-D33	53	88	24(1x24box)	23.10	284x218x208
018534	FKV1-D34	53	88	24(1x24box)	22.00	284x218x208
018535	FKV1-D35	53	88	24(1x24box)	22.40	284x218x208
018536	FKV1-D36	53	88	24(1x24box)	21.80	284x218x208
018538	FKV1-D38	54	88	24(1x24box)	25.10	284x218x208
018541	FKV1-D41	54	88	24(1x24box)	27.70	284x218x208
018546	FKV1-D46	55	100	24(1x24box)	32.40	284x218x208
018550	FKV1-D50	55	100	12(1x12box)	20.30	320x240x116
018555	FKV1-D55	55	100	12(1x12box)	26.00	396x302x125
018560	FKV1-D60	60.5	105	12(1x12box)	30.30	396x302x125

Cr-Mo 1" DR Impact Socket

- Made of Cr-Mo alloy steel, cold forging, immensely enhance the ability of impact proof and the ability of impact proof is 50% more than Cr-V alloy steel.

- Standard: Q/TKGS 7-2007



Code	Model No.	Amm	Lmm	Bmm	PCS	Kg	mm
019319	FK1-19	49	80	19	36(1x36box)	21.60	370x177x177
019321	FK1-21	49	80	21	36(1x36box)	21.55	370x177x177
019322	FK1-22	49	80	22	36(1x36box)	21.75	370x177x177
019323	FK1-23	49	80	23	36(1x36box)	22.05	370x177x177
019324	FK1-24	49	80	24	36(1x36box)	22.35	370x177x177
019327	FK1-27	49	80	27	24(1x24box)	15.35	255x195x177
019328	FK1-28	49	80	28	24(1x24box)	15.25	255x195x177
019329	FK1-29	49	80	29	24(1x24box)	15.25	255x195x177
019330	FK1-30	52	80	30	24(1x24box)	16.25	233x179x182
019332	FK1-32	52	80	32	24(1x24box)	16.85	233x179x182
019333	FK1-33	53	80	33	24(1x24box)	17.20	233x179x182
019334	FK1-34	53	80	34	24(1x24box)	16.60	233x179x182
019335	FK1-35	53	80	35	24(1x24box)	16.25	233x179x182
019336	FK1-36	53	80	36	24(1x24box)	18.45	233x179x182
019338	FK1-38	54	80	38	24(1x24box)	18.40	255x195x177
019341	FK1-41	54	80	41	12(1x12box)	10.10	258x198x101
019346	FK1-46	54	80	46	12(1x12box)	12.25	270*185*177
019350	FK1-50	57	83	50	12(1x12box)	14.60	270x185x177
019355	FK1-55	57	85	55	12(1x12box)	17.70	270x185x177
019360	FK1-60	60	87	60	12(1x12box)	21.55	408x311x114
019365	FK1-65	65	92	65	12(1x12box)	23.95	408x311x114

1" DR Impact Socket

Cr-Mo 1" DR Impact Deep Socket

- Made of Cr-Mo alloy steel, cold forging, immensely enhance the ability of impact proof and the ability of impact proof is 50% more than Cr-V alloy steel.
- Standard: Q/TKGS 7-2007




Code	Model No.	Amm	Lmm	PCS	Kg	mm
01 9819	FK1-D19	49	90	24(1x24box)	20.50	284x218x208
01 9821	FK1-D21	49	90	24(1x24box)	20.65	284x218x208
01 9824	FK1-D24	49	90	24(1x24box)	22.00	284x218x208
01 9827	FK1-D27	49	90	24(1x24box)	23.05	284x218x208
01 9828	FK1-D28	49	90	24(1x24box)	22.70	284x218x208
01 9830	FK1-D30	52	90	24(1x24box)	23.50	284x218x208
01 9832	FK1-D32	52	90	24(1x24box)	20.75	284x218x208
01 9833	FK1-D33	53	90	24(1x24box)	24.85	284x218x208
01 9834	FK1-D34	53	90	24(1x24box)	23.85	284x218x208
01 9835	FK1-D35	53	90	24(1x24box)	23.10	284x218x208
01 9836	FK1-D36	53	90	24(1x24box)	24.95	284x218x208
01 9838	FK1-D38	54	90	24(1x24box)	26.25	304x233x222
01 9841	FK1-D41	54	90	24(1x24box)	28.10	304x233x222
01 9846	FK1-D46	55	100	24(1x24box)	32.25	304x233x222
01 9850	FK1-D50	55	100	12(1x12box)	19.45	320x240x116
01 9855	FK1-D55	55	105	12(1x12box)	23.55	396x302x125
01 9860	FK1-D60	60.5	110	12(1x12box)	26.25	396x302x125

3/4 DR Impact Socket

Cr-Mo 3/4 DR Impact Socket

- Made of Cr-Mo alloy steel, cold forging, immensely enhance the ability of impact proof and the ability of impact proof is 50% more than Cr-V alloy steel.
- Standard: Q/TKGS 7-2007



Code	Model No.	Amm	Lmm	Bmm	PCS	Kg	mm
01 9417	FK3/4-17	38	53	17	48(1x48box)	12.30	249x171x177
01 9418	FK3/4-18	38	53	18	48(1x48box)	12.20	249x171x177
01 9419	FK3/4-19	38	53	19	48(1x48box)	12.50	249x171x177
01 9421	FK3/4-21	38	53	21	48(1x48box)	12.10	249x171x177
01 9422	FK3/4-22	38	53	22	48(1x48box)	12.50	249x171x177
01 9423	FK3/4-23	38	53	23	48(1x48box)	12.50	249x171x177
01 9424	FK3/4-24	38	53	24	48(1x48box)	15.30	249x171x177
01 9426	FK3/4-26	40	53	26	48(1x48box)	13.65	249x171x177
01 9427	FK3/4-27	42	53	27	48(1x48box)	13.80	320x187x177
01 9428	FK3/4-28	43	53	28	48(1x48box)	16.10	320x187x177
01 9429	FK3/4-29	43	53	29	48(1x48box)	15.60	320x187x177
01 9430	FK3/4-30	46	53	30	36(1x36box)	15.80	309x162x177
01 9432	FK3/4-32	48	53	32	36(1x36box)	16.70	309x162x177
01 9433	FK3/4-33	48	53	33	36(1x36box)	17.70	309x162x177

Follow the next page

Cr-Mo 3/4 DR Impact Socket

Follow the previous page

Code	Model No.	Amm	Lmm	Bmm	PCS	Kg	mm
019434	FK3/4-34	51	53	34	36(1x36box)	17.20	309x162x177
019435	FK3/4-35	52	53	35	36(1x36box)	18.60	370x177x177
019436	FK3/4-36	54	53	36	36(1x36box)	18.80	370x177x177
019438	FK3/4-38	54	53	38	36(1x36box)	20.40	370x177x177
019440	FK3/4-40	57	53	40	24(1x24box)	14.20	255x195x177
019441	FK3/4-41	57	53	41	24(1x24box)	15.30	255x195x177
019442	FK3/4-42	62	53	42	24(1x24box)	15.60	255x195x177
019446	FK3/4-46	67	60	46	24(1x24box)	18.60	284x218x208
019448	FK3/4-48	68	65	48	24(1x24box)	10.60	282x216x114
019450	FK3/4-50	68	65	50	12(1x12box)	13.10	320x240x116
019455	FK3/4-55	77	73	55	12(1x12box)	15.10	270x185x177
019460	FK3/4-60	83	80	60	12(1x12box)	16.30	270x185x177
019465	FK3/4-65	88	83	65	12(1x12box)	18.50	405x311x114


Cr-Mo 3/4 DR Impact Deep Socket

- Made of Cr-Mo alloy steel, cold forging, immensely enhance the ability of impact proof and the ability of impact proof is 50% more than Cr-V alloy steel.

- Standard: Q/TKGS 7-2007



Code	Model No.	Amm	Lmm	Bmm	PCS	Kg	mm
019717	FK3/4-D17	38	80	17	48(1x48box)	20.30	278x190x208
019718	FK3/4-D18	38	80	18	48(1x48box)	20.20	278x190x208
019719	FK3/4-D19	38	80	19	48(1x48box)	20.90	278x190x208
019721	FK3/4-D21	38	80	21	48(1x48box)	20.10	278x190x208
019722	FK3/4-D22	38	80	22	48(1x48box)	21.10	278x190x208
019723	FK3/4-D23	38	80	23	48(1x48box)	21.10	278x190x208
019724	FK3/4-D24	38	80	24	48(1x48box)	21.10	278x190x208
019727	FK3/4-D27	38	80	27	48(1x48box)	24.20	278x190x208
019728	FK3/4-D28	38	80	28	48(1x48box)	27.60	278x190x208
019729	FK3/4-D29	38	80	29	48(1x48box)	26.40	278x190x208
019730	FK3/4-D30	40	80	30	36(1x36box)	25.50	344x180x202
019732	FK3/4-D32	40	80	32	36(1x36box)	27.10	344x180x202
019733	FK3/4-D33	40	80	33	36(1x36box)	29.20	344x180x202
019734	FK3/4-D34	42	80	34	36(1x36box)	30.70	344x180x202
019735	FK3/4-D35	42	80	35	36(1x36box)	28.20	344x180x202
017836	FK3/4-D36	44	80	36	36(1x36box)	30.20	344x180x202
019738	FK3/4-D38	44	80	38	24(1x24box)	21.30	284x218x208
019740	FK3/4-D40	44	80	40	24(1x24box)	21.60	284x218x208
019741	FK3/4-D41	44	80	41	24(1x24box)	23.20	284x218x208
019742	FK3/4-D42	44	80	42	24(1x24box)	25.10	284x218x208
019746	FK3/4-D46	46	93	46	12(1x12box)	13.40	282x216x114
019748	FK3/4-D48	48	100	48	12(1x12box)	13.60	282x216x114
019750	FK3/4-D50	48	100	50	12(1x12box)	16.80	320x240x116




INDEX

3/4 DR Impact Socket

3/4 DR Impact Socket

- Made of Cr-Mo alloy steel, cold forging, immensely enhance the ability of impact proof and the ability of impact proof is 50% more than Cr-V alloy steel.

- Standard: Q/TKGS 7-2007



Code	Model No.	Amm	Lmm	Bmm	PCS	Kg	mm
017817	FKV3/4-17	38	53	17	48(1x48box)	12.30	249x171x177
017818	FKV3/4-18	38	53	18	48(1x48box)	12.10	249x171x177
017819	FKV3/4-19	38	53	19	48(1x48box)	13.10	249x171x177
017820	FKV3/4-20	38	53	20	48(1x48box)		249x171x177
017821	FKV3/4-21	38	53	21	48(1x48box)	13.45	249x171x177
017822	FKV3/4-22	38	53	22	48(1x48box)	13.55	249x171x177
017823	FKV3/4-23	38	53	23	48(1x48box)	13.70	249x171x177
017824	FKV3/4-24	38	53	24	48(1x48box)	13.90	249x171x177
017826	FKV3/4-26	40	53	26	48(1x48box)	15.10	249x171x177
017827	FKV3/4-27	42	53	27	48(1x48box)	17.45	278x190x182
017828	FKV3/4-28	43	53	28	48(1x48box)	17.60	278x190x182
017829	FKV3/4-29	43	53	29	48(1x48box)	16.60	278x190x182
017830	FKV3/4-30	46	53	30	36(1x36box)	15.15	309x162x177
017832	FKV3/4-32	48	53	32	36(1x36box)	16.75	309x162x177
017833	FKV3/4-33	48	53	33	36(1x36box)	14.20	309x162x177
017834	FKV3/4-34	51	53	34	36(1x36box)	14.60	309x177x177
017835	FKV3/4-35	52	53	35	36(1x36box)	16.20	370x177x177
017836	FKV3/4-36	54	53	36	36(1x36box)	19.65	370x177x177
017838	FKV3/4-38	54	53	38	36(1x36box)	18.80	370x177x177
017840	FKV3/4-40	57	53	40	24(1x24box)	13.25	255x195x177
017841	FKV3/4-41	57	53	41	24(1x24box)	14.10	255x195x177
017842	FKV3/4-42	62	53	42	24(1x24box)	13.50	255x195x177
017846	FKV3/4-46	67	60	46	24(1x24box)	18.30	284x218x208
017848	FKV3/4-48	68	65	48	24(1x24box)	10.60	320x240x116
017850	FKV3/4-50	68	65	50	12(1x12box)	12.10	320x240x116
017855	FKV3/4-55	77	73	55	12(1x12box)	14.90	270x185x177
017860	FKV3/4-60	83	80	60	12(1x12box)	16.90	270x185x177
017865	FKV3/4-65	88	83	65	12(1x12box)	24.70	396x302x125

Cr-Mo 3/4 DR Hex-Bit Impact Socket

- Made of Cr-Mo alloy steel, cold forging, immensely enhance the ability of impact proof and the ability of impact proof is 50% more than Cr-V alloy steel.

- Standard: Q/TKGS 7-2007




Code	Model No.	Amm	Lmm	Bmm	PCS	Kg	mm
010110	FK3/4-HX10	44	100	10.0	48(1x48box)		
010111	FK3/4-HX12	44	100	11.0	48(1x48box)		
010112	FK3/4-HX14	44	100	12.0	48(1x48box)		
010113	FK3/4-HX17	44	100	13.0	48(1x48box)		
010114	FK3/4-HX19	44	100	14.0	48(1x48box)		
010115	FK3/4-HX22	44	100	15.0	48(1x48box)		
010116	FK3/4-HX24	44	100	16.0	48(1x48box)		
010117	FK3/4-HX27	44	100	17.0	48(1x48box)		
010118	FK3/4-HX30	44	100	18.0	48(1x48box)		

3/4 DR Impact Deep Socket

- Made of Cr-Mo alloy steel, cold forging, immensely enhance the ability of impact proof and the ability of impact proof is 50% more than Cr-V alloy steel.

- Standard: Q/TKGS 7-2007




Code	Model No.	Amm	Lmm	Bmm	PCS	Kg	mm
017917	FKV3/4-D17	38	80	17	48(1x48box)	17.90	249x171x177
017918	FKV3/4-D18	38	80	18	48(1x48box)	17.50	249x171x177
017919	FKV3/4-D19	38	80	19	48(1x48box)	17.50	249x171x177
017921	FKV3/4-D21	38	80	21	48(1x48box)	18.90	249x171x177
017922	FKV3/4-D22	38	80	22	48(1x48box)	19.00	249x171x177
017923	FKV3/4-D23	38	80	23	48(1x48box)	20.30	250x175x185
017924	FKV3/4-D24	38	80	24	48(1x48box)	20.30	250x175x185
017927	FKV3/4-D27	38	80	27	48(1x48box)	22.70	250x175x185
017928	FKV3/4-D28	38	80	28	48(1x48box)	22.50	250x175x185
017929	FKV3/4-D29	38	80	29	48(1x48box)	24.90	250x175x185
017930	FKV3/4-D30	40	80	30	36(1x36box)	14.65	250x175x185
017932	FKV3/4-D32	40	80	32	36(1x36box)	20.45	250x175x185
017933	FKV3/4-D33	40	80	33	36(1x36box)	19.95	309x162x177
017934	FKV3/4-D34	42	80	34	36(1x36box)	21.30	309x162x177
017935	FKV3/4-D35	42	80	35	36(1x36box)	21.10	309x162x177
017836	FKV3/4-D36	44	80	36	36(1x36box)	19.00	255x195x177
017938	FKV3/4-D38	44	80	38	24(1x24box)	16.60	255x195x177
017940	FKV3/4-D40	44	80	40	24(1x24box)	19.20	255x195x177
017941	FKV3/4-D41	44	80	41	24(1x24box)	19.60	255x195x177
017942	FKV3/4-D42	44	80	42	24(1x24box)	19.80	255x195x177
017946	FKV3/4-D46	46	93	46	12(1x12box)	13.50	320x240x116
017948	FKV3/4-D48	48	100	48	12(1x12box)	16.80	320x240x116
017950	FKV3/4-D50	48	100	50	12(1x12box)	18.20	320x240x116

3/4 DR Impact Socket Accessories

Cr-Mo 3/4 DR Extension Bar for Impact Socket

- Made of Cr-Mo alloy steel, cold forging, immensely enhance the ability of impact proof and the ability of impact proof is 50% more than Cr-V alloy steel.

- Standard: Q/TKGS 7-2007



Code	Model No.	Amm	Bmm	Cmm	Lmm	PCS	Kg	mm
018403	FEB3/4-3	20	33	44	76	36(6x6box)	17.45	236x230x181
018404	FEB3/4-4	20	33	44	100.5	36(6x6box)	22.60	252x242x181
018406	FEB3/4-6	20	33	44	153	24(6x4box)	18.95	217x208x212
018407	FEB3/4-7	20	33	44	178	24(6x4box)	21.70	234x210x242
018408	FEB3/4-8	20	33	44	200	12(3x4box)	11.95	252x242x128
018410	FEB3/4-10	20	33	44	250	12(3x4box)	14.60	294x290x128

Cr-Mo 3/4 DR Universal Joint for Impact Socket

-



Code	Model No.	Amm	Bmm	Cmm	Dmm	Emm	Lmm			
018702	FUJ3/4	54	38	40	45	20	89.5	36(1x36box)	18.40	278x147x210

Technical drawing of a hexagonal bolt. The drawing shows a side view (top) and a front view (bottom). The side view is a rectangle with a length of 100 and a diameter of 10. The front view is a hexagon with a side length of 10. The bolt is yellow.



Code	Model No.	A _{mm}	L _{mm}	B _{mm}	PCS	Kg	mm
019008	FKV3/8-D8	18	63	8	120(10x12box)	17.40	255x230x220
019009	FKV3/8-D9	18	63	9	120(10x12box)	16.55	255x230x220
019010	FKV3/8-D10	18	63	10	120(10x12box)	17.60	255x230x220
019011	FKV3/8-D11	18	63	11	120(10x12box)	18.80	255x230x220
019012	FKV3/8-D12	19	63	12	120(10x12box)	20.45	255x230x220
019013	FKV3/8-D13	20	63	13	120(10x12box)	11.25	280x150x205
019014	FKV3/8-D14	22	63	14	120(10x12box)	14.25	280x150x205
019015	FKV3/8-D15	24	63	15	120(10x12box)	17.10	280x150x205
019016	FKV3/8-D16	24	63	16	120(10x12box)	15.55	280x150x205
019017	FKV3/8-D17	26	63	17	120(10x12box)	18.30	280x150x205
019018	FKV3/8-D18	28	63	18	120(10x12box)	22.00	310x182x235
019019	FKV3/8-D19	28	63	19	120(10x12box)	20.55	310x182x235


Technical drawing of a hexagonal nut. The front view (top) shows a hexagonal shape with a central hole. The top view (bottom) shows a hexagonal shape with a central hole. Dimensions are indicated: ϕ for the hole diameter, ϕ for the outer diameter, and h for the height.



Code	Model No.	A _{mm}	L _{mm}	B _{mm}	PCS	Kg	mm
018908	FKV3/8-8	25	38	8	240(10x24box)	8.70	280x140x145
018909	FKV3/8-9	25	38	9	240(10x24box)	8.70	280x140x145
018910	FKV3/8-10	25	38	10	240(10x24box)	8.70	280x140x145
018911	FKV3/8-11	25	38	11	240(10x24box)	8.70	280x140x145
018912	FKV3/8-12	25	38	12	240(10x24box)	8.70	280x140x145
018913	FKV3/8-13	30	40	13	240(10x24box)	11.10	280x140x145
018914	FKV3/8-14	30	40	14	240(10x24box)	13.50	280x140x145
018915	FKV3/8-15	30	40	15	240(10x24box)	15.90	280x140x145
018916	FKV3/8-16	30	40	16	240(10x24box)	13.50	280x140x145
018917	FKV3/8-17	30	40	17	120(10x12box)	8.10	280x140x145
018918	FKV3/8-18	30	40	18	120(10x12box)	8.70	322x142x146
018919	FKV3/8-19	32	40	19	120(10x12box)	8.55	322x142x146



Code	Model No.	A _{mm}	L _{mm}	B _{mm}	 PCS	 Kg	 mm
013106	FK3/8-6	19	63	11.4	120(10x12box)		
013107	FK3/8-7	19	63	12.3	120(10x12box)		
013108	FK3/8-8	19	63	13.6	120(10x12box)		
013109	FK3/8-9	19	63	14.6	120(10x12box)		
013110	FK3/8-10	19	63	15.8	120(10x12box)		
013111	FK3/8-11	19	63	17.2	120(10x12box)		
013112	FK3/8-12	19	63	18.4	120(10x12box)		
013113	FK3/8-13	22	63	19.7	120(10x12box)		
013114	FK3/8-14	22	63	20.9	120(10x12box)		
013115	FK3/8-15	22	63	22.0	120(10x12box)		
013116	FK3/8-16	22	63	24.0	120(10x12box)		
013117	FK3/8-17	22	63	24.0	120(10x12box)		
013118	FK3/8-18	22	63	25.9	120(10x12box)		
013119	FK3/8-19	22	63	27.9	120(10x12box)		
013120	FK3/8-20	22	63	28.2	120(10x12box)		
013121	FK3/8-21	22	63	30.0	120(10x12box)		
013122	FK3/8-22	22	63	31.9	120(10x12box)		
013124	FK3/8-24	22	63	34.3	120(10x12box)		



3/8 DR Impact Socket

Cr-Mo 3/8 Impact Deep Socket

- Made of Cr-Mo alloy steel, cold forging, immensely enhance the ability of impact proof and the ability of impact proof is 50% more than Cr-V alloy steel.
- Standard: Q/TKGS 7-2007



Code	Model No.	Amm	Lmm	Bmm	PCS	Kg	mm
015607	FK3/8-D7	19	63	12.2	120(10x12box)		
015608	FK3/8-D8	19	63	13.5	120(10x12box)		
015609	FK3/8-D9	19	63	14.6	120(10x12box)		
015610	FK3/8-D10	19	63	15.8	120(10x12box)		
015611	FK3/8-D11	19	63	17.2	120(10x12box)		
015612	FK3/8-D12	19	63	18.4	120(10x12box)		
015613	FK3/8-D13	19	63	19.7	120(10x12box)		
015614	FK3/8-D14	22	63	20.9	120(10x12box)		
015615	FK3/8-D15	22	63	22.1	120(10x12box)		
015616	FK3/8-D16	22	63	24.1	120(10x12box)		
015617	FK3/8-D17	22	63	24.1	60(6x10box)		
015618	FK3/8-D18	22	63	25.9	60(6x10box)		
015619	FK3/8-D19	22	63	27.9	60(6x10box)		
015620	FK3/8-D20	22	63	28.2	60(6x10box)		
015621	FK3/8-D21	22	63	30.1	60(6x10box)		
015622	FK3/8-D22	22	63	31.9	60(6x10box)		
015624	FK3/8-D24	22	63	34.3	60(6x10box)		

Cr-Mo 3/8 DR Torque-Bit Impact Socket

- Made of Cr-Mo alloy steel, cold forging, immensely enhance the ability of impact proof and the ability of impact proof is 50% more than Cr-V alloy steel.
- Standard: Q/TKGS 7-2007



Code	Model No.	Amm	Lmm	Bmm	PCS	Kg	mm
012709	FK3/8-T9	19	50	2.5	120(10x12box)		
012710	FK3/8-T10	19	50	2.7	120(10x12box)		
012715	FK3/8-T15	19	50	3.2	120(10x12box)		
012720	FK3/8-T20	19	50	3.8	120(10x12box)		
012725	FK3/8-T25	19	50	4.4	120(10x12box)		
012727	FK3/8-T27	19	50	4.9	120(10x12box)		
012730	FK3/8-T30	19	50	5.5	120(10x12box)		
012740	FK3/8-T40	19	50	6.6	120(10x12box)		
012745	FK3/8-T45	19	50	7.8	120(10x12box)		
012747	FK3/8-T47	19	50	8.3	120(10x12box)		
012750	FK3/8-T50	19	50	8.8	120(10x12box)		

Cr-Mo 3/8 DR Hex-Bit Impact Socket


- Made of Cr-Mo alloy steel, cold forging, immensely enhance the ability of impact proof and the ability of impact proof is 50% more than Cr-V alloy steel.
- Standard: Q/TKGS 7-2007



Code	Model No.	Amm	Lmm	Bmm	PCS	Kg	mm
011103	FK3/8-HX3	19	50	3.0	120(10x12box)		
011104	FK3/8-HX4	19	50	4.0	120(10x12box)		
011105	FK3/8-HX5	19	50	5.0	120(10x12box)		
011106	FK3/8-HX6	19	50	6.0	120(10x12box)		
011107	FK3/8-HX7	19	50	7.0	120(10x12box)		
011108	FK3/8-HX8	19	50	8.0	120(10x12box)		
011110	FK3/8-HX10	19	50	10.0	120(10x12box)		
011112	FK3/8-HX12	19	50	12.0	120(10x12box)		
011114	FK3/8-HX14	19	50	14.0	120(10x12box)		

Cr-Mo 3/8 DR Universal Joint for Impact Socket

- Made of Cr-Mo alloy steel, cold forging, immensely enhance the ability of impact proof and the ability of impact proof is 50% more than Cr-V alloy steel.
- Standard: Q/TKGS 7-2007




Code	Model No.	Amm	Lmm	Bmm	PCS	Kg	mm
019508	FUJ3/8-8	24	52.5	14.0	60(6x10box)		
019509	FUJ3/8-9	24	52.5	15.0	60(6x10box)		
019510	FUJ3/8-10	24	52.5	15.0	60(6x10box)		
019511	FUJ3/8-11	24	52.5	17.0	60(6x10box)		
019512	FUJ3/8-12	24	52.5	19.0	60(6x10box)		
019513	FUJ3/8-13	24	52.5	19.0	60(6x10box)		
019514	FUJ3/8-14	24	52.5	21.5	60(6x10box)		
019515	FUJ3/8-15	24	52.5	22.0	60(6x10box)		
019516	FUJ3/8-16	24	52.5	23.0	60(6x10box)		
019517	FUJ3/8-17	24	52.5	25.0	60(6x10box)		
019518	FUJ3/8-18	24	52.5	25.0	60(6x10box)		
019519	FUJ3/8-19	24	52.5	27.0	60(6x10box)		
019520	FUJ3/8-20	24	52.5	28.0	60(6x10box)		
019521	FUJ3/8-21	24	52.5	30.0	60(6x10box)		
019522	FUJ3/8-22	24	52.5	32.0	60(6x10box)		

3/8 DR Impact Socket

Cr-Mo 3/8 DR Universal Joint for Impact Deep Socket

- Made of Cr-Mo alloy steel, cold forging, immensely enhance the ability of impact proof and the ability of impact proof is 50% more than Cr-V alloy steel.
- Standard: Q/TKGS 7-2007

CR-Mo




Code	Model No.	Amm	Lmm	Bmm	PCS	Kg	Hmm
019608	FUJ3/8-D8	24	80	14.0	60(6x10box)		
019609	FUJ3/8-D9	24	80	15.0	60(6x10box)		
019610	FUJ3/8-D10	24	80	15.0	60(6x10box)		
019611	FUJ3/8-D11	24	80	17.0	60(6x10box)		
019612	FUJ3/8-D12	24	80	19.0	60(6x10box)		
019613	FUJ3/8-D13	24	80	19.0	60(6x10box)		
019614	FUJ3/8-D14	24	80	21.5	60(6x10box)		
019615	FUJ3/8-D15	24	80	22.0	60(6x10box)		
019616	FUJ3/8-D16	24	80	23.0	60(6x10box)		
019617	FUJ3/8-D17	24	80	25.0	60(6x10box)		
019618	FUJ3/8-D18	24	80	25.0	60(6x10box)		
019619	FUJ3/8-D19	24	80	27.0	48(6x8box)		
019620	FUJ3/8-D20	24	80	28.0	48(6x8box)		
019621	FUJ3/8-D21	24	80	30.0	48(6x8box)		
019622	FUJ3/8-D22	24	80	32.0	48(6x8box)		

Cr-Mo 3/8 DR Magnetic Impact Deep Socket

- Made of Cr-Mo alloy steel, cold forging, immensely enhance the ability of impact proof and the ability of impact proof is 50% more than Cr-V alloy steel.
- Standard: Q/TKGS 7-2007

CR-Mo



Code	Model No.	Amm	Lmm	Bmm	PCS	Kg	Hmm
015506	FKM3/8-D6	19	63	11.4	120(10x12box)		
015507	FKM3/8-D7	19	63	12.3	120(10x12box)		
015508	FKM3/8-D8	19	63	13.6	120(10x12box)		
015509	FKM3/8-D9	19	63	14.6	120(10x12box)		
015510	FKM3/8-D10	19	63	15.8	120(10x12box)		
015511	FKM3/8-D11	19	63	17.2	120(10x12box)		
015512	FKM3/8-D12	19	63	18.4	120(10x12box)		
015513	FKM3/8-D13	22	63	19.7	120(10x12box)		
015514	FKM3/8-D14	22	63	20.9	120(10x12box)		
015515	FKM3/8-D15	22	63	22.0	120(10x12box)		
015516	FKM3/8-D16	22	63	24.0	120(10x12box)		
015517	FKM3/8-D17	22	63	24.0	120(10x12box)		
015518	FKM3/8-D18	22	63	25.9	120(10x12box)		
015519	FKM3/8-D19	22	63	27.9	120(10x12box)		

Cr-Mo 3/8 DR Magnetic Impact Socket

- Made of Cr-Mo alloy steel, cold forging, immensely enhance the ability of impact proof and the ability of impact proof is 50% more than Cr-V alloy steel.
- Standard: Q/TKGS 7-2007

CR-Mo




Code	Model No.	Amm	Lmm	Bmm	PCS	Kg	Hmm
015406	FKM3/8-6	19	28	11.4	120(10x12box)		
015407	FKM3/8-7	19	28	12.3	120(10x12box)		
015408	FKM3/8-8	19	28	13.6	120(10x12box)		
015409	FKM3/8-9	19	28	14.6	120(10x12box)		
015410	FKM3/8-10	19	28	15.8	120(10x12box)		
015411	FKM3/8-11	19	30	17.2	120(10x12box)		
015412	FKM3/8-12	19	30	18.4	120(10x12box)		
015413	FKM3/8-13	22	30	19.7	120(10x12box)		
015414	FKM3/8-14	22	30	20.9	120(10x12box)		
015415	FKM3/8-15	22	30	22.0	120(10x12box)		
015416	FKM3/8-16	22	30	24.0	120(10x12box)		
015417	FKM3/8-17	22	32	24.0	120(10x12box)		
015418	FKM3/8-18	22	32	25.9	120(10x12box)		
015419	FKM3/8-19	22	32	27.9	120(10x12box)		

Cr-Mo 3/8 DR Universal Joint for Impact Socket

- Made of Cr-Mo alloy steel, cold forging, immensely enhance the ability of impact proof and the ability of impact proof is 50% more than Cr-V alloy steel.
- Standard: Q/TKGS 7-2007

CR-Mo



Code	Model No.	Amm	Bmm	Cmm	Dmm	Emm	Lmm	PCS	Kg	Hmm
018701	FUJ3/8	34	22.5	22	27.5	10	54.5	120(10x12盒)	12.30	289x159x215

1/4 DR Impact Socket

Cr-Mo 1/4 DR Impact Socket

- Made of Cr-Mo alloy steel, cold forging, immensely enhance the ability of impact proof and the ability of impact proof is 50% more than Cr-V alloy steel.
- Standard: Q/TKGS 7-2007

CR-Mo



Follow the next page



INDEX

1/4 DR Impact Socket


Cr-Mo 1/4 DR Impact Socket

Follow the previous page

Code	Model No.	Amm	Lmm	Bmm	PCS	Kg	mm
012904	FK1/4-4	13	23	7.5	240(10x24box)		
012945	FK1/4-4.5	13	23	8.2	240(10x24box)		
012905	FK1/4-5	13	23	8.4	240(10x24box)		
012955	FK1/4-5.5	13	23	9.3	240(10x24box)		
012906	FK1/4-6	13	23	10.0	240(10x24box)		
012907	FK1/4-7	13	23	11.3	240(10x24box)		
012908	FK1/4-8	13	23	12.5	240(10x24box)		
012909	FK1/4-9	13	23	13.2	240(10x24box)		
012910	FK1/4-10	13	23	14.6	240(10x24box)		
012911	FK1/4-11	13	23	15.9	240(10x24box)		
012912	FK1/4-12	13	23	16.9	240(10x24box)		
012913	FK1/4-13	13	23	19.1	240(10x24box)		
012914	FK1/4-14	13	23	20.0	240(10x24box)		

Cr-Mo 1/4 DR Impact Deep Socket


- Made of Cr-Mo alloy steel, cold forging, immensely enhance the ability of impact proof and the ability of impact proof is 50% more than Cr-V alloy steel.
- Standard: Q/TKGS 7-2007



Code	Model No.	Amm	Lmm	Bmm	PCS	Kg	mm
012604	FK1/4-D4	13	50	7.6	240(10x24box)		
012645	FK1/4-D4.5	13	50	8.3	240(10x24box)		
012605	FK1/4-D5	13	50	8.9	240(10x24box)		
012655	FK1/4-D5.5	13	50	9.6	240(10x24box)		
012606	FK1/4-D6	13	50	10.1	240(10x24box)		
012607	FK1/4-D7	13	50	11.4	240(10x24box)		
012608	FK1/4-D8	13	50	12.5	240(10x24box)		
012609	FK1/4-D9	13	50	13.3	240(10x24box)		
012610	FK1/4-D10	13	50	14.7	240(10x24box)		
012611	FK1/4-D11	13	50	15.9	240(10x24box)		
012612	FK1/4-D12	13	50	17.0	240(10x24box)		
012613	FK1/4-D13	13	50	19.1	240(10x24box)		
012614	FK1/4-D14	13	50	20.0	240(10x24box)		

Cr-Mo 1/4 DR Magnetic Impact Socket

- Made of Cr-Mo alloy steel, cold forging, immensely enhance the ability of impact proof and the ability of impact proof is 50% more than Cr-V alloy steel.
- Standard: Q/TKGS 7-2007



Follow the next page


Cr-Mo 1/4 DR Magnetic Impact Socket

Follow the previous page

Code	Model No.	Amm	Lmm	Bmm	PCS	Kg	mm
015204	FKM1/4-4	13	23	7.5	240(10x24box)		
015245	FKM1/4-4.5	13	23	8.2	240(10x24box)		
015205	FKM1/4-5	13	23	8.4	240(10x24box)		
015255	FKM1/4-5.5	13	23	9.3	240(10x24box)		
015206	FKM1/4-6	13	23	10.0	240(10x24box)		
015207	FKM1/4-7	13	23	11.3	240(10x24box)		
015208	FKM1/4-8	13	23	12.5	240(10x24box)		
015209	FKM1/4-9	13	23	13.2	240(10x24box)		
015210	FKM1/4-10	13	23	14.6	240(10x24box)		
015211	FKM1/4-11	13	23	15.9	240(10x24box)		
015212	FKM1/4-12	13	23	16.9	240(10x24box)		
015213	FKM1/4-13	13	23	19.1	240(10x24box)		
015214	FKM1/4-14	13	23	20.0	240(10x24box)		

Cr-Mo 1/4 DR Magnetic Impact Deep Socket


- Made of Cr-Mo alloy steel, cold forging, immensely enhance the ability of impact proof and the ability of impact proof is 50% more than Cr-V alloy steel.
- Standard: Q/TKGS 7-2007



Code	Model No.	Amm	Lmm	Bmm	PCS	Kg	mm
015304	FKM1/4-D4	13	50	7.6	240(10x24box)		
015345	FKM1/4-D4.5	13	50	8.3	240(10x24box)		
015305	FKM1/4-D5	13	50	8.9	240(10x24box)		
015355	FKM1/4-D5.5	13	50	9.6	240(10x24box)		
015306	FKM1/4-D6	13	50	10.1	240(10x24box)		
015307	FKM1/4-D7	13	50	11.4	240(10x24box)		
015308	FKM1/4-D8	13	50	12.5	240(10x24box)		
015309	FKM1/4-D9	13	50	13.3	240(10x24box)		
015310	FKM1/4-D10	13	50	14.7	240(10x24box)		
015311	FKM1/4-D11	13	50	15.9	240(10x24box)		
015312	FKM1/4-D12	13	50	17.0	240(10x24box)		
015313	FKM1/4-D13	13	50	19.1	240(10x24box)		
015314	FKM1/4-D14	13	50	20.0	240(10x24box)		

Cr-Mo Impact Adapter


- Made of Cr-Mo alloy steel, cold forging, immensely enhance the ability of impact proof and the ability of impact proof is 50% more than Cr-V alloy steel.
- Standard: Q/TKGS 7-2007
Refer to: ISO 691, ISO 1711, ISO 2725



Code	Model No.	Amm	Bmm	Lmm	PCS	Kg	mm	Male Drive	Female Drive
018703	FWJ1/2-3/8	22	18.5	33.5	120(10x12box)	7.20	286*146*154	1/2	3/8

Cr-Mo Impact Adapter


- Made of Cr-Mo alloy steel, cold forging, immensely enhance the ability of impact proof and the ability of impact proof is 50% more than Cr-V alloy steel.
- Standard: Q/TKGS 7-2007
Refer to: ISO 691, ISO 1711, ISO 2725



Code	Model No.	Amm	Bmm	Lmm	PCS	Kg	mm	Male Drive	Female Drive
018704	FWJ3/8-1/2	25	22	38	120(10x12box)	9.00	253*174*197	3/8	1/2

Cr-Mo Impact Adapter


- Made of Cr-Mo alloy steel, cold forging, immensely enhance the ability of impact proof and the ability of impact proof is 50% more than Cr-V alloy steel.
- Standard: Q/TKGS 7-2007
Refer to: ISO 691, ISO 1711, ISO 2725



Code	Model No.	Amm	Bmm	Lmm	PCS	Kg	mm	Male Drive	Female Drive
018705	FWJ3/4-1/2	44	32	58	120(10x12box)	20.20	360*170*175	3/4	1/2

Cr-Mo Impact Adapter


- Made of Cr-Mo alloy steel, cold forging, immensely enhance the ability of impact proof and the ability of impact proof is 50% more than Cr-V alloy steel.
- Standard: Q/TKGS 7-2007
Refer to: ISO 691, ISO 1711, ISO 2725



Code	Model No.	Amm	Bmm	Lmm	PCS	Kg	mm	Male Drive	Female Drive
018706	FWJ1/2-3/4	30	24	48	60(1x60box)	20.90	278*233*182	1/2	3/4


Cr-Mo Impact Adapter

- Made of Cr-Mo alloy steel, cold forging, immensely enhance the ability of impact proof and the ability of impact proof is 50% more than Cr-V alloy steel.
- Standard: Q/TKGS 7-2007
Refer to: ISO 691, ISO 1711, ISO 2725



Code	Model No.	Amm	Bmm	Lmm	PCS	Kg	mm	Male Drive	Female Drive
018707	FWJ3/8-1/4				120(10x12box)			3/8	1/4


- Made of Cr-Mo alloy steel, cold forging, immensely enhance the ability of impact proof and the ability of impact proof is 50% more than Cr-V alloy steel.
- Standard: Q/TKGS 7-2007
Refer to: ISO 691, ISO 1711, ISO 2725



Code	Model No.	Amm	Bmm	Lmm	PCS	Kg	mm	Male Drive	Female Drive
018708	FWJ1/4-3/8				120(10x12box)			1/4	3/8

Cr-Mo Impact Adapter


- Made of Cr-Mo alloy steel, cold forging, immensely enhance the ability of impact proof and the ability of impact proof is 50% more than Cr-V alloy steel.
- Standard: Q/TKGS 7-2007
Refer to: ISO 691, ISO 1711, ISO 2725



Code	Model No.	Amm	Bmm	Lmm	PCS	Kg	mm	Male Drive	Female Drive
018709	FWJ3/4-1				36(1x36box)			3/4	1

Cr-Mo Impact Adapter

- Made of Cr-Mo alloy steel, cold forging, immensely enhance the ability of impact proof and the ability of impact proof is 50% more than Cr-V alloy steel.
- Standard: Q/TKGS 7-2007
Refer to: ISO 691, ISO 1711, ISO 2725



Code	Model No.	Amm	Bmm	Lmm	PCS	Kg	mm	Male Drive	Female Drive
018710	FWJ1-3/4				36(1x36box)			1	3/4

Impact Socket For Protruding Head Screws

- Made of Cr-Mo alloy steel, cold forging, immensely enhance the ability of impact proof and the ability of impact proof is 50% more than Cr-V alloy steel.
- Standard: Q/TKGS 7-2007

NEW




1/2 Dr Impact Socket For Protruding Head Screws

Code	Model No.	PCS
010260	FK1/2-M6-P1.0	120(10x12box)
010261	FK1/2-M7-P1.0	120(10x12box)
010262	FK1/2-M8-P1.25	120(10x12box)
010263	FK1/2-M10-P1.25	120(10x12box)
010264	FK1/2-M10-P1.5	120(10x12box)
010265	FK1/2-M12-P1.25	120(10x12box)
010266	FK1/2-M12-P1.5	120(10x12box)
010267	FK1/2-M12-P1.75	120(10x12box)
010268	FK1/2-M14-P1.5	120(10x12box)
010269	FK1/2-M14-P2.0	120(10x12box)

3/8 Dr Impact Socket For Protruding Head Screws

Code	Model No.	PCS
010250	FK3/8-M5-P0.8	120(10x12box)
010251	FK3/8-M6-P1.0	120(10x12box)
010252	FK3/8-M7-P1.0	120(10x12box)
010253	FK3/8-M8-P1.0	120(10x12box)
010254	FK3/8-M8-P1.25	120(10x12box)
010255	FK3/8-M10-P1.25	120(10x12box)
010256	FK3/8-M10-P1.5	120(10x12box)



INDEX