

Socket


High Precisionally Processed



Internal part is made by cold extrusion forming to ensure precision.




The inner part of handle is made of advanced PP material and the outer part is made of the elastic rubber resin to advance the grab feel and torsion.



45 teeth geared structure enables rotation angle at 8 degree, convenient to use in narrow space.

1



2



- Press top button to push square head into socket
- Releasing top button, making spring supported ball inside automatically locks the socket to ratchet head.



One piece internal crescent shaped gear makes the products durable enough against wear off.

45 Teeth Gears



Jetech sockets and ratchet wrenches are made of high quality Cr.V alloy steel. Big size socket is made of Cr.Mo, cold forging and processed with precision.



Guaranteed maximum torsion of ratchet wrench handles in three different drive sizes.



1/2 douille	512 N.m
3/8 douille	203 N.m
1/4 douille	62 N.m

Socket Set

Socket Set



Code	Model No.	Model name	 PCS	 Kg	 mm
016015	SK1/2-15S	15pcs 1/2"DR Metric Socket Set	6(1x6box)	16.00	375x300x175
Code	Model No.	Model name	 PCS	 Kg	 mm
017215	SK1/2-15SP	15pcs 1/2"DR Metric Socket Set	6(1x6box)	12.70	345x325x210
12pcs	1/2 Socket (mm):  10 11 12 13 14 15 16 17 18 19 22 24				
3pcs	1/2 Extension Bar5" 1/2 Universal Joint 1/2 Softgrip Ratchet Wrench				



Socket Set



Code	Model No.	Model name	 PCS	 Kg	 mm
016024	SK1/2-24SP	24pcs 1/2" DR Metric Socket Set	6(1x6box)	22.00	445x375x255
20pcs	1/2 Socket (mm):  8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 27 30 32				24 PCS
4pcs	1/2 Soft Grip Ratchet Wrench 1/2 Socket Joint(Hole3/8-Head1/2) 1/2 Universal Joint 1/2 Spark Plug16mm 1/2 Extension Bar10"				

Socket Set



Code	Model No.	Model name	 PCS	 Kg	 mm
016020	SK1/2-20SP	20pcs 1/2" DR Metric Socket Set	6(1x6box)	18.80	420x315x245
12pcs	1/2 Socket (mm):  10 11 12 13 14 15 16 17 18 19 22 24				
3pcs	1/2 Deep Socket (mm):  13 17 19				
5pcs	1/2 Softgrip Ratchet Wrench 1/2 Socket Joint(Hole3/8-Head1/2) 1/2 Universal Joint 1/2 Spark Plug Socket 16mm 1/2 Extension Bar10"				

20

PCS

Socket Set



Code	Model No.	Model name	PCS	Kg	mm
016124	SK1/2-24ASP	24pcs 1/2" DR Metric Socket Set	6(1x6box)	23.10	445x375x255
18pcs	1/2 Socket (mm):  8 10 11 12 13 14 15 16 17 18 19 21 22 23 24 27 30 32				24 PCS
6pcs	1/2 Extension Bar 5",10" 1/2 Spark Plug Socket 21mm 1/2 Universal Joint 1/2 Sliding Rod 1/2 Ratchet Wrench				

Socket Set




Code	Model No.	Model name	 PCS	 Kg	 mm
016019	SK1/2-21INS	21pcs 1/2" DR socket set	4(1x4box)	18.552	557 x 410 x 195
15pcs	1/2 Socket(mm):  3/8 7/16 1/2 9/16 5/8 11/16 3/4 13/16 7/8 15/16 1 1-1/16 1-1/8 1-1/4 1-3/16				
2pcs	1/2 Torque Socket(mm): 5/8 13/16				
4pcs	1/2 Universal Joint 1/2 Extension Bar 10" Tri-function Joint 1/2 Softgrip Ratchet				

Socket Set



Code	Model No.	Model name	 PCS	 Kg	 mm
017224	SK1/2-24S	24pcs 1/2" DR Metric Socket Set	2(1x2box)	12.45	470x290x130
18pcs	1/2 Socket(mm): 				
	10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 27 30 32				
6pcs	1/2 Soft Grip Quick Release Ratchet Wrench				
	1/2 Speeding Handle 1/2 Universal Joint 1/2 Sliding Rod 1/2 Extension Bar 5", 10"				



INDEX

Socket Set

Socket Set



Code	Model No.	Model name	PCS	Kg	mm
016027	SK1/2-27S	27pcs 1/2 DR Metric Socket Set	4(1X4box)	19.30	420x425x145
017127	SK1/2-27SP	27pcs 1/2 DR Metric Socket Set	4(1X4box)	16.65	385x250x300
21pcs	1/2 Metric Socket (mm): ● 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 27 30 32				
6pcs	1/2 Soft Grip Quick Release Ratchet Wrench (72teeth) 1/2 Extension Bar 10" 1/2 Universal Joint 1/2 Tri-Function Joint (Hole3/8-Head1/2) 1/2 Metric Spark Plug Socket 16mm 21mm				

27
PCS

Socket Set



Code	Model No.	Model name	PCS	Kg	mm
016032	SK1/2-32SP	32pcs 1 1/2" DR Series Metric Socket Set	4(1X4box)	23.00	420x385x295
20pcs	1/2 Metric Socket (mm): ● 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 27 30 32				
5pcs	1/2 Metric Impact Socket (mm): ● 14 17 19 21 23				
7pcs	1/2 Soft Grip Quick Release Ratchet Wrench 1/2 Tri-Function Joint (hole3/8-head1/2) 1/2 Universal Joint 1/2 Speeding Handle 1/2 L wrench 1/2 Extension Bar 5" 10"				

32
PCS

Socket Set



Code	Model No.	Model name	PCS	Kg	mm
016037	SK1/2-37S	37pcs 1/2 Series Metric Socket Set	2(1X2box)	15.55	470x290x130
017037	SK1/2-37SP	37pcs 1/2 Series Metric Socket Set	2(1X2box)	12.40	400x275x185
21pcs	1/2 Metric Socket (mm): ● 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 27 30 32				
8pcs	1/2 Metric Deep Socket (mm): ● 10 11 12 13 14 15 17 19				
8pcs	1/2 Soft Grip Quick Release Ratchet Wrench 1/2 Tri-Function Joint (hole3/8-head1/2) 1/2 Universal Joint 1/2 Metric Spark Plug Socket 16mm, 21mm 1/2 Extension Bar 5" 10" 1/2 Hinge Handle				

37
PCS

Socket Set



Code	Model No.	Model name	PCS	Kg	mm
018320	SK1/4-20SP	20PCS 1/4" DR Metric Socket set	12(1x12box)	13.00	495x355x150
13pcs	1/4 Metric Socket (mm): ● 4 4.5 5 5.5 6 7 8 9 10 11 12 13 14				
4pcs	1/4 Metric Deep Socket (mm): ● 8 10 12 13				
3pcs	1/4 Extension Bar 2" 1/4 Ratchet Wrench (43teeth) 1/4 Spinner Handle				

20
PCS

Socket Set



Code	Model No.	Model name	PCS	Kg	mm
016025	SK1/2-25SP	25pcs 1/2" DR Metric Socket Set	6(1x6box)	21.00	455x330x250
12pcs	1/2 Metric Socket (mm): ● 10 11 12 13 14 15 16 17 18 19 22 24				
3pcs	1/2 Metric Deep Socket (mm): ● 13 17 19				
5pcs	Mirror Polished Combination Wrench (mm): 10 11 12 13 14				
5pcs	1/2 Soft Grip Quick Release Ratchet Wrench (72teeth) 1/2 Extension Bar 10" 1/2 Universal Joint 1/2 Tri-Function Joint (Hole3/8-Head1/2) 1/2 Spark Plug Socket 16				

25
PCS

Socket Set



Code	Model No.	Model name	PCS	Kg	mm
018325	SK1/4-25SP	25pcs 1/4 Series Metric Socket Set	12(1X12box)	16.15	410x318x254
13pcs	1/4 Metric Socket (mm): ● 4 4.5 5 5.5 6 7 8 9 10 11 12 13 14				
7pcs	1/4 Metric Deep Socket (mm): ● 8 9 10 11 12 13 14				
5pcs	1/4 Quick Release Ratchet Wrench 1/4 Spinner Handle 1/4 Sliding Rod 1/4 Extension 2", 4"				

25
PCS

Socket Set



Code	Model No.	Model name	PCS	Kg	mm
018339	SK1/4-39SP	39pcs 1/4 DR Series Metric Socket Set	12(1X12box)	15.30	410x318x254
13pcs	1/4 Metric Socket (mm): ● 4 4.5 5 5.5 6 7 8 9 10 11 12 13 14				
20pcs	1/4 Bits Socket (mm): HX3 HX4 HX5 HX6 HX8 T10 T15 T20 T25 T30 T40 PZ 1 PZ 2 PZ 3 PH 1 PH 2 PH 3 SL 4 SL 5 SL 6				
6pcs	1/4 Quick Release Ratchet Wrench 1/4 Hinge Handle 1/4 Universal Joint 1/4 Sliding Rod 1/4 Extension Bar 2", 4"				

39
PCS

Socket Set

Socket Set



Code	Model No.	Model name	PCS	Kg	mm
016041	SK1/4-41S	41pcs 1/4 DR Metric Socket Set	6(1x6box)	11.30	395x325x185
017541	SK1/4-41SP	41pcs 1/4 DR Metric Socket Set	4(1x4box)	4.70	340x263x112
13pcs	1/4 Metric Socket (MM): 4 4.5 5 5.5 6 7 8 9 10 11 12 13 14				
21pcs	25mm Bits HX3 HX4 HX5 HX6 HX8 HX10 T10 T15 T20 T25 T30 T40 PZ 1 PZ 2 PZ 3 PH 1 PH 2 PH 3 SL 4 SL 5 SL 6				
7pcs	1/4 Quick Release Ratchet Wrench 1/4 Spinner Handle 1/4 Universal Joint 1/4 Bit Joint 1/4 Extension 2", 4", 6"				

41
PCS

Socket Set



Code	Model No.	Model name	PCS	Kg	mm
016056	SK1/4-56S	56pcs 1/4 Metric Socket Set	4(1X4box)	12.60	420x230x240
017656	SK1/4-56SP	56pcs 1/4 Metric Socket Set	4(1X4box)	8.05	315x255x215
13pcs	1/4 Metric Socket (mm): 4 4.5 5 5.5 6 7 8 9 10 11 12 13 14				
13pcs	1/4 Metric Deep Socket (mm): 4 4.5 5 5.5 6 7 8 9 10 11 12 13 14				
21pcs	25mm Bits HX3 HX4 HX5 HX6 HX8 HX10 T10 T15 T20 T25 T30 T40 PZ 1 PZ 2 PZ 3 PH 1 PH 2 PH 3 SL 4 SL 5 SL 6				
9pcs	1/4 Quick Release Ratchet Wrench 1/4 Spinner Handle 1/4 Universal Joint 1/4 Sliding Rod 1/4 Hinge Handle 1/4 Bit Adapter 1/4 Extension 2", 4", 6"				

56
PCS

Socket Set

NEW



Code	Model No.	Model name	PCS	Kg	mm
016121	SK3/4-21SP	3/4 21pcs Socket Set	1(1x1box)		
16pcs	3/4 Dodecagonal Metric Mirror Polished Socket (mm): 19 20 22 23 24 26 27 28 30 32 34 36 38 41 46 50				
5pcs	3/4 Ratchet Wrench 3/4 Extension Bar 4", 8" 3/4 Sliding Rod 3/4 Universal Joint				

46
PCS

Socket Set

NEW



Code	Model No.	Model name	PCS	Kg	mm
016126	SK3/4-26SP	3/4+1" 26pcs Socket Set	1(1x1box)		
17pcs	3/4 Dodecagonal Metric Mirror Polished Socket (mm) : 21 22 23 24 26 27 28 29 30 31 32 34 36 38 41 46 50				
3pcs	1" Dodecagonal Metric Mirror Polished Socket (mm) : 55 60 65				
6pcs	3/4 Ratchet Wrench 3/4 Extension Bar 8" 3/4 Spinner Handle 20" 3/4 Sliding Rod 3/4 Universal Joint Socket Joint				

Socket Set



Code	Model No.	Model name	PCS	Kg	mm
016021	SK3/8-21SP	21pcs 3/8 Metric Socket Set	12(1X12box)	21.80	495x355x150
14pcs	3/8 Metric Socket (mm): 6 7 8 9 10 11 12 13 14 15 16 17 18 19				
4pcs	3/8 Metric Deep Socket (mm): 12 13 17 19				
3pcs	3/8 Spark Plug Socket 16 3/8 Extension 6" 3/8 Ratchet Wrench 41teeth				


21
PCS

Socket Set



Code	Model No.	Model name	PCS	Kg	mm
016046	SK3/8-46S	46pcs 3/8 Metric Socket Set	4(1X4box)	12.10	385x190x235
017346	SK3/8-46SP	46pcs 3/8 Metric Socket Set	4(1X4box)	8.80	380x360x145
20pcs	3/8 Metric Socket (mm): 5.5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24				
21pcs	25mm Bits HX3 HX4 HX5 HX6 HX8 HX10 T10 T15 T20 T25 T30 T40 PZ 1 PZ 2 PZ 3 PH 1 PH 2 PH 3 SL 4 SL 5 SL 6				
5pcs	3/8 Quick Release Ratchet Wrench 3/8 Extension Bar 3", 6" 3/8 Universal Joint 3/8 Bit Adapter				

46
PCS



INDEX

Socket Set

Socket Set



Code	Model No.	Model name	PCS	Kg	mm
016061	SK3/8-61S	61pcs 3/8 Metric Socket Set	2(1X2box)	10.90	445x120x285
Code	Model No.	Model name	PCS	Kg	mm
017461	SK3/8-61SP	61pcs 3/8 Metric Socket Set	2(1X2box)	8.40	382x260x160
20pcs	3/8 Metric Socket (mm): 5.5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24				
10pcs	3/8 Metric Deep Socket (mm): 8 9 10 11 12 13 14 15 17 19				
21pcs	25mm Bits HX3 HX4 HX5 HX6 HX8 HX10 T10 T15 T20 T25 T30 T40 PZ 1 PZ 2 PZ 3 PH 1 PH 2 PH 3 SL 4 SL 5 SL 6				
10pcs	3/8 Quick Release Soft Grip Ratchet Wrench 3/8 Extension Bar 3", 6", 10" 3/8 Universal Joint 3/8 Bit Adapter 3/8 Metric Spark Plug Socket 16mm, 21mm 3/8 Spinner Handle 3/8 Tri-Function Adapter (Hole 1/2, Head 3/8)				

61
PCS

Socket Set



Code	Model No.	Model name	PCS	Kg	mm
017879	SK 1/4-1/2-79SP	79pcs 1/4 + 1/2 Metric Socket	2(1X2box)	14.00	430x290x165
9pcs	1/4 Metric Socket (mm): 4 4.5 5 5.5 6 7 8 9 10				
21pcs	1/2 Metric Socket (mm): 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 27 30 32				
9pcs	1/4 Deep Metric Socket (mm): 5.5 6 7 8 9 10 11 12 13				
4pcs	1/2 Deep Metric Socket (mm): 14 15 17 19				
21pcs	25mm Bits HX3 HX4 HX5 HX6 HX8 HX10 T10 T15 T20 T25 T30 T40 PZ 1 PZ 2 PZ 3 PH 1 PH 2 PH 3 SL 4 SL 5 SL 6				
15pcs	1/4 Extension Bar 2", 4" 1/4 Universal Joint 1/4 Soft Grip Quick Release Ratchet Wrench 1/2 Extension Bar 5", 10" 1/2 Universal Joint 1/2 Soft Grip Quick Release Ratchet Wrench 1/4 Bit Adapter 1/4 Sliding Rod 1/4 Spinner Handle 1/2 Metric Spark Plug Socket 16mm, 21mm, 1/2 Hinge Handle 1/2 Tri-Function Joint (Hole 3/8-Head 1/2)				

79
PCS

Socket Set



Code	Model No.	Model name	PCS	Kg	mm
018351	SK1/4-51SP	51pcs 1/4" DR Metric Socket Set	4(1x4box)	5.55	300x270x185
13pcs	1/4 Socket (mm): 4 4.5 5 5.5 6 7 8 9 10 11 12 13 14				
10pcs	1/4 Socket (inch): 5/32 3/16 7/32 1/4 9/32 5/16 11/32 3/8 7/16 1/2				
21pcs	25mm Bits HX3 HX4 HX5 HX6 HX8 HX10 T10 T15 T20 T25 T30 T40 PZ 1 PZ 2 PZ 3 PH 1 PH 2 PH 3 SL 4 SL 5 SL 6				
7pcs	1/4 Ratchet Wrench 1/4 Spinner Handle 1/4 Universal 1/4 Bit Adapter 1/4 Extension Bar 2", 4", 6"				

51
PCS

Socket Set



Code	Model No.	Model name	PCS	Kg	mm
017775	SK 1/4-3/8-75SP	75pcs 1/4 + 3/8 Metric Socket Set	2(1X2box)	8.35	385x245x155
13pcs	1/4 Metric Socket (mm): 4 4.5 5 5.5 6 7 8 9 10 11 12 13 14				
15pcs	3/8 Metric Socket (mm): 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24				
9pcs	1/4 Metric Deep Socket (mm): 5.5 6 7 8 9 10 11 12 13 3/8 Metric Deep Socket (mm): 14 15 16 17 18 19				
6pcs	25mm Bits HX3 HX4 HX5 HX6 HX8 HX10				
21pcs	T10 T15 T20 T25 T30 T40 PZ 1 PZ 2 PZ 3 PH 1 PH 2 PH 3 SL 4 SL 5 SL 6				
11pcs	3/8 Extension Bar 3", 6" 3/8 Universal Joint 1/4 Bit Adapter 3/8 Tri-Function (Hole 1/2-Head 3/8) 3/8 Metric Spark Plug Socket 16mm, 21mm 1/4 Soft Grip Quick Release Ratchet Wrench 3/8 Soft Grip Quick Release Ratchet Wrench 1/4 Spinner Handle 1/4 Sliding Rod				

75
PCS

Socket Set



Code	Model No.	Model name	PCS	Kg	mm
018248	SK1/2-48SP	48pcs 1/2" DR Metric Socket Set	2(1X2box)	14.00	405x285x190
21pcs	1/2 Metric Socket (mm): 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 27 30 32				
8pcs	1/2 Deep Socket (mm): 8 10 12 13 14 15 17 19				
11pcs	1/2 Socket (inch): 3/8 7/16 1/2 9/16 5/8 11/16 3/4 13/16 7/8 15/16 1				
8pcs	1/2 Softgrip Ratchet Wrench 1/2 Socket Joint (Hole 3/8-Head 1/2) 1/2 Universal 1/2 Spark Plug 16mm, 21mm 1/2 Extension Bar 5", 10" 1/2 Hinge Handle				

48
PCS

Socket Set



Code	Model No.	Model name	PCS	Kg	mm
017226	SK3/8-26INSP	26pcs 3/8" DR Inch Socket Set	6	15.40	355x330x250
13pcs	3/8 Socket (inch): 1/2 3/4 13/16 3/8 1/4 15/32 19/32 5/16 5/8 11/16 7/16 7/8 9/16				
19pcs	3/8 Deep Socket (inch): 1/2 3/4 13/16 3/8 5/8 11/16 7/16 7/8 9/16				
4pcs	3/8 Extension Bar 3" 3/8 Softgrip Ratchet Wrench 3/8 Universal 3/8 Socket Adapter				

26
PCS

Socket Set

Socket Set



Code	Model No.	Model name	 PCS	 Kg	 mm
018123	SK-123SP	123pcs Set	2(1x2box)	19.40	500x323x213
10pcs	1/4 Socket (mm):	 4 5 6 7 8 9 10 11 12 13			
11pcs	3/8 Socket (mm):	 9 10 11 12 13 14 15 16 17 18 19			
8pcs	3/8 Torque Socket (mm):	 8 10 11 12 14 16 18 20			
7pcs	1/2 Socket (mm):	 20 21 22 24 27 30 32			
4pcs	1/4 Deep Socket (mm):	 8 9 10 12			
4pcs	3/8 Deep Socket (mm):	 13 14 17 19			
4pcs	1/2 Metric Impact Socket (mm):	 17 19 21 23			
4pcs	1/2 Socket (inch):	 15/16" 1" 1-1/16" 1-1/4"			
10pcs	1/4 Socket (inch):	 5/32" 3/16" 7/32" 1/4" 9/32" 5/16" 11/32" 3/8" 7/16" 1/2"			
9pcs	3/8 Socket (inch):	 3/8" 7/16" 1/2" 9/16" 5/8" 11/16" 3/4" 13/16" 7/8"			
10pcs	25mm Bits	T10 T15 T20 T25 T27 T30 T40 PH 1 PH 2 PH 3			
17pcs	3/8 Bits Socket	T20 T30 T40 T45 T50 T55 TT60 HX3 HX4 HX5 HX6 SL 5 SL 6 PZ 1 PZ 2 PH 1 PH 2			
10pcs	Combination Wrench (mm):	8 9 10 11 12 13 14 17 18 19			
15pcs	1/4 Bit Adapter	1/4 Softgrip Ratchet Wrench		3/8 Softgrip Ratchet Wrench	
	1/2 Softgrip Ratchet Wrench	1/4 Universal	3/8 Universal		
	1/2 Universal Joint	1/4 Extension Bar2"	3/8 Extension Bar3",6"		
	1/2 Extension5", 10"	1/4 Spinner Handle			
	3/8 Metric Spark Plug Socket	16mm, 21mm			

Socket Set



Hex key and automotive circuit tester is not in the warranty range



Code	Model No.	Model name	PCS	Kg	mm
018121	SK-121SP	121pcs Set	2(1x2box)	19.80	500x380x192
36pcs	1/2 Socket (mm):  20 21 22 24 27 30 32 1/4 Socket (mm):  4 5 6 7 8 9 10 11 12 13 Deep Socket (mm): 8 9 10 12 3/8 Socket (mm):  9 10 11 12 13 14 15 16 17 18 19 Deep Socket (mm): 13 14 15 17				
8pcs	3/8 Torque Socket (mm): 8 10 11 12 14 16 18 20				
17pcs	3/8 Hex-Bit Socket (mm): HX3 HX4 HX5 HX6; PH1 PH2 (各2个); SL5 SL6; TT45 TT50 TT55 TT60; T20 T30 T40				
9pcs	Hexkey Set (mm): 1.5 2 2.5 3 4 5 6 8 10				
18pcs	25mm Bit (mm): SL: 4 5 6; PH: 1 3; TT: 10 15 20 25 27 30 40 HX: 3 4 5 6; PZ: 1 2				
11pcs	Mirror Finish Combination Wrench (mm): 8 9 10 11 12 13 14 16 17 18 19				
22pcs	1/2 Softgrip Ratchet Wrench 3/8 Softgrip Ratchet Wrench 1/4 Softgrip Ratchet Wrench 3/8 Spark Plug(16mm,21mm) 3/8 Extension Bar3",10" 1/2 Extension Bar5",10" 1/4 Extension Bar2" Oil Filter Wrench Oil Cylinder Socket Automotive Circuit Tester 1/4 Universal 3/8 Universal 1/2 Universal 1/4 Spinner Handle 1/4 Bit Adapter Socket Adapter(3/8-1/2,3/8-1/4) Go through screwdriver  6 x 100mm				

Socket Set

Socket Set




Code	Model No.	Model name	PCS	Kg	mm
018150	SK-150SP	150pcs Set	1(1x1box)	12.70	550x370x130
12PCS	Mirror Finish Combination Wrench (mm):	8 9 10 11 12 13 14 15 16 17 18 19	150 PCS		
3PCS	Gear Socket Wrench (mm):	8-10 12-13 17-19			
6PCS	1/4" 6P.T Deep Socket (mm):	4 5 6 7 8 9			
6PCS	3/8" 6P.T Deep Socket (mm):	10 11 12 13 14 15			
6PCS	1/2" 6P.T Deep Socket (mm):	10 12 13 14 17 19			
10PCS	1/4" 6P.T Metric Socket (mm):	4 5 6 7 8 9 10 11 12 13			
11PCS	3/8" 6P.T Metric Socket (mm):	9 10 11 12 13 14 15 16 17 18 19			
7PCS	1/2" 12P.T Metric Socket (mm):	20 21 22 24 27 30 32			
4PCS	1/2" Impact Socket (mm):	17 19 21 23			
8PCS	3/8" Torque Socket:	E8 E10 E11 E12 E14 E16 E18 E20			
	3/8" Bits Socket:	T20 T30 T40 TT45 TT50 TT55			
21PCS	TT60 HX3 HX4 HX5 HX6 HX8 HX10 PH1 PH2 PH3 SL4 SL5 SL6				
7PCS	25mm Bit (mm):	TT: 10 15 20 25 27 30 40			
10PCS	1/4" 6P.T Hex-Bit Socket (inch):	5/32 3/16 7/32 1/4 9/32 5/16 11/32 3/8 7/16 1/2			
9PCS	3/8" 6P.T Hex-Bit Socket (inch):	3/8 7/16 1/2 9/16 5/8 11/16 3/4 13/16 7/8			
4PCS	1/2" 12P.T Hex-Bit Socket (inch):	15/16 1" 1-1/16 1-1/4			
10PCS	10pcs Flat Hex Key Set:	1.5 2 2.5 3 4 5 6 8 10 12			
	1/4 Extension Bar4" 3/8 Extension Bar3",6" 1/2 Extension Bar5",10" 1/4 Bit Adapter				
15PCS	1/4 Universal 3/8 Universal 1/2 Universal 1/4 Softgrip Ratchet 3/8 Softgrip Ratchet 1/2 Softgrip Ratchet 1/4 Spinner Handle 3/8 Spark Plug 16mm,21mm				

Socket Set



Code	Model No.	Model name	PCS	Kg	mm
016018	SKT-18SP	18Pcs Torque-Bit Socket Set	12(1x12box)	17.70	415x315x285
6pcs	1/2 Torque-Bit Socket	T30 T40 T45 T50 T55 TT60	18 PCS		
6pcs	1/2 Torque-Bit Deep Socket	T30 T40 T45 T50 T55 TT60			
6pcs	1/2 Torque-Bit Deep Socket	T10 T15 T20 T25 T30 T40			




INDEX

1/2 DR Metric Socket

1/2 DR 6 P.T Socket


- Made of premium CR-V, cold forging processed, strong resistance to impact
- Standard: GB/T 3390.1~3390.5-2004 Refer to ISO 691, ISO 1711, ISO 2725



Code	Model No.	Amm	Bmm	Cmm	Pmm	Lmm	PCS	Kg	mm
011208	SK1/2-8	21.8	13	8	14	38	120(10x12box)	6.10	286x146x154
011209	SK1/2-9	21.8	14	9	14	38	120(10x12box)	6.10	286x146x154
011210	SK1/2-10	21.8	15	10	15	38	120(10x12box)	6.10	286x146x154
011211	SK1/2-11	21.8	16.5	11	15	38	120(10x12box)	6.40	286x146x154
011212	SK1/2-12	21.8	18	12	14	38	120(10x12box)	6.80	286x146x154
011213	SK1/2-13	21.8	19	13	14	38	120(10x12box)	6.90	286x146x154
011214	SK1/2-14	21.8	20.5	14	13.5	38	120(10x12box)	7.10	286x146x154
011215	SK1/2-15	21.8	21.8	15	13	38	120(10x12box)	7.50	286x146x154
011216	SK1/2-16	21.8	21.8	16	14	38	120(10x12box)	7.20	286x146x154
011217	SK1/2-17	21.8	23.8	17	14	38	120(10x12box)	8.30	286x166x154
011218	SK1/2-18	25.8	25.8	18	14	38	120(10x12box)	10.00	253x194x197
011219	SK1/2-19	26.8	26.8	19	18	38	120(10x12box)	9.20	253x194x197
011220	SK1/2-20	27.8	27.8	20	19	38	120(10x12box)	10.20	253x194x197
011221	SK1/2-21	28.8	28.8	21	19	38	120(10x12box)	10.20	253x194x197
011222	SK1/2-22	29.8	29.8	22	18	38	120(10x12box)	11.60	253x194x197
011223	SK1/2-23	31.8	31.8	23	18	38	120(10x12box)	13.00	253x194x197
011224	SK1/2-24	32	32	24	18	38	120(10x12box)	13.00	253x194x197
011225	SK1/2-25	33.8	33.8	25	17	40	120(10x12box)	16.70	335x205x185
011226	SK1/2-26	33.8	33.8	26	19	42	120(10x12box)	17.50	335x205x185
011227	SK1/2-27	35.8	35.8	27	21.5	42	120(10x12box)	19.85	335x205x185
011228	SK1/2-28	37.8	37.8	28	18	42	120(10x12box)	21.80	358x219x197
011229	SK1/2-29	37.8	37.8	29	18	42	60(10x6box)	10.80	234x206x184
011230	SK1/2-30	39.8	39.8	30	20	43	60(10x6box)	12.60	234x206x184
011232	SK1/2-32	41.8	41.8	32	22	45	60(10x6box)	13.70	234x206x184

1/2 6P.T Metric Deep Socket


- Made of premium CR-V, cold forging processed, strong resistance to impact
- Standard: GB/T 3390.1~3390.5-2004 Refer to ISO 691, ISO 1711, ISO 2725



Code	Model No.	Amm	Bmm	Cmm	Pmm	Lmm	PCS	Kg	mm
012408	SK1/2-D8	22	13	8	20	77	120(10x12box)	11.60	286x202x214
012410	SK1/2-D10	22	15.5	10	25	77	120(10x12box)	11.60	286x202x214
012411	SK1/2-D11	22	17	11	26	77	120(10x12box)	11.90	286x202x214
012412	SK1/2-D12	22	18.5	12	26	77	120(10x12box)	13.10	286x202x214
012413	SK1/2-D13	22	19.5	13	26	77	120(10x12box)	14.00	286x202x214
012414	SK1/2-D14	22	20.5	14	35	77	120(10x12box)	14.00	286x202x214
012415	SK1/2-D15	22	21.5	15	35	77	120(10x12box)	14.80	286x202x214
012416	SK1/2-D16	22	22	16	35	77	120(10x12box)	13.40	286x202x214
012417	SK1/2-D17	22	24	17	36	77	120(10x12box)	15.40	286x202x214
012418	SK1/2-D18	24	26	18	38	77	120(10x12box)	19.75	326x206x246
012419	SK1/2-D19	24	26	19	38	77	120(10x12box)	18.60	326x206x246
012420	SK1/2-D20	24	28	20	37	77	60(6x10box)	11.90	214x206x291
012421	SK1/2-D21	26	28	21	37	77	60(6x10box)	11.20	214x206x291
012422	SK1/2-D22	26	30	22	37	77	60(6x10box)	13.20	214x206x291
012423	SK1/2-D23	28	32	23	32	77	60(6x10box)	14.00	234x206x291
012424	SK1/2-D24	28	32	24	35	77	60(6x10box)	13.70	234x206x291
012427	SK1/2-D27	31	27	27	34	77	60(6x10box)	21.00	274x192x276
012430	SK1/2-D30	36	30	30	38	77	60(6x10box)	22.20	274x192x276
012432	SK1/2-D32	36	32	32	38	77	60(6x10box)	25.30	447x294x167

1/2DR 6 P.T Bit Socket

- Made of premium CR-V, cold forging processed, strong resistance to impact
- Standard: QB/T 4205~4209-2011



Code	Model No.	Amm	Bmm	Pmm	Lmm	PCS	Kg	mm
010904	SK1/2-HX4	22	4	20	58	240(10x24box)	16.20	365x270x147
010905	SK1/2-HX5	22	5	20	58	240(10x24box)	16.10	365x270x147
010906	SK1/2-HX6	22	6	20	58	240(10x24box)	16.00	365x270x147
010907	SK1/2-HX7	22	7	20	58	240(10x24box)	16.70	365x270x147
010908	SK1/2-HX8	22	8	20	58	240(10x24box)	17.65	365x270x147
010910	SK1/2-HX10	22	10	20	58	240(10x24box)	17.30	365x270x147
010912	SK1/2-HX12					240(10x24box)		

1/2 6P.T Bit Socket 100mm

Code	Model No.	Amm	Bmm	Pmm	Lmm	PCS	Kg	mm
011004	SK1/2-HX4-100	22	4	62	100	120(10x12box)	9.95	266x174x224
011005	SK1/2-HX5-100	22	5	62	100	120(10x12box)	9.85	266x174x224
011006	SK1/2-HX6-100	22	6	62	100	120(10x12box)	10.05	266x174x224
011007	SK1/2-HX7-100	22	7	62	100	120(10x12box)	11.60	266x174x224
011008	SK1/2-HX8-100	22	8	62	100	120(10x12box)	11.60	266x174x224
011010	SK1/2-HX10-100	22	10	62	100	120(10x12box)	12.95	266x174x224

1/2 12P.T Bit Socket 60mm

- Made of premium CR-V, cold forging processed, strong resistance to impact
- Standard: QB/T 4205~4209-2011

NEW



Code	Model No.	Amm	Bmm	Pmm	Lmm	PCS	Kg	mm
010165	SK1/2-M5					240(10x24box)		
010166	SK1/2-M6					240(10x24box)		
010168	SK1/2-M8					240(10x24box)		
010170	SK1/2-M10					240(10x24box)		
010172	SK1/2-M12					240(10x24box)		
010174	SK1/2-M14					240(10x24box)		
010176	SK1/2-M16					240(10x24box)		

1/2 12P.T Bit Socket 100mm

- Made of premium CR-V, cold forging processed, strong resistance to impact
- Standard: QB/T 4205~4209-2011

NEW




Code	Model No.	Amm	Bmm	Pmm	Lmm	PCS	Kg	mm
010185	SK1/2-M5-100					120(10x12box)		
010186	SK1/2-M6-100					120(10x12box)		
010188	SK1/2-M8-100					120(10x12box)		
010190	SK1/2-M10-100					120(10x12box)		
010192	SK1/2-M12-100					120(10x12box)		
010194	SK1/2-M14-100					120(10x12box)		
010196	SK1/2-M16-100					120(10x12box)		

1/2 DR Metric Socket

1/2 12P.T Metric Mirror Polished Socket


- Made of premium CR-V, cold forging processed, strong resistance to impact
- Standard: GB/T 3390.1~3390.5-2004 Refer to ISO 691, ISO 1711, ISO 2725



Code	Model No.	A _{mm}	B _{mm}	C _{mm}	P _{mm}	L _{mm}	PCS	Kg	mm
016808	SKD1/2-8	22	13	8	14	38	120(10x12box)	6.10	286x146x154
016809	SKD1/2-9	22	14	9	14	38	120(10x12box)	6.20	286x146x154
016810	SKD1/2-10	22	15	10	15	38	120(10x12box)	6.15	286x146x154
016811	SKD1/2-11	22	16.5	11	15	38	120(10x12box)	6.40	286x146x154
016812	SKD1/2-12	22	17.5	12	14	38	120(10x12box)	6.80	286x146x154
016813	SKD1/2-13	22	19	13	14	38	120(10x12box)	7.10	286x146x154
016814	SKD1/2-14	22	20	14	13.5	38	120(10x12box)	7.10	286x146x154
016815	SKD1/2-15	22	22	15	13	38	120(10x12box)	8.15	286x146x154
016816	SKD1/2-16	22	22	16	14	38	120(10x12box)	7.20	286x146x154
016817	SKD1/2-17	22	24	17	14	38	120(10x12box)	8.30	286x166x154
016818	SKD1/2-18	22	26	18	14	38	120(10x12box)	9.80	253x174x197
016819	SKD1/2-19	22	26	19	18	38	120(10x12box)	8.30	253x174x197
016820	SKD1/2-20	24	28	20	19	38	120(10x12box)	9.80	253x174x197
016821	SKD1/2-21	25	28	21	19	38	120(10x12box)	9.80	253x174x197
016822	SKD1/2-22	26	30	22	18	38	120(10x12box)	11.50	253x194x197
016823	SKD1/2-23	27	32	23	18	38	120(10x12box)	13.20	253x194x197
016824	SKD1/2-24	28	32	24	18	38	120(10x12box)	13.20	253x194x197
016825	SKD1/2-25	29	34	25	17	40	120(10x12box)	16.40	335x205x185
016826	SKD1/2-26	30	34	26	19	42	120(10x12box)	20.70	335x205x185
016827	SKD1/2-27	31	36	27	21.5	42	120(10x12box)	18.50	335x205x185
016828	SKD1/2-28	32	38	28	18	42	120(10x12box)	20.35	358x219x197
016829	SKD1/2-29	33	38	29	18	42	60(10x6box)	10.70	234x206x184
016830	SKD1/2-30	34	40	30	20	44	60(10x6box)	12.10	254x206x184
016832	SKD1/2-32	36	42	32	22	44	60(10x6box)	12.80	254x206x184

1/2 DR Torque Bit Socket

- Made of premium CR-V, cold forging processed, strong resistance to impact
- Standard: QB/T 4205~4209-2011



Code	Model No.	A _{mm}	B _{mm}	P _{mm}	L _{mm}	PCS	Kg	mm
010520	SK1/2-T20	22	3.76	20	58	240(10x24box)	15.10	322x272x187
010525	SK1/2-T25	22	4.3	20	58	240(10x24box)	15.30	322x272x187
010527	SK1/2-T27	22	4.86	20	58	240(10x24box)	14.90	322x272x187
010530	SK1/2-T30	22	5.4	20	58	240(10x24box)	15.00	322x272x187
010540	SK1/2-T40	22	6.5	20	58	240(10x24box)	15.50	322x272x187
010545	SK1/2-T45	22	7.68	20	58	240(10x24box)	16.10	322x272x187
010550	SK1/2-T50	22	8.7	20	58	240(10x24box)	16.60	322x272x187
010555	SK1/2-T55	22	11.04	20	58	240(10x24box)	16.96	322x272x187
010560	SK1/2-TT60					240(10x24box)		


Standard: QB/T 4205~4209-2011

1/2 DR Torque Bit Socket 100mm

Code	Model No.	A _{mm}	B _{mm}	P _{mm}	L _{mm}	PCS	Kg	mm
010620	SK1/2-T20-100	22	3.76	62	100	120(10x12box)	10.00	322x252x145
010625	SK1/2-T25-100	22	4.3	62	100	120(10x12box)	9.60	322x252x145
010627	SK1/2-T27-100	22	4.86	62	100	120(10x12box)	9.60	322x252x145
010630	SK1/2-T30-100	22	5.4	62	100	120(10x12box)	9.70	322x252x145
010640	SK1/2-T40-100	22	6.5	62	100	120(10x12box)	9.80	322x252x145
010645	SK1/2-T45-100	22	7.68	62	100	120(10x12box)	11.10	322x252x145
010650	SK1/2-T50-100	22	8.7	62	100	120(10x12box)	11.10	322x252x145
010655	SK1/2-T55-100	22	11.04	62	100	120(10x12box)	12.54	322x252x145
010660	SK1/2-TT60-100					120(10x12box)		

1/2 DR Torque Socket


- Made of premium CR-V, cold forging processed, strong resistance to impact
- Standard: GB/T 3390.1~3390.5-2004 Refer to ISO 691, ISO 1711, ISO 2725



Code	Model No.	A _{mm}	B _{mm}	P _{mm}	L _{mm}	PCS	Kg	mm
012010	SK1/2-E10	22	13	10	38	120(10x12box)	7.05	286x142x200
012012	SK1/2-E12	22	15	10	38	120(10x12box)	7.20	286x142x200
012014	SK1/2-E14	22	17	12	38	120(10x12box)	7.60	286x142x200
012016	SK1/2-E16	22	19	15	38	120(10x12box)	7.60	286x142x200
012018	SK1/2-E18	22	22	15	38	120(10x12box)	8.30	286x142x200
012020	SK1/2-E20	22	24	18	38	120(10x12box)	10.25	286x142x200
012022	SK1/2-E22	22	26	20	38	120(10x12box)	12.30	286x172x200
012024	SK1/2-E24	22	28	20	38	120(10x12box)	14.75	286x172x200

1/2 DR Spark Plug Socket


- Made of premium CR-V, cold forging processed, strong resistance to impact
- Standard: GB/T 3390.1~3390.5-2004 Refer to ISO 691, ISO 1711, ISO 2725




Code	Model No.	A _{mm}	B _{mm}	C _{mm}	P _{mm}	L _{mm}	PCS	Kg	mm
011516	PG1/2-16	22	22	16	20	65.5	120(10x12box)	11.20	286x202x214
011521	PG1/2-21	24	28	21	21	65.5	120(10x12box)	16.40	386x212x158

1/2 DR 12P.T Metric Mirror Polished Deep Socket

- Made of premium CR-V, cold forging processed, strong resistance to impact
- Standard: GB/T 3390.1~3390.5-2004 Refer to ISO 691, ISO 1711, ISO 2725



Code	Model No.	A _{mm}	B _{mm}	C _{mm}	P _{mm}	L _{mm}	PCS	Kg	mm
016910	SKD1/2-D10	22	15.5	10	25	77	120(10x12box)	11.90	286x202x214
016911	SKD1/2-D11	22	17	11	26	77	120(10x12box)	12.10	286x202x214
016912	SKD1/2-D12	22	18.5	12	26	77	120(10x12box)	13.00	286x202x214
016913	SKD1/2-D13	22	19.5	13	26	77	120(10x12box)	14.00	286x202x214
016914	SKD1/2-D14	22	20.5	14	35	77	120(10x12box)	13.50	286x202x214
016915	SKD1/2-D15	22	21.5	15	35	77	120(10x12box)	14.20	286x202x214
016916	SKD1/2-D16	22	22	16	35	77	120(10x12box)	13.30	286x202x214
016917	SKD1/2-D17	22	24	17	36	77	120(10x12box)	14.30	286x202x214
016918	SKD1/2-D18	24	26	18	38	77	120(10x12box)	18.80	326x206x246
016919	SKD1/2-D19	24	26	19	38	77	120(10x12box)	17.10	326x206x246
016920	SKD1/2-D20	24	28	20	37	77	60(10x6box)	11.00	214x206x291
016921	SKD1/2-D21	26	28	21	37	77	60(10x6box)	10.75	214x206x291
016922	SKD1/2-D22	26	30	22	37	77	60(10x6box)	12.60	214x206x291
016923	SKD1/2-D23	28	32	23	32	77	60(10x6box)	14.00	234x206x291
016924	SKD1/2-D24	28	32	24	35	77	60(10x6box)	13.00	234x206x291




INDEX

1/2 Series Socket Parts

Universal Joint

○Standard:GB/T 3390.1~3390.5-2004
Refer to ISO 691, ISO 1711, ISO 2725



Code	Model No.	Amm	Bmm	Cmm	Lmm	PCS	Kg	mm
010100	UJ1/2	55	25	12.5	70	120(10x12box)	18.70	386x212x158


1/2 Extension Bar



○Standard:GB/T 3390.1~3390.5-2004
Refer to ISO 691, ISO 1711, ISO 2725

Code	Model No.	Amm	Bmm	Cmm	Lmm	PCS	Kg	mm
010203	EB1/2-3	15	23	22.5	75	60(6x10box)	7.95	237x176x174
010205	EB1/2-5	15	23	22.5	125	60(6x10box)	12.40	262x165x190
010210	EB1/2-10	15	24	22.5	250	60(6x10box)	24.00	287x264x235


1/2 Speeding Handle



○Standard:GB/T 3390.1~3390.5-2004
Refer to ISO 691, ISO 1711, ISO 2725

Code	Model No.	Amm	Lmm	PCS	Kg	mm
016215	SP1/2-15	50	245	36(6x6box)	18.10	400x310x170


Sliding Bar



○Standard:GB/T 3390.1~3390.5-2004
Refer to ISO 691, ISO 1711, ISO 2725

Code	Model No.	Amm	Bmm	Cmm	Dmm	Emm	Lmm	PCS	Kg	mm
010300	SB1/2	24	13.3	21	8	5	250	60(6x10box)	23.00	312x294x245


Hinge Handle



○Standard:GB/T 3390.1~3390.5-2004
Refer to ISO 691, ISO 1711, ISO 2725

Code	Model No.	Amm	Bmm	Cmm	Lmm	PCS	Kg	mm
010401	FH1/2-10	20	40	28	250	60(6x10box)	29.00	411x382x267
010400	FH1/2-15	20	40	28	360	24(6x4box)	17.00	467x222x205


L Type Wrench



○Standard:GB/T 3390.1~3390.5-2004
Refer to ISO 691, ISO 1711, ISO 2725

Code	Model No.	Amm	Lmm	PCS	Kg	mm
010800	OH1/2	50	252	40(4x10box)	18.60	327x195x290

Ratchet Wrench




○45 teeth geared structure enables rotation angle at 8 degree, convenient to use in narrow space
○Standard: GB/T 3390.1~3390.5-2004
Refer to ISO 691, ISO 1711, ISO 2725

Code	Model No.	Amm	Bmm	Cmm	Lmm	PCS	Kg	mm
011900	RT1/2	19	41	50	247	36(6x6box)	24.00	468x338x179

Calabash Handle Ratchet Wrench

- Quick lock function, one hand operation
- Reversible ratchet, strong torque, advanced more 30% than German DIN standard
- 45 teeth geared structure enables rotation angle at 8 degree, convenient to use in narrow space
- Standard: GB/T 3390.1~3390.5-2004
Refer to ISO 691, ISO 1711, ISO 2725




Code	Model No.	Amm	Bmm	Cmm	Lmm	PCS	Kg	mm
012000	RTS1/2	39.5	33.5	36	240	36(6x6box)	22.00	468x338x179
010200	RTH1/2 NEW					36(6x6box)		

1/4 DR Metric Socket

1/4 DR Torque Bit Socket


- Made of premium CR-V, cold forging processed, strong resistance to impact
- Standard: QB/T 4205-4209-2011



Code	Model No.	Amm	Bmm	Pmm	Lmm	PCS	Kg	mm
012308	SK1/4-T8	12	2.24	20	38	240(10x24box)	4.15	206x202x157
012310	SK1/4-T10	12	2.72	20	38	240(10x24box)	4.20	206x202x157
012315	SK1/4-T15	12	3.21	20	38	240(10x24box)	4.20	206x202x157
012320	SK1/4-T20	12	3.76	20	38	240(10x24box)	4.20	206x202x157
012325	SK1/4-T25	12	4.3	20	38	240(10x24box)	4.30	206x202x157
012330	SK1/4-T30	12	5.4	20	38	240(10x24box)	4.40	206x202x157
012340	SK1/4-T40	12	6.5	20	38	240(10x24box)	4.60	206x202x157

1/4 DR Phillips-Bit Socket


- Made of premium CR-V, cold forging processed, strong resistance to impact
- Standard: QB/T 4205-4209-2011



Code	Model No.	Amm	Bmm	Pmm	Lmm	PCS	Kg	mm
013401	SK1/4-PH1	12	4.5	20	38	240(10x24box)	4.10	206x202x157
013402	SK1/4-PH2	12	6	20	38	240(10x24box)	4.20	206x202x157
013403	SK1/4-PH3	12	6	20	38	240(10x24box)	4.20	206x202x157

1/4 DR Slotted-Bit Socket


- Made of premium CR-V, cold forging processed, strong resistance to impact
- Standard: QB/T 4205-4209-2011



Code	Model No.	Amm	Bmm	Pmm	Lmm	PCS	Kg	mm
013603	SK1/4-SL3	12	3	19	38	240(10x24box)	3.60	206x202x157
013604	SK1/4-SL4	12	4	19	38	240(10x24box)	3.70	206x202x157
013605	SK1/4-SL5	12	5	19	38	240(10x24box)	3.80	206x202x157
013606	SK1/4-SL6	12	6	19	38	240(10x24box)	3.80	206x202x157
013608	SK1/4-SL8	12	8	19	38	240(10x24box)	4.00	206x202x157

1/4 DR 6P.T Bit Socket

- Made of premium CR-V, cold forging processed, strong resistance to impact
- Standard: QB/T 4205-4209-2011



Code	Model No.	Amm	Bmm	Pmm	Lmm	PCS	Kg	mm
013303	SK1/4-HX3	12	3	20	38	240(10x24box)	4.30	206x202x157
013304	SK1/4-HX4	12	4	20	38	240(10x24box)	4.30	206x202x157
013305	SK1/4-HX5	12	5	20	38	240(10x24box)	4.40	206x202x157
013306	SK1/4-HX6	12	6	20	38	240(10x24box)	4.60	206x202x157
013308	SK1/4-HX8	12	8	20	38	240(10x24box)	4.90	206x202x157

1/4 DR Metric Socket

1/4 DR 6P.T Socket


- Made of premium CR-V, cold forging processed, strong resistance to impact
- Standard: GB/T 3390.1~3390.5-2004
- Refer to ISO 691, ISO 1711, ISO 2725



Code	Model No.	Amm	Bmm	Cmm	Pmm	Lmm	PCS	Kg	mm
011404	SK1/4-4	12	7	4	9.5	25	240(10x24box)	2.80	206x202x157
011445	SK1/4-4.5	12	7.5	4.5	11	25	240(10x24box)	3.20	206x202x157
011405	SK1/4-5	12	8	5	9	25	240(10x24box)	3.20	206x202x157
011455	SK1/4-5.5	12	9	5.5	9	25	240(10x24box)	3.25	206x202x157
011406	SK1/4-6	12	9.5	6	10.5	25	240(10x24box)	3.30	206x202x157
011407	SK1/4-7	12	11	7	11.5	25	240(10x24box)	3.50	206x202x157
011408	SK1/4-8	12	12	8	11.5	25	240(10x24box)	3.50	206x202x157
011409	SK1/4-9	14	14	9	10	25	240(10x24box)	4.20	206x202x157
011410	SK1/4-10	14	14	10	12	25	240(10x24box)	5.50	206x202x157
011411	SK1/4-11	14	16	11	10	25	240(10x24box)	5.40	206x202x157
011412	SK1/4-12	14	17	12	10	25	240(10x24box)	5.70	249x205x157
011413	SK1/4-13	14	18	13	12	25	240(10x24box)	5.80	249x205x157
011414	SK1/4-14	15	20	14	10	25	240(10x24box)	7.30	249x205x157

1/4 DR Torque Socket


- Made of premium CR-V, cold forging processed, strong resistance to impact
- Standard: GB/T 3390.1~3390.5-2004
- Refer to ISO 691, ISO 1711, ISO 2725




Code	Model No.	Amm	Bmm	Pmm	Lmm	PCS	Kg	mm
010404	SK1/4-E4	12	6	10	26	240(10x24box)	3.15	206x202x157
010405	SK1/4-E5	12	7	10	26	240(10x24box)	3.20	206x202x157
010406	SK1/4-E6	12	8.5	10	26	240(10x24box)	3.50	206x202x157
010407	SK1/4-E7	12	9.5	10	26	240(10x24box)	3.75	206x202x157
010408	SK1/4-E8	12	12	10	26	240(10x24box)	4.20	206x202x157
010410	SK1/4-E10	12	12	10	26	240(10x24box)	3.80	206x202x157

1/4 DR PZ Drives – Bit Socket

- Made of premium CR-V, cold forging processed, strong resistance to impact
- Standard: QB/T 4205-4209-2011



Code	Model No.	Amm	Bmm	Pmm	Lmm	PCS	Kg	mm
013501	SK1/4-PZ1	12	4.5	20	38	240(10x24box)	4.15	206x202x157
013502	SK1/4-PZ2	12	6.0	20	38	240(10x24box)	4.20	206x202x157
013503	SK1/4-PZ3	12	6.0	20	38	240(10x24box)	4.30	206x202x157




INDEX

1/4 DR Metric Socket

1/4 6P.T Deep Socket

- Made of premium CR-V, cold forging processed, strong resistance to impact
- Standard: GB/T 3390.1~3390.5-2004
Refer to ISO 691, ISO 1711, ISO 2725




Code	Model No.	Amm	Bmm	Cmm	Pmm	Lmm	PCS	Kg	mm
012804	SK1/4-D4	12	7	4	11	50	240(10x24box)	5.50	230x206x185
012845	SK1/4-D4.5	12	7.5	4.5	11	50	240(10x24box)	5.50	230x206x185
012805	SK1/4-D5	12	8	5	11	50	240(10x24box)	5.80	230x206x185
012855	SK1/4-D5.5	12	9	5.5	11	50	240(10x24box)	6.30	230x206x185
012806	SK1/4-D6	12	9.5	6	12	50	240(10x24box)	6.30	230x206x185
012807	SK1/4-D7	12	11	7	25	50	240(10x24box)	6.30	230x206x185
012808	SK1/4-D8	12	12	8	28	50	240(10x24box)	6.30	230x206x185
012809	SK1/4-D9	14	13.5	9	22	50	240(10x24box)	7.20	230x206x185
012810	SK1/4-D10	15	15	10	26	50	240(10x24box)	10.30	230x206x185
012811	SK1/4-D11	16	16	11	36	50	240(10x24box)	11.60	230x206x185
012812	SK1/4-D12	17	17	12	25	50	240(10x24box)	12.80	246x202x238
012813	SK1/4-D13	18	18	13	24	50	240(10x24box)	14.20	246x202x238
012814	SK1/4-D14	20	20	14	26	50	240(10x24box)	17.80	246x202x238

1/4 DR Socket Parts

Ratchet Wrench




- 45 teeth geared structure enables rotation angle at 8 degree, convenient to use in narrow space
- Standard: GB/T 3390.1~3390.5-2004
Refer to ISO 691, ISO 1711, ISO 2725



Code	Model No.	Amm	Bmm	Cmm	Lmm	PCS	Kg	mm
012500	RT1/4	13	26	28	137	60(6x10box)	11.20	252x244x285

1/4 Spinner Handle



- Standard: GB/T 3390.1~3390.5-2004
Refer to ISO 691, ISO 1711, ISO 2725

Code	Model No.	Amm	Bmm	Lmm	PCS	Kg	mm
012700	DSH1/4	22	82	150	60(6x10box)	6.20	272x176x237

Hinge Handle





- Standard: GB/T 3390.1~3390.5-2004
Refer to ISO 691, ISO 1711, ISO 2725

Code	Model No.	Amm	Bmm	Cmm	Lmm	PCS	Kg	mm
013200	FH1/4-6	14	22	13.5	138	60(6x10box)	8.75	254x236x237

Calabash Handle Ratchet Wrench


- Quick lock function, one hand operation
- Reversible ratchet, strong torque, advanced more 30% than German DIN standard
- 36 teeth geared structure
- Standard: GB/T 3390.1~3390.5-2004
Refer to ISO 691, ISO 1711, ISO 2725



Code	Model No.	Amm	Bmm	Cmm	Lmm	PCS	Kg	mm
012600	RTS1/4	24	24	24	147	60(6x10box)	9.35	252x244x285
010900	RTH1/4	NEW				60(6x10box)		

Universal Joint


- Standard: GB/T 3390.1~3390.5-2004
Refer to ISO 691, ISO 1711, ISO 2725



Code	Model No.	Amm	Bmm	Cmm	Lmm	PCS	Kg	mm
012900	UJ1/4	32	14	6.4	40	240(10x24box)	7.00	249x205x157


1/4 Extension Bar

- Standard: GB/T 3390.1~3390.5-2004
Refer to ISO 691, ISO 1711, ISO 2725



Code	Model No.	Amm	Bmm	Cmm	Lmm	PCS	Kg	mm
012202	EB1/4-2	7.3	13	12.5	50	240(10x24box)	6.46	206x202x157
012204	EB1/4-4	7.3	13	12.5	100	240(6x40box)	12.10	328x244x210
012206	EB1/4-6	7.3	13	12.5	150	240(6x40box)	17.25	405x192x284

Sliding Bar




- Standard: GB/T 3390.1~3390.5-2004
Refer to ISO 691, ISO 1711, ISO 2725

Code	Model No.	Amm	Bmm	Cmm	Dmm	Emm	Lmm	PCS	Kg	mm
013000	SB1/4	14	6.3	14	5.3	4	115	120(10x12box)	7.50	329x217x253

1/4 DR Bit Joint

- Standard: GB/T 3390.1~3390.5-2004
Refer to ISO 691, ISO 1711, ISO 2725



Code	Model No.	Amm	Bmm	Lmm	PCS	Kg	mm
013100	AD1/4	12	6.3	25.5	240(10x24box)	4.20	206x202x157

3/8 DR Metric Socket

3/8 6P.T Socket

- Made of premium CR-V, cold forging processed, strong resistance to impact
- Standard: GB/T 3390.1-3390.5-2004 Refer to ISO 691, ISO 1711, ISO 2725



Code	Model No.	A _{mm}	B _{mm}	C _{mm}	P _{mm}	L _{mm}	PCS	Kg	mm
013805	SK3/8-5.5	17	9	5.5	11	28	240(10x24box)	6.30	246x190x155
013806	SK3/8-6	17	10	6	11	28	240(10x24box)	6.00	246x190x155
013807	SK3/8-7	17	11	7	10	28	240(10x24box)	6.20	246x190x155
013808	SK3/8-8	17	12.5	8	10	28	240(10x24box)	6.25	246x190x155
013809	SK3/8-9	17	13.5	9	10	28	240(10x24box)	6.40	246x190x155
013810	SK3/8-10	17	15	10	10	28	240(10x24box)	6.40	246x190x155
013811	SK3/8-11	17	16	11	10	28	240(10x24box)	6.80	246x190x155
013812	SK3/8-12	17	17	12	10	28	240(10x24box)	7.00	246x190x155
013813	SK3/8-13	17	18	13	10	28	240(10x24box)	7.60	246x190x155
013814	SK3/8-14	18	20	14	14.5	28	240(10x24box)	8.90	246x190x155
013815	SK3/8-15	18	22	15	15	28	240(10x24box)	10.40	246x190x155
013816	SK3/8-16	18	22	16	15	28	240(10x24box)	10.00	246x190x155
013817	SK3/8-17	20	24	17	15	29	240(10x24box)	13.00	246x190x155
013818	SK3/8-18	22	26	18	15	30	120(10x12box)	8.00	280x206x192
013819	SK3/8-19	22	26	19	16	30	120(10x12box)	7.60	280x206x192
013820	SK3/8-20	24	28	20	15	30	120(10x12box)	9.00	280x206x192
013821	SK3/8-21	25	28	21	15	30	120(10x12box)	9.40	280x206x192
013822	SK3/8-22	26	30	22	15	31	120(10x12box)	9.90	208x194x198
013823	SK3/8-23	26	30	23	15	31	120(10x12box)	9.60	208x194x198
013824	SK3/8-24	26	32	24	16	32	120(10x12box)	11.10	208x194x198

3/8 6P.T Deep Socket


- Made of premium CR-V, cold forging processed, strong resistance to impact
- Standard: GB/T 3390.1-3390.5-2004 Refer to ISO 691, ISO 1711, ISO 2725



Code	Model No.	A _{mm}	B _{mm}	C _{mm}	P _{mm}	L _{mm}	PCS	Kg	mm
017606	SK3/8-D6	17	10	6	12	63	240(10x24box)	13.70	246x223x258
017607	SK3/8-D7	17	11	7	14	63	240(10x24box)	12.80	246x223x258
017608	SK3/8-D8	17	12.5	8	14	63	240(10x24box)	14.10	246x223x258
017609	SK3/8-D9	17	13.5	9	16.5	63	240(10x24box)	14.40	246x223x258
017610	SK3/8-D10	17	14.5	10	17.5	63	240(10x24box)	14.30	246x223x258
017611	SK3/8-D11	18	18	11	30	63	240(10x24box)	15.30	246x223x258
017612	SK3/8-D12	18	18	12	30	63	240(10x24box)	17.20	246x223x258
017613	SK3/8-D13	18	18	13	32	63	240(10x24box)	15.80	246x223x258
017614	SK3/8-D14	18	20	14	31	63	240(10x24box)	18.20	246x223x258
017615	SK3/8-D15	18	22	15	30	63	240(10x24box)	22.00	289x226x277
017616	SK3/8-D16	18	22	16	28	63	240(10x24box)	20.20	289x226x277
017617	SK3/8-D17	19	24	17	28	63	120(10x12box)	12.80	289x159x215
017618	SK3/8-D18	22	26	18	30	63	120(10x12box)	14.80	310x174x245
017619	SK3/8-D19	22	26	19	28	63	120(10x12box)	15.95	310x174x245
017620	SK3/8-D20	24	27	20	28	63	120(10x12box)	18.10	310x174x245
017621	SK3/8-D21	24	28	21	29	63	60(10x6box)	9.00	194x182x230
017622	SK3/8-D22	26	30	22	25	63	60(10x6box)	11.10	194x182x230
017623	SK3/8-D23	28	32	23	29	63	60(10x6box)	13.00	194x182x230
017624	SK3/8-D24	28	32	24	28	63	60(10x6box)	12.40	194x182x230

3/8 DR Spark Plug Socket


- Made of premium CR-V, cold forging processed, strong resistance to impact
- Standard: GB/T 3390.1-3390.5-2004 Refer to ISO 691, ISO 1711, ISO 2725



Code	Model No.	A _{mm}	B _{mm}	C _{mm}	P _{mm}	L _{mm}	PCS	Kg	mm
013716	PG3/8-16	19	22	16	24	65	120(10x12box)	11.50	253x246x178
013721	PG3/8-21	22	28	21	24	65	120(10x12box)	18.70	253x246x178

3/8 DR Torque Socket


- Made of premium CR-V, cold forging processed, strong resistance to impact
- Standard: GB/T 3390.1-3390.5-2004 Refer to ISO 691, ISO 1711, ISO 2725



Code	Model No.	A _{mm}	B _{mm}	P _{mm}	L _{mm}	PCS	Kg	mm
010808	SK3/8-E8	17	11	10	28	240(10x24box)	6.70	246x190x155
010810	SK3/8-E10	17	13	10	28	240(10x24box)	7.10	246x190x155
010811	SK3/8-E11	17	14	10	28	240(10x24box)	7.30	246x190x155
010812	SK3/8-E12	17	15.5	10	28	240(10x24box)	7.60	246x190x155
010814	SK3/8-E14	17	17	11.5	28	240(10x24box)	8.90	246x190x155
010816	SK3/8-E16	20	20	11.5	28	240(10x24box)	8.30	246x190x155
010818	SK3/8-E18	22	22	11.5	28	240(10x24box)	14.20	280x206x192
010820	SK3/8-E20	24	24	12	28	240(10x24box)	17.70	280x206x192

3/8 Torque Bit Socket

- Made of premium CR-V, cold forging processed, strong resistance to impact
- Standard: QB/T 4205-4209-2011



Code	Model No.	A _{mm}	B _{mm}	P _{mm}	L _{mm}	PCS	Kg	mm
014110	SK3/8-T10	18	2.72	18	45	240(10x24box)	8.50	253x246x178
014115	SK3/8-T15	18	3.21	18	45	240(10x24box)	8.50	253x246x178
014120	SK3/8-T20	18	3.76	18	45	240(10x24box)	8.50	253x246x178
014125	SK3/8-T25	18	4.30	18	45	240(10x24box)	8.60	253x246x178
014127	SK3/8-T27	18	4.86	18	45	240(10x24box)	8.70	253x246x178
014130	SK3/8-T30	18	5.4	18	45	240(10x24box)	8.70	253x246x178
014140	SK3/8-T40	18	6.5	18	45	240(10x24box)	8.90	253x246x178
014145	SK3/8-T45	18	7.68	18	45	240(10x24box)	9.50	253x246x178
014150	SK3/8-T50	18	8.7	18	45	240(10x24box)	9.70	253x246x178
014155	SK3/8-T55	18	11.01	18	45	240(10x24box)	10.60	253x246x178
015160	SK3/8-TT60					240(10x24box)		

3/8 6P.T Bit Socket


- Made of premium CR-V, cold forging processed, strong resistance to impact
- Standard: QB/T 4205-4209-2011



Code	Model No.	A _{mm}	B _{mm}	P _{mm}	L _{mm}	PCS	Kg	mm
014003	SK3/8-HX3	18	3	18	45	240(10x24box)	8.50	253x246x178
014004	SK3/8-HX4	18	4	18	45	240(10x24box)	8.70	253x246x178
014005	SK3/8-HX5	18	5	18	45	240(10x24box)	8.80	253x246x178
014006	SK3/8-HX6	18	6	18	45	240(10x24box)	9.00	253x246x178
014007	SK3/8-HX7	18	7	18	45	240(10x24box)	9.20	253x246x178
014008	SK3/8-HX8	18	8	18	45	240(10x24box)	10.00	253x246x178
014010	SK3/8-HX10	18	10	18	45	240(10x24box)	10.90	253x246x178

3/8 DR Phillips Bit Socket

- Made of premium CR-V, cold forging processed, strong resistance to impact
- Standard: QB/T 4205-4209-2011



Code	Model No.	A _{mm}	B _{mm}	P _{mm}	L _{mm}	PCS	Kg	mm
014201	SK3/8-PH1	18	4.5	20	45	240(10x24box)	8.20	253x246x178
014202	SK3/8-PH2	18	6.0	20	45	240(10x24box)	8.20	253x246x178
014203	SK3/8-PH3	18	6.0	20	45	240(10x24box)	8.60	253x246x178




INDEX

3/8 DR Metric Socket

3/8 DR PZ Drives – Bit Socket


- Made of premium CR-V, cold forging processed, strong resistance to impact
- Standard: Q/TKGS 01-2002



Code	Model No.	A _{mm}	B _{mm}	P _{mm}	L _{mm}	PCS	Kg	mm
014301	SK3/8-PZ1	18	4.5	20	45	240(10x24box)	8.50	253x246x178
014302	SK3/8-PZ2	18	6.0	20	45	240(10x24box)	8.60	253x246x178
014303	SK3/8-PZ3	18	6.0	20	45	240(10x24box)	8.60	253x246x178

3/8 DR Slotted Bit Socket

- Made of premium CR-V, cold forging processed, strong resistance to impact
- Standard: Q/TKGS 01-2002



Code	Model No.	A _{mm}	B _{mm}	P _{mm}	L _{mm}	PCS	Kg	mm
014405	SK3/8-SL5	18	5.4	19	45	240(10x24box)	8.60	253x246x178
014406	SK3/8-SL6	18	6.0	19	45	240(10x24box)	8.80	253x246x178
014408	SK3/8-SL8	18	8.0	19	45	240(10x24box)	9.10	253x246x178

3/8 DR Socket Parts

Ratchet Wrench




- 45 teeth geared structure enables rotation angle at 8 degree, convenient to use in narrow space
- Standard: GB/T 3390.1~3390.5-2004
- Refer to ISO 691, ISO 1711, ISO 2725



Code	Model No.	A _{mm}	B _{mm}	C _{mm}	L _{mm}	PCS	Kg	mm
014500	RT3/8	16	36	38	200	60(6x10box)	22.80	296x294x290


Calabash Handle Ratchet Wrench

- Quick lock function, one hand operation
- Reversible ratchet, strong torque, advanced more 30% than German DIN standard
- 45 teeth geared structure enables rotation angle at 8 degree, convenient to use in narrow space
- Standard: GB/T 3390.1~3390.5-2004
- Refer to ISO 691, ISO 1711, ISO 2725



Code	Model No.	A _{mm}	B _{mm}	C _{mm}	L _{mm}	PCS	Kg	mm
014600	RTS3/8	30	30.5	32	20.5	60(6x10box)	18.70	296x294x290
010600	RTH3/8 NEW					60(6x10box)		

Sliding Bar




- Standard: GB/T 3390.1~3390.5-2004
- Refer to ISO 691, ISO 1711, ISO 2725



Code	Model No.	A _{mm}	B _{mm}	C _{mm}	D _{mm}	E _{mm}	L _{mm}	PCS	Kg	mm
014900	SB3/8	20	10.3	18	6	4.5	200	120(10x12box)	23.80	436x307x265

Hinge Bar




- Standard: GB/T 3390.1~3390.5-2004
- Refer to ISO 691, ISO 1711, ISO 2725



Code	Model No.	A _{mm}	B _{mm}	C _{mm}	L _{mm}	PCS	Kg	mm
015000	FH3/8-10	16.5	28.5	21	240	60(6x10box)	8.55	265x190x165

Universal Adapter


- Standard: GB/T 3390.1~3390.5-2004
- Refer to ISO 691, ISO 1711, ISO 2725



Code	Model No.	A _{mm}	B _{mm}	C _{mm}	L _{mm}	PCS	Kg	mm
014800	UJ3/8	46.5	19	9.7	58	240(10x24box)	17.50	385x380x165

3/8 Universal Joint

- Standard: GB/T 3390.1~3390.5-2004
- Refer to ISO 691, ISO 1711, ISO 2725




Code	Model No.	A _{mm}	B _{mm}	P _{mm}	L _{mm}	PCS	Kg	mm
015100	AD3/8	16.5	6.3	11.5	25	240(10x24box)	7.30	246x190x155

3/8 DR Socket Parts

3/8 DR Extension Bar


○Standard: GB/T 3390.1~3390.5-2004
Refer to ISO 691, ISO 1711, ISO 2725



Code	Model No.	Amm	Bmm	Cmm	Lmm	PCS	Kg	mm
013903	EB3/8-3	11	16	17	75	240(6x40box)	17.70	328x244x210
013906	EB3/8-6	11	16	17	150	120(6x20box)	16.80	360x200x190
013910	EB3/8-10	11	10	17	250	60(6x10box)	14.75	328x244x210

Socket Tri-Function Joint


○Standard: GB/T 3390.1~3390.5-2004
Refer to ISO 691, ISO 1711, ISO 2725



Code	Model No.	Amm	Bmm	Lmm	PCS	Kg	mm
015200	TW1/2-3/8	24	30	40	240(10x24box)	17.00	280x206x192
015400	TW3/8-1/2	24	28	44	240(10x24box)	17.60	280x206x192
015500	TW3/8-1/4	19	19	28	240(10x24box)	8.40	246x190x155

Socket Adapter

○Standard: GB/T 3390.1~3390.5-2004
Refer to ISO 691, ISO 1711, ISO 2725




Code	Model No.	Amm	Bmm	Lmm	PCS	Kg	mm
015600	WJ1/2-3/8	22	24	35	240(10x24box)	12.30	280x202x192
015900	WJ3/8-1/4	18	18	26	240(10x24box)	5.50	246x190x155
015300	WJ1/4-3/8	12	13	26	240(10x24box)	4.50	206x202x157

1/2 DR Socket (Inch)

1/2 6P.T Deep Socket (Inch)

○Made of premium CR-V, cold forging processed, strong resistance to impact
○Standard: GB/T 3390.1~3390.5-2004
Refer to ISO 691, ISO 1711, ISO 2725



Code	Model No.	Amm	Bmm	Cinch	Pmm	Lmm	PCS	Kg	mm
014210	SK1/2-D3/8	22	15	3/8	18	76	120(10x12box)	13.10	286x202x214
014211	SK1/2-D7/16	22	17	7/16	18	76	120(10x12box)	13.90	286x202x214
014213	SK1/2-D1/2	22	19	1/2	18	76	120(10x12box)	15.00	286x202x214
014214	SK1/2-D9/16	22	22	9/16	18	76	120(10x12box)	14.50	286x202x214
014216	SK1/2-D5/8	22	22	5/8	32	76	120(10x12box)	13.60	286x202x214
014217	SK1/2-D11/16	24	24	11/16	32	76	120(10x12box)	16.90	286x202x214
014219	SK1/2-D3/4	26	26	3/4	32	76	120(10x12box)	20.10	326x206x246

1/2 DR 6P.T Socket (Inch)

○Made of premium CR-V, cold forging processed, strong resistance to impact
○Standard: GB/T 3390.1~3390.5-2004
Refer to ISO 691, ISO 1711, ISO 2725




Code	Model No.	Amm	Bmm	Cinch	Pmm	Lmm	PCS	Kg	mm
012110	SK1/2-3/8	22	15	3/8	15	38	120(10x12box)	6.20	280x160x146
012111	SK1/2-7/16	22	16.5	7/16	15	38	120(10x12box)	6.20	280x160x146
012113	SK1/2-1/2	22	18	1/2	15	38	120(10x12box)	6.80	280x160x146
012114	SK1/2-9/16	22	22	9/16	15	38	120(10x12box)	6.90	280x160x146
012116	SK1/2-5/8	22	22	5/8	15	38	120(10x12box)	7.30	280x160x146
012117	SK1/2-11/16	24	24	11/16	15	38	120(10x12box)	9.40	280x160x146
012119	SK1/2-3/4	26	26	3/4	15	38	120(10x12box)	8.80	360x170x145
012121	SK1/2-13/16	28	28	13/16	18	38	120(10x12box)	12.60	360x170x145
012122	SK1/2-7/8	30	30	7/8	18	38	120(10x12box)	12.30	360x175x145
012124	SK1/2-15/16	32	32	15/16	18	38	120(10x12box)	14.20	360x175x145
012125	SK1/2-1	34	34	1	24	40	120(10x12box)	16.30	335x205x185
012127	SK1/2-1-1/16	36	36	1-1/16	24	40	120(10x12box)	17.70	335x205x185
012129	SK1/2-1-1/8	38	38	1-1/8	25	43	60(6x10box)	11.50	234x206x184
012130	SK1/2-1-3/16	34	40	1-3/16	25	43	60(6x10box)	12.30	234x206x184
012132	SK1/2-1-1/4	36	42	1-1/4	25	43	60(6x10box)	12.80	254x206x184

1/4 DR Socket (Inch)

1/4 DR 6P.T Socket (Inch)

○Made of premium CR-V, cold forging processed, strong resistance to impact
○Standard: GB/T 3390.1~3390.5-2004
Refer to ISO 691, ISO 1711, ISO 2725



Code	Model No.	Amm	Bmm	Cinch	Pmm	Lmm	PCS	Kg	mm
018204	SK1/4-5/32	12	12	5/32	8	24.5	240(10x24box)	3.00	206x202x157
018205	SK1/4-3/16	12	12	3/16	8	24.5	240(10x24box)	3.20	206x202x157
018206	SK1/4-7/32	12	12	7/32	8	24.5	240(10x24box)	3.30	206x202x157
018207	SK1/4-1/4	12	12	1/4	8	24.5	240(10x24box)	3.40	206x202x157
018208	SK1/4-9/32	12	12	9/32	12	24.5	240(10x24box)	3.40	206x202x157
018209	SK1/4-5/16	12	12	5/16	12	24.5	240(10x24box)	3.60	206x202x157
018210	SK1/4-11/32	13	13	11/32	12	24.5	240(10x24box)	4.20	206x202x157
018211	SK1/4-3/8	14	14	3/8	12	24.5	240(10x24box)	5.30	206x202x157
018212	SK1/4-7/16	16	16	7/16	12	24.5	240(10x24box)	6.10	206x202x157
018213	SK1/4-1/2	18	18	1/2	12	24.5	240(10x24box)	8.00	206x202x157


3/8 DR Socket (Inch)

3/8 DR Deep Socket (Inch)

○Made of premium CR-V, cold forging processed, strong resistance to impact
○Standard: GB/T 3390.1~3390.5-2004
Refer to ISO 691, ISO 1711, ISO 2725



Code	Model No.	Amm	Bmm	Cinch	Pmm	Lmm	PCS	Kg	mm
017641	SK3/8-D1/4	17	10	1/4	18	64	240(10x24box)	15.20	246x223x258
017638	SK3/8-D3/8	17	14	3/8	28	64	240(10x24box)	14.60	246x223x258
017676	SK3/8-D7/16	17	17	7/16	41	64	240(10x24box)	16.00	246x223x258
017602	SK3/8-D1/2	19	19	1/2	41	64	240(10x24box)	20.20	246x223x258
017696	SK3/8-D9/16	20	20	9/16	41	64	240(10x24box)	21.20	246x223x258
017658	SK3/8-D5/8	22	22	5/8	41	64	240(10x24box)	25.90	246x223x258
017661	SK3/8-D11/16	20	24	11/16	41	64	120(10x12box)	13.50	289x159x215
017634	SK3/8-D3/4	22	26	3/4	41	64	120(10x12box)	15.40	289x159x215
017636	SK3/8-D13/16	24	28	13/16	41	64	60(10x6box)	9.30	194x182x230
017678	SK3/8-D7/8	25	30	7/8	41	64	60(10x6box)	10.90	194x182x230




INDEX

3/8 DR Socket (Inch)

3/8 6P.T Socket (Inch)


- Made of premium CR-V, cold forging processed, strong resistance to impact
- Standard: GB/T 3390.1~3390.5-2004
- Refer to ISO 691, ISO 1711, ISO 2725



Code	Model No.	Amm	Bmm	Cinch	Pmm	Lmm	PCS	Kg	mm
013841	SK3/8-1/4	17	10	1/4	12	28	240(10x24box)	6.20	246x190x155
013856	SK3/8-5/16	17	12	5/16	12	28	240(10x24box)	6.30	246x190x155
013838	SK3/8-3/8	17	14	3/8	12	28	240(10x24box)	5.90	246x190x155
013842	SK3/8-13/32	17	17	13/32	12	28	240(10x24box)	7.60	246x190x155
013876	SK3/8-7/16	17	17	7/16	12	28	240(10x24box)	7.40	246x190x155
013843	SK3/8-15/32	17	17	15/32	12	28	240(10x24box)	6.80	246x190x155
013832	SK3/8-1/2	18	18	1/2	12	28	240(10x24box)	7.60	246x190x155
013896	SK3/8-9/16	20	20	9/16	14	28	240(10x24box)	9.80	246x190x155
013844	SK3/8-19/32	22	22	19/32	14	28	240(10x24box)	11.80	280x206x192
013858	SK3/8-5/8	22	22	5/8	14	28	240(10x24box)	11.70	280x206x192
013834	SK3/8-3/4	22	26	3/4	17	30	120(10x12box)	7.40	208x174x198
013836	SK3/8-13/16	24	28	13/16	17	30	120(10x12box)	8.50	208x174x198
013845	SK3/8-25/32	24	28	25/32	17	30	120(10x12box)	9.30	208x174x198
013846	SK3/8-15/16	25	32	15/16	15	30	120(10x12box)	11.90	208x174x198
013861	SK3/8-11/16	20	24	11/16	17	30	120(10x12box)	6.50	208x174x198
013878	SK3/8-7/8	24	30	7/8	16	30	120(10x12box)	10.00	306x140x145

3/4 6P.T Socket

- Made of premium CR-V, cold forging processed, strong resistance to impact
- Standard: GB/T 3390.1~3390.5-2004
- Refer to ISO 691, ISO 1711, ISO 2725




Code	Model No.	PCS
018619	SK3/4-19	50(5x10box)
018621	SK3/4-21	50(5x10box)
018622	SK3/4-22	50(5x10box)
018624	SK3/4-24	50(5x10box)
018627	SK3/4-27	50(5x10box)
018630	SK3/4-30	50(5x10box)
018632	SK3/4-32	30(3x10box)
018636	SK3/4-36	30(3x10box)
018638	SK3/4-38	30(3x10box)
018641	SK3/4-41	30(3x10box)
018646	SK3/4-46	20(1x20box)
018650	SK3/4-50	20(1x20box)
018655	SK3/4-55	20(1x20box)
018660	SK3/4-60	20(1x20box)
018665	SK3/4-65	10(1x10box)

Ratchet Wrench

3/4 Ratchet Wrench

- 24 Teeth Structure




Code	Model No.	Bmm	Cmm	Lmm	PCS	Kg	mm
014700	RT3/4	24	60	500	10(1x10box)	30.60	540x435x178

Bit Socket

Magnetic Nut Socket

- Standard: QB/T 4205~4209-2011




Code	Model No.	Amm	Bmm	Pmm	Lmm	PCS	Kg	mm
016706	MNS-6	11	6	25	65	240(10x24box)	7.30	206x202x157
016707	MNS-7	13	7	25	65	240(10x24box)	8.80	206x202x157
016708	MNS-8	13	8	25	65	240(10x24box)	8.80	206x202x157
016709	MNS-9	14.5	9	25	65	240(10x24box)	9.80	206x202x157
016710	MNS-10	14.5	10	25	65	240(10x24box)	9.60	206x202x157
016711	MNS-11	16	11	25	65	240(10x24box)	10.60	206x202x157
016712	MNS-12	17.5	12	25	65	240(10x24box)	13.20	230x206x185
016713	MNS-13	17.5	13	25	65	240(10x24box)	13.20	230x206x185
016714	MNS-14	20	14	25	65	240(10x24box)	13.70	230x206x185

Code	Model No.	Amm	Bmm	Pmm	Lmm	PCS	Kg	mm
017708	MNS8-100	11	8	25	100	240(10x24box)	11.30	246x253x178
017709	MNS9-100	13	9	25	100	240(10x24box)	13.50	246x253x178
017710	MNS10-100	13	10	25	100	240(10x24box)	13.50	246x253x178
017711	MNS11-100	14.5	11	25	100	240(10x24box)	16.40	246x253x178
017712	MNS12-100	14.5	12	25	100	240(10x24box)	16.60	246x253x178
017713	MNS13-100	16	13	25	100	240(10x24box)	15.30	246x202x238
017714	MNS14-100	17.5	14	25	100	240(10x24box)	16.30	246x202x238

Nut Socket without Magnet

- Standard: QB/T 4205~4209-2011



Code	Model No.	Amm	Bmm	Pmm	Lmm	PCS	Kg	mm
019106	BS6-65	11	6	25	65	500(50x10box)	18.30	234x206x291
019107	BS7-65	13	7	25	65	500(50x10box)	18.50	234x206x291
019108	BS8-65	13	8	25	65	500(50x10box)	18.90	234x206x291
019109	BS9-65	14.5	9	25	65	500(50x10box)	17.15	234x206x291
019110	BS10-65	14.5	10	25	65	500(50x10box)	19.00	234x206x291
019111	BS11-65	14.5	11	25	65	500(50x10box)	22.00	234x206x291
019112	BS12-65	16	12	25	65	500(50x10box)	25.55	234x206x291
019113	BS13-65	16	13	25	65	500(50x10box)	25.60	234x206x291
019114	BS14-65	17.5	14	25	65	500(50x10box)	27.20	234x206x291

Code	Model No.	Amm	Bmm	Pmm	Lmm	PCS	Kg	mm
017508	BS8-100	11	8	25	100	240(10x24box)	12.20	345x345x205
017509	BS9-100	13	9	25	100	240(10x24box)	14.10	345x345x205
017510	BS10-100	13	10	25	100	240(10x24box)	14.00	345x345x205
017511	BS11-100	14.5	11	25	100	240(10x24box)	15.90	475x227x121
017512	BS12-100	14.5	12	25	100	240(10x24box)	15.90	475x227x121
017513	BS13-100	16	13	25	100	240(10x24box)	19.00	475x227x121
017514	BS14-100	17.5	14	25	100	240(10x24box)	18.90	475x227x121

Code	Model No.	Amm	Bmm	Pmm	Lmm	PCS	Kg	mm
019208	BS8-150	11	8	25	150	240(10x24box)	15.70	369x256x197
019209	BS9-150	13	9	25	150	240(10x24box)	17.70	369x256x197
019210	BS10-150	13	10	25	150	240(10x24box)	19.20	369x256x197
019211	BS11-150	14.5	11	25	150	240(10x24box)	21.00	369x256x197
019212	BS12-150	14.5	12	25	150	240(10x24box)	24.60	369x256x197
019213	BS13-150	16	13	25	150	240(10x24box)	26.60	369x256x197
019214	BS14-150	17.5	14	25	150	240(10x24box)	25.40	369x256x197