

Toll Free: 400-0022-737

















WEDO® 维度工具

德 国 总 部: Ludwig–Richter–Str. 6,D–42329 Wuppertal,DEUTSCHLAND
TEL:0049–202–29572854/0049–202–44895980
FAX:0049–202–44895982
E–MAIL:info@wedotools.com
中国上海部：上海市虹口区宝山路778号
电话：+86–21–66291895/+86–21–66291756
传真：+86–21–66291197
邮箱：sales5@wedotools.com
中国天津部：天津市南开区南泥湾路熙汇商务中心C座603
电话：+86–22–27252571/+86–22–27339157
传真：+86–22–27252581
邮箱：sales3@wedotools.com

2018.02

2018.02

WEDO® 维度

防爆工具 无磁工具 绝缘工具
不锈钢工具 特种钢制工具



WEDO TOOLS

NON-SPARKING TOOLS
TITANIUM TOOLS
INSULATION TOOLS
STAINLESS CORROSION RESISTANT TOOLS
JUMBO TOOLS

PROFESSIONAL TOOLS

维度工具 德国品质 | 匠心智造 传承经典

CCTV荣誉热播

全国免费服务热线
400-0022-737
www.wedotools.com

全国免费服务热线：**400-0022-737**

WEDO®

公司简介

INTRODUCTION



维度工具坐落于 **德国伍珀塔尔市（Wuppertal），**此地位于德国西部鲁尔工业区中心，起源于 19 世纪，是德国西部重要的经济工业地区。维度公司是集五金工具设计研发、制造加工、市场营销为一体的国际专业化企业。产品经大型压力机一次性模锻而成，完全符合德国 DIN 标准或中国 GB 标准。我们以科学的管理体制，超前、独特的设计理念，先进的生产工艺以及完善的质量保证体系，为用户提供更高品质的产品与服务。公司凭借“以人为本”的设计理念、对卓越质量的孜孜以求及售后服务的不断完善，赢得新老顾客对“维度”品牌工具的盛赞。

维度产品覆盖铝青铜防爆工具、铍青铜防爆防磁工具、钛合金工具、绝缘工具、不锈钢工具及高档特种钢制工具六大系列。目前，WEDO 维度® 工具已遍布全球一百多个国家和地区。为进一步提升客户满意度，公司相继在德国、俄罗斯、韩国、美国、阿联酋、中国天津、上海设有服务中心，确保为终端客户提供实用型的安全创新工具和及时的售后服务。

维度愿与全世界人民一起分享工具的乐趣。

WEDO TOOLS GmbH *is located in Wuppertal, a city in the center of Ruhr Industrial Base, which is an important economic and industrial zone in Western Germany, being developed since 19th century. As an international professional enterprise, WEDO TOOLS specializes in design, research, manufacturing, processing, and marketing of hardware tools. Our products are one-time die-forged by large friction pressing machines, completely in accordance with Germany DIN standards and China GB standards. Based on a scientific management system, state-of-art and unique design, advanced production technology, and a well-developed quality assurance system, we provide high-quality products and services for our customers. WEDO TOOLS has been highly praised by our old and new customers because of user-friendly design concept, excellent quality, and well-developed after-sales services.*

WEDO TOOLS develops six series of products, including aluminum bronze alloy tools, beryllium copper alloy tools, titanium tools, insulated tools, stainless steel tools, and special steel tools. Currently, our products have been exported to more than 100 countries and regions all over the world. In order to further improve customers' satisfaction, WEDO has established service centers in Germany, Russia, Korea, The United States, United Arab Emirates, and China, supplying safe and innovative hand tools and in-time after-sale services to end users.

We sincerely invite people all over the world to share the pleasure of tools.



［展会风采／WEDO Exhibition］



［产品展厅／Products Show］



［半成品仓库／Semi-finished Warehouse］




［精锻车间／Precision Forging Workshop］

WEDO®



















WEDO®

EUIPO
EUROPEAN UNION INTELLECTUAL PROPERTY OFFICE

EUROPEAN UNION INTELLECTUAL PROPERTY OFFICE

CERTIFICATE OF REGISTRATION

This Certificate of Registration is hereby issued for the European Union trade mark identified below. The corresponding entries have been recorded in the Register of European Union trade marks.

OFFICE DE L'UNION EUROPÉENNE POUR LA PROPRIÉTÉ INTELLECTUELLE

CERTIFICAT D'ENREGISTREMENT

Le présent Certificat d'Enregistrement est délivré pour la marque de l'Union européenne identifiée ci-joint. Les mentions et les renseignements qui s'y rapportent ont été inscrits au Registre des Marques de l'Union Européenne.

Registered / Enregistré 26/07/2016

No 011423019

WEDO

The Executive Director / Le Directeur exécutif

António Campinos

www.euipo.europa.eu







WEDO®













CONTENT
目录

WEDO®

02-80 防爆工具系列 *NON-SPARKING TOOLS SERIES*



81-98 绝缘工具系列 *INSULATED TOOLS SERIES*



99-107 特种钢制工具系列 *SPECIAL JUMBO TOOLS SERIES*



108-137 钢制工具系列 *STEEL TOOLS SERIES*



138-149 不锈钢工具系列 *STAINLESS STEEL TOOLS SERIES*



150-158 钛合金工具系列 *TITANIUM TOOLS SERIES*





WEDO 维度®


WEDO NON-SPARKING TOOLS

ATEX=ATmosphere EXplosible

Classification of zones by explosion risks

ATEX Feasibility	High	Average low	Very low
	Zone0	Zone1	Zone2
Gas, Oil, Mist or Vapor	Refers to a dangerous atmosphere in which amixture of air and flam mable substances in the form of gas,mistor vapor is present frequently, continuously or for long period.	Refers to a dangerous atmosphere in which a mixture of air and flam mable substances in the form of gas, mist or vapor is likely to oocur occasionally under normal operation.	Refers to a dangerous atmosph ere in which a mixture of air and flammable substances in the form of gas, mist or vapor is not likely to occur under normal operation, but if it does occur, will persist only for a short period.
	Zone20	Zone21	Zone22
Dust	Refers to a dangerous environment in which a cloud of combustible dust in the air is present frequently, continuously or for long period.	Refers to a dangerous environment in which a cloud of combustible dust in the air is likely to occur in normal operation occasionally.	Refers to a dangerous environ ment in which a cloud of combustible dust in the air is not likely to occur in normal operation but, if it does occur, will persist for only a short period.

Mine 1	In case of firedamp, continuation of operation is possible.
Mine 2	In case of firedamp, operation must be switched off.



DIFFERENCES BETWEEN TWO MATERIALS:

Beryllium Copper Alloy(Be-Cu)	
Be	1.5～1.7%　1.8～2.3%
Co+Ni	over 0.2%
Co+Ni+Fe	over 1.2%
Cu+Be+Co+Ni+Fe	over 99.0%
Hardness	30-40HRC
Tensile Strength	1117N/mm²~1326 N/ mm²
Extensibility	δ≤1.0%
Elasticity limit	840 N/mm² ~880 N/mm²
Magnetic	0
Aluminium Bronze Alloy(Al-Br)	
Al	10～12%
Ni	4～6%
Fe+Mn	below 5.8%
Cu+Al+Ni+Fe+Mn	over 99.0%
Hardness	20-30HRC
Tensile Strength	782 N/mm²~989 N/mm²
Extensibility	δ≥5%
Elasticity limit	450 N/mm² ~550 N/mm²
Magnetic	1.2

PROPERTIES AND APPLICATIONS:

Property	Application or Benefits
Non-sparking	Appropriate for explosive potential environment such as oil and gas works, petro-chemical plants, etc. It can efficiently avoid spark arising while operating.
Non-magnetic safety	Essential for equipments that require complete non-magnetic environment.
Corrosion resistant	Especially well suited for applications in corrosive environments like encountered in marine works or firefighting applications.
Forged after casting	Provide higher mechanical properties and better finishing.

MAIN APPLICATION FIELDS:

Petrochemicals	Chemical Industry	Mines
Refineries	Fireworks Industry	Defense
Gas & Oil pipe lines	Flour silos and mills	Air Forces
Power stations	Breweries	Navy
Paint Manufacturing	Alcohol processing industry	Weapon & ammunition fabrication
Plastic Manufacturing	Destillery	Aerospace Industry
Pharmaceutical Industry	Fire-fighters	Automobile Industry

防爆 1/4 " 方 8 件套盒装套筒
1/4"Dr Socket Set-8pcs



ITEM CODE		CONTENTS
AL-BR	BE-CU	Socket 4mm,4.5mm,5mm,5.5mm, 6mm,7mm,8mm Driver Type Handle 55mm
AL101A	BE101A	

防爆 1/2 " 方 9 件套盒装套筒
1/2"Dr Socket Set-9pcs



ITEM CODE		CONTENTS
AL-BR	BE-CU	Socket 10mm,11mm,12mm,14mm, 17mm,19mm,22mm,24mm Offset Handle 230mm
AL101E	BE101E	

防爆 1/4 " 方 9 件套盒装套筒
1/4"Dr Socket Set-9pcs



ITEM CODE		CONTENTS
AL-BR	BE-CU	Socket 4mm,5mm,6mm,7mm,8mm, 9mm,10mm,11mm Driver Type Handle 55mm
AL101B	BE101B	

防爆 1/2 " 方 13 件套盒装套筒
1/2"Dr Socket Set-13pcs



ITEM CODE		CONTENTS
AL-BR	BE-CU	Socket 8mm,10mm,11mm,12mm,14mm, 17mm,19mm,22mm,24mm,27mm Ratchet Wrench 245mm Hinged Handle 250mm Socket Case
AL101F	BE101F	

防爆 3/8 " 方 11 件套盒装套筒
3/8"Dr Socket Set-11pcs



ITEM CODE		CONTENTS
AL-BR	BE-CU	Socket 10mm,11mm,12mm,13mm,14mm, 17mm,19mm,13/16"Spark Plug Ratchet Wrench 200mm Straight Joint Driver Extension 75mm
AL101C	BE101C	

防爆 1/2 " 方 24 件套盒装套筒
1/2"Dr Socket Set-24pcs



ITEM CODE		CONTENTS
AL-BR	BE-CU	Socket 10mm,11mm,12mm,13mm,14mm, 15mm,16mm,17mm,18mm,19mm,20mm, 21mm,22mm,23mm,24mm,27mm,30mm, 32mm Ratchet Wrench 245mm Sliding T-Handle 250mm Speed Handle 400mm Driver Extension 125mm,250mm Universal Joint 80mm
AL101H	BE101H	

防爆 1/4 " *3/8 " 方 21 件套盒装套筒
1/4"*3/8"Dr Socket Set-21pcs



ITEM CODE		CONTENTS
AL-BR	BE-CU	1/4"Socket 4mm,4.5mm,5mm, 5.5mm,6mm,7mm,8mm Ratchet Wrench 200mm Straight Joint Driver Extension 75mm,150mm 3/8"Socket 10mm,11mm,12mm, 13mm,14mm,17mm,19mm 13/16"Spark Plug Adaptor Driver Type Handle 55mm
AL101D	BE101D	

防爆 1/2 " 方 17 件套盒装套筒
1/2"Dr Socket Set-17pcs



ITEM CODE		CONTENTS
AL-BR	BE-CU	Socket 10mm,11mm,12mm,14mm,17mm,19 mm,22mm,24mm,27mm,30mm,32mm Ratchet Wrench 245mm Sliding T-Handle 250mm Speed Handle 400mm Driver Extension 125mm,250mm Socket Case
AL101G	BE101G	

防爆 1/2 " 方 28 件套盒装套筒

1/2"Dr Socket Set-28pcs



ITEM CODE		CONTENTS
AL-BR	BE-CU	
AL101I	BE101I	Socket10mm,11mm,12mm,13mm,14mm,15mm,16mm,17mm,18mm,19mm,20mm,21mm,22mm,23mm,24mm,26mm,27mm,28mm,30mm,32mm Ratchet Wrench 245mm Sliding T-Handle 250mm Speed Handle 400mm Driver Extension 125mm,250mm Universal Joint 80mm Screwdriver Socket 52mm Socket Case

防爆重型 3/4 " 方 21 件套盒装套筒

3/4"Dr Socket Set-21pcs



ITEM CODE		CONTENTS
AL-BR	BE-CU	
AL101L	BE101L	Socket 21mm,22mm,23mm,24mm,26mm,27mm,28mm,29mm,30mm,31mm,32mm,34mm,36mm,38mm,41mm,46mm,50mm Ratchet Wrench 320mm Sliding T-Handle 3/4"*400 Driver Extension 200mm Socket Case

防爆 1/2 " 方 32 件套盒装套筒

1/2"Dr Socket Set-32pcs

ITEM CODE		CONTENTS
AL-BR	BE-CU	
AL101J	BE101J	Socket 8mm,9mm,10mm,11mm,12mm,13mm,14mm,15mm,16mm,17mm,18mm,19mm,20mm,21mm,22mm,23mm,24mm,26mm,27mm,28mm,30mm,32mm 13/16"Spark Plug Ratchet Wrench 245mm Sliding T-Handle 250mm Speed Handle 400mm Driver Extension 125mm,250mm Universal Joint 80mm Screwdriver Socket 52mm Offset Handle 230mm Socket Case

防爆重型 3/4 " *1 " 方 26 件套盒装套筒

3/4"*1"Dr Socket Set-26pcs

ITEM CODE		CONTENTS
AL-BR	BE-CU	
AL101M	BE101M	Socket 21mm,22mm,23mm,24mm,26mm,27mm,28mm,29mm,30mm 31mm,32mm,34mm,36mm,38mm,41mm,46mm,50mm, 55mm,60mm,65mm Ratchet Wrench 160mm Sliding T-Handle 3/4"*400 Driver Extension 200mm,430mm 3/4"*120mm Flex Ball Joint 3/4"*1"Sliding T-Handle

防爆重型 3/4 " 方 14 件套盒装套筒

3/4"Dr Socket Set-17pcs



ITEM CODE		CONTENTS
AL-BR	BE-CU	
AL101K	BE101K	Socket 21mm,24mm,27mm,30mm,32mm,34mm,36mm,38mm,41mm,46mm,50mm Ratchet Wrench 320mm Sliding T-Handle 3/4"*400 Driver Extension 200mm

防爆重型 1 " 方 18 件套盒装套筒

1"Dr Socket Set-18pcs



ITEM CODE		CONTENTS
AL-BR	BE-CU	
AL101N	BE101N	Socket 30mm,31mm,32mm,34mm,36mm,38mm,41mm,46mm,50mm,55mm,60mm,65mm,70mm,75mm,80mm Sliding T-Handle 3/4"*1" Driver Extension 200mm Flex Ball Joint 1"*120mm


防爆套筒头

Socket



Socket(C=1/4 ")

ITEM CODE		S	L		
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL102-4	BE102-4	4	25	15	17
AL102-4.5	BE102-4.5	4.5	25	15	17
AL102-5	BE102-5	5	25	15	17
AL102-5.5	BE102-5.5	5.5	25	15	17
AL102-6	BE102-6	6	25	15	17
AL102-7	BE102-7	7	25	15	17
AL102-8	BE102-8	8	25	15	17
AL102-9	BE102-9	9	25	20	21
AL102-10	BE102-10	10	25	20	22
AL102-11	BE102-11	11	25	25	27
AL102-12	BE102-12	12	26	27	30
AL102-13	BE102-13	13	26	27	30
AL102-14	BE102-14	14	26	32	35
AL102-15	BE102-15	15	27	36	40
AL102-16	BE102-16	16	27	36	40
AL102-17	BE102-17	17	27	45	50
AL102-18	BE102-18	18	27	45	50
AL102-19	BE102-19	19	27	46	51



ITEM CODE		S	L		
AL-BR	BE-CU	inch	mm	AL-BR	BE-CU
AL102-1002	BE102-1002	5/32	25	13	14
AL102-1004	BE102-1004	3/16	25	13	14
AL102-1006	BE102-1006	7/32	25	15	17
AL102-1008	BE102-1008	1/4	25	15	17
AL102-1010	BE102-1010	9/32	25	15	17
AL102-1012	BE102-1012	5/16	25	18	20
AL102-1014	BE102-1014	11/32	26	22	24
AL102-1016	BE102-1016	3/8	26	26	29
AL102-1018	BE102-1018	7/16	26	26	29
AL102-1020	BE102-1020	1/2	26	26	29

Socket(C=3/8")

ITEM CODE		S	L		
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL103-5	BE103-5	5	28	32	35
AL103-5.5	BE103-5.5	5.5	28	32	35
AL103-6	BE103-6	6	28	32	35
AL103-7	BE103-7	7	28	32	35
AL103-8	BE103-8	8	28	32	35
AL103-9	BE103-9	9	28	32	35
AL103-10	BE103-10	10	32	45	50
AL103-11	BE103-11	11	32	45	50
AL103-12	BE103-12	12	32	45	50
AL103-13	BE103-13	13	32	45	50
AL103-14	BE103-14	14	32	45	50
AL103-15	BE103-15	15	32	48	53
AL103-16	BE103-16	16	32	53	58
AL103-17	BE103-17	17	32	57	63
AL103-19	BE103-19	19	32	62	68
AL103-20	BE103-20	20	32	70	77

ITEM CODE		S	L		
AL-BR	BE-CU	inch	mm	AL-BR	BE-CU
AL103-1002	BE103-1002	5/16	28	32	35
AL103-1004	BE103-1004	3/8	28	32	35
AL103-1006	BE103-1006	7/16	32	45	50
AL103-1008	BE103-1008	1/2	32	45	50
AL103-1010	BE103-1010	9/16	32	45	50
AL103-1012	BE103-1012	5/8	32	65	71
AL103-1014	BE103-1014	11/16	32	65	72
AL103-1016	BE103-1016	3/4	32	65	72
AL103-1018	BE103-1018	13/16	35	80	87
AL103-1020	BE103-1020	7/8	35	95	104
AL103-1022	BE103-1022	15/16	35	105	115

Socket(C=1/2 ")

ITEM CODE		S	L		
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL104-6	BE104-6	6	40	69	75
AL104-7	BE104-7	7	40	70	77
AL104-8	BE104-8	8	40	70	77
AL104-9	BE104-9	9	40	71	78
AL104-10	BE104-10	10	40	71	78
AL104-11	BE104-11	11	40	72	79
AL104-12	BE104-12	12	40	72	79
AL104-13	BE104-13	13	40	73	80
AL104-14	BE104-14	14	40	73	80
AL104-15	BE104-15	15	40	85	94
AL104-16	BE104-16	16	40	85	94
AL104-17	BE104-17	17	40	85	94
AL104-18	BE104-18	18	42	85	94
AL104-19	BE104-19	19	42	100	110
AL104-20	BE104-20	20	42	105	120
AL104-21	BE104-21	21	43	110	125
AL104-22	BE104-22	22	43	115	130
AL104-23	BE104-23	23	43	135	150
AL104-24	BE104-24	24	43	145	165
AL104-25	BE104-25	25	43	160	180
AL104-26	BE104-26	26	43	180	200
AL104-27	BE104-27	27	46	190	215
AL104-28	BE104-28	28	46	200	225
AL104-29	BE104-29	29	46	210	235
AL104-30	BE104-30	30	46	220	250
AL104-32	BE104-32	32	46	260	295


Socket(C=1/2")

ITEM CODE		S	L		
AL-BR	BE-CU	inch	mm	AL-BR	BE-CU
AL104-1002	BE104-1002	5/16	40	70	70
AL104-1004	BE104-1004	3/8	40	71	78
AL104-1006	BE104-1006	7/16	40	72	79
AL104-1008	BE104-1008	1/2	40	73	80
AL104-1010	BE104-1010	9/16	40	73	80
AL104-1012	BE104-1012	5/8	40	80	88
AL104-1014	BE104-1014	11/16	40	85	93
AL104-1016	BE104-1016	3/4	42	100	110
AL104-1018	BE104-1018	13/16	43	110	125
AL104-1020	BE104-1020	7/8	43	115	130
AL104-1022	BE104-1022	15/16	43	145	165
AL104-1024	BE104-1024	1	43	170	190
AL104-1026	BE104-1026	1-1/16	46	190	215
AL104-1028	BE104-1028	1-1/4	46	260	295
AL104-1030	BE104-1030	1-7/16	50	300	330

防爆套筒头

Socket





Socket(C=3/4 ")

ITEM CODE		S	L		
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL105-17	BE105-17	17	50	225	246
AL105-19	BE105-19	19	50	225	246
AL105-21	BE105-21	21	55	245	268
AL105-22	BE105-22	22	55	245	268
AL105-23	BE105-23	23	55	280	306
AL105-24	BE105-24	24	55	280	307
AL105-26	BE105-26	26	55	280	307
AL105-27	BE105-27	27	55	285	312
AL105-28	BE105-28	28	55	310	339
AL105-29	BE105-29	29	55	320	350
AL105-30	BE105-30	30	60	370	410
AL105-31	BE105-31	31	60	380	430
AL105-32	BE105-32	32	60	410	465
AL105-34	BE105-34	34	60	440	480
AL105-36	BE105-36	36	60	465	510
AL105-38	BE105-38	38	60	510	555
AL105-41	BE105-41	41	65	640	660
AL105-46	BE105-46	46	65	690	765
AL105-50	BE105-50	50	70	825	910

ITEM CODE		S	L		
AL-BR	BE-CU	inch	mm	AL-BR	BE-CU
AL105-1002	BE105-1002	3/4	50	220	240
AL105-1004	BE105-1004	13/16	55	240	262
AL105-1006	BE105-1006	7/8	55	245	267
AL105-1008	BE105-1008	15/16	55	280	305
AL105-1010	BE105-1010	1	55	280	310
AL105-1012	BE105-1012	1-1/16	55	285	315
AL105-1014	BE105-1014	1-1/8	55	315	345
AL105-1016	BE105-1016	1-3/16	60	365	400
AL105-1018	BE105-1018	1-1/4	60	400	437
AL105-1020	BE105-1020	1-5/16	60	430	472
AL105-1022	BE105-1022	1-3/8	60	470	515
AL105-1024	BE105-1024	1-7/16	60	480	525
AL105-1026	BE105-1026	1-1/2	60	530	580
AL105-1028	BE105-1028	1-5/8	65	640	702
AL105-1030	BE105-1030	1-3/4	65	695	761
AL105-1032	BE105-1032	1-13/16	65	705	830
AL105-1034	BE105-1034	1-7/8	65	750	850
AL105-1036	BE105-1036	2	70	870	965

Socket(C=1 ")


ITEM CODE		S	L		
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL106-22	BE106-22	22	55	330	361
AL106-24	BE106-24	24	55	340	372
AL106-25	BE106-25	25	55	345	377
AL106-26	BE106-26	26	55	350	383
AL106-27	BE106-27	27	55	360	394
AL106-28	BE106-28	28	55	363	397
AL106-29	BE106-29	29	55	365	399
AL106-30	BE106-30	30	60	405	443
AL106-31	BE106-31	31	60	410	448
AL106-32	BE106-32	32	60	440	481
AL106-34	BE106-34	34	60	455	497
AL106-36	BE106-36	36	65	500	550
AL106-38	BE106-38	38	65	560	620
AL106-41	BE106-41	41	70	625	690
AL106-46	BE106-46	46	75	740	850
AL106-50	BE106-50	50	75	760	850
AL106-55	BE106-55	55	80	1000	1160
AL106-60	BE106-60	60	85	1260	1390
AL106-65	BE106-65	65	90	1580	1750
AL106-70	BE106-70	70	90	1950	2150
AL106-75	BE106-75	75	95	2430	2680
AL106-80	BE106-80	80	95	2800	3080

ITEM CODE		S	L		
AL-BR	BE-CU	inch	mm	AL-BR	BE-CU
AL106-1002	BE106-1002	1-1/16	55	360	394
AL106-1004	BE106-1004	1-1/8	55	364	398
AL106-1006	BE106-1006	1-3/16	60	405	442
AL106-1008	BE106-1008	1-1/4	60	431	470
AL106-1010	BE106-1010	1-5/16	60	442	483
AL106-1012	BE106-1012	1-3/8	60	448	490
AL106-1014	BE106-1014	1-7/16	65	500	560
AL106-1016	BE106-1016	1-1/2	65	560	620
AL106-1018	BE106-1018	1-5/8	70	625	690
AL106-1020	BE106-1020	1-7/8	75	740	850
AL106-1022	BE106-1022	2	75	850	960
AL106-1024	BE106-1024	2-1/4	80	1130	1250
AL106-1026	BE106-1026	2-1/2	90	1550	1700
AL106-1028	BE106-1028	2-3/4	90	1850	2050
AL106-1030	BE106-1030	3	95	2500	2750

防爆风动套筒头

Impact Socket





Impact Socket(C=3/4 ")

ITEM CODE		S	L		
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL107-24	BE107-24	24	50	330	380
AL107-27	BE107-27	27	53	365	405
AL107-30	BE107-30	30	53	390	440
AL107-32	BE107-32	32	56	425	475
AL107-36	BE107-36	36	56	585	650
AL107-41	BE107-41	41	60	625	695
AL107-46	BE107-46	46	60	700	770
AL107-50	BE107-50	50	70	1000	1100

Impact Socket(C=1 ")

ITEM CODE		S	L		
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL108-19	BE108-19	19	55	570	630
AL108-21	BE108-21	21	55	580	640
AL108-22	BE108-22	22	55	590	650
AL108-24	BE108-24	24	55	600	660
AL108-26	BE108-26	26	55	660	735
AL108-27	BE108-27	27	55	670	735
AL108-29	BE108-29	29	60	690	760
AL108-30	BE108-30	30	60	690	765
AL108-32	BE108-32	32	60	700	775
AL108-34	BE108-34	34	60	700	775
AL108-35	BE108-35	35	60	700	775
AL108-36	BE108-36	36	60	700	775
AL108-38	BE108-38	38	65	780	865
AL108-41	BE108-41	41	65	830	930
AL108-46	BE108-46	46	70	1265	1380
AL108-50	BE108-50	50	75	1320	1455
AL108-52	BE108-52	52	75	1550	1715
AL108-55	BE108-55	55	75	1650	1830
AL108-58	BE108-58	58	85	1900	2080
AL108-60	BE108-60	60	85	2000	2200
AL108-65	BE108-65	65	85	2250	2460
AL108-70	BE108-70	70	90	2600	2890
AL108-75	BE108-75	75	90	2900	3155
AL108-80	BE108-80	80	90	3200	3560

Impact Socket(C=3-3/16 ")

ITEM CODE		S	L		
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL109-50	BE109-50	50	90	1755	1930
AL109-52	BE109-52	52	90	1835	2005
AL109-55	BE109-55	55	90	1965	2180
AL109-58	BE109-58	58	90	2000	2200
AL109-60	BE109-60	60	90	2085	2290
AL109-65	BE109-65	65	90	2370	2610
AL109-70	BE109-70	70	90	2585	2840
AL109-75	BE109-75	75	90	2880	3190
AL109-80	BE109-80	80	90	3250	3605

Impact Socket(C=1-1/4 ")

ITEM CODE		S	L		
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL110-50	BE110-50	50	90	1765	1950
AL110-60	BE110-60	60	90	2100	2300
AL110-70	BE110-70	70	90	2475	2750

Impact Socket(C=1-1/2 ")

ITEM CODE		S	L		
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL110A-55	BE110A-55	55	90	2300	2530
AL110A-60	BE110A-60	60	90	2500	2750
AL110A-65	BE110A-65	65	95	2850	3130
AL110A-70	BE110A-70	70	95	3100	3400
AL110A-75	BE110A-75	75	100	3400	3740
AL110A-80	BE110A-80	80	100	3800	4180
AL110A-85	BE110A-85	85	110	4200	4620
AL110A-90	BE110A-90	90	110	4490	4940

防爆风动套筒头



Impact Socket(C=1/2 ")

ITEM CODE		S	L		
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL110B-8	BE110B-8	8	40	70	80
AL110B-10	BE110B-10	10	40	75	85
AL110B-12	BE110B-12	12	40	90	100
AL110B-14	BE110B-14	14	40	115	125
AL110B-17	BE110B-17	17	40	115	125
AL110B-19	BE110B-19	19	40	120	135
AL110B-22	BE110B-22	22	40	135	150
AL110B-24	BE110B-24	24	45	165	185
AL110B-27	BE110B-27	27	45	190	215
AL110B-30	BE110B-30	30	50	235	265
AL110B-32	BE110B-32	32	50	255	285

Impact Socket(C=1/2 " Deep)


ITEM CODE		S	L		
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL110C-8	BE110C-8	8	80	280	315
AL110C-10	BE110C-10	10	80	280	315
AL110C-12	BE110C-12	12	80	280	315
AL110C-14	BE110C-14	14	80	280	315
AL110C-17	BE110C-17	17	80	280	315
AL110C-19	BE110C-19	19	80	290	325
AL110C-22	BE110C-22	22	80	300	335
AL110C-24	BE110C-24	24	80	325	365
AL110C-27	BE110C-27	27	80	380	425
AL110C-30	BE110C-30	30	80	410	455
AL110C-32	BE110C-32	32	80	435	485

Impact Socket(C=3/4 " Deep)

ITEM CODE		S	L		
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL110D-17	BE110D-17	17	90	570	625
AL110D-19	BE110D-19	19	90	580	635
AL110D-22	BE110D-22	22	90	600	660
AL110D-24	BE110D-24	24	90	630	690
AL110D-27	BE110D-27	27	90	650	715
AL110D-30	BE110D-30	30	90	750	825
AL110D-32	BE110D-32	32	90	800	880
AL110D-36	BE110D-36	36	90	890	980
AL110D-41	BE110D-41	41	90	1000	1100
AL110D-46	BE110D-46	46	100	1300	1430
AL110D-50	BE110D-50	50	100	1660	1825

防爆自由节


Flex Ball Joint



ITEM CODE		C	L	Φ		
AL-BR	BE-CU	inch	mm	mm	AL-BR	BE-CU
AL111-1002	BE111-1002	3/4	120	21	800	880
AL111-1004	BE111-1004	1	120	21	1050	1160

防爆内六方套头


Internal Hexagan Socket



ITEM CODE		C	S	L		
AL-BR	BE-CU	inch	mm	mm	AL-BR	BE-CU
AL111A-1002	BE111A-1002	1/4	3	55	16	17
AL111A-1004	BE111A-1004		4	55	16	17
AL111A-1006	BE111A-1006		5	55	18	20
AL111A-1008	BE111A-1008		6	55	23	26
AL111A-1010	BE111A-1010		7	55	27	30
AL111A-1012	BE111A-1012		8	65	40	45
AL111A-1014	BE111A-1014		9	65	50	55
AL111A-1016	BE111A-1016		10	65	60	65
AL111A-1018	BE111A-1018	1/2	12	60	110	125
AL111A-1020	BE111A-1020		13	60	120	135
AL111A-1022	BE111A-1022		14	60	125	140
AL111A-1024	BE111A-1024		15	60	145	165
AL111A-1026	BE111A-1026		16	60	150	170
AL111A-1028	BE111A-1028		17	60	160	175
AL111A-1030	BE111A-1030		18	60	170	190
AL111A-1032	BE111A-1032		19	62	200	220
AL111A-1034	BE111A-1034		20	62	205	230

防爆三角套筒头


Socket Wrench,Triangular



ITEM CODE		C	M	L		
AL-BR	BE-CU	inch	mm	mm	AL-BR	BE-CU
AL111B-1002	BE111B-1002	1/2	6	40	70	75
AL111B-1004	BE111B-1004		8	40	75	80
AL111B-1006	BE111B-1006		10	40	80	85
AL111B-1008	BE111B-1008		12	40	90	95
AL111B-1010	BE111B-1010		16	50	150	180
AL111B-1012	BE111B-1012		20	50	215	250
AL111B-1014	BE111B-1014		24	60	380	420

防爆火花塞套筒


Spark Plug Socket



ITEM CODE		C	S	L		
AL-BR	BE-CU	inch	inch	mm	AL-BR	BE-CU
AL111C-1002	BE111C-1002	3/8	13/16	62	160	180
AL111C-1004	BE111C-1004	1/2	13/16	62	145	160

防爆万向接头


Universal Joint



ITEM CODE		C	L	
AL-BR	BE-CU	inch	mm	AL-BR / BE-CU
AL112-1002	BE112-1002	1/2	80	170 / 186
AL112-1004	BE112-1004	3/4	110	480 / 530
AL112-1006	BE112-1006	1	132	900 / 1000

防爆变径接头


Adaptor



ITEM CODE		□	■	L	
AL-BR	BE-CU	inch	inch	mm	AL-BR / BE-CU
AL113-1002	BE113-1002	3/8	1/4	26	28 / 31
AL113-1004	BE113-1004	1/4	3/8	22	20 / 22
AL113-1006	BE113-1006	1/2	3/8	34	70 / 80
AL113-1008	BE113-1008	3/8	1/2	34	55 / 60
AL113-1010	BE113-1010	3/4	1/2	55	260 / 290
AL113-1012	BE113-1012	1/2	3/4	50	150 / 170
AL113-1014	BE113-1014	1	3/4	70	770 / 855
AL113-1016	BE113-1016	3/4	1	60	320 / 360
AL113-1018	BE113-1018	1-1/2	1	85	1510 / 1675
AL113-1020	BE113-1020	1	1-1/2	85	1100 / 1230

防爆旋具接头

Screwdriver Socket



ITEM CODE		C	L	H	B	
AL-BR	BE-CU	inch	mm	mm	mm	AL-BR / BE-CU
AL114-1002	BE114-1002	1/2	52	2	13	91 / 102

防爆换向棘轮扳手


Ratchet Wrench



ITEM CODE		C	L	Φ	H	
AL-BR	BE-CU	inch	mm	mm	mm	AL-BR / BE-CU
AL115-1002	BE115-1002	3/4	160	21	55	1600 / 1760
AL115-1004	BE115-1004	1	180	23	60	2250 / 2470

防爆 T 字型套筒手柄

Sliding T Type Wrench



ITEM CODE		C	L	Φ	H	
AL-BR	BE-CU	inch	mm	mm	mm	AL-BR / BE-CU
AL116-1002	BE116-1002	3/4	350	19	200	1550 / 1705
AL116-1004	BE116-1004	1	400	21	200	2350 / 2590


防爆滑行头手柄

Sliding T Handle

ITEM CODE		C	L	H	Φ	
AL-BR	BE-CU	inch	mm	mm	mm	AL-BR / BE-CU
AL117-1002	BE117-1002	1/2	250	39	13	310 / 340
AL117-1004	BE117-1004	3/4	350	54	19	960 / 1070
AL117-1006	BE117-1006	3/4	400	56	21	1221 / 1335
AL117-1008	BE117-1008	1	400	62	21	1481 / 1620

防爆转向手柄


Sliding T Handle



ITEM CODE		C	L	L¹	
AL-BR	BE-CU	inch	mm	mm	AL-BR / BE-CU
AL118-1002	BE118-1002	3/8	190	175	220 / 245
AL118-1004	BE118-1004	1/2	250	230	400 / 440
AL118-1006	BE118-1006	1/2	320	300	510 / 565
AL118-1008	BE118-1008	1/2	400	380	580 / 645
AL118-1010	BE118-1010	3/4	286	260	570 / 635
AL118-1012	BE118-1012	1	304	270	830 / 910

防爆换向棘轮扳手


Ratchet Wrench



ITEM CODE		C	L	H	
AL-BR	BE-CU	inch	mm	mm	AL-BR / BE-CU
AL120-1002	BE120-1002	3/8	200	30	260 / 290
AL120-1004	BE120-1004	1/2	245	43	615 / 690
AL120-1006	BE120-1006	3/4	320	57	1430 / 1570
AL120-1008	BE120-1008	1	550	67	3150 / 3470

防爆套筒弯柄


Offset Handle



ITEM CODE		C	L	H	
AL-BR	BE-CU	inch	mm	mm	AL-BR / BE-CU
AL121-1002	BE121-1002	3/8	200	50	287 / 314
AL121-1004	BE121-1004	1/2	230	60	380 / 410
AL121-1006	BE121-1006	3/4	280	75	699 / 765
AL121-1008	BE121-1008	1	300	85	1060 / 1160

防爆 L 型套筒扳手

Wrench,Socket L-Type



ITEM CODE		S	L	H	
AL-BR	BE-CU	mm	mm	mm	AL-BR / BE-CU
AL121A-6	BE121A-6	6	120	29	35 / 40
AL121A-8	BE121A-8	8	144	33	60 / 70
AL121A-10	BE121A-10	10	168	37	90 / 100
AL121A-12	BE121A-12	12	216	42	135 / 155
AL121A-13	BE121A-13	13	240	45	190 / 215
AL121A-14	BE121A-14	14	245	45	215 / 250
AL121A-15	BE121A-15	15	250	48	240 / 280
AL121A-16	BE121A-16	16	255	48	290 / 335
AL121A-17	BE121A-17	17	260	51	325 / 380
AL121A-18	BE121A-18	18	265	53	365 / 420
AL121A-19	BE121A-19	19	270	55	400 / 460
AL121A-20	BE121A-20	20	272	57	450 / 520
AL121A-21	BE121A-21	21	275	57	550 / 650
AL121A-22	BE121A-22	22	278	59	645 / 750
AL121A-23	BE121A-23	23	282	60	680 / 800
AL121A-24	BE121A-24	24	286	63	700 / 850
AL121A-27	BE121A-27	27	294	69	800 / 900
AL121A-30	BE121A-30	30	302	75	880 / 1000
AL121A-32	BE121A-32	32	310	81	950 / 1100
AL121A-36	BE121A-36	36	330	85	1150 / 1300
AL121A-41	BE121A-41	41	350	90	1450 / 1500

防爆 T 型套筒扳手


Sliding T Type Wrench



ITEM CODE		S	L	H	
AL-BR	BE-CU	mm	mm	mm	AL-BR / BE-CU
AL121B-7	BE121B-7	7	120	120	90 / 100
AL121B-9	BE121B-9	9	130	130	140 / 155
AL121B-11	BE121B-11	11	140	150	170 / 190
AL121B-14	BE121B-14	14	150	170	240 / 265
AL121B-17	BE121B-17	17	170	190	370 / 410
AL121B-19	BE121B-19	19	180	210	480 / 535
AL121B-22	BE121B-22	22	190	240	680 / 750
AL121B-24	BE121B-24	24	200	270	860 / 950
AL121B-27	BE121B-27	27	200	270	1000 / 1110
AL121B-30	BE121B-30	30	200	280	1210 / 1340
AL121B-32	BE121B-32	32	200	280	1300 / 1440
AL121B-36	BE121B-36	36	200	280	1800 / 1980

防爆套筒连接杆


Driver Extension



ITEM CODE		C	L	
AL-BR	BE-CU	inch	mm	AL-BR / BE-CU
AL122-1002	BE122-1002	3/8	75	80 / 93
AL122-1004	BE122-1004	3/8	150	160 / 185
AL122-1006	BE122-1006	1/2	100	225 / 245
AL122-1008	BE122-1008	1/2	125	230 / 260
AL122-1010	BE122-1010	1/2	200	330 / 365
AL122-1012	BE122-1012	1/2	250	425 / 470
AL122-1014	BE122-1014	3/4	200	770 / 855
AL122-1016	BE122-1016	1	200	1380 / 1525

防爆双头套筒六角扳手


Socket,Double End



ITEM CODE		S1* S2	L	
AL-BR	BE-CU	mm	mm	AL-BR / BE-CU
AL121C-0607	BE121C-0607	6*7	105	65 / 70
AL121C-0809	BE121C-0809	8*9	115	80 / 90
AL121C-1011	BE121C-1011	10*11	120	120 / 110
AL121C-1213	BE121C-1213	12*13	140	160 / 170
AL121C-1415	BE121C-1415	14*15	140	230 / 255
AL121C-1617	BE121C-1617	16*17	155	340 / 440
AL121C-1819	BE121C-1819	18*19	165	460 / 520
AL121C-2022	BE121C-2022	20*22	175	570 / 630
AL121C-2123	BE121C-2123	21*23	185	600 / 670
AL121C-2427	BE121C-2427	24*27	195	785 / 870
AL121C-2528	BE121C-2528	25*28	205	870 / 965
AL121C-2730	BE121C-2730	27*30	210	900 / 1000

防爆 L 型双头套筒扳手

Wrench,Socket L-Type




ITEM CODE		S	L	H	g	
AL-BR	BE-CU	mm	mm	mm	AL-BR	BE-CU
AL122A-6	BE122A-6	6	102	18	40	45
AL122A-7	BE122A-7	7	106	18	45	50
AL122A-8	BE122A-8	8	114	22	65	72
AL122A-9	BE122A-9	9	122	22	80	90
AL122A-10	BE122A-10	10	129	25	120	130
AL122A-11	BE122A-11	11	136	25	125	140
AL122A-12	BE122A-12	12	144	28	150	165
AL122A-13	BE122A-13	13	152	30	185	200
AL122A-14	BE122A-14	14	160	32	195	215
AL122A-15	BE122A-15	15	169	35	240	265
AL122A-16	BE122A-16	16	178	35	295	325
AL122A-17	BE122A-17	17	187	40	315	350
AL122A-18	BE122A-18	18	195	40	345	380
AL122A-19	BE122A-19	19	204	45	440	485
AL122A-21	BE122A-21	21	221	50	525	580
AL122A-22	BE122A-22	22	230	50	590	650
AL122A-24	BE122A-24	24	250	55	640	705
AL122A-27	BE122A-27	27	280	65	1030	1135
AL122A-30	BE122A-30	30	310	70	1300	1460
AL122A-32	BE122A-32	32	330	75	1570	1730
AL122A-34	BE122A-34	34	350	75	1600	1760
AL122A-36	BE122A-36	36	370	80	1670	1840

防爆旋具手柄

Driver Type Handle






ITEM CODE		C	L	L_1	g	
AL-BR	BE-CU	inch	mm	mm	AL-BR	BE-CU
AL124-1002	BE124-1002	1/4	170	55	85	95

防爆快速摇柄

Speed Handle





ITEM CODE		C	L	H	g	
AL-BR	BE-CU	inch	mm	mm	AL-BR	BE-CU
AL123-1002	BE123-1002	1/2	390	96	700	780

防爆省力扳手

Labor Saving Wrench



ITEM CODE		SIZE	g	
AL-BR	BE-CU		AL-BR	BE-CU
AL124A-1002	BE124A-1002	ZB-16	1800	2000
AL124A-1004	BE124A-1004	ZB-58	6200	6850
AL124A-1006	BE124A-1006	ZB-68	7300	8050
AL124A-1008	BE124A-1008	ZB-78	7500	8300

WEDO 维度®

防爆工具 NON-SPARKING TOOLS

防爆活扳手


Wrench,Adjustable



ITEM CODE		L	Kmax	g	
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL125-1002	BE125-1002	100	13	30	33
AL125-1004	BE125-1004	150	18	130	145
AL125-1006	BE125-1006	200	24	240	275
AL125-1008	BE125-1008	250	30	435	485
AL125-1010	BE125-1010	300	36	715	780
AL125-1012	BE125-1012	375	46	1415	1545
AL125-1014	BE125-1014	450	55	2120	2360
AL125-1016	BE125-1016	600	65	4300	4700

防爆 45° 瑞士水泵钳

Wrench,Swedish Type 45°



ITEM CODE		L	K	g	
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL128-1002	BE128-1002	430	38	1400	1550
AL128-1004	BE128-1004	530	50	2000	2230

防爆三用活扳手


Wrench,Adjustable



ITEM CODE		L	Kmax	H	g	
AL-BR	BE-CU	mm	mm	mm	AL-BR	BE-CU
AL126-1002	BE126-1002	350	36	80	1251	1384

防爆瑞士式 S 型管钳


Wrench,Swedish Type



ITEM CODE		L	D	g	
AL-BR	BE-CU	mm	inch	AL-BR	BE-CU
AL128A-1002	BE128A-1002	530	2	2355	2605
AL128A-1004	BE128A-1004	650	3	4060	4500
AL128A-1006	BE128A-1006	790	4	5600	6200

防爆猴式活扳手


Wrench,Monkey



ITEM CODE		L	Kmax	g	
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL127-1002	BE127-1002	240	45	470	510
AL127-1004	BE127-1004	254	48	560	615
AL127-1006	BE127-1006	305	58	820	910
AL127-1008	BE127-1008	350	65	1120	1220
AL127-1010	BE127-1010	380	70	1340	1465

防爆 45° 瑞士水泵钳


Wrench,Swedish Type 45°



ITEM CODE		L	K	g	
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL128B-1002	BE128B-1002	430	38	1330	1480

防爆汽车扳手


Motor Wrench



ITEM CODE		L	S	g	
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL127A-62	BE127A-62	250	62	520	575
AL127A-78	BE127A-78	280	78	780	860
AL127A-82	BE127A-82	375	82	1300	1430

防爆链型管钳


Wrench,Chain Pipe



ITEM CODE		L	Dmax	g	
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL129-1002	BE129-1002	600	100	3605	3955
AL129-1004	BE129-1004	600	150	4200	4650
AL129-1006	BE129-1006	900	200	7800	8600
AL129-1008	BE129-1008	900	300	9000	9810

防爆轻型链钳


Wrench,Swedish Type Light



ITEM CODE		L	Dmax	g	
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL129A-1002	BE129A-1002	600	100	1910	2105
AL129A-1004	BE129A-1004	1600	450	9500	10500
AL129A-1006	BE129A-1006	300	60	940	1030

防爆皮带扳手


Wrench,Belt Pipe



ITEM CODE		L	L_1	B	g	
AL-BR	BE-CU	mm	mm	mm	AL-BR	BE-CU
AL129B-1002	BE129B-1002	300	425	30	735	810

防爆美式管钳子


Wrench,Pipe(Amercian Type)



ITEM CODE		L	Kmax	g	
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL131-1002	BE131-1002	200	25	380	420
AL131-1004	BE131-1004	250	30	670	735
AL131-1006	BE131-1006	300	40	955	1050
AL131-1008	BE131-1008	350	50	1195	1315
AL131-1010	BE131-1010	450	60	2050	2255
AL131-1012	BE131-1012	600	75	3150	3465
AL131-1014	BE131-1014	900	85	5345	5880
AL131-1016	BE131-1016	1200	110	11450	12600

防爆斜管钳


Wrench,Pipe (Diagonal Type)



ITEM CODE		L	Dmax	g	
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL131B-1002	BE131B-1002	200	34	510	560
AL131B-1004	BE131B-1004	250	48	840	930
AL131B-1006	BE131B-1006	300	50	1330	1470
AL131B-1008	BE131B-1008	375	60	1610	1780
AL131B-1010	BE131B-1010	450	76	2400	2650

防爆弯管钳


Wrench,Pipe (Bent Type)



ITEM CODE		L	Dmax	g	
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL131C-1002	BE131C-1002	200	34	450	500
AL131C-1004	BE131C-1004	250	48	780	850
AL131C-1006	BE131C-1006	300	50	1090	1200
AL131C-1008	BE131C-1008	375	60	1770	1950
AL131C-1010	BE131C-1010	450	76	2480	2730

防爆六角直管钳


Wrench,Pipe(Hex Type)



ITEM CODE		L	Dmax	g	
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL131D-1002	BE131D-1002	250	30	1130	1250
AL131D-1004	BE131D-1004	350	50	1620	1785

防爆六角弯管钳


Wrench,Pipe(Bent & Hex Tpe)



ITEM CODE		L	Dmax	g	
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL131E-1002	BE131E-1002	250	30	1130	1250
AL131E-1004	BE131E-1004	350	50	1620	1785

防爆快抓管钳


Wrench,Pipe(Rapod Grip)



ITEM CODE		L	Dmax	g	
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL131F-1002	BE131F-1002	250	48	880	980
AL131F-1004	BE131F-1004	350	60	1710	1900

防爆呆梅两用扳手

Wrench,Combinationg




ITEM CODE		S	L	g	
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL135-6	BE135-6	6	105	20	22
AL135-7	BE135-7	7	120	34	37
AL135-8	BE135-8	8	120	34	37
AL135-9	BE135-9	9	135	50	55
AL135-10	BE135-10	10	135	50	55
AL135-11	BE135-11	11	150	75	75
AL135-12	BE135-12	12	150	70	75
AL135-13	BE135-13	13	175	110	122
AL135-14	BE135-14	14	175	110	122
AL135-15	BE135-15	15	195	145	160
AL135-16	BE135-16	16	195	140	155
AL135-17	BE135-17	17	195	140	155
AL135-18	BE135-18	18	215	190	210
AL135-19	BE135-19	19	215	190	210
AL135-20	BE135-20	20	230	200	225
AL135-21	BE135-21	21	230	200	225
AL135-22	BE135-22	22	245	220	250
AL135-23	BE135-23	23	265	233	265
AL135-24	BE135-24	24	265	230	260
AL135-25	BE135-25	25	265	230	260
AL135-26	BE135-26	26	290	380	420
AL135-27	BE135-27	27	290	380	420
AL135-30	BE135-30	30	320	500	560
AL135-32	BE135-32	32	340	600	670
AL135-34	BE135-34	34	360	750	850
AL135-35	BE135-35	35	360	800	890
AL135-36	BE135-36	36	360	800	890
AL135-38	BE135-38	38	395	1150	1200
AL135-41	BE135-41	41	430	1300	1440
AL135-46	BE135-46	46	480	1700	1890
AL135-50	BE135-50	50	520	2000	2220
AL135-55	BE135-55	55	560	2230	2460
AL135-60	BE135-60	60	595	2950	3300
AL135-65	BE135-65	65	595	2900	3250
AL135-70	BE135-70	70	630	4100	4550

ITEM CODE		S	L	g	
AL-BR	BE-CU	inch	mm	AL-BR	BE-CU
AL135A-1002	BE135A-1002	1/4	105	20	22
AL135A-1004	BE135A-1004	5/16	120	34	37
AL135A-1006	BE135A-1006	3/8	135	50	55
AL135A-1008	BE135A-1008	7/16	150	70	75
AL135A-1010	BE135A-1010	1/2	175	115	125
AL135A-1012	BE135A-1012	9/16	175	110	122
AL135A-1014	BE135A-1014	19/32	195	145	160
AL135A-1016	BE135A-1016	5/8	195	140	155
AL135A-1018	BE135A-1018	11/16	195	140	155
AL135A-1020	BE135A-1020	3/4	215	190	210
AL135A-1022	BE135A-1022	13/16	230	200	225
AL135A-1024	BE135A-1024	7/8	245	225	250
AL135A-1026	BE135A-1026	15/16	265	230	260
AL135A-1028	BE135A-1028	1	290	380	420
AL135A-1030	BE135A-1030	1-1/16	290	380	420
AL135A-1032	BE135A-1032	1-1/8	320	500	560
AL135A-1034	BE135A-1034	1-3/16	320	500	560
AL135A-1036	BE135A-1036	1-1/4	340	600	670
AL135A-1038	BE135A-1038	1-5/16	360	750	850
AL135A-1040	BE135A-1040	1-3/8	360	800	890

防爆呆梅两用扳手


Wrench,Combination



ITEM CODE		S	L		
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL136-6	BE136-6	6	105	16	18
AL136-7	BE136-7	7	120	40	40
AL136-8	BE136-8	8	120	40	40
AL136-9	BE136-9	9	135	42	45
AL136-10	BE136-10	10	135	42	45
AL136-11	BE136-11	11	150	60	65
AL136-12	BE136-12	12	150	60	65
AL136-13	BE136-13	13	175	82	90
AL136-14	BE136-14	14	175	82	90
AL136-15	BE136-15	15	195	125	140
AL136-16	BE136-16	16	195	125	140
AL136-17	BE136-17	17	195	125	140
AL136-18	BE136-18	18	215	165	180
AL136-19	BE136-19	19	215	165	180
AL136-20	BE136-20	20	215	165	180
AL136-21	BE136-21	21	245	260	280
AL136-22	BE136-22	22	245	260	280
AL136-23	BE136-23	23	265	290	320
AL136-24	BE136-24	24	265	290	320
AL136-25	BE136-25	25	265	455	500
AL136-26	BE136-26	26	290	455	500
AL136-27	BE136-27	27	290	455	500
AL136-30	BE136-30	30	320	635	700
AL136-32	BE136-32	32	340	710	780
AL136-34	BE136-34	34	360	910	1000
AL136-36	BE136-36	36	360	910	1000
AL136-38	BE136-38	38	430	1310	1450
AL136-41	BE136-41	41	430	1190	1420
AL136-46	BE136-46	46	480	1590	1760
AL136-50	BE136-50	50	520	1830	2020
AL136-55	BE136-55	55	560	1810	2000
AL136-60	BE136-60	60	595	2640	2920
AL136-65	BE136-65	65	595	3110	3440
AL136-70	BE136-70	70	630	3730	4130
AL136-75	BE136-75	75	630	3620	4000
AL136-80	BE136-80	80	660	4880	5400
AL136-85	BE136-85	85	660	4800	5320
AL136-90	BE136-90	90	720	6410	7100
AL136-95	BE136-95	95	720	6250	7000
AL136-100	BE136-100	100	780	8100	8950
AL136-110	BE136-110	110	840	10369	11350
AL136-120	BE136-120	120	900	11560	12750

防爆棘轮呆梅两用扳手


Wrench,Combination Ratchet



ITEM CODE		S	L		
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL136A-17	BE136A-17	17	220	225	250
AL136A-19	BE136A-19	19	240	280	310
AL136A-22	BE136A-22	22	270	380	420
AL136A-24	BE136A-24	24	290	510	570
AL136A-27	BE136A-27	27	315	675	750
AL136A-30	BE136A-30	30	350	900	1000
AL136A-32	BE136A-32	32	370	1040	1155

防爆高颈呆梅两用扳手


Wrench,Combination



ITEM CODE		S	L		
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL137-17	BE137-17	17	240	210	230
AL137-19	BE137-19	19	270	250	280
AL137-21	BE137-21	21	290	340	380
AL137-22	BE137-22	22	295	370	440
AL137-24	BE137-24	24	320	390	460
AL137-27	BE137-27	27	350	520	605

防爆撬棒呆扳

Wrench,Construction With Pin




ITEM CODE		S	L		
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL139-17	BE139-17	17	220	115	125
AL139-19	BE139-19	19	240	145	160
AL139-22	BE139-22	22	260	190	210
AL139-24	BE139-24	24	280	240	265
AL139-27	BE139-27	27	300	315	350
AL139-30	BE139-30	30	320	405	445
AL139-32	BE139-32	32	340	480	530
AL139-36	BE139-36	36	360	650	720
AL139-41	BE139-41	41	380	910	1010
AL139-46	BE139-46	46	400	1010	1115
AL139-50	BE139-50	50	420	1055	1165
AL139-55	BE139-55	55	450	1345	1485
AL139-60	BE139-60	60	480	1825	2015

WEDO 维度®

防爆工具 NON-SPARKING TOOLS

防爆单头呆扳手


Wrench,Single Open End



ITEM CODE		S	L		
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL140-8	BE140-8	8	95	35	40
AL140-10	BE140-10	10	105	45	50
AL140-12	BE140-12	12	125	60	65
AL140-14	BE140-14	14	140	85	95
AL140-17	BE140-17	17	160	95	105
AL140-19	BE140-19	19	170	115	130
AL140-22	BE140-22	22	195	152	170
AL140-24	BE140-24	24	220	170	190
AL140-27	BE140-27	27	240	260	285
AL140-30	BE140-30	30	260	290	320
AL140-32	BE140-32	32	275	365	400
AL140-34	BE140-34	34	290	410	455
AL140-36	BE140-36	36	310	480	530
AL140-41	BE140-41	41	345	555	615
AL140-46	BE140-46	46	375	860	950
AL140-50	BE140-50	50	410	950	1080
AL140-55	BE140-55	55	450	1200	1380
AL140-60	BE140-60	60	490	1700	1950
AL140-65	BE140-65	65	530	2000	2250
AL140-70	BE140-70	70	570	2550	2850
AL140-75	BE140-75	75	610	2800	3200

防爆角座呆扳手


Crow Foot Open End



ITEM CODE		C	S	L		
AL-BR	BE-CU	inch	inch	mm	AL-BR	BE-CU
AL140A-1002	BE140A-1002	3/8	9/16	35	50	55
AL140A-1004	BE140A-1004		5/8	37	50	55
AL140A-1006	BE140A-1006		11/16	38	50	55
AL140A-1008	BE140A-1008		7/8	43	55	60
AL140A-1010	BE140A-1010		1-1/8	50	75	83
AL140A-1012	BE140A-1012		1-1/4	53	85	95
AL140A-1014	BE140A-1014		1-3/8	56	90	103
AL140A-1016	BE140A-1016		1-1/2	59	120	130
AL140A-1018	BE140A-1018		1-7/8	72	160	180
AL140A-1020	BE140A-1020		2	75	165	190
AL140A-1022	BE140A-1022		2-1/4	81	180	200
AL140A-1024	BE140A-1024	1/2	14	40	55	60
AL140A-1026	BE140A-1026		16	43	58	62
AL140A-1028	BE140A-1028		17	43	58	62
AL140A-1030	BE140A-1030		19	49	95	105
AL140A-1032	BE140A-1032		20	49	95	105
AL140A-1034	BE140A-1034		22	52	102	120
AL140A-1036	BE140A-1036		27	59	125	145

防爆 T 型开口六角扳手


T-Handle Wrench



ITEM CODE		S	K	L		
AL-BR	BE-CU	mm	mm	mm	AL-BR	BE-CU
AL140C-8	BE140C-8	8	5	215	120	135
AL140C-10	BE140C-10	10	6	215	125	140
AL140C-12	BE140C-12	12	8	215	130	145
AL140C-14	BE140C-14	14	10	215	135	150

防爆高颈撬棒呆扳手

Wrench,Construction,Offset Type With Pin



ITEM CODE		S	L		
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL140B-17	BE140B-17	17	320	195	210
AL140B-19	BE140B-19	19	350	290	320
AL140B-22	BE140B-22	22	350	390	430
AL140B-24	BE140B-24	24	370	430	480
AL140B-27	BE140B-27	27	370	580	640
AL140B-30	BE140B-30	30	400	720	800
AL140B-32	BE140B-32	32	400	720	800
AL140B-36	BE140B-36	36	430	860	950
AL140B-41	BE140B-41	41	470	1150	1270
AL140B-46	BE140B-46	46	500	1445	1600
AL140B-50	BE140B-50	50	530	1700	1885
AL140B-55	BE140B-55	55	560	1950	2160

防爆开口扳手插头

Rectangular Open End



ITEM CODE		H*B	S		
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL140E-1002	BE140E-1002	9*12	7	40	45
AL140E-1004	BE140E-1004		8	39	44
AL140E-1006	BE140E-1006		9	38	43
AL140E-1008	BE140E-1008		10	42	48
AL140E-1010	BE140E-1010		12	43	50
AL140E-1012	BE140E-1012		13	52	60
AL140E-1014	BE140E-1014		14	52	60
AL140E-1016	BE140E-1016		17	60	70
AL140E-1018	BE140E-1018		19	74	85
AL140E-1020	BE140E-1020	14*18	13	129	145
AL140E-1022	BE140E-1022		14	129	145
AL140E-1024	BE140E-1024		17	136	150
AL140E-1026	BE140E-1026		19	147	165
AL140E-1028	BE140E-1028		22	165	183
AL140E-1030	BE140E-1030		24	167	185
AL104E-1032	BE104E-1032		27	219	245
AL104E-1034	BE104E-1034		30	245	270
AL104E-1036	BE104E-1036		32	246	275
AL104E-1038	BE104E-1038		36	275	305
AL104E-1040	BE104E-1040		38	265	295
AL104E-1042	BE104E-1042		41	307	340

防爆敲击呆扳手

Wrench,Striking Open



ITEM CODE		S	L		
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL141-17	BE141-17	17	125	135	150
AL141-19	BE141-19	19	125	135	150
AL141-22	BE141-22	22	135	175	195
AL141-24	BE141-24	24	150	220	245
AL141-27	BE141-27	27	175	350	385
AL141-30	BE141-30	30	190	420	465
AL141-32	BE141-32	32	190	460	515
AL141-36	BE141-36	36	210	615	675
AL141-41	BE141-41	41	230	860	955
AL141-46	BE141-46	46	250	1100	1225
AL141-50	BE141-50	50	275	1420	1560
AL141-55	BE141-55	55	305	1830	2025
AL141-60	BE141-60	60	315	2120	2345
AL141-65	BE141-65	65	335	2780	3060
AL141-70	BE141-70	70	370	3660	4030
AL141-75	BE141-75	75	375	4030	4660
AL141-80	BE141-80	80	400	5130	5650
AL141-85	BE141-85	85	400	5400	6000
AL141-90	BE141-90	90	445	7050	7800
AL141-95	BE141-95	95	445	7000	7730
AL141-100	BE141-100	100	485	10500	11600
AL141-110	BE141-110	110	513	12000	13500

ITEM CODE		S	L		
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL141-1002	BE141-1002	3/4	125	135	150
AL141-1004	BE141-1004	7/8	135	175	195
AL141-1006	BE141-1006	15/16	150	220	245
AL141-1008	BE141-1008	1	175	300	335
AL141-1010	BE141-1010	1-1/8	190	390	435
AL141-1012	BE141-1012	1-1/4	190	460	515
AL141-1014	BE141-1014	1-7/16	210	730	800
AL141-1016	BE141-1016	1-1/2	220	780	860
AL141-1018	BE141-1018	1-5/8	230	860	955
AL141-1020	BE141-1020	1-3/4	250	1100	1225
AL141-1022	BE141-1022	1-7/8	250	1100	1225
AL141-1024	BE141-1024	2	275	1400	1550
AL141-1028	BE141-1028	2-1/8	305	1680	1850
AL141-1030	BE141-1030	2-1/4	315	1970	2190
AL141-1032	BE141-1032	2-3/8	315	1970	2190
AL141-1034	BE141-1034	2-1/2	335	2780	3060
AL141-1036	BE141-1036	2-3/4	370	3660	4030
AL141-1038	BE141-1038	3	375	3800	4200
AL141-1040	BE141-1040	3-1/8	400	5130	5650
AL141-1042	BE141-1042	3-1/2	445	7050	7800
AL141-1044	BE141-1044	3-3/4	445	7000	7730
AL141-1046	BE141-1046	4	485	10500	11600

防爆高颈撬棒呆扳手


Wrench,Bent Striking Open



ITEM CODE		S	L		
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL141B-17	BE141B-17	17	140	140	155
AL141B-19	BE141B-19	19	140	140	155
AL141B-22	BE141B-22	22	150	170	190
AL141B-24	BE141B-24	24	150	220	245
AL141B-27	BE141B-27	27	175	380	420
AL141B-30	BE141B-30	30	190	440	480
AL141B-32	BE141B-32	32	190	440	480
AL141B-34	BE141B-34	34	210	620	680
AL141B-36	BE141B-36	36	210	620	680
AL141B-38	BE141B-38	38	230	800	980
AL141B-41	BE141B-41	41	230	860	950
AL141B-46	BE141B-46	46	250	1150	1270
AL141B-50	BE141B-50	50	275	1250	1380
AL141B-55	BE141B-55	55	305	1620	1780
AL141B-60	BE141B-60	60	315	2350	2560
AL141B-65	BE141B-65	65	335	2750	3000

防爆凹槽双头呆扳手


Wrench,Double Open End



ITEM CODE		S1*S2	L		
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL146-0507	BE146-0507	5.5*7	90	20	23
AL146-0607	BE146-0607	6*7	92	22	25
AL146-0709	BE146-0709	7*9	96	25	28
AL146-0810	BE146-0810	8*10	100	31	34
AL146-0911	BE146-0911	9*11	110	45	50
AL146-1011	BE146-1011	10*11	115	47	52
AL146-1012	BE146-1012	10*12	120	55	60
AL146-1014	BE146-1014	10*14	124	62	68
AL146-1213	BE146-1213	12*13	128	67	73
AL146-1214	BE146-1214	12*14	130	69	75
AL146-1317	BE146-1317	13*17	150	110	120
AL146-1415	BE146-1415	14*15	143	105	115
AL146-1417	BE146-1417	14*17	150	110	120
AL146-1617	BE146-1617	16*17	157	120	130
AL146-1618	BE146-1618	16*18	163	130	145
AL146-1719	BE146-1719	17*19	170	135	150
AL146-1721	BE146-1721	17*21	173	165	185
AL146-1819	BE146-1819	18*19	175	180	200
AL146-1921	BE146-1921	19*21	182	190	210
AL146-1922	BE146-1922	19*22	185	200	220
AL146-1924	BE146-1924	19*24	190	210	235
AL146-2022	BE146-2022	20*22	195	225	250
AL146-2123	BE146-2123	21*23	200	235	270
AL146-2126	BE146-2126	21*26	205	245	275
AL146-2224	BE146-2224	22*24	210	285	312
AL146-2227	BE146-2227	22*27	215	292	320
AL146-2326	BE146-2326	23*26	220	302	330
AL146-2427	BE146-2427	24*27	230	310	345
AL146-2430	BE146-2430	24*30	233	330	365
AL146-2528	BE146-2528	25*28	236	330	365
AL146-2632	BE146-2632	26*32	243	420	465
AL146-2730	BE146-2730	27*30	250	430	485
AL146-2732	BE146-2732	27*32	255	549	600
AL146-3032	BE146-3032	30*32	265	540	610
AL146-3036	BE146-3036	30*36	270	730	815
AL146-3234	BE146-3234	32*34	270	730	815
AL146-3236	BE146-3236	32*36	300	800	885
AL146-3436	BE146-3436	34*36	300	800	885
AL146-3638	BE146-3638	36*38	330	1210	1350
AL146-3641	BE146-3641	36*41	330	1210	1350
AL146-3840	BE146-3840	38*40	330	1210	1350
AL146-4146	BE146-4146	41*46	360	1530	1690
AL146-4650	BE146-4650	46*50	370	1850	2050
AL146-5055	BE146-5055	50*55	385	1950	2160
AL146-5060	BE146-5060	50*60	400	2275	2488
AL146-5560	BE146-5560	55*60	415	2450	2700
AL146-6065	BE146-6065	60*65	435	3600	3950

防爆双头呆扳手


Wrench,Double Open End



ITEM CODE		S1*S2	L		
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL146A-1002	BE146A-1002	14*17	160	100	110
AL146A-1004	BE146A-1004	17*19	180	110	120
AL146A-1006	BE146A-1006	19*22	200	140	160
AL146A-1008	BE146A-1008	19*24	220	160	180
AL146A-1010	BE146A-1010	22*24	230	220	240
AL146A-1012	BE146A-1012	24*27	255	305	340
AL146A-1014	BE146A-1014	27*30	280	380	420
AL146A-1016	BE146A-1016	30*32	300	480	530
AL146A-1018	BE146A-1018	32*36	320	570	635
AL146A-1020	BE146A-1020	34*36	330	670	740
AL146A-1022	BE146A-1022	36*41	350	810	900
AL146A-1024	BE146A-1024	41*46	380	955	1060
AL146A-1026	BE146A-1026	46*50	420	1190	1310
AL146A-1028	BE146A-1028	50*55	460	1720	1900
AL146A-1030	BE146A-1030	55*60	500	2530	2800

防爆凹槽双头梅花扳手

Wrench,Double Box Offset



ITEM CODE		S1*S2	L		
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL151-0507	BE151-0507	5.5*7	115	20	22
AL151-0607	BE151-0607	6*7	115	23	25
AL151-0709	BE151-0709	7*9	130	46	50
AL151-0810	BE151-0810	8*10	130	50	55
AL151-0911	BE151-0911	9*11	140	65	70
AL151-1011	BE151-1011	10*11	140	75	80
AL151-1012	BE151-1012	10*12	140	78	85
AL151-1213	BE151-1213	12*13	160	110	120
AL151-1214	BE151-1214	12*14	160	140	151
AL151-1417	BE151-1417	14*17	220	180	205
AL151-1618	BE151-1618	16*18	220	202	220
AL151-1719	BE151-1719	17*19	250	205	225
AL151-1722	BE151-1722	17*22	250	265	290
AL151-1819	BE151-1819	18*19	250	270	295
AL151-1922	BE151-1922	19*22	280	280	310
AL151-1924	BE151-1924	19*24	310	320	355
AL151-2123	BE151-2123	21*23	285	360	405
AL151-2126	BE151-2126	21*26	320	410	450
AL151-2224	BE151-2224	22*24	310	415	455
AL151-2427	BE151-2427	24*27	340	475	520
AL151-2430	BE151-2430	24*30	350	501	550
AL151-2528	BE151-2528	25*28	350	530	580
AL151-2632	BE151-2632	26*32	370	570	640
AL151-2730	BE151-2730	27*30	360	645	705
AL151-3032	BE151-3032	30*32	380	736	805
AL151-3036	BE151-3036	30*36	405	1030	1145
AL151-3234	BE151-3234	32*34	400	980	1080
AL151-3236	BE151-3236	32*36	405	1030	1145
AL151-3436	BE151-3436	34*36	420	1065	1165
AL151-3641	BE151-3641	36*41	445	1465	1600
AL151-4146	BE151-4146	41*46	470	1905	2077
AL151-4650	BE151-4650	46*50	490	2315	2530
AL151-5055	BE151-5055	50*55	510	2360	2580
AL151-5060	BE151-5060	50*60	520	2745	3002
AL151-5560	BE151-5560	55*60	530	2905	3203
AL151-6070	BE151-6070	60*70	560	3605	4105

防爆双头梅花扳手


Wrench,Double Box Offset



ITEM CODE		S1*S2	L		
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL151A-1719	BE151A-1719	17*19	280	160	180
AL151A-1922	BE151A-1922	19*22	300	190	210
AL151A-1924	BE151A-1924	19*24	320	290	320
AL151A-2123	BE151A-2123	21*23	320	335	370
AL151A-2224	BE151A-2224	22*24	330	380	420
AL151A-2427	BE151A-2427	24*27	340	430	480
AL151A-2730	BE151A-2730	27*30	350	480	530
AL151A-3032	BE151A-3032	30*32	370	620	690
AL151A-3236	BE151A-3236	32*36	430	910	1000
AL151A-3641	BE151A-3641	36*41	470	1150	1270
AL151A-4146	BE151A-4146	41*46	500	1430	1580
AL151A-4650	BE151A-4650	46*50	525	1720	1900
AL151A-5055	BE151A-5055	50*55	550	2580	2850

防爆 S 型双头梅花


Wrench,Double Box Offset



ITEM CODE		S1*S2	L		
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL152A-0607	BE152A-0607	6*7	90	40	45
AL152A-0709	BE152A-0709	7*9	90	50	55
AL152A-0810	BE152A-0810	8*10	100	70	80
AL152A-0911	BE152A-0911	9*11	100	80	90
AL152A-1012	BE152A-1012	10*12	110	110	125
AL152A-1214	BE152A-1214	12*14	125	140	160
AL152A-1417	BE152A-1417	14*17	140	200	230
AL152A-1719	BE152A-1719	17*19	170	270	310
AL152A-1922	BE152A-1922	19*22	185	370	420
AL152A-1924	BE152A-1924	19*24	185	400	450
AL152A-2123	BE152A-2123	21*23	185	430	490
AL152A-2126	BE152A-2126	21*26	185	435	500
AL152A-2224	BE152A-2224	22*24	210	600	670
AL152A-2326	BE152A-2326	23*26	210	600	670
AL152A-2427	BE152A-2427	24*27	225	640	720
AL152A-2430	BE152A-2430	24*30	225	650	740
AL152A-2528	BE152A-2528	25*28	225	670	750
AL152A-2730	BE152A-2730	27*30	250	780	870
AL152A-3032	BE152A-3032	30*32	275	980	1100


防爆平头双头梅花扳手

Wrench,Double Flat Box




ITEM CODE		S1*S2	L		
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL153A-0810	BE153A-0810	8*10	115	29	32
AL153A-0911	BE153A-0911	9*11	125	34	37
AL153A-1012	BE153A-1012	10*12	140	48	55
AL153A-1214	BE153A-1214	12*14	145	62	70
AL153A-1417	BE153A-1417	14*17	165	90	100
AL153A-1719	BE153A-1719	17*19	185	120	132
AL153A-1922	BE153A-1922	19*22	200	165	180
AL153A-2224	BE153A-2224	22*24	220	215	240
AL153A-2427	BE153A-2427	24*27	255	280	320
AL153A-2730	BE153A-2730	27*30	280	340	385
AL153A-3032	BE153A-3032	30*32	295	415	465
AL153A-3236	BE153A-3236	32*36	330	545	600
AL153A-3641	BE153A-3641	36*41	365	845	935

防爆油管扳手
Flare Nut Open Ring Wrench



ITEM CODE		S1*S2 mm	L mm	g	
AL-BR	BE-CU			AL-BR	BE-CU
AL153B-0607	BE153B-0607	6*7	95	15	17
AL153B-0810	BE153B-0810	8*10	115	29	32
AL153B-0911	BE153B-0911	9*11	125	34	37
AL153B-1012	BE153B-1012	10*12	140	48	55
AL153B-1214	BE153B-1214	12*14	145	62	70
AL153B-1415	BE153B-1415	14*15	155	80	90
AL153B-1417	BE153B-1417	14*17	165	90	100
AL153B-1618	BE153B-1618	16*18	170	115	127
AL153B-1719	BE153B-1719	17*19	185	120	132
AL153B-1922	BE153B-1922	19*22	200	165	180
AL153B-2224	BE153B-2224	22*24	220	215	240
AL153B-2427	BE153B-2427	24*27	255	288	320
AL153B-2430	BE153B-2430	24*30	270	340	375
AL153B-2528	BE153B-2528	25*28	265	345	380
AL153B-2730	BE153B-2730	27*30	280	389	430
AL153B-3032	BE153B-3032	30*32	295	450	498
AL153B-3034	BE153B-3034	30*34	310	535	588
AL153B-3036	BE153B-3036	30*36	330	595	657
AL153B-3436	BE153B-3436	34*36	345	685	758
AL153B-3641	BE153B-3641	36*41	365	845	935

防爆高颈撬棒梅花扳手
Wrench,Construction




ITEM CODE		S mm	L mm	g	
AL-BR	BE-CU			AL-BR	BE-CU
AL154-10	BE154-10	10	230	85	90
AL154-12	BE154-12	12	250	105	110
AL154-14	BE154-14	14	270	130	145
AL154-17	BE154-17	17	310	180	200
AL154-19	BE154-19	19	330	225	250
AL154-22	BE154-22	22	350	290	320
AL154-24	BE154-24	24	370	360	400
AL154-27	BE154-27	27	400	450	500
AL154-30	BE154-30	30	430	630	700
AL154-32	BE154-32	32	430	600	660
AL154-36	BE154-36	36	460	800	900
AL154-41	BE154-41	41	490	990	1090
AL154-46	BE154-46	46	520	1420	1560
AL154-50	BE154-50	50	540	1550	1700
AL154-55	BE154-55	55	560	1850	2050
AL154-60	BE154-60	60	610	2550	2820

防爆撬棒梅花扳手
Wrench,Construction



ITEM CODE		S mm	L mm	g	
AL-BR	BE-CU			AL-BR	BE-CU
AL155-8	BE155-8	8	140	55	60
AL155-10	BE155-10	10	150	64	70
AL155-11	BE155-11	11	160	73	80
AL155-12	BE155-12	12	170	83	90
AL155-13	BE155-13	13	180	91	102
AL155-14	BE155-14	14	190	102	115
AL155-15	BE155-15	15	200	110	125
AL155-16	BE155-16	16	210	122	130
AL155-17	BE155-17	17	220	145	165
AL155-18	BE155-18	18	230	165	180
AL155-19	BE155-19	19	240	195	230
AL155-20	BE155-20	20	250	220	242
AL155-21	BE155-21	21	260	230	251
AL155-22	BE155-22	22	270	274	303
AL155-23	BE155-23	23	280	302	330
AL155-24	BE155-24	24	290	330	361
AL155-27	BE155-27	27	320	430	472
AL155-30	BE155-30	30	350	585	650
AL155-32	BE155-32	32	370	620	680
AL155-34	BE155-34	34	380	730	803
AL155-36	BE155-36	36	390	850	950
AL155-38	BE155-38	38	400	880	1005
AL155-41	BE155-41	41	410	1025	1430
AL155-46	BE155-46	46	420	1310	1460
AL155-50	BE155-50	50	430	1420	1580
AL155-55	BE155-55	55	440	1690	1870
AL155-60	BE155-60	60	460	2095	2330
AL155-65	BE155-65	65	480	2535	2802
AL155-70	BE155-70	70	500	2845	3150

防爆直柄单头梅花扳手
Wrench,Single Box




ITEM CODE		S mm	L mm	g	
AL-BR	BE-CU			AL-BR	BE-CU
AL156-8	BE156-8	8	110	35	40
AL156-10	BE156-10	10	120	45	50
AL156-12	BE156-12	12	130	60	65
AL156-14	BE156-14	14	140	80	90
AL156-17	BE156-17	17	155	90	105
AL156-19	BE156-19	19	170	95	130
AL156-22	BE156-22	22	190	150	175
AL156-24	BE156-24	24	215	200	220
AL156-27	BE156-27	27	230	245	270
AL156-30	BE156-30	30	255	335	370
AL156-32	BE156-32	32	265	385	425
AL156-36	BE156-36	36	295	500	550
AL156-41	BE156-41	41	330	750	825
AL156-46	BE156-46	46	365	1010	1120
AL156-50	BE156-50	50	400	1150	1270
AL156-55	BE156-55	55	445	1440	1590
AL156-60	BE156-60	60	474	1680	1850
AL156-65	BE156-65	65	510	1875	2060
AL156-70	BE156-70	70	555	2300	2530
AL156-75	BE156-75	75	590	2450	2700

防爆弯柄单头梅花扳手
Wrench,Single Bent Box




ITEM CODE		S mm	L mm	g	
AL-BR	BE-CU			AL-BR	BE-CU
AL157-10	BE157-10	10	119	50	60
AL157-12	BE157-12	12	151	75	85
AL157-14	BE157-14	14	151	75	85
AL157-16	BE157-16	16	174	130	150
AL157-17	BE157-17	17	174	145	160
AL157-19	BE157-19	19	207	190	195
AL157-22	BE157-22	22	207	180	205
AL157-24	BE157-24	24	250	295	330
AL157-27	BE157-27	27	250	275	315
AL157-30	BE157-30	30	295	430	480
AL157-32	BE157-32	32	295	410	455
AL157-34	BE157-34	34	307	580	650
AL157-36	BE157-36	36	307	580	650
AL157-38	BE157-38	38	340	740	830
AL157-41	BE157-41	41	340	720	810
AL157-46	BE157-46	46	370	1100	1230
AL157-50	BE157-50	50	400	1255	1400
AL157-55	BE157-55	55	430	1720	1930
AL157-60	BE157-60	60	450	1900	2100
AL157-65	BE157-65	65	470	2135	2360
AL157-70	BE157-70	70	490	2800	3080
AL157-75	BE157-75	75	510	3250	3600
AL157-80	BE157-80	80	530	4030	4460

防爆 15° 单头梅花扳手
Wrench,Single Box Offset



ITEM CODE		S mm	L mm	g	
AL-BR	BE-CU			AL-BR	BE-CU
AL158-17	BE158-17	17	150	122	135
AL158-19	BE158-19	19	170	150	175
AL158-21	BE158-21	21	183	190	220
AL158-22	BE158-22	22	190	202	230
AL158-24	BE158-24	24	210	250	302
AL158-27	BE158-27	27	230	330	380
AL158-30	BE158-30	30	250	430	505
AL158-32	BE158-32	32	270	540	620
AL158-36	BE158-36	36	290	710	805

防爆凸形单头梅花扳手
Wrench,Single Box Convex




ITEM CODE		S mm	L mm	g	
AL-BR	BE-CU			AL-BR	BE-CU
AL159-10	BE159-10	10	110	65	75
AL159-12	BE159-12	12	120	102	115
AL159-14	BE159-14	14	130	120	135
AL159-17	BE159-17	17	150	130	145
AL159-19	BE159-19	19	170	160	185
AL159-22	BE159-22	22	190	215	240
AL159-24	BE159-24	24	210	290	320
AL159-27	BE159-27	27	230	370	401
AL159-30	BE159-30	30	250	475	520
AL159-32	BE159-32	32	270	595	650
AL159-34	BE159-34	34	280	715	780
AL159-36	BE159-36	36	290	730	802

防爆弯柄单头六角扳手
Wrench,Single Bent Box



ITEM CODE		S mm	L mm	g	
AL-BR	BE-CU			AL-BR	BE-CU
AL157A-22	BE157A-22	22	295	390	420
AL157A-24	BE157A-24	24	325	490	520
AL157A-27	BE157A-27	27	350	720	780
AL157A-30	BE157A-30	30	365	870	940
AL157A-32	BE157A-32	32	370	980	1050
AL157A-36	BE157A-36	36	385	1380	1500
AL157A-41	BE157A-41	41	415	1880	2040
AL157A-46	BE157A-46	46	440	2170	2350
AL157A-50	BE157A-50	50	520	3360	3650
AL157A-55	BE157A-55	55	550	3850	4150
AL157A-60	BE157A-60	60	575	4950	5300
AL157A-65	BE157A-65	65	590	5300	5650
AL157A-70	BE157A-70	70	600	5750	6150
AL157A-75	BE157A-75	75	600	6350	6800

防爆高颈单头梅花扳手
Wrench,Single Box Offset



ITEM CODE		S mm	L mm	g	
AL-BR	BE-CU			AL-BR	BE-CU
AL159A-22	BE159A-22	22	190	165	185
AL159A-24	BE159A-24	24	215	210	235
AL159A-27	BE159A-27	27	230	270	310
AL159A-30	BE159A-30	30	255	380	430
AL159A-32	BE159A-32	32	265	400	450
AL159A-36	BE159A-36	36	295	540	610
AL159A-41	BE159A-41	41	330	770	855
AL159A-46	BE159A-46	46	365	900	1000
AL159A-50	BE159A-50	50	400	1200	1350
AL159A-55	BE159A-55	55	445	1800	2000
AL159A-60	BE159A-60	60	474	2050	2260
AL159A-65	BE159A-65	65	510	2500	2800
AL159A-70	BE159A-70	70	555	2900	3250
AL159A-75	BE159A-75	75	590	3090	3450

防爆敲击扳手安全扶手
Safety Handrail for Striking Wrench



ITEM CODE		Size mm	L mm	g	
AL-BR	BE-CU			AL-BR	BE-CU
AL160B-1002	BE160B-1002	17-50	500	1000	1100
AL160B-1004	BE160B-1004	50-100	610	1300	1430
AL160B-1006	BE160B-1006	100-150	650	1500	1650

防爆敲击梅花扳手


Wrench,Striking Box



ITEM CODE		S	L		
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL160-17	BE160-17	17	145	125	140
AL160-19	BE160-19	19	145	125	140
AL160-22	BE160-22	22	155	160	180
AL160-24	BE160-24	24	165	220	250
AL160-27	BE160-27	27	175	315	350
AL160-30	BE160-30	30	185	430	475
AL160-32	BE160-32	32	185	450	490
AL160-34	BE160-34	34	200	490	540
AL160-36	BE160-36	36	205	520	580
AL160-38	BE160-38	38	215	620	680
AL160-41	BE160-41	41	225	680	755
AL160-46	BE160-46	46	235	890	990
AL160-50	BE160-50	50	250	1030	1145
AL160-55	BE160-55	55	265	1300	1440
AL160-60	BE160-60	60	274	1450	1620
AL160-65	BE160-65	65	298	1800	1995
AL160-70	BE160-70	70	320	2200	2435
AL160-75	BE160-75	75	326	2720	3010
AL160-80	BE160-80	80	350	3250	3600
AL160-85	BE160-85	85	355	3915	4330
AL160-90	BE160-90	90	380	4700	5200
AL160-95	BE160-95	95	390	4920	5450
AL160-100	BE160-100	100	410	6100	6750
AL160-105	BE160-105	105	420	6320	7000
AL160-110	BE160-110	110	445	7250	8000
AL160-120	BE160-120	120	480	9930	11000
AL160-130	BE160-130	130	520	11400	12610
AL160-140	BE160-140	140	520	11750	13000
AL160-150	BE160-150	150	565	13100	14500

防爆弯柄单头梅花扳手

Wrench,Single Bent Box



ITEM CODE		S	L		
AL-BR	BE-CU	inch	mm	AL-BR	BE-CU
AL161-1002	BE161-1002	11/16	145	190	210
AL161-1004	BE161-1004	3/4	145	180	200
AL161-1006	BE161-1006	7/8	155	220	245
AL161-1008	BE161-1008	1	175	315	350
AL161-1010	BE161-1010	1-1/16	175	315	350
AL161-1012	BE161-1012	1-1/8	185	410	455
AL161-1014	BE161-1014	1-3/16	185	430	475
AL161-1016	BE161-1016	1-1/4	185	425	470
AL161-1018	BE161-1018	1-3/8	200	500	560
AL161-1020	BE161-1020	1-1/2	215	710	790
AL161-1022	BE161-1022	1-5/8	225	680	755
AL161-1024	BE161-1024	1-3/4	235	920	1020
AL161-1026	BE161-1026	1-13/16	235	890	990
AL161-1028	BE161-1028	2	250	1030	1145

防爆重型敲击梅花扳手

Wrench,Striking Box



ITEM CODE		S	L		
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL162-32	BE162-32	32	180	710	790
AL162-36	BE162-36	36	190	900	990
AL162-41	BE162-41	41	200	1300	1450
AL162-46	BE162-46	46	210	1600	1770
AL162-50	BE162-50	50	230	1730	1930
AL162-55	BE162-55	55	260	3060	3400
AL162-60	BE162-60	60	290	3800	4200
AL162-65	BE162-65	65	320	4900	5430
AL162-70	BE162-70	70	350	5850	6480
AL162-75	BE162-75	75	380	7130	7890
AL162-80	BE162-80	80	410	9350	10350

防爆高颈敲击梅花扳手

Wrench,Offset Striking Box



ITEM CODE		S	L		
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL162A-27	BE162A-27	27	245	600	670
AL162A-30	BE162A-30	30	270	870	970
AL162A-32	BE162A-32	32	270	870	970
AL162A-36	BE162A-36	36	280	950	1060
AL162A-41	BE162A-41	41	305	1280	1430
AL162A-46	BE162A-46	46	310	1640	1830
AL162A-50	BE162A-50	50	320	1890	2100
AL162A-55	BE162A-55	55	320	2110	2350
AL162A-60	BE162A-60	60	355	2610	2900
AL162A-65	BE162A-65	65	380	3120	3470
AL162A-70	BE162A-70	70	400	3640	4050
AL162A-75	BE162A-75	75	420	4180	4350
AL162A-80	BE162A-80	80	435	4950	5500
AL162A-85	BE162A-85	85	440	5850	6500
AL162A-90	BE162A-90	90	445	6320	6820
AL162A-95	BE162A-95	95	450	7000	7880
AL162A-100	BE162A-100	100	455	7130	7900
AL162A-110	BE162A-110	110	460	7590	8400
AL162A-120	BE162A-120	120	470	8040	8900

防爆高颈敲击梅花扳手

Wrench,Offset Striking Box



ITEM CODE		S	L		
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL162B-24	BE162B-24	24	160	335	370
AL162B-27	BE162B-27	27	180	430	475
AL162B-30	BE162B-30	30	200	555	615
AL162B-32	BE162B-32	32	200	555	615
AL162B-36	BE162B-36	36	220	745	825
AL162B-41	BE162B-41	41	240	860	950
AL162B-46	BE162B-46	46	250	1200	1330
AL162B-50	BE162B-50	50	270	1450	1650
AL162B-55	BE162B-55	55	295	1800	2000
AL162B-60	BE162B-60	60	317	2200	2430
AL162B-65	BE162B-65	65	330	2490	2750
AL162B-70	BE162B-70	70	350	3060	3385
AL162B-75	BE162B-75	75	370	4205	4655
AL162B-80	BE162B-80	80	385	4540	5020

防爆凸型敲击梅花扳手


Wrench,Striking Convex Box



ITEM CODE		S	L		
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL163-22	BE163-22	22	165	300	330
AL163-24	BE163-24	24	165	300	330
AL163-27	BE163-27	27	175	335	370
AL163-30	BE163-30	30	185	480	530
AL163-32	BE163-32	32	185	430	475
AL163-36	BE163-36	36	210	670	740
AL163-41	BE163-41	41	227	860	950
AL163-46	BE163-46	46	245	1145	1270
AL163-50	BE163-50	50	257	1435	1590
AL163-55	BE163-55	55	267	1625	1800
AL163-60	BE163-60	60	278	1910	2115
AL163-65	BE163-65	65	298	2340	2580
AL163-70	BE163-70	70	320	2680	2960
AL163-75	BE163-75	75	326	3000	3350

防爆美式敲击梅花扳手

Offset Slogging Box Wrench(American Type)



ITEM CODE		S	L		
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL163A-24	BE163A-24	24	240	860	950
AL163A-27	BE163A-27	27	270	1035	1150
AL163A-30	BE163A-30	30	280	1340	1480
AL163A-32	BE163A-32	32	290	1530	1690
AL163A-36	BE163A-36	36	300	1720	1900
AL163A-41	BE163A-41	41	320	1910	2110
AL163A-46	BE163A-46	46	340	2485	2750
AL163A-50	BE163A-50	50	350	2870	3170
AL163A-55	BE163A-55	55	360	3730	4125
AL163A-60	BE163A-60	60	375	3920	4335
AL163A-65	BE163A-65	65	390	4010	4440
AL163A-70	BE163A-70	70	400	4875	5400
AL163A-75	BE163A-75	75	420	5255	5810
AL163A-80	BE163A-80	80	440	6600	7295
AL163A-90	BE163A-90	90	480	8800	9740
AL163A-100	BE163A-100	100	515	10200	11300
AL163A-110	BE163A-110	110	550	12100	13400
AL163A-120	BE163A-120	120	585	14000	15500
AL163A-130	BE163A-130	130	620	16000	17700

防爆弯柄敲击梅花扳手

Wrench,Striking Box Bent



ITEM CODE		S	L		
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL164-24	BE164-24	24	160	240	280
AL164-27	BE164-27	27	175	335	370
AL164-30	BE164-30	30	190	475	525
AL164-32	BE164-32	32	190	450	500
AL164-36	BE164-36	36	210	570	630
AL164-41	BE164-41	41	225	650	750
AL164-46	BE164-46	46	240	1030	1160
AL164-50	BE164-50	50	255	1100	1240
AL164-55	BE164-55	55	270	1285	1450
AL164-60	BE164-60	60	285	1640	1820
AL164-65	BE164-65	65	300	2390	2645
AL164-70	BE164-70	70	320	2675	2960

防爆加力杆梅花扳手

Ring Wrench For Extension



ITEM CODE		S	L		
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL164A-24	BE164A-24	24	180	430	475
AL164A-27	BE164A-27	27	190	480	530
AL164A-30	BE164A-30	30	200	525	580
AL164A-32	BE164A-32	32	235	715	795
AL164A-36	BE164A-36	36	245	815	900
AL164A-41	BE164A-41	41	265	955	1060
AL164A-46	BE164A-46	46	280	1340	1480
AL164A-50	BE164A-50	50	290	1530	1690
AL164A-55	BE164A-55	55	300	1670	1850
AL164A-60	BE164A-60	60	345	2670	2960
AL164A-65	BE164A-65	65	355	3055	3380
AL164A-70	BE164A-70	70	365	3530	3910
AL164A-75	BE164A-75	75	375	3920	4335
AL164A-80	BE164A-80	80	385	4680	5180


防爆梅花扳手加力杆 Extension Handle



ITEM CODE		Φ	L		
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL24-30	BE24-30	19	460	850	940
AL32-41	BE32-41	22	610	1480	1640
AL46-55	BE46-55	25	760	2240	2480
AL60-80	BE60-80	30	860	3515	3890

防爆角座梅花扳手

Crow Foot Box End



ITEM CODE		C	S	L		
AL-BR	BE-CU	inch	inch	mm	AL-BR	BE-CU
AL164B-1002	BE164B-1002	3/8	7/16	29	30	35
AL164B-1004	BE164B-1004		1/2	31	35	40
AL164B-1006	BE164B-1006		9/16	33	40	45
AL164B-1008	BE164B-1008		5/8	38	45	50
AL164B-1010	BE164B-1010		11/16	41	50	55
AL164B-1012	BE164B-1012		3/4	43	50	55
AL164B-1014	BE164B-1014	1/2	7/8	48	70	80
AL164B-1016	BE164B-1016		1	52	75	85
AL164B-1018	BE164B-1018		1-1/16	54	80	90
AL164B-1020	BE164B-1020		1-1/8	56	90	100
AL164B-1022	BE164B-1022		1-1/4	62	130	145
AL164B-1024	BE164B-1024		1-5/16	66	150	170
AL164B-1026	BE164B-1026		1-1/2	72	170	190
AL164B-1028	BE164B-1028		1-5/8	76	180	210
AL164B-1030	BE164B-1030		2	89	200	230

防爆阀门扳手


Valve Square Driver



ITEM CODE		C	L	H	g	
AL-BR	BE-CU	mm	mm	mm	AL-BR	BE-CU
AL165-6	BE165-6	6	110	9	55	65
AL165-8	BE165-8	8	120	10	61	75
AL165-9	BE165-9	9	140	11	75	90
AL165-10	BE165-10	10	140	12	85	105
AL165-11	BE165-11	11	160	13	102	130
AL165-12	BE165-12	12	190	14	145	180
AL165-13	BE165-13	13	200	15	151	185
AL165-14	BE165-14	14	250	16	261	300
AL165-16	BE165-16	16	250	18	285	335
AL165-17	BE165-17	17	300	19	366	420
AL165-19	BE165-19	19	350	20	662	740
AL165-22	BE165-22	22	400	22	896	1000

防爆阀门扳手


Valve Square Driver



ITEM CODE		Size	L	D	K	g	
AL-BR	BE-CU		mm	mm	mm	AL-BR	BE-CU
AL165A-15	BE165A-15	DN15	140	12	8	80	90
AL165A-20	BE165A-20	DN20	140	14	9	95	105
AL165A-25	BE165A-25	DN25	160	16	10	110	130
AL165A-32	BE165A-32	DN32	190	17	11	155	180
AL165A-40	BE165A-40	DN40	200	18	12	175	200
AL165A-50	BE165A-50	DN50	250	23	15	330	335
AL165A-65	BE165A-65	DN65	300	24	16	440	420
AL165A-80	BE165A-80	DN80	350	25	17	650	740
AL165A-100	BE165A-100	DN100	350	28	18	650	740

防爆英制内六角扳手


Wrench,Hex Key



ITEM CODE		S	L	H	g	
AL-BR	BE-CU	inch	mm	mm	AL-BR	BE-CU
AL167-1002	BE167-1002	1/16	59	25	6	8
AL167-1004	BE167-1004	5/64	59	25	6	8
AL167-1006	BE167-1006	3/32	59	25	6	8
AL167-1008	BE167-1008	7/64	59	25	6	8
AL167-1010	BE167-1010	1/8	59	25	6	8
AL167-1012	BE167-1012	9/64	64	29	7	8
AL167-1014	BE167-1014	5/32	65	30	9	10
AL167-1016	BE167-1016	3/16	79	31	14	15
AL167-1018	BE167-1018	7/32	85	37	18	20
AL167-1020	BE167-1020	1/4	85	37	27	30
AL167-1022	BE167-1022	9/32	88	43	40	45
AL167-1024	BE167-1024	5/16	92	44	44	48
AL167-1026	BE167-1026	11/32	97	44	45	50
AL167-1028	BE167-1028	3/8	110	45	80	85
AL167-1030	BE167-1030	7/16	119	48	100	110
AL167-1032	BE167-1032	1/2	140	55	155	170
AL167-1034	BE167-1034	9/16	150	58	180	195
AL167-1036	BE167-1036	5/8	162	63	245	270
AL167-1038	BE167-1038	11/16	168	65	325	355
AL167-1040	BE167-1040	3/4	178	73	415	450
AL167-1042	BE167-1042	13/16	184	77	520	565
AL167-1044	BE167-1044	7/8	187	79	595	650
AL167-1046	BE167-1046	15/16	192	82	755	825
AL167-1048	BE167-1048	1	200	85	840	925
AL167-1050	BE167-1050	1-1/16	213	93	1115	1220

防爆内六角扳手


Wrench,Hex Key



ITEM CODE		S	L	H	g	
AL-BR	BE-CU	mm	mm	mm	AL-BR	BE-CU
AL166-1.5	BE166-1.5	1.5	59	25	6	8
AL166-2	BE166-2	2	59	25	6	8
AL166-2.5	BE166-2.5	2.5	59	25	6	8
AL166-3	BE166-3	3	59	25	7	8
AL166-4	BE166-4	4	65	30	8	10
AL166-5	BE166-5	5	79	32	12	16
AL166-6	BE166-6	6	85	37	20	25
AL166-7	BE166-7	7	88	43	30	34
AL166-8	BE166-8	8	92	44	45	50
AL166-9	BE166-9	9	97	44	55	61
AL166-10	BE166-10	10	110	45	70	82
AL166-11	BE166-11	11	119	48	90	100
AL166-12	BE166-12	12	130	52	130	145
AL166-13	BE166-13	13	140	54	160	180
AL166-14	BE166-14	14	150	58	191	211
AL166-15	BE166-15	15	156	60	230	260
AL166-16	BE166-16	16	162	63	270	300
AL166-17	BE166-17	17	168	65	335	370
AL166-18	BE166-18	18	173	69	402	450
AL166-19	BE166-19	19	177	72	445	490
AL166-21	BE166-21	21	184	74	595	652
AL166-22	BE166-22	22	186	77	615	675
AL166-24	BE166-24	24	192	82	755	825
AL166-25	BE166-25	25	200	84	840	925
AL166-26	BE166-26	26	206	90	940	1025
AL166-27	BE166-27	27	213	93	1115	1220
AL166-28	BE166-28	28	222	95	1235	1350
AL166-30	BE166-30	30	240	105	1475	1615
AL166-32	BE166-32	32	266	116	1885	2065
AL166-36	BE166-36	36	294	128	2650	2905
AL166-41	BE166-41	41	320	140	3760	4120

防爆球头内六角扳手

Wrench,Hex Key With Ball




ITEM CODE		S	L	H	g	
AL-BR	BE-CU	mm	mm	mm	AL-BR	BE-CU
AL167A-2	BE167A-2	2	50	16	2	3
AL167A-3	BE167A-3	3	63	20	4	5
AL167A-4	BE167A-4	4	70	25	11	12
AL167A-5	BE167A-5	5	80	28	20	22
AL167A-6	BE167A-6	6	90	32	27	30
AL167A-7	BE167A-7	7	95	34	45	50
AL167A-8	BE167A-8	8	100	36	51	56
AL167A-9	BE167A-9	9	106	38	76	85
AL167A-10	BE167A-10	10	112	40	90	100
AL167A-11	BE167A-11	11	118	42	125	140
AL167A-12	BE167A-12	12	125	45	160	175

WEDO 维度®

防爆工具 NON-SPARKING TOOLS

防爆内六角扳手


Wrench,Hex Key



ITEM CODE		S	L	H	g	
AL-BR	BE-CU	mm	mm	mm	AL-BR	BE-CU
AL167B-2	BE167B-2	2	50	16	2	3
AL167B-3	BE167B-3	3	63	20	4	5
AL167B-4	BE167B-4	4	70	25	11	12
AL167B-5	BE167B-5	5	80	28	20	22
AL167B-6	BE167B-6	6	90	32	27	30
AL167B-7	BE167B-7	7	95	34	45	50
AL167B-8	BE167B-8	8	100	36	50	56
AL167B-9	BE167B-9	9	106	38	77	85
AL167B-10	BE167B-10	10	112	40	90	100
AL167B-11	BE167B-11	11	118	42	126	140
AL167B-12	BE167B-12	12	125	45	145	162

防爆 T 型内六角扳手


Wrench,T Type Hex Key



ITEM CODE		S	L	H	g	
AL-BR	BE-CU	mm	mm	mm	AL-BR	BE-CU
AL167C-2	BE167C-2	2	90	100	50	55
AL167C-3	BE167C-3	3	90	100	50	55
AL167C-4	BE167C-4	4	90	100	70	75
AL167C-5	BE167C-5	5	90	100	75	85
AL167C-6	BE167C-6	6	90	100	90	100
AL167C-8	BE167C-8	8	90	100	90	100
AL167C-10	BE167C-10	10	90	100	135	150

防爆内四角扳手


Wrench,Square Key



ITEM CODE		S	L	H	g	
AL-BR	BE-CU	mm	mm	mm	AL-BR	BE-CU
AL167D-8	BE167D-8	8	92	44	50	55
AL167D-9	BE167D-9	9	97	44	60	65
AL167D-10	BE167D-10	10	110	45	80	90
AL167D-11	BE167D-11	11	119	48	100	110
AL167D-12	BE167D-12	12	130	52	140	155
AL167D-13	BE167D-13	13	140	54	170	185
AL167D-14	BE167D-14	14	150	58	200	220
AL167D-15	BE167D-15	15	156	60	250	280
AL167D-16	BE167D-16	16	162	63	290	320
AL167D-17	BE167D-17	17	168	65	355	395
AL167D-18	BE167D-18	18	173	69	420	465
AL167D-19	BE167D-19	19	177	72	470	520

防爆星型内六角扳手


Tprx Key Wrench



ITEM CODE		Size	L	H	g	
AL-BR	BE-CU		mm	mm	AL-BR	BE-CU
AL167E-6	BE167E-6	T6	42	16	5	8
AL167E-7	BE167E-7	T7	48	16	5	8
AL167E-8	BE167E-8	T8	48	16	5	8
AL167E-9	BE167E-9	T9	48	16	5	8
AL167E-10	BE167E-10	T10	51	17	5	8
AL167E-15	BE167E-15	T15	54	18	8	10
AL167E-20	BE167E-20	T20	57	20	10	13
AL167E-25	BE167E-25	T25	60	20	13	17
AL167E-27	BE167E-27	T27	64	21	15	20
AL167E-30	BE167E-30	T30	70	24	25	30
AL167E-40	BE167E-40	T40	76	26	35	40
AL167E-45	BE167E-45	T45	83	29	45	50
AL167E-50	BE167E-50	T50	95	32	65	75
AL167E-55	BE167E-55	T55	108	35	130	145
AL167E-60	BE167E-60	T60	120	38	190	210

防爆单头 C 型扳手


Valve Wrench,C Type



ITEM CODE		L	S	g	
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL168-1002	BE168-1002	450	40	1102	1205

防爆双头 C 型扳手


Valve Wrench,C Type



ITEM CODE		L	S^1	S^2	g	
AL-BR	BE-CU	mm	mm	mm	AL-BR	BE-CU
AL169-1002	BE169-1002	200	14.5	18.5	335	370
AL169-1004	BE169-1004	250	17.5	25.5	575	635
AL169-1006	BE169-1006	450	25.5	34	2160	2385

防爆重型 C 型扳手

Valve Wrench,C Type



ITEM CODE		L	Φ	H	g	
AL-BR	BE-CU	mm	mm	mm	AL-BR	BE-CU
AL170-1002	BE170-1002	600	32	32	4115	4500

防爆 U 型扳手


Valve Spanner(U Type),Spanner



ITEM CODE		L	K	g	
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL170A-1002	BE170A-1002	234	20	235	260
AL170A-1004	BE170A-1004	280	30	740	820
AL170A-1006	BE170A-1006	335	35	885	980
AL170A-1008	BE170A-1008	400	35	1480	1640

防爆 U 型扳手


Valve Spanner(U Type),Spanner



ITEM CODE		L	K	g	
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL170B-1002	BE170B-1002	226	20	335	370

防爆氧气瓶扳手


Oxygen Bottle Wrench



ITEM CODE		C	L	H	g	
AL-BR	BE-CU	inch	mm	mm	AL-BR	BE-CU
AL171-1002	BE171-1002	3/8	154	58	170	185

防爆六角起子


Wrench,T-type Sliding Hex



ITEM CODE		S	L	H	g	
AL-BR	BE-CU	mm	mm	mm	AL-BR	BE-CU
AL172-10	BE172-10	10	150	110	245	270
AL172-12	BE172-12	12	170	130	265	290
AL172-14	BE172-14	14	170	140	365	400
AL172-17	BE172-17	17	190	150	423	465
AL172-19	BE172-19	19	220	160	563	615
AL172-22	BE172-22	22	240	170	605	660
AL172-24	BE172-24	24	260	180	855	935
AL172-27	BE172-27	27	260	190	915	1000
AL172-30	BE172-30	30	280	200	1195	1306
AL172-32	BE172-32	32	280	210	1375	1505
AL172-36	BE172-36	36	300	216	1645	1802
AL172-41	BE172-41	41	300	226	1895	2075

防爆勾扳手

Wrench,Hook



ITEM CODE		D	L	g	
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL173-1002	BE173-1002	30-32	140	50	63
AL173-1004	BE173-1004	34-36	170	85	95
AL173-1006	BE173-1006	40-42	176	95	105
AL173-1008	BE173-1008	45-50	209	145	160
AL173-1010	BE173-1010	52-55	212	150	170
AL173-1012	BE173-1012	58-62	244	200	225
AL173-1014	BE173-1014	68-75	250	240	265
AL173-1016	BE173-1016	80-90	284	335	375
AL173-1018	BE173-1018	95-100	288	370	415
AL173-1020	BE173-1020	110-115	337	690	770
AL173-1022	BE173-1022	120-130	343	690	770
AL173-1024	BE173-1024	135-145	388	1000	1110

防爆勾扳手


Wrench,Hook



ITEM CODE		D	L	g	
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL173A-1002	BE173A-1002	118	280	310	350

防爆可调勾扳手

Wrench,Adjustable Hook



ITEM CODE		D	L	g	
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL173B-1002	BE173B-1002	19-50	162	110	120
AL173B-1004	BE173B-1004	32-75	205	235	260
AL173B-1006	BE173B-1006	50-120	288	460	515
AL173B-1008	BE173B-1008	115-170	310	600	670

防爆柱销式勾扳手

Hook Wrench With Pin



ITEM CODE		D	L	g	
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL173C-1002	BE173C-1002	30-32	136	50	63
AL173C-1004	BE173C-1004	34-36	171	85	95
AL173C-1006	BE173C-1006	40-42	171	95	105
AL173C-1008	BE173C-1008	45-50	207	145	160
AL173C-1010	BE173C-1010	52-55	207	150	170
AL173C-1012	BE173C-1012	58-62	243	200	225
AL173C-1014	BE173C-1014	68-75	243	240	265
AL173C-1016	BE173C-1016	80-90	281	335	375
AL173C-1018	BE173C-1018	95-100	281	370	415
AL173C-1020	BE173C-1020	110-115	333	690	770

防爆方头 F 扳手

Valve Handle



ITEM CODE		S	L	H	g	
AL-BR	BE-CU	mm	mm	mm	AL-BR	BE-CU
AL174-30	BE174-30	30	200	44	340	405
AL174-35	BE174-35	35	250	49	410	465
AL174-40	BE174-40	40	300	50	540	595
AL174-45	BE174-45	45	350	61	762	835
AL174-48	BE174-48	48	375	62	790	865
AL174-50	BE174-50	50	400	67	815	892
AL174-55	BE174-55	55	450	73	1110	1270
AL174-60	BE174-60	60	500	79	1435	1570
AL174-65	BE174-65	65	550	80	1755	1920
AL174-70	BE174-70	70	600	80	1775	1945
AL174-75	BE174-75	75	650	85	2055	2245
AL174-80	BE174-80	80	700	91	2190	2405
AL174-85	BE174-85	85	750	97	2770	3050
AL174-90	BE174-90	90	800	103	3060	3360
AL174-93	BE174-93	93	850	107	3250	3553
AL174-96	BE174-96	96	900	110	3515	3870
AL174-100	BE174-100	100	1000	114	3795	4170
AL174-103	BE174-103	103	1200	120	5765	6330

防爆防滑扎花 F 扳手


Valve Handle



ITEM CODE		S	L	H	g	
AL-BR	BE-CU	mm	mm	mm	AL-BR	BE-CU
AL174B-30	BE174B-30	30	200	46	240	265
AL174B-35	BE174B-35	35	250	52	340	375
AL174B-40	BE174B-40	40	300	54	400	450
AL174B-45	BE174B-45	45	350	60	530	585
AL174B-50	BE174B-50	50	400	68	670	740
AL174B-55	BE174B-55	55	450	74	750	830
AL174B-60	BE174B-60	60	500	80	1100	1200
AL174B-65	BE174B-65	65	550	83	1160	1280
AL174B-70	BE174B-70	70	600	88	1250	1380
AL174B-75	BE174B-75	75	650	93.5	1500	1650
AL174B-80	BE174B-80	80	700	99.5	1700	1870
AL174B-85	BE174B-85	85	750	100	1900	2090
AL174B-90	BE174B-90	90	800	107	2100	2310
AL174B-95	BE174B-95	95	900	112	2700	2980
AL174B-100	BE174B-100	100	1000	117	3010	3330

防爆 A 型 F 扳手


Valve Handle



ITEM CODE		S	L	H	g	
AL-BR	BE-CU	mm	mm	mm	AL-BR	BE-CU
AL175-22	BE175-22	22	200	50	345	390
AL175-28	BE175-28	28	250	53	475	550
AL175-34	BE175-34	34	300	56	615	722
AL175-39	BE175-39	39	350	60	780	905
AL175-44	BE175-44	44	400	64	910	1050
AL175-48	BE175-48	48	450	69	1130	1260
AL175-53	BE175-53	53	500	74	1250	1405
AL175-58	BE175-58	58	550	79	1720	1890
AL175-63	BE175-63	63	600	84	2005	2220

防爆防滑 F 扳手


Valve Handle



ITEM CODE		S	L	H	g	
AL-BR	BE-CU	mm	mm	mm	AL-BR	BE-CU
AL174A-30	BE174A-30	30	200	46	240	265
AL174A-35	BE174A-35	35	250	52	340	375
AL174A-40	BE174A-40	40	300	54	400	450
AL174A-45	BE174A-45	45	350	60	530	585
AL174A-50	BE174A-50	50	400	68	670	740
AL174A-55	BE174A-55	55	450	74	750	830
AL174A-60	BE174A-60	60	500	80	1100	1200
AL174A-65	BE174A-65	65	550	83	1160	1280
AL174A-70	BE174A-70	70	600	88	1250	1380
AL174A-75	BE174A-75	75	650	93.5	1500	1650
AL174A-80	BE174A-80	80	700	99.5	1700	1870
AL174A-85	BE174A-85	85	750	100	1900	2090
AL174A-90	BE174A-90	90	800	107	2100	2310
AL174A-95	BE174A-95	95	900	112	2700	2980
AL174A-100	BE174A-100	100	1000	117	3010	3330


防爆圆头扎花 F 扳手

Valve Handle



ITEM CODE		S	L	H	g	
AL-BR	BE-CU	mm	mm	mm	AL-BR	BE-CU
AL176-30	BE176-30	30	200	44	250	280
AL176-32	BE176-32	32	300	50	490	540
AL176-35	BE176-35	35	250	47	325	364
AL176-40	BE176-40	40	300	50	422	470
AL176-45	BE176-45	45	350	58	540	610
AL176-48	BE176-48	48	375	62	595	660
AL176-50	BE176-50	50	400	67	615	705
AL176-55	BE176-55	55	450	73	870	960
AL176-60	BE176-60	60	500	79	1105	1205
AL176-65	BE176-65	65	550	82	1250	1370
AL176-70	BE176-70	70	600	85	1360	1540
AL176-75	BE176-75	75	650	88	1540	1705
AL176-80	BE176-80	80	700	91	1650	1910
AL176-85	BE176-85	85	750	97	2015	2250
AL176-90	BE176-90	90	800	103	2130	2380

防爆带爪阀门扳手
Valve Spanner




ITEM CODE		K	L	
AL-BR	BE-CU	mm	mm	g AL-BR / BE-CU
AL176A-1002	BE176A-1002	40	355	825 / 915

防爆带爪阀门扳手
Valve Spanner




ITEM CODE		B	Φ	L	
AL-BR	BE-CU	mm	mm	mm	g AL-BR / BE-CU
AL176B-1002	BE176B-1002	60	36	370	650 / 730
AL176B-1004	BE176B-1004	80	48	430	1350 / 1520
AL176B-1006	BE176B-1006	102	62	550	2000 / 2250

防爆带爪阀门扳手
Valve Spanner




ITEM CODE		B	R	L	
AL-BR	BE-CU	mm	mm	mm	g AL-BR / BE-CU
AL176C-1002	BE176C-1002	30	15	250	375 / 415
AL176C-1004	BE176C-1004	40	20	300	485 / 540
AL176C-1006	BE176C-1006	50	25	400	950 / 1050
AL176C-1008	BE176C-1008	60	30	550	1630 / 1800
AL176C-1010	BE176C-1010	130	65	750	4430 / 4900

防爆加强爪阀门扳手
Valve Spanner



ITEM CODE		B	R	L	
AL-BR	BE-CU	mm	mm	mm	g AL-BR / BE-CU
AL176D-1002	BE176D-1002	50	22.5	290	110 / 120
AL176D-1004	BE176D-1004	60	35.5	430	235 / 260
AL176D-1006	BE176D-1006	80	40	520	460 / 515
AL176D-1006	BE176D-1006	90	45	660	600 / 670

防爆 K 型阀门扳手
Valve Spanner




ITEM CODE		S	H	L	
AL-BR	BE-CU	mm	mm	mm	g AL-BR / BE-CU
AL176E-1002	BE176E-1002	40	50	300	540 / 590
AL176E-1004	BE176E-1004	55	74	450	1050 / 1165
AL176E-1006	BE176E-1006	70	80	600	1700 / 1950
AL176E-1008	BE176E-1008	90	100	800	2600 / 2800

防爆三爪阀门扳手
Valve Spanner




ITEM CODE		D	L	
AL-BR	BE-CU	mm	mm	g AL-BR / BE-CU
AL176F-200	BE176F-200	200	25	200 / 220
AL176F-250	BE176F-250	250	35	340 / 375
AL176F-300	BE176F-300	300	42	400 / 440
AL176F-350	BE176F-350	350	62	600 / 660
AL176F-400	BE176F-400	400	90	940 / 1030
AL176F-450	BE176F-450	450	110	1300 / 1430
AL176F-500	BE176F-500	500	165	1900 / 2090
AL176F-550	BE176F-550	550	225	2200 / 2420

防爆单头开桶扳手
Wrench,Bung




ITEM CODE		L	H	
AL-BR	BE-CU	mm	mm	g AL-BR / BE-CU
AL177-1002	BE177-1002	300	70	580 / 630

防爆双头开桶扳手
Wrench,Bung



ITEM CODE		L	H¹	H²	
AL-BR	BE-CU	mm	mm	mm	g AL-BR / BE-CU
AL178-1002	BE178-1002	350	70	95	1070 / 1165

防爆多用开桶扳手
Wrench,Bung




ITEM CODE		L	H¹	H²	
AL-BR	BE-CU	mm	mm	mm	g AL-BR / BE-CU
AL179-1002	BE179-1002	385	93	61	1150 / 1250

防爆开桶器
Drum Opener




ITEM CODE		L	
AL-BR	BE-CU	mm	g AL-BR / BE-CU
AL179C-1002	BE179C-1002	520	2800 / 3100

防爆多用开桶扳手
Wrench,Bung



ITEM CODE		L	H¹	H²	
AL-BR	BE-CU	mm	mm	mm	g AL-BR / BE-CU
AL179A-1002	BE179A-1002	300	38	52	750 / 830

防爆多用开桶扳手
Wrench,Bung




ITEM CODE		L	C	K₁	K₂	
AL-BR	BE-CU	mm	mm	mm	mm	g AL-BR / BE-CU
AL179B-1002	BE179B-1002	520	19	40	73	1100 / 1120

防爆双面撬棒棘轮扳手
Ratchet Wrench




ITEM CODE		S₁	S₂	L	
AL-BR	BE-CU	mm	mm	mm	g AL-BR / BE-CU
AL180A-1417	BE180A-1417	14	17	280	370 / 410
AL180A-1719	BE180A-1719	17	19	310	410 / 450
AL180A-1922	BE180A-1922	19	22	345	480 / 530
AL180A-2224	BE180A-2224	22	24	365	620 / 680
AL180A-2427	BE180A-2427	24	27	380	780 / 860
AL180A-2730	BE180A-2730	27	30	400	900 / 990
AL180A-3032	BE180A-3032	30	32	400	930 / 1025
AL180A-3236	BE180A-3236	32	36	450	1300 / 1450
AL180A-3641	BE180A-3641	36	41	495	1690 / 1860

防爆快速加力扳手
Ratchet Wrench




ITEM CODE		S	L	
AL-BR	BE-CU	mm	mm	g AL-BR / BE-CU
AL180B-22	BE180B-22	22	400-650	1550 / 1700
AL180B-24	BE180B-24	24	460-700	1820 / 2000
AL180B-27	BE180B-27	27	500-750	2280 / 2500
AL180B-30	BE180B-30	30	535-800	2730 / 3000
AL180B-32	BE180B-32	32	535-800	2870 / 3150
AL180B-36	BE180B-36	36	580-880	3000 / 3350
AL180B-41	BE180B-41	41	600-900	3280 / 3600

防爆圆柄轧花棘轮扳手
Ratchet Wrench




ITEM CODE		S	L	H	
AL-BR	BE-CU	mm	mm	mm	AL-BR	BE-CU
AL181-17	BE181-17	17	290	35	650	720
AL181-19	BE181-19	19	300	35	750	850
AL181-22	BE181-22	22	320	38	890	995
AL181-24	BE181-24	24	329	39	1100	1230
AL181-27	BE181-27	27	380	39	1350	1500
AL181-30	BE181-30	30	433	42	1600	1900
AL181-32	BE181-32	32	435	42	1700	1935
AL181-36	BE181-36	36	487	43	2320	2580

防爆重型六角棘轮扳手
Ratchet Wrench




ITEM CODE		S	L	H	
AL-BR	BE-CU	mm	mm	mm	AL-BR	BE-CU
AL183-17	BE183-17	17	250	28	650	710
AL183-19	BE183-19	19	250	28	820	896
AL183-21	BE183-21	21	250	30	940	1030
AL183-22	BE183-22	22	250	30	1010	1105
AL183-24	BE183-24	24	250	32	1230	1345
AL183-26	BE183-26	26	250	34	1250	1365
AL183-27	BE183-27	27	250	34	1450	1580
AL183-30	BE183-30	30	250	40	1640	1795
AL183-32	BE183-32	32	250	40	1820	1990
AL183-35	BE183-35	35	250	45	1840	2010
AL183-36	BE183-36	36	250	45	2035	2225

防爆重型扁柄六角棘轮扳手
Ratchet Wrench




ITEM CODE		S	L	H	
AL-BR	BE-CU	mm	mm	mm	AL-BR	BE-CU
AL182-17	BE182-17	17	230	35	621	725
AL182-19	BE182-19	19	240	35	652	745
AL182-21	BE182-21	21	260	38	835	963
AL182-22	BE182-22	22	260	38	835	963
AL182-24	BE182-24	24	270	39	1022	1175
AL182-26	BE182-26	26	285	39	1102	1253
AL182-27	BE182-27	27	285	39	1102	1253
AL182-30	BE182-30	30	300	42	1325	1532
AL182-32	BE182-32	32	315	42	1427	1622
AL182-35	BE182-35	35	330	43	1673	1829
AL182-36	BE182-36	36	330	43	1673	1829
AL182-41	BE182-41	41	330	45	1948	2129

防爆欧式棘轮扳手
Ratchet Wrench



ITEM CODE		S	L	
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL183A-9	BE183A-9	9	150	110	125
AL183A-11	BE183A-11	11	150	110	125
AL183A-13	BE183A-13	13	155	140	160
AL183A-14	BE183A-14	14	155	140	160
AL183A-17	BE183A-17	17	200	230	260
AL183A-19	BE183A-19	19	200	230	260
AL183A-22	BE183A-22	22	220	300	340
AL183A-24	BE183A-24	24	220	300	340
AL183A-27	BE183A-27	27	245	500	560
AL183A-30	BE183A-30	30	280	750	840
AL183A-32	BE183A-32	32	280	750	840
AL183A-36	BE183A-36	36	290	1050	1180
AL183A-41	BE183A-41	41	295	1100	1230
AL183A-46	BE183A-46	46	360	1850	2060
AL183A-50	BE183A-50	50	360	2000	2230
AL183A-55	BE183A-55	55	440	2600	2900
AL183A-60	BE183A-60	60	440	2600	2900

防爆装柄砖瓦锤
Hammer,Bricklayers'



ITEM CODE		HEAD	L	
AL-BR	BE-CU	g	mm	AL-BR	BE-CU
AL184-1002	BE184-1002	600	340	750	750
AL184-1004	BE184-1004	800	340	1000	1000

防爆装柄羊角锤
Hammer,Claw



ITEM CODE		HEAD	L	
AL-BR	BE-CU	g	mm	AL-BR	BE-CU
AL185-1002	BE185-1002	230	280	405	405
AL185-1004	BE185-1004	450	300	652	652
AL185-1006	BE185-1006	680	330	953	953
AL185-1008	BE185-1008	910	375	1205	1205

防爆装柄木工锤
Carpenter's Hammer



ITEM CODE		HEAD	L	
AL-BR	BE-CU	g	mm	AL-BR	BE-CU
AL185A-1002	BE185A-1002	500	300	700	700
AL185A-1004	BE185A-1004	600	330	780	870

防爆德式塑柄机械锤
Hammer,Cross Pein Engineers'




ITEM CODE		HEAD	L	
AL-BR	BE-CU	g	mm	AL-BR	BE-CU
AL186-1002	BE186-1002	500	310	655	655
AL186-1004	BE186-1004	1000	340	1175	1175
AL186-1006	BE186-1006	1500	400	1850	1850
AL186-1008	BE186-1008	2000	400	2455	2455
AL186-1010	BE186-1010	3000	700	3700	3700
AL186-1012	BE186-1012	5000	900	6000	6000

防爆德式木柄机械锤
Hammer,Cross Pein Engineers'




ITEM CODE		HEAD	L	
AL-BR	BE-CU	g	mm	AL-BR	BE-CU
AL186A-1002	BE186A-1002	500	310	600	600
AL186A-1004	BE186A-1004	1000	320	1150	1150
AL186A-1006	BE186A-1006	1500	360	1650	1650
AL186A-1008	BE186A-1008	2000	380	2200	2200
AL186A-1010	BE186A-1010	3000	700	3400	3400
AL186A-1012	BE186A-1012	5000	800	5500	5500

防爆塑柄奶头锤
Hammer,Ball Pein



ITEM CODE		HEAD	L	
AL-BR	BE-CU	g	mm	AL-BR	BE-CU
AL187-1002	BE187-1002	230	280	403	403
AL187-1004	BE187-1004	340	280	502	502
AL187-1006	BE187-1006	450	310	680	680
AL187-1008	BE187-1008	680	340	880	880
AL187-1010	BE187-1010	910	350	1100	1100
AL187-1012	BE187-1012	1130	400	1470	1470


防爆装柄双刃开头榔头
Hammer,Cutoff



ITEM CODE		HEAD	L	
AL-BR	BE-CU	g	mm	AL-BR	BE-CU
AL188-1002	BE188-1002	300	280	420	420
AL188-1004	BE188-1004	450	310	650	650
AL188-1006	BE188-1006	600	340	900	900

防爆木柄双刃开口榔头

Hammer,Cutoff



ITEM CODE		HEAD	L		
AL-BR	BE-CU	g	mm	AL-BR	BE-CU
AL188A-1002	BE188A-1002	300	300	390	390
AL188A-1004	BE188A-1004	450	325	560	560
AL188A-1006	BE188A-1006	600	365	830	830

防爆装柄崭口榔头

Hammer,Cutoff Japan Type)



ITEM CODE		HEAD	L		
AL-BR	BE-CU	g	mm	AL-BR	BE-CU
AL189-1002	BE189-1002	250	280	461	461
AL189-1004	BE189-1004	300	280	570	570

防爆装柄扁尾锤

Hammer,Engineer's Cross Pein



ITEM CODE		HEAD	L		
AL-BR	BE-CU	g	mm	AL-BR	BE-CU
AL189B-1002	BE189B-1002	500	310	650	650
AL189B-1004	BE189B-1004	900	350	1100	1100

防爆装柄除锈锤

Hammer,Scaling



ITEM CODE		HEAD	L		
AL-BR	BE-CU	g	mm	AL-BR	BE-CU
AL190-1002	BE190-1002	150	280	205	205
AL190-1004	BE190-1004	300	280	370	370

防爆装柄八角锤

Hammer,Sledge



ITEM CODE		HEAD	L		
AL-BR	BE-CU	g	mm	AL-BR	BE-CU
AL191-1002	BE191-1002	450	310	610	610
AL191-1004	BE191-1004	1000	350	1300	1300
AL191-1006	BE191-1006	1400	400	1700	1700
AL191-1008	BE191-1008	1500	400	1800	1800
AL191-1010	BE191-1010	1800	400	2100	2100
AL191-1012	BE191-1012	2000	400	2300	2300
AL191-1014	BE191-1014	2200	400	2500	2500
AL191-1016	BE191-1016	2500	700	3210	3210
AL191-1018	BE191-1018	2700	700	3410	3410
AL191-1020	BE191-1020	3000	700	3710	3710
AL191-1022	BE191-1022	3600	700	4310	4310
AL191-1024	BE191-1024	4000	900	4910	4910
AL191-1026	BE191-1026	4500	900	5410	5410
AL191-1028	BE191-1028	5000	900	5910	5910
AL191-1030	BE191-1030	5400	900	6310	6310
AL191-1032	BE191-1032	6400	900	7310	7310
AL191-1034	BE191-1034	7200	900	8110	8110
AL191-1036	BE191-1036	8000	900	8910	8910
AL191-1038	BE191-1038	8200	900	9110	9110
AL191-1040	BE191-1040	9100	900	10010	10010
AL191-1042	BE191-1042	9900	900	10810	10810

防爆塑柄八角锤

Hammer,Sledge



ITEM CODE		Size	L		
AL-BR	BE-CU	g	mm	AL-BR	BE-CU
AL191A-1002	BE191A-1002	450	310	450	450
AL191A-1004	BE191A-1004	1000	350	1000	1000
AL191A-1006	BE191A-1006	1400	400	1400	1400
AL191A-1008	BE191A-1008	1500	400	1500	1500
AL191A-1010	BE191A-1010	1800	400	1800	1800
AL191A-1012	BE191A-1012	2000	400	2000	2000
AL191A-1014	BE191A-1014	2200	400	2200	2200
AL191A-1016	BE191A-1016	2500	700	2500	2500
AL191A-1018	BE191A-1018	2700	700	2700	2700
AL191A-1020	BE191A-1020	3000	700	3000	3000
AL191A-1022	BE191A-1022	3600	700	3600	3600
AL191A-1024	BE191A-1024	4000	900	4000	4000
AL191A-1026	BE191A-1026	4500	900	4500	4500
AL191A-1028	BE191A-1028	5000	900	5000	5000
AL191A-1030	BE191A-1030	5400	900	5400	5400
AL191A-1032	BE191A-1032	6400	900	6400	6400
AL191A-1034	BE191A-1034	7200	900	7200	7200
AL191A-1036	BE191A-1036	8000	900	8000	8000
AL191A-1038	BE191A-1038	8200	900	8200	8200
AL191A-1040	BE191A-1040	9100	900	9100	9100
AL191A-1042	BE191A-1042	9900	900	9900	9900

防爆木柄八角锤

Hammer,Sledge



ITEM CODE		Size	L		
AL-BR	BE-CU	g	mm	AL-BR	BE-CU
AL191B-1002	BE191B-1002	450	310	450	450
AL191B-1004	BE191B-1004	1000	350	1000	1000
AL191B-1006	BE191B-1006	1400	400	1400	1400
AL191B-1008	BE191B-1008	1500	400	1500	1500
AL191B-1010	BE191B-1010	1800	400	1800	1800
AL191B-1012	BE191B-1012	2000	400	2000	2000
AL191B-1014	BE191B-1014	2200	400	2200	2200
AL191B-1016	BE191B-1016	2500	700	2500	2500
AL191B-1018	BE191B-1018	2700	700	2700	2700
AL191B-1020	BE191B-1020	3000	700	3000	3000
AL191B-1022	BE191B-1022	3600	700	3600	3600
AL191B-1024	BE191B-1024	4000	900	4000	4000
AL191B-1026	BE191B-1026	4500	900	4500	4500
AL191B-1028	BE191B-1028	5000	900	5000	5000
AL191B-1030	BE191B-1030	5400	900	5400	5400
AL191B-1032	BE191B-1032	6400	900	6400	6400
AL191B-1034	BE191B-1034	7200	900	7200	7200
AL191B-1036	BE191B-1036	8000	900	8000	8000
AL191B-1038	BE191B-1038	8200	900	8200	8200
AL191B-1040	BE191B-1040	9100	900	9100	9100
AL191B-1042	BE191B-1042	9900	900	9900	9900

防爆装柄德式八角锤

Hammer,Sledge(German Type)



ITEM CODE		HEAD	L		
AL-BR	BE-CU	g	mm	AL-BR	BE-CU
AL191C-1002	BE191C-1002	500	310	650	650
AL191C-1004	BE191C-1004	1000	350	1300	1300
AL191C-1006	BE191C-1006	1500	400	1800	1800
AL191C-1008	BE191C-1008	2000	400	2300	2300
AL191C-1010	BE191C-1010	3000	700	3700	3700
AL191C-1012	BE191C-1012	4000	900	4900	4900
AL191C-1014	BE191C-1014	5000	900	5900	5900

防爆英式平顶锤

Club Hammer



ITEM CODE		Size		
AL-BR	BE-CU	lb	AL-BR	BE-CU
AL191D-1002	BE191D-1002	2	910	910
AL191D-1004	BE191D-1004	4	1800	1800

防爆尼龙锤

Nylon Hammer



ITEM CODE		Size	L		
AL-BR	BE-CU	g	mm	AL-BR	BE-CU
AL191E-1002	BE191E-1002	800	340	950	950
AL191E-1004	BE191E-1004	1000	400	1200	1200

防爆尼龙顶锤

Nylon Hammer



ITEM CODE		Size	L		
AL-BR	BE-CU	g	mm	AL-BR	BE-CU
AL191F-1002	BE191F-1002	420	280	420	420
AL191F-1004	BE191F-1004	650	340	650	650


防爆新型木柄八角锤（胡桃木锤柄）

Sledge Hammer



ITEM CODE		HEAD	L		
AL-BR	BE-CU	g	mm	AL-BR	BE-CU
AL191G-1002	BE191G-1002	450	310	640	640
AL191G-1004	BE191G-1004	1000	320	1200	1200
AL191G-1006	BE191G-1006	1400	360	1620	1620
AL191G-1008	BE191G-1008	1500	360	1720	1720
AL191G-1010	BE191G-1010	1800	380	2020	2020
AL191G-1012	BE191G-1012	2000	380	2240	2240
AL191G-1014	BE191G-1014	2200	400	2440	2440
AL191G-1016	BE191G-1016	2500	400	2740	2740
AL191G-1018	BE191G-1018	2700	400	2940	2940
AL191G-1020	BE191G-1020	3000	700	3500	3500
AL191G-1022	BE191G-1022	3600	700	4100	4100
AL191G-1024	BE191G-1024	4000	800	4600	4600
AL191G-1026	BE191G-1026	4500	800	5100	5100
AL191G-1028	BE191G-1028	5000	800	5600	5600
AL191G-1030	BE191G-1030	5400	800	6000	6000
AL191G-1032	BE191G-1032	6400	800	7000	7000
AL191G-1034	BE191G-1034	7200	900	7850	7850
AL191G-1036	BE191G-1036	8000	900	8700	8700
AL191G-1038	BE191G-1038	8200	900	8900	8900
AL191G-1040	BE191G-1040	9100	900	9800	9800
AL191G-1042	BE191G-1042	9900	900	10600	10600

防爆装柄检验锤
Hammer,Testing



ITEM CODE		HEAD	L	g	
AL-BR	BE-CU	g	mm	AL-BR	BE-CU
AL192-1002	BE192-1002	150	280	206	206
AL192-1004	BE192-1004	250	280	345	345

防爆倒装柄八角锤
Sledge Hammer




ITEM CODE		HEAD	L	g	
AL-BR	BE-CU	g	mm	AL-BR	BE-CU
AL192A-1002	BE192A-1002	1000	370	1300	1300
AL192A-1004	BE192A-1004	1400	370	1700	1700
AL192A-1006	BE192A-1006	1500	370	1800	1800
AL192A-1008	BE192A-1008	1800	370	2100	2100
AL192A-1010	BE192A-1010	2000	370	2300	2300
AL192A-1012	BE192A-1012	2200	370	2500	2500
AL192A-1014	BE192A-1014	2500	700	3460	3460
AL192A-1016	BE192A-1016	2700	700	3660	3660
AL192A-1018	BE192A-1018	3000	700	3960	3960
AL192A-1020	BE192A-1020	3600	700	4560	4560
AL192A-1022	BE192A-1022	4000	900	4960	4960
AL192A-1024	BE192A-1024	4500	900	5460	5460
AL192A-1026	BE192A-1026	5000	900	5960	5960
AL192A-1028	BE192A-1028	5400	900	6360	6360
AL192A-1030	BE192A-1030	6400	900	7360	7360
AL192A-1032	BE192A-1032	7200	900	8160	8160
AL192A-1034	BE192A-1034	8000	900	8960	8960
AL192A-1036	BE192A-1036	8200	900	9160	9160
AL192A-1038	BE192A-1038	9100	900	10060	10060
AL192A-1040	BE192A-1040	9900	900	10860	10860

防爆倒装柄德式八角锤
Hammer, Sledge(German Type)




ITEM CODE		HEAD	L	g	
AL-BR	BE-CU	g	mm	AL-BR	BE-CU
AL192B-1004	BE192B-1004	1000	370	1300	1300
AL192B-1006	BE192B-1006	1500	370	1800	1800
AL192B-1008	BE192B-1008	2000	370	2300	2300
AL192B-1010	BE192B-1010	3000	700	3950	3950
AL192B-1012	BE192B-1012	4000	900	4950	4950
AL192B-1014	BE192B-1014	5000	900	5950	5950

防爆线锤
Hammer,Plumb



ITEM CODE		H	Φ	g	
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL193-1002	BE193-1002	59	50	247	275

防爆装柄镐头
Pick Railroad



ITEM CODE		Size	HEAD	L	g	
AL-BR	BE-CU		g	mm	AL-BR	BE-CU
AL194-1002	BE194-1002	1#	360	910	2000	2100
AL194-1004	BE194-1004	2#	385	910	2800	2950
AL194-1006	BE194-1006	3#	410	910	3200	3385
AL194-1008	BE194-1008	4#	470	910	3500	3715

防爆双尖镐头
Pick Railroad



ITEM CODE		Size	L	g	
AL-BR	BE-CU		mm	AL-BR	BE-CU
AL194A-1002	BE194A-1002	1#	910	2000	2100
AL194A-1004	BE194A-1004	2#	910	2800	2950
AL194A-1006	BE194A-1006	3#	910	3200	3385
AL194A-1008	BE194A-1008	4#	910	4000	4330

防爆装柄安全斧
Axe Fireman



ITEM CODE		L	H	B	g	
AL-BR	BE-CU	mm	mm	mm	AL-BR	BE-CU
AL195-1002	BE195-1002	340	190	98	1300	1425

防爆装柄双刃斧
Axe



ITEM CODE		L	H	B	g	
AL-BR	BE-CU	mm	mm	mm	AL-BR	BE-CU
AL196-1002	BE196-1002	340	145	82	890	980

防爆长柄消防斧
Axe,Pick Head




ITEM CODE		Size	L	B	g	
AL-BR	BE-CU		mm	mm	AL-BR	BE-CU
AL196A-1002	BE196A-1002	1800	920	120	2650	2650

防爆砧子
Anvil Block




ITEM CODE		Size	L	K
AL-BR	BE-CU		mm	mm
AL197-1002	BE197-1002	3000	63	92
AL197-1004	BE197-1004	5000	75	111
AL197-1006	BE197-1006	16000	114	160

防爆装柄方锨
Shovel,Square




ITEM CODE		L	B	H	g	
AL-BR	BE-CU	mm	mm	mm	AL-BR	BE-CU
AL198-1002	BE198-1002	940	175	340	1290	1410
AL198-1004	BE198-1004	990	240	428	1650	1804

防爆装柄煤锨
Dust Pan




ITEM CODE		L	B	H	g	
AL-BR	BE-CU	mm	mm	mm	AL-BR	BE-CU
AL199-1002	BE199-1002	990	270	520	2130	2330

防爆装柄尖锨
Shovel,Round Point




ITEM CODE		L	B	H	g	
AL-BR	BE-CU	mm	mm	mm	AL-BR	BE-CU
AL200-1002	BE200-1002	990	240	420	1420	1553

防爆两用锨
Folding Spade



ITEM CODE		L	B	H	g	
AL-BR	BE-CU	mm	mm	mm	AL-BR	BE-CU
AL201-1002	BE201-1002	320	180	130	1350	1500

防爆掘锨
Edging Spade




ITEM CODE		H	B	H1	g	
AL-BR	BE-CU	mm	mm	mm	AL-BR	BE-CU
AL201A-1002	BE201A-1002	1390	195	290	3200	3500
AL201A-1004	BE201A-1004	1440	175	340	3480	3700

防爆削皮刀
Knife,Common




ITEM CODE		L	L_1	g	
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL202-1002	BE202-1002	80	185	105	90
AL202-1004	BE202-1004	145	250	125	105

防爆塑柄泥子刀
Knife,Putty




ITEM CODE		K	L	g	
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL203B-1002	BE203B-1002	75	203	130	110
AL203B-1004	BE203B-1004	100	203	150	125
AL203B-1006	BE203B-1006	150	253	310	280

防爆刀子
Knife




ITEM CODE		L	L_1	g	
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL202A-1002	BE202A-1002	90	203	110	95

防爆圆弧抹刀
Spatula




ITEM CODE		K	L	L_1	g	
AL-BR	BE-CU	mm	mm	mm	AL-BR	BE-CU
AL204A-1002	BE204A-1002	30	90	203	80	85
AL204A-1004	BE204A-1004	50	105	218	110	115
AL204A-1006	BE204A-1006	90	120	233	145	160

防爆塑柄削皮刀
Knife,Common




ITEM CODE		L	L_1	g	
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL202B-1002	BE202B-1002	80	193	105	90
AL202B-1004	BE202B-1004	137	250	125	105

防爆电工刀
Electrician Knife



ITEM CODE		L_1	L	g	
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL204B-1002	BE204B-1002	195	60	185	210

防爆塑柄泥子刀
Knife,Putty




ITEM CODE		K	L	g	
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL203A-1002	BE203A-1002	25	203	95	85
AL203A-1004	BE203A-1004	40	203	105	90
AL203A-1006	BE203A-1006	50	203	110	95
AL203A-1008	BE203A-1008	65	203	120	100

防爆木柄泥子刀
Knife,Putty




ITEM CODE		K	L	g	
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL204C-1002	BE204C-1002	25	200	95	85
AL204C-1004	BE204C-1004	40	200	105	90
AL204C-1006	BE204C-1006	50	200	110	95
AL204C-1008	BE204C-1008	65	200	120	100

防爆长柄圆弧抹刀
Spatula




ITEM CODE		K	L	L_1	g	
AL-BR	BE-CU	mm	mm	mm	AL-BR	BE-CU
AL204D-1002	BE204D-1002	40	350	230	110	120

防爆木柄泥子刀
Knife,Putty




ITEM CODE		K	L	g	
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL204E-1002	BE204E-1002	75	200	130	110
AL204E-1004	BE204E-1004	100	200	150	125
AL204E-1006	BE204E-1006	150	250	310	215

防爆加套刀子
Knife




ITEM CODE		L	L_1	g	
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL204F-1002	BE204F-1002	110	216	120	90

防爆刀子
Knife




ITEM CODE		L	L_1	g	
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL204G-1002	BE204G-1002	75	180	120	90

防爆刮丝刀
Knife,Wire Stripping and Scraping




ITEM CODE		L	L_1	g	
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL204H-1002	BE204H-1002	120	230	110	120

防爆木柄除锈刀
Scraper



ITEM CODE		L	B	H	g	
AL-BR	BE-CU	mm	mm	mm	AL-BR	BE-CU
AL205-1002	BE205-1002	902	50	2	625	683

防爆塑柄除锈刀
Scraper



ITEM CODE		L	B	H	g	
AL-BR	BE-CU	mm	mm	mm	AL-BR	BE-CU
AL205A-1002	BE205A-1002	902	50	2	625	683

防爆除锈刀
Scraper



ITEM CODE		L	B	g	
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL205B-1002	BE205B-1002	1190	50	2550	2800
AL205B-1004	BE205B-1004	1205	75	2850	3130
AL205B-1006	BE205B-1006	1220	100	3000	3300

防爆除锈刀
Scraper,Flat



ITEM CODE		L	B	L_1	g	
AL-BR	BE-CU	mm	mm	mm	AL-BR	BE-CU
AL206-1002	BE206-1002	200	30	325	300	330
AL206-1004	BE206-1004	300	30	430	440	480
AL206-1006	BE206-1006	350	35	490	580	640
AL206-1008	BE206-1008	350	50	490	910	1020
AL206-1010	BE206-1010	400	60	560	1330	1520


防爆两头扁刮刀
Scraper,Deck



ITEM CODE		L	B	g	
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL207-1002	BE207-1002	250	39	255	285
AL207-1004	BE207-1004	300	45	335	380
AL207-1006	BE207-1006	350	55	507	555
AL207-1008	BE207-1008	400	50	700	775
AL207-1010	BE207-1010	650	56	1290	1405
AL207-1012	BE207-1012	750	58	1380	1540

ITEM CODE		L	B	g	
AL-BR	BE-CU	inch	inch	AL-BR	BE-CU
AL207A-1002	BE207A-1002	12	2	425	460

防爆两头扁刮刀
Scraper,Deck




ITEM CODE		L	B	g	
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL208-1002	BE208-1002	270	40	338	371

防爆刮刀
Scraper,Deck




ITEM CODE		L	B	g	
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL209-1002	BE209-1002	300	48	391	432

防爆刮刀
Scraper,Deck




ITEM CODE		L	B	g	
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL210-1002	BE210-1002	380	38	720	821

防爆除锈铲
Scraper,Spray Booth




ITEM CODE		L	B	g	
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL211-1002	BE211-1002	235	76	358	392

防爆装柄除锈铲
Scraper




ITEM CODE		L	L_1	B	g	
AL-BR	BE-CU	mm	mm	mm	AL-BR	BE-CU
AL212-1002	BE212-1002	690	90	50	520	550
AL212-1004	BE212-1004	705	100	75	700	750
AL212-1006	BE212-1006	720	115	100	800	850
AL212-1008	BE212-1008	765	150	150	1300	1400

防爆方头除锈刀
Scraper,Hand Style




ITEM CODE		L	L_1	B	g	
AL-BR	BE-CU	mm	mm	mm	AL-BR	BE-CU
AL212A-1002	BE212A-1002	480	95	95	540	600

防爆圆弧除锈刀
Scraper,Rust




ITEM CODE		L	B	L^1	g	
AL-BR	BE-CU	mm	mm	mm	AL-BR	BE-CU
AL212B-1002	BE212B-1002	600	75	75	620	700

防爆弧形除锈铲
Scraper,Arched




ITEM CODE		L	L_1	B	g	
AL-BR	BE-CU	mm	mm	mm	AL-BR	BE-CU
AL213-1002	BE213-1002	690	120	50	600	650
AL213-1004	BE213-1004	710	120	100	830	925
AL213-1006	BE213-1006	720	120	150	980	1080

防爆地板刮刀
Scraper,Floor




ITEM CODE		L	L_1	B	g	
AL-BR	BE-CU	mm	mm	mm	AL-BR	BE-CU
AL213A-1002	BE213A-1002	460	170	150	1000	1150

防爆开油漆桶刀
Opener Carbide Drum




ITEM CODE		L	B	g	
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL214-1002	BE214-1002	280	53	595	655

防爆瓦刀
Scraper,Tile Cleaver




ITEM CODE		L	L_1	B	g	
AL-BR	BE-CU	mm	mm	mm	AL-BR	BE-CU
AL215-1002	BE215-1002	180	350	55	550	610

防爆抹刀
Trowel Bricklayer's



ITEM CODE		L	L_1	B	g	
AL-BR	BE-CU	mm	mm	mm	AL-BR	BE-CU
AL215A-1002	BE215A-1002	335	215	130	620	700

防爆梯形砌铲
Trapezia Shovel Bricklayer's



ITEM CODE		L	L_1	B	g	
AL-BR	BE-CU	mm	mm	mm	AL-BR	BE-CU
AL215B-1002	BE215B-1002	290	160	80	390	420

防爆刨刃
Plane's Blade



ITEM CODE		L	B	
AL-BR	BE-CU	mm	mm	g AL-BR / BE-CU
AL216-1002	BE216-1002	175	43	120 / 130

防爆方锉
File,Square



ITEM CODE	L	L	B	g
BE-CU	inch	mm	mm	BE-CU
BE220-1002	8	200	8	130
BE220-1004	10	250	10	155
BE220-1006	12	300	11	202
BE220-1008	14	350	12	303

防爆平锉
File,Flat



ITEM CODE	L	L	B	H	g
BE-CU	inch	mm	mm	mm	BE-CU
BE217-1002	6	150	16	4	75
BE217-1004	8	200	21	4.5	160
BE217-1006	10	250	25	6	282
BE217-1008	12	300	30	6.5	455
BE217-1010	14	350	32	8	675
BE217-1012	16	400	32	9.5	925

防爆三角锉
File,Triangle



ITEM CODE	L	L	B	g
BE-CU	inch	mm	mm	BE-CU
BE221-1002	8	200	12	115
BE221-1004	10	250	13	125
BE221-1006	12	300	14	160
BE221-1008	14	350	14	205

防爆半圆锉
File,Half Round



ITEM CODE	L	L	B	H	g
BE-CU	inch	mm	mm	mm	BE-CU
BE218-1002	6	150	22	6	105
BE218-1004	8	200	23	7	190
BE218-1006	10	250	26	8	255
BE218-1008	12	300	28	9	375
BE218-1010	14	350	30	10	565

防爆什锦锉
File Set-5pcs



ITEM CODE	L	Φ	g
BE-CU	mm	mm	BE-CU
BE221A	180	5	140
	180	5	
	180	5	
	180	5	
	180	5	

防爆圆锉
File,Round




ITEM CODE	L	L	Φ	g
BE-CU	inch	mm	mm	BE-CU
BE219-1002	6	150	6.5	45
BE219-1004	8	200	7.5	91
BE219-1006	10	250	8.5	122
BE219-1008	12	300	9.5	180
BE219-1010	14	350	10.5	250

防爆机械冲子
Punch,Machinists'



ITEM CODE		S	L	g
AL-BR	BE-CU	mm	mm	AL-BR / BE-CU
AL222-1002	BE222-1002	14	150	155 / 165
AL222-1004	BE222-1004	18	200	355 / 385
AL222-1006	BE222-1006	20	250	555 / 610
AL222-1008	BE222-1008	20	300	660 / 725

防爆气动冲子
Chisel,Pneumatic Bull Point




ITEM CODE		S	L	L_1	g
AL-BR	BE-CU	mm	mm	mm	AL-BR / BE-CU
AL223-1002	BE223-1002	28	500	150	2400 / 2650

防爆平头冲子
Punch




ITEM CODE		Φ	Φ	L	g
AL-BR	BE-CU	mm	mm	mm	AL-BR / BE-CU
AL223C-1002	BE223C-1002	5	11	150	95 / 105
AL223C-1004	BE223C-1004	6	12	150	115 / 130
AL223C-1006	BE223C-1006	7	13	150	135 / 150
AL223C-1008	BE223C-1008	8	14	150	150 / 170
AL223C-1010	BE223C-1010	10	16	175	230 / 255
AL223C-1012	BE223C-1012	12	18	175	300 / 335
AL223C-1014	BE223C-1014	13	29	255	1060 / 1180

防爆六角冲子
Punch Machinists'




ITEM CODE		Φ	L	g
AL-BR	BE-CU	mm	mm	AL-BR / BE-CU
AL223A-1002	BE223A-1002	5	150	215 / 235
AL223A-1004	BE223A-1004	8	150	255 / 285
AL223A-1006	BE223A-1006	10	150	315 / 345

防爆钎子
Punch,Machinists'



ITEM CODE		L	Φ	g
AL-BR	BE-CU	mm	mm	AL-BR / BE-CU
AL223D-1002	BE223D-1002	160	18	265 / 290
AL223D-1004	BE223D-1004	250	18	425 / 470
AL223D-1006	BE223D-1006	300	18	545 / 600
AL223D-1008	BE223D-1008	300	20	635 / 700
AL223D-1010	BE223D-1010	300	25	995 / 1100
AL223D-1012	BE223D-1012	400	18	725 / 800
AL223D-1014	BE223D-1014	400	20	885 / 1000

防爆顶出冲子
Drift Cylindrical



ITEM CODE		Φ	Φ	L	g
AL-BR	BE-CU	mm	mm	mm	AL-BR / BE-CU
AL223B-1002	BE223B-1002	3	9	110	15 / 20
AL223B-1004	BE223B-1004	4	10	110	50 / 57
AL223B-1006	BE223B-1006	6	12	115	95 / 105
AL223B-1008	BE223B-1008	8	14	120	115 / 130
AL223B-1010	BE223B-1010	10	16	145	180 / 200
AL223B-1012	BE223B-1012	12	18	160	260 / 280
AL223B-1014	BE223B-1014	14	20	180	380 / 410
AL223B-1016	BE223B-1016	16	24	200	600 / 640
AL223B-1018	BE223B-1018	18	30	225	960 / 1070
AL223B-1020	BE223B-1020	20	32	225	1110 / 1230

防爆圆筒状直形钎子
Drift pin,Barrel Straight



ITEM CODE		L	Φ	$Φ_1$	g
AL-BR	BE-CU	mm	mm	mm	AL-BR / BE-CU
AL223E-1002	BE223E-1002	150	8	11	118 / 125
AL223E-1004	BE223E-1004	150	10	13	140 / 155
AL223E-1006	BE223E-1006	150	12	15	190 / 215
AL223E-1008	BE223E-1008	200	14	18	380 / 420
AL223E-1010	BE223E-1010	200	15	19	390 / 435
AL223E-1012	BE223E-1012	200	16	20	435 / 480
AL223E-1014	BE223E-1014	200	17	21	540 / 570
AL223E-1016	BE223E-1016	250	18	22	560 / 600
AL223E-1018	BE223E-1018	250	19	23	780 / 860
AL223E-1020	BE223E-1020	250	20	24	790 / 875
AL223E-1022	BE223E-1022	250	21	25	885 / 950
AL223E-1024	BE223E-1024	250	22	26	920 / 965
AL223E-1026	BE223E-1026	250	24	28	1150 / 1270
AL223E-1028	BE223E-1028	250	25	29	1170 / 1300
AL223E-1030	BE223E-1030	250	26	30	1250 / 1390
AL223E-1032	BE223E-1032	300	27	31	1770 / 1900

防爆三角刮刀
Scraper,Triangular




ITEM CODE		L	L_1	K	g	
AL-BR	BE-CU	mm	mm	mm	AL-BR	BE-CU
AL224-1002	BE224-1002	160	280	22	225	245
AL224-1004	BE224-1004	300	425	26	590	645

防爆半圆刮刀
Scraper,Half Round




ITEM CODE		L	L_1	B	H	g	
AL-BR	BE-CU	mm	mm	mm	mm	AL-BR	BE-CU
AL224D-1002	BE224D-1002	440	300	30	5	380	420

防爆三角片刮刀
Scraper Plate




ITEM CODE		L	B	g	
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL224A-1002	BE224A-1002	470	150	810	900

防爆六角尖铲
Chisel,Cross




ITEM CODE		S	L	H	g	
AL-BR	BE-CU	mm	mm	mm	AL-BR	BE-CU
AL225-1002	BE225-1002	20	200	8	432	475

防爆半月刮刀
Scraper,Halfmoon




ITEM CODE		L	B	g	
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL224B-1002	BE224B-1002	326	100	235	260

防爆平尖铲
Chisel,Cross Cutting



ITEM CODE		L	B	h	g	
AL-BR	BE-CU	mm	mm	mm	AL-BR	BE-CU
AL225A-1002	BE225A-1002	140	4	6	255	280
AL225A-1004	BE225A-1004	200	4	7	435	480
AL225A-1006	BE225A-1006	300	5	8	760	840

防爆三角刮刀
Scraper,Triangular




ITEM CODE		L	L_1	K	g	
AL-BR	BE-CU	mm	mm	mm	AL-BR	BE-CU
AL224C-1002	BE224C-1002	440	300	20	380	420

防爆铲式砖瓦锤
Scraper Pick And Scaler




ITEM CODE		L	B	g	
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL225B-1002	BE225B-1002	450	75	1155	1285

防爆平口扁铲
Chisel,Flat



ITEM CODE		B	L	g	
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL225C-1002	BE225C-1002	22	150	230	255
AL225C-1004	BE225C-1004	22	200	295	325
AL225C-1006	BE225C-1006	24	250	480	525
AL225C-1008	BE225C-1008	25	300	675	740
AL225C-1010	BE225C-1010	27	400	1050	1155

防爆风机铲头
Chisel,Pneumatic




ITEM CODE		S	L	Φ	g	
AL-BR	BE-CU	mm	mm	mm	AL-BR	BE-CU
AL226-1002	BE226-1002	10	125	12	102	117
AL226-1004	BE226-1004	10	175	12	143	168

防爆液压破碎钻头
Chisel,Pneumatic



ITEM CODE		L	Φ	g	
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL226A-1002	BE226A-1002	300	20	775	850
AL226A-1004	BE226A-1004	455	30	2630	2880

防爆风机铲头
Chisel,Pneumatic




ITEM CODE		S	L	B	H	g	
AL-BR	BE-CU	mm	mm	mm	mm	AL-BR	BE-CU
AL227-1002	BE227-1002	10	125	20	2	141	160
AL227-1004	BE227-1004	10	175	20	2	182	210

防爆风机铲头
Chisel,Pneumatic




ITEM CODE		S	L	B	g	
AL-BR	BE-CU	mm	mm	mm	AL-BR	BE-CU
AL228-1002	BE228-1002	10	125	20	117	152
AL228-1004	BE228-1004	10	175	20	122	190

防爆风机铲头
Chisel,Pneumatic




ITEM CODE		S	L	H	B	g	
AL-BR	BE-CU	mm	mm	mm	mm	AL-BR	BE-CU
AL229-1002	BE229-1002	10	125	2	20	142	162
AL229-1004	BE229-1004	10	175	2	20	183	213

防爆风机铲头
Chisel,Pneumatic




ITEM CODE		S	L	B	H	g	
AL-BR	BE-CU	mm	mm	mm	mm	AL-BR	BE-CU
AL230-1002	BE230-1002	10	125	20	2	112	127
AL230-1004	BE230-1004	10	175	20	2	153	178

防爆圆形扁铲
Chisel,Flat




ITEM CODE		L	Φ	B	g	
AL-BR	BE-CU	mm	mm	mm	AL-BR	BE-CU
AL231-1002	BE231-1002	160	14	14	160	175
AL231-1004	BE231-1004	160	16	16	210	231
AL231-1006	BE231-1006	160	18	18	271	295
AL231-1008	BE231-1008	200	18	18	342	382
AL231-1010	BE231-1010	200	20	20	430	473
AL231-1012	BE231-1012	250	24	24	751	822
AL231-1014	BE231-1014	300	24	24	942	1025
AL231-1016	BE231-1016	300	25	25	1002	1302
AL231-1018	BE231-1018	400	25	25	1360	1502
AL231-1020	BE231-1020	500	25	25	1730	1903
AL231-1022	BE231-1022	500	30	30	2481	2730

防爆六角扁铲
Chisel Hex/6 Point




ITEM CODE		S	L	B	g	
AL-BR	BE-CU	mm	mm	mm	AL-BR	BE-CU
AL232-1002	BE232-1002	10	150	12	92	98
AL232-1004	BE232-1004	14	200	16	231	251
AL232-1006	BE232-1006	16	160	18	242	262
AL232-1008	BE232-1008	14	250	16	302	320
AL232-1010	BE232-1010	17	300	19	701	772
AL232-1012	BE232-1012	17	350	19	821	903
AL232-1014	BE232-1014	22	600	24	1702	1861
AL232-1016	BE232-1016	25	300	28	1090	1204
AL232-1018	BE232-1018	30	500	35	2620	2860

防爆八角扁铲
Chisel 8 Point



ITEM CODE		L	S	B	g	
AL-BR	BE-CU	mm	mm	mm	AL-BR	BE-CU
AL233-1002	BE233-1002	160	14	14	170	186
AL233-1004	BE233-1004	160	16	16	230	255
AL233-1006	BE233-1006	180	19	19	366	402
AL233-1008	BE233-1008	200	19	19	411	451
AL233-1010	BE233-1010	200	22	22	562	650
AL233-1012	BE233-1012	250	24	24	792	880
AL233-1014	BE233-1014	300	24	24	950	1052
AL233-1016	BE233-1016	300	30	30	1450	1603
AL233-1018	BE233-1018	400	27	27	1620	1780

防爆菱形头扁铲
Chisel,Diamond Point



ITEM CODE		S	L	B	g	
AL-BR	BE-CU	mm	mm	mm	AL-BR	BE-CU
AL233A-1002	BE233A-1002	20	200	13	525	580

防爆水泥弯铲
Caulking Tool



ITEM CODE		L	B	H	g	
AL-BR	BE-CU	mm	mm	mm	AL-BR	BE-CU
AL234-1002	BE234-1002	200	20	5	455	495
AL234-1004	BE234-1004	250	20	8	585	652

防爆水泥铲
Caulking Tool



ITEM CODE		S	L	g	
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL234A-1002	BE234A-1002	50	1200	16850	18450


防爆斜铁
Wedge,Flange



ITEM CODE		L	B	H	g	
AL-BR	BE-CU	mm	mm	mm	AL-BR	BE-CU
AL235-1002	BE235-1002	80	13	6	23	25
AL235-1004	BE235-1004	100	50	10	185	201
AL235-1006	BE235-1006	135	50	18	455	497
AL235-1008	BE235-1008	150	40	8	180	200
AL235-1010	BE235-1010	150	25	8	112	122
AL235-1012	BE235-1012	150	25	13	185	205
AL235-1014	BE235-1014	150	50	13	365	400
AL235-1016	BE235-1016	180	32	13	280	305
AL235-1018	BE235-1018	180	50	19	640	700
AL235-1020	BE235-1020	200	20	30	451	490
AL235-1022	BE235-1022	200	30	30	675	740
AL235-1024	BE235-1024	200	40	40	1200	1315
AL235-1026	BE235-1026	200	50	12	450	500
AL235-1028	BE235-1028	230	40	20	690	751
AL235-1030	BE235-1030	250	40	30	1125	1230
AL235-1032	BE235-1032	300	50	40	2250	2460


ITEM CODE		L	B	H	g	
AL-BR	BE-CU	inch	inch	inch	AL-BR	BE-CU
AL235-1001	BE235-1001	4	3/4	1/2	100	110
AL235-1003	BE235-1003	6	1	1/2	200	220
AL235-1005	BE235-1005	6	1-1/2	3/4	435	480
AL235-1007	BE235-1007	7	2	3/4	680	755
AL235-1009	BE235-1009	8	1-1/2	1	770	855
AL235-1011	BE235-1011	8-1/2	2	1-1/4	1360	1500

防爆顶尖
Punch,Center




ITEM CODE		L	Φ	g	
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL236-1002	BE236-1002	100	16	125	145
AL236-1004	BE236-1004	150	16	205	230
AL236-1006	BE236-1006	200	18	340	392
AL236-1008	BE236-1008	300	18	540	615
AL236-1010	BE236-1010	400	18	740	820
AL236-1012	BE236-1012	500	20	1102	1230
AL236-1014	BE236-1014	500	30	2480	2740

防爆撬棍
Bar



ITEM CODE		L	Φ	B	g	
AL-BR	BE-CU	mm	mm	mm	AL-BR	BE-CU
AL237-1002	BE237-1002	500	15	15	675	738
AL237-1004	BE237-1004	500	19	19	1050	1150
AL237-1006	BE237-1006	500	20	20	1185	1295
AL237-1008	BE237-1008	500	25	25	1805	1975
AL237-1010	BE237-1010	500	30	30	2675	2925
AL237-1012	BE237-1012	600	25	25	2175	2380
AL237-1014	BE237-1014	600	30	30	3155	3450
AL237-1016	BE237-1016	800	23	23	2095	2290
AL237-1018	BE237-1018	800	25	25	2905	3175
AL237-1020	BE237-1020	800	30	30	4105	4490
AL237-1022	BE237-1022	850	30	30	4455	4870
AL237-1024	BE237-1024	1000	25	25	3645	3985
AL237-1026	BE237-1026	1000	28	28	4305	4710
AL237-1028	BE237-1028	1000	30	30	5115	5595
AL237-1030	BE237-1030	1200	25	25	4385	4795
AL237-1032	BE237-1032	1200	30	30	6375	6970
AL237-1034	BE237-1034	1500	30	30	7925	8665

防爆尖撬棍
Bar,Pinch



ITEM CODE		L	Φ	B	g	
AL-BR	BE-CU	mm	mm	mm	AL-BR	BE-CU
AL237A-1002	BE237A-1002	500	15	15	615	672
AL237A-1004	BE237A-1004	500	19	19	1001	1093
AL237A-1006	BE237A-1006	500	20	20	1052	1148
AL237A-1008	BE237A-1008	500	23	23	1355	1481
AL237A-1010	BE237A-1010	600	25	25	1950	2132
AL237A-1012	BE237A-1012	800	23	23	2293	2530
AL237A-1014	BE237A-1014	1000	30	30	4752	5193

防爆六棱尖撬棍
Bar(Hex)Pinch



ITEM CODE		L	S	B	g	
AL-BR	BE-CU	mm	mm	mm	AL-BR	BE-CU
AL237B-1002	BE237B-1002	500	18	20	1090	1200
AL237B-1004	BE237B-1004	500	20	22	1320	1450
AL237B-1006	BE237B-1006	600	20	22	1600	1750
AL237B-1008	BE237B-1008	1000	22	24	3200	3500
AL237B-1010	BE237B-1010	1000	25	28	4080	4500
AL237B-1012	BE237B-1012	1500	25	28	6120	6750
AL237B-1014	BE237B-1014	1000	35	38	8000	8800


防爆阶梯撬棍
Bar Crow



ITEM CODE		L	H	B	g	
AL-BR	BE-CU	mm	mm	mm	AL-BR	BE-CU
AL237C-1002	BE237C-1002	650	20	23	1675	1855
AL237C-1004	BE237C-1004	1500	30	35	8110	8910


ITEM CODE		L	H	B	g	
AL-BR	BE-CU	inch	inch	inch	AL-BR	BE-CU
AL237C-1001	BE237C-1001	60	1-1/4	1-3/8	8050	8920

防爆一头扁撬棍
Bar,Pinch




ITEM CODE		L	H	B	g	
AL-BR	BE-CU	mm	mm	mm	AL-BR	BE-CU
AL237D-1002	BE237D-1002	600	3	52	2221	2435

防爆省力撬棍
Spike




ITEM CODE		L	Φ	g	
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL237E-1002	BE237E-1002	600	22	2100	2320

防爆听针
Hearing Needle




ITEM CODE		L mm	Φ mm	g	
AL-BR	BE-CU			AL-BR	BE-CU
AL238-1002	BE238-1002	250	6	75	85
AL238-1004	BE238-1004	300	8	135	150
AL238-1006	BE238-1006	400	7	145	160
AL238-1008	BE238-1008	500	10	305	335

防爆球头听针
Hearing Needle With Ball



ITEM CODE		L mm	Φ mm	g	
AL-BR	BE-CU			AL-BR	BE-CU
AL238A-1002	BE238A-1002	500	6	115	130

防爆除锈针
Needle



ITEM CODE	L mm	Φ mm	g
BE-CU			BE-CU
BE238B-1002	180	3	12

防爆伸缩听针
Hearing Needle



ITEM CODE		L mm	g	
AL-BR	BE-CU		AL-BR	BE-CU
AL238C-1002	BE238C-1002	400-1000	300	330

防爆煤矿探针
Mine Prodder



ITEM CODE		L mm	d mm	g	
AL-BR	BE-CU			AL-BR	BE-CU
AL238D-1002	BE238D-1002	575-1005	5	360	400

防爆起钉器
Bar,Wrecking




ITEM CODE		L mm	Φ mm	B mm	H mm	g	
AL-BR	BE-CU					AL-BR	BE-CU
AL239-1002	BE239-1002	250	13	15	1.5	250	280

防爆羊角起钉钳
Bar,Wrecking




ITEM CODE		L mm	Φ mm	g	
AL-BR	BE-CU			AL-BR	BE-CU
AL240-1002	BE240-1002	400	16	685	752
AL240-1004	BE240-1004	600	16	1002	1102
AL240-1006	BE240-1006	800	19	2011	2200
AL240-1008	BE240-1008	1200	20	3266	3570

防爆六棱起钉钳
Bar,Wrecking Hex




ITEM CODE		L mm	S mm	g	
AL-BR	BE-CU			AL-BR	BE-CU
AL240A-1002	BE240A-1002	460	16	980	1080
AL240A-1004	BE240A-1004	760	22	2800	3100
AL240A-1006	BE240A-1006	920	22	3300	3650

防爆起钉锤
Crate Opener




ITEM CODE		L mm	H mm	g	
AL-BR	BE-CU			AL-BR	BE-CU
AL241-1002	BE241-1002	230	70	430	471

防爆剪刀
Shears,Cutting




ITEM CODE		L mm	B mm	g	
AL-BR	BE-CU			AL-BR	BE-CU
AL242-1002	BE242-1002	150	61	100	110

防爆剪刀
Tinner's Snip Plate Shear



ITEM CODE		L mm	g	
AL-BR	BE-CU		AL-BR	BE-CU
AL244B-1002	BE244B-1002	280	450	500

防爆剪刀
Shears,Cutting




ITEM CODE		L mm	B mm	g	
AL-BR	BE-CU			AL-BR	BE-CU
AL243-1002	BE243-1002	290	91	215	235
AL243-1004	BE243-1004	360	107	823	900

防爆夹钳
Shears




ITEM CODE		L mm	g	
AL-BR	BE-CU		AL-BR	BE-CU
AL244C-1002	BE244C-1002	200	410	488

防爆铁皮剪刀
Shears,Tin




ITEM CODE		L mm	B mm	g	
AL-BR	BE-CU			AL-BR	BE-CU
AL244-1002	BE244-1002	300	75	410	488

防爆鲤鱼钳
Pliers,Adjustable Combination




ITEM CODE		K mm	L mm	g	
AL-BR	BE-CU			AL-BR	BE-CU
AL245-1002	BE245-1002	8	150	165	175
AL245-1004	BE245-1004	13	200	330	355

防爆裁剪刀
Scissors




ITEM CODE		L inch	L mm	B mm	g	
AL-BR	BE-CU				AL-BR	BE-CU
AL244A-1002	BE244A-1002	9	225	98	210	245

防爆煤气管钳子
Gas Pliers



ITEM CODE		L mm	g	
AL-BR	BE-CU		AL-BR	BE-CU
AL245A-1002	BE245A-1002	200	315	350

防爆克丝钳
Pliers,Lineman



ITEM CODE		L inch	L mm	g	
AL-BR	BE-CU			AL-BR	BE-CU
AL246-1002	BE246-1002	6	150	230	250
AL246-1004	BE246-1004	7	175	330	355
AL246-1006	BE246-1006	8	200	375	410
AL246-1008	BE246-1008	10	250	500	550

防爆迷你斜口钳
Mini Pliers,Diagonal Cutting




ITEM CODE		L inch	L mm	g	
AL-BR	BE-CU			AL-BR	BE-CU
AL248B-1002	BE248B-1002	5	125	50	60

防爆 A 型克丝钳
Pliers,Cutting



ITEM CODE		L inch	L mm	g	
AL-BR	BE-CU			AL-BR	BE-CU
AL247-1002	BE247-1002	8	200	420	470

防爆胡桃钳
Pincers




ITEM CODE		L inch	L mm	g	
AL-BR	BE-CU			AL-BR	BE-CU
AL249-1002	BE249-1002	8	200	300	325

防爆斜口钳
Pliers,Diagonal Cutting



ITEM CODE		L inch	L mm	g	
AL-BR	BE-CU			AL-BR	BE-CU
AL248-1002	BE248-1002	6	150	200	220
AL248-1004	BE248-1004	8	200	365	410

防爆顶切钳
Pincers



ITEM CODE		L inch	L mm	g	
AL-BR	BE-CU			AL-BR	BE-CU
AL249A-1002	BE249A-1002	7	175	225	250

防爆美式斜口钳
Power Side Cutter(American Pattern)



ITEM CODE		L inch	L mm	g	
AL-BR	BE-CU			AL-BR	BE-CU
AL248A-1002	BE248A-1002	6	150	155	175
AL248A-1004	BE248A-1004	8	200	205	225

防爆 E 型顶切钳
Pincers



ITEM CODE		L inch	L mm	g	
AL-BR	BE-CU			AL-BR	BE-CU
AL249B-1002	BE249B-1002	6	150	175	190

防爆鸭嘴钳
Pliers,Flat Nose




ITEM CODE		L inch	L mm	g	
AL-BR	BE-CU			AL-BR	BE-CU
AL250-1002	BE250-1002	6	150	185	200
AL250-1004	BE250-1004	8	200	257	281

防爆尖嘴钳
Pliers,Snipe Nose




ITEM CODE		L inch	L mm	g	
AL-BR	BE-CU			AL-BR	BE-CU
AL253-1002	BE253-1002	6	150	170	190
AL253-1004	BE253-1004	8	200	300	335

防爆叠置式水泵钳
Pliers,Groove Joint




ITEM CODE		L inch	L mm	Kmax mm	g	
AL-BR	BE-CU				AL-BR	BE-CU
AL251-1002	BE251-1002	6	150	25	160	180
AL251-1004	BE251-1004	10	250	45	370	425
AL251-1006	BE251-1006	12	300	55	600	670
AL251-1008	BE251-1008	14	350	55	770	850

防爆 A 型尖嘴钳
Pliers,Snipe Nose




ITEM CODE		L inch	L mm	g	
AL-BR	BE-CU			AL-BR	BE-CU
AL254-1002	BE254-1002	6	150	170	190
AL254-1004	BE254-1004	8	200	300	335

防爆套入式水泵钳
Pliers,Slip Joint




ITEM CODE		L inch	L mm	Kmax mm	g	
AL-BR	BE-CU				AL-BR	BE-CU
AL252-1002	BE252-1002	10	250	32	335	365

防爆圆嘴钳
Pliers,Round Nose




ITEM CODE		L inch	L mm	g	
AL-BR	BE-CU			AL-BR	BE-CU
AL255-1002	BE255-1002	6	150	175	190

防爆新式水泵钳
Pliers,Water Pump



ITEM CODE		L inch	L mm	Kmax mm	g	
AL-BR	BE-CU				AL-BR	BE-CU
AL252A-1002	BE252A-1002	10	250	32	310	325
AL252A-1004	BE252A-1004	12	300	52	610	665

防爆弯嘴钳
Pliers,Round 45° Degree Bent



ITEM CODE		L inch	L mm	g	
AL-BR	BE-CU			AL-BR	BE-CU
AL255A-1002	BE255A-1002	6	150	170	190

防爆内挡圈钳
Pliers,Snap Ring-Internal




ITEM CODE		L	L	g	
AL-BR	BE-CU	inch	mm	AL-BR	BE-CU
AL256-1002	BE256-1002	8	200	265	290
AL256-1004	BE256-1004	10	250	380	415

防爆外挡圈钳
Pliers,Snap Ring-External




ITEM CODE		L	L	g	
AL-BR	BE-CU	inch	mm	AL-BR	BE-CU
AL257-1002	BE257-1002	8	200	265	290
AL257-1004	BE257-1004	10	250	380	415

防爆断线钳
Bolt Chipper



ITEM CODE		L	D	g	
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL257A-1002	BE257A-1002	600	6	3070	3350
AL257A-1004	BE257A-1004	900	8	8400	9250

防爆剥线压线断线钳
Crimping Tool,Insulated Cable Connectors



ITEM CODE		L	L	g	
AL-BR	BE-CU	inch	mm	AL-BR	BE-CU
AL257B-1002	BE257B-1002	8	200	205	225

防爆剥线钳
Wire Stripping Pliers



ITEM CODE		L	g	
AL-BR	BE-CU	mm	AL-BR	BE-CU
AL257C-1002	BE257C-1002	170	205	225

防爆大力钳
Locking Pliers



ITEM CODE		Size	L	D	g	
AL-BR	BE-CU	inch	mm	mm	AL-BR	BE-CU
AL257D-1002	BE257D-1002	10	225	40	455	480

防爆剥线钳
Wire Stripper



ITEM CODE		L	L	g	
AL-BR	BE-CU	inch	mm	AL-BR	BE-CU
AL257E-1002	BE257E-1002	6	160	125	110

防爆多用钳子
Stocker Plier



ITEM CODE		L	L	g	
AL-BR	BE-CU	inch	mm	AL-BR	BE-CU
AL257F-1002	BE257F-1002	7	180	200	220

防爆镊子
Tweezers,Neat Tips




		L	g	
AL-BR	BE-CU	mm	AL-BR	BE-CU
AL258-1002	BE258-1002	150	30	25
AL258-1004	BE258-1004	200	50	40

防爆镊子
Tweezers,Flat Nose




ITEM CODE		L	B	g	
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL258A-1002	BE258A-1002	100	8	30	25
AL258A-1004	BE258A-1004	200	15	65	55

防爆 S 型一字螺丝刀
Slotted Offset Screwdriver




ITEM CODE		L	H	K	g	
AL-BR	BE-CU	mm	mm	mm	AL-BR	BE-CU
AL259-1002	BE259-1002	72	1.1	6	23	25
AL259-1004	BE259-1004	125	1.2	8	50	55
AL259-1006	BE259-1006	196	1.6	10	124	135

防爆 S 型十字螺丝刀
Phillips Offset Screwdriver




ITEM CODE		L	Size	g	
AL-BR	BE-CU	mm		AL-BR	BE-CU
AL259A-1002	BE259A-1002	120	1#*2#	45	50

防爆一字螺丝刀
Slotted Screwdriver




ITEM CODE		L¹	L	B	g	
AL-BR	BE-CU	mm	mm	mm	AL-BR	BE-CU
AL260-1002	BE260-1002	50	134	3	33	35
AL260-1004	BE260-1004	50	134	4.5	40	43
AL260-1006	BE260-1006	75	159	3	32	35
AL260-1008	BE260-1008	75	159	4	42	45
AL260-1010	BE260-1010	75	180	5	65	70
AL260-1012	BE260-1012	100	184	4	42	45
AL260-1014	BE260-1014	100	205	5	70	75
AL260-1016	BE260-1016	100	215	6	80	85
AL260-1018	BE260-1018	125	240	6	95	100
AL260-1020	BE260-1020	150	265	6	105	110
AL260-1022	BE260-1022	150	265	7	120	125
AL260-1024	BE260-1024	150	277	8	135	140
AL260-1026	BE260-1026	200	327	8	155	165
AL260-1028	BE260-1028	250	377	9	175	185
AL260-1030	BE260-1030	250	377	11	245	260
AL260-1032	BE260-1032	300	427	10	230	245
AL260-1034	BE260-1034	300	427	11	275	290
AL260-1036	BE260-1036	350	477	11	300	320
AL260-1038	BE260-1038	400	550	12	430	450
AL260-1040	BE260-1040	450	600	13	450	485

防爆十字螺丝刀
Phillips Screwdriver




ITEM CODE		L¹	L	Size	g	
AL-BR	BE-CU	mm	mm		AL-BR	BE-CU
AL261-1002	BE261-1002	50	134	0	32	35
AL261-1004	BE261-1004	75	159	1	63	70
AL261-1006	BE261-1006	100	205	1	70	75
AL261-1008	BE261-1008	125	240	2	95	100
AL261-1010	BE261-1010	150	265	2	105	110
AL261-1012	BE261-1012	200	327	3	155	165
AL261-1014	BE261-1014	250	377	3	170	185
AL261-1016	BE261-1016	300	427	4	230	245
AL261-1018	BE261-1018	350	477	4	255	270
AL261-1020	BE261-1020	400	550	4	280	295
AL261-1022	BE261-1022	450	600	4	300	320

防爆夹柄螺丝刀
Screwdriver



ITEM CODE		L	L¹	B	g	
AL-BR	BE-CU	mm	mm	mm	AL-BR	BE-CU
AL262-1002	BE262-1002	200	100	8	125	135
AL262-1004	BE262-1004	250	110	8	204	220
AL262-1006	BE262-1006	300	160	10	275	305
AL262-1008	BE262-1008	500	350	11	461	505

防爆一字敲击螺丝刀
Slotted Screwdriver



ITEM CODE		L¹	L¹	L	H	B	g	
AL-BR	BE-CU	inch	mm	mm	mm	mm	AL-BR	BE-CU
AL263-1002	BE263-1002	2	50	108	0.5	3	32	35
AL263-1004	BE263-1004	3	75	133	0.6	3	44	48
AL263-1006	BE263-1006	3	75	153	0.8	4	45	50
AL263-1008	BE263-1008	3	75	153	1.0	5	46	51
AL263-1010	BE263-1010	4	100	178	0.8	4	55	60
AL263-1012	BE263-1012	4	100	178	1.0	5	65	71
AL263-1014	BE263-1014	4	100	193	1.1	6	70	77
AL263-1016	BE263-1016	6	150	243	1.2	7	105	115
AL263-1018	BE263-1018	8	200	305	1.2	8	180	197
AL263-1020	BE263-1020	10	250	355	1.6	9	202	221
AL263-1022	BE263-1022	12	300	420	1.6	10	278	304
AL263-1024	BE263-1024	14	350	470	1.8	11	335	365

防爆电工一字螺丝刀

Electrician Screwdriver



ITEM CODE		L¹	L	L	H	B	g	
AL-BR	BE-CU	inch	mm	mm	mm	mm	AL-BR	BE-CU
AL263A-1002	BE263A-1002	2	50	134	0.4	3	35	37
AL263A-1004	BE263A-1004	4	100	184	0.6	4	45	47
AL263A-1006	BE263A-1006	4	100	215	0.8	6	90	95
AL263A-1008	BE263A-1008	6	150	277	1.0	8	135	145
AL263A-1010	BE263A-1010	8	200	327	1.3	10	210	230

防爆米字型螺丝刀

Pozidriv Screwdriver




ITEM CODE		L¹	Size	L	L	g	
AL-BR	BE-CU	inch		mm	mm	AL-BR	BE-CU
AL264-1002	BE264-1002	2	0	50	134	33	35
AL264-1004	BE264-1004	3	1	75	159	42	45
AL264-1006	BE264-1006	4	2	100	215	80	85
AL264-1008	BE264-1008	6	3	150	277	135	145
AL264-1010	BE264-1010	8	4	200	327	210	230

防爆六方套筒螺丝刀

Driver Hex Nut






ITEM CODE		L¹	L	S	g	
AL-BR	BE-CU	mm	mm	mm	AL-BR	BE-CU
AL263B-1002	BE263B-1002	90	205	6	81	85
AL263B-1004	BE263B-1004	100	215	8	85	100
AL263B-1006	BE263B-1006	110	225	10	130	140
AL263B-1008	BE263B-1008	110	237	13	172	185
AL263B-1010	BE263B-1010	120	247	16	205	220
AL263B-1012	BE263B-1012	120	247	17	218	230

防爆星型螺丝刀

Torx Screwdriver



ITEM CODE		Size	L¹	L	g	
AL-BR	BE-CU		mm	mm	AL-BR	BE-CU
AL264A-1002	BE264A-1002	T10*75	75	180	63	70
AL264A-1004	BE264A-1004	T15*75	75	180	63	70
AL264A-1006	BE264A-1006	T20*100	100	215	95	100
AL264A-1008	BE264A-1008	T25*125	125	240	100	105
AL264A-1010	BE264A-1010	T30*150	150	265	100	110
AL264A-1012	BE264A-1012	T40*200	200	327	155	165
AL264A-1014	BE264A-1014	T45*250	250	377	175	185
AL264A-1016	BE264A-1016	T50*300	300	427	195	205
AL264A-1018	BE264A-1018	T55*350	350	500	225	245
AL264A-1020	BE264A-1020	T60*400	400	550	255	280

防爆螺丝刀头

Screwdriver Bits



ITEM CODE		SIZE
AL-BR	BE-CU	
AL264B-S	BE264B-S	4.5mm,6.5mm,8mm
AL264B-PH	BE264B-PH	1#,2#,3#,4#
AL264B-PZ	BE264B-PZ	1#,2#,3#,4#
AL264B-H	BE264B-H	3mm,4mm,5mm,6mm,7mm,10mm
AL264B-T	BE264B-T	T10,T15,T20,T25,T27,T30,T40

防爆一字木柄螺丝刀

Slotted Screwdriver



ITEM CODE		L¹	L¹	L	H	B	g	
AL-BR	BE-CU	inch	mm	mm	mm	mm	AL-BR	BE-CU
AL265-1002	BE265-1002	2	50	150	0.5	3	33	35
AL265-1004	BE265-1004	2	50	150	1.0	4.5	40	43
AL265-1006	BE265-1006	3	75	175	0.6	3	32	35
AL265-1008	BE265-1008	3	75	175	0.8	4	42	45
AL265-1010	BE265-1010	3	75	175	1.0	5	65	70
AL265-1012	BE265-1012	4	100	200	0.8	4	42	45
AL265-1014	BE265-1014	4	100	200	1.0	5	70	75
AL265-1016	BE265-1016	4	100	200	1.1	6	80	85
AL265-1018	BE265-1018	5	125	225	1.1	6	95	100
AL265-1020	BE265-1020	6	150	250	1.1	6	105	110
AL265-1022	BE265-1022	6	150	250	1.2	7	120	125
AL265-1024	BE265-1024	6	150	250	1.2	8	135	140
AL265-1026	BE265-1026	8	200	320	1.2	8	155	165
AL265-1028	BE265-1028	10	250	370	1.6	9	175	185
AL265-1030	BE265-1030	10	250	400	1.8	11	245	260
AL265-1032	BE265-1032	12	300	450	1.6	10	230	245
AL265-1034	BE265-1034	12	300	450	1.8	11	275	290
AL265-1036	BE265-1036	14	350	500	1.8	11	300	320
AL265-1038	BE265-1038	16	400	550	2.0	12	430	450
AL265-1040	BE265-1040	18	450	600	2.2	13	450	470

防爆冲击螺丝刀批

Manual Impact Screwdriver Set



ITEM CODE		SIZE	PCS	g	
AL-BR	BE-CU			AL-BR	BE-CU
AL264C-	BE264C-	8*70	2	750	825
AL264C-	BE264C-	PH4*70	2		
AL264C-	BE264C-	8*30	1		
AL264C-	BE264C-	PH4*30	1		


防爆十字木柄螺丝刀

Phillips Screwdriver




ITEM CODE		L¹	SIZE	L¹	L	Φ	g	
AL-BR	BE-CU	inch		mm	mm	mm	AL-BR	BE-CU
AL266-1002	BE266-1002	2	0	50	150	3	32	35
AL266-1004	BE266-1004	3	1	75	175	4	63	70
AL266-1006	BE266-1006	4	1	100	200	5	70	75
AL266-1008	BE266-1008	5	2	125	225	6	95	100
AL266-1010	BE266-1010	6	2	150	250	6	105	110
AL266-1012	BE266-1012	8	3	200	320	8	155	165
AL266-1014	BE266-1014	10	3	250	370	8	170	185
AL266-1016	BE266-1016	12	4	300	450	9	230	245
AL266-1018	BE266-1018	14	4	350	500	9	255	270
AL266-1020	BE266-1020	16	4	400	550	9	280	295
AL266-1022	BE266-1022	18	4	450	600	9	300	320

防爆手用穿针
Marking Tool




ITEM CODE		L	H	Φ	g	
AL-BR	BE-CU	mm	mm	mm	AL-BR	BE-CU
AL267-1002	BE267-1002	400	40	12	445	502
AL267-1004	BE267-1004	600	50	16	1036	1152

防爆锯弓子
Hacksaw Frame



ITEM CODE		L	D	H	g	
AL-BR	BE-CU	mm	mm	mm	AL-BR	BE-CU
AL270-1002	BE270-1002	500	300	110	590	645

防爆 T 型钎子
Marking Tool




ITEM CODE		L	H	Φ	g	
AL-BR	BE-CU	mm	mm	mm	AL-BR	BE-CU
AL268-1002	BE268-1002	187	32	4	10	15
AL268-1004	BE268-1004	252	42	4	15	20

防爆锯弓子
Hacksaw Frame




ITEM CODE		L	D	H	g	
AL-BR	BE-CU	mm	mm	mm	AL-BR	BE-CU
AL270A-1002	BE270A-1002	470	300	90	650	720

防爆锥子
Awl



ITEM CODE		L¹	L¹	Φ	L	g	
AL-BR	BE-CU	inch	mm	mm	mm	AL-BR	BE-CU
AL269-1002	BE269-1002	4	100	3	184	45	50

防爆锯条
Hacksaw Blade



ITEM CODE	L	B	g
BE-CU	mm	mm	BE-CU
BE271-1002	300	12	32

防爆划规
Dividers



		D_{max}	H	g	
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL269A-1002	BE269A-1002	200	200	150	170
AL269A-1004	BE269A-1004	400	400	360	400

防爆鸡尾锯
Hand Saw




ITEM CODE		L	H	g	
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL272-1002	BE272-1002	370	114	265	125

防爆手板锯
Hand Saw




ITEM CODE		L	B	g	
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL272A-1002	BE272A-1002	700	35	520	555

防爆 G 型夹
Clamp




ITEM CODE		L	K	B	g	
AL-BR	BE-CU	mm	mm	mm	AL-BR	BE-CU
AL274-1002	BE274-1002	210	60	36	1080	1200
AL274-1004	BE274-1004	250	80	36	1270	1400
AL274-1006	BE274-1006	290	100	36	1460	1610
AL274-1008	BE274-1008	340	150	50	1970	2155

防爆拔轮器
3 Leg Gear Puller




ITEM CODE		L_{max}	g	
AL-BR	BE-CU	mm	AL-BR	BE-CU
AL273-1002	BE273-1002	100	1200	1350
AL273-1004	BE273-1004	150	2500	2800
AL273-1006	BE273-1006	200	5200	5720
AL273-1008	BE273-1008	350	9700	10650

防爆 G 型夹
Clamp




ITEM CODE		L	K	B	g	
AL-BR	BE-CU	mm	mm	mm	AL-BR	BE-CU
AL274A-1002	BE274A-1002	76	19	19	180	200
AL274A-1004	BE274A-1004	290	115	75	5000	5600
AL274A-1006	BE274A-1006	370	165	90	10000	11100

防爆两爪拔轮器
2 Leg Gear Puller



ITEM CODE		L_{max}	g	
AL-BR	BE-CU	mm	AL-BR	BE-CU
AL273A-1002	BE273A-1002	100	1100	1250
AL273A-1004	BE273A-1004	150	2200	2450
AL273A-1006	BE273A-1006	200	4640	5130
AL273A-1008	BE273A-1008	350	8800	9600

防爆三齿
Fork,Three Prong




ITEM CODE		L	B	H	g	
AL-BR	BE-CU	mm	mm	mm	AL-BR	BE-CU
AL275-1002	BE275-1002	185	200	125	1540	1690

防爆液压拔轮器
Hydraulic Gear Puller




ITEM CODE		Safe load	Φ	g	
AL-BR	BE-CU	T	mm	AL-BR	BE-CU
AL273B-5	BE273B-5	5	200	7500	8000
AL273B-10	BE273B-10	10	250	11000	12000
AL273B-20	BE273B-20	20	350	19000	20600

防爆四齿叉子
Fork,Four Prong



ITEM CODE		L	B	g	
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL276-1002	BE276-1002	327	200	1965	2150

防爆除尘耙子
Cleaning Rust Rake



ITEM CODE		L	H	B	
AL-BR	BE-CU	mm	mm	mm	g
AL277-1002	BE277-1002	350	105	98	AL-BR 950 / BE-CU 1050

防爆油桶
Bucket



ITEM CODE		Size	H	
Brass	Copper	L	mm	g
BR280A-1002	CO280A-1002	10	300	1680

防爆油漏子
Oil Funnel




ITEM CODE		Φ	H	
Brass	BE-CU	mm	mm	g
BR278-1002	BE278-1002	160	130	260
BR278-1004	BE278-1004	160	150	280

防爆长嘴油桶
Bucket



ITEM CODE		Size	H	
Brass	Copper	L	mm	g
BR280B-1002	CO280B-1002	10	325	1700

防爆提油泵
Portable Oil Pump




ITEM CODE		Φ	H	
Brass	BE-CU	mm	mm	g
BR279-1002	BE279-1002	165	1100	2315

防爆长嘴加油壶
Hand Cadger



ITEM CODE		Size	H	
Brass	Copper	L	mm	g
BR280C-1002	CO280C-1002	2	100	800

防爆油提子
Oil Dipper




ITEM CODE		Φ	L	
Brass	BE-CU	mm	mm	g
BR280-1002	BE280-1002	85	350	163

防爆底部取样器
Bottom Deposit Sampler




ITEM CODE		Size	
Brass	BE-CU	ml	g
BR280D-1002	BE280D-1002	500	1200

防爆水桶
Bucket



ITEM CODE		Φ	H	
Brass	BE-CU	mm	mm	g
BR281-1002	BE281-1002	270	248	1515

防爆簸箕
Dustpan



ITEM CODE		L	B	H	
Brass	BE-CU	mm	mm	mm	g
BR282A-1002	BE282A-1002	150	130	20	130
BR282A-1004	BE282A-1004	200	200	50	335
BR282A-1006	BE282A-1006	270	250	50	635

防爆加盖水桶
Bucket



ITEM CODE		Size	H	
Brass	BE-CU	L	mm	g
BR281A-1002	BE281A-1002	15	280	2000

防爆铜舀子
Scoop,Sugar




ITEM CODE		L	H	Φ1	Φ2	
Brass	BE-CU	mm	mm	mm	mm	g
BR283-1002	BE283-1002	350	90	160	135	580

防爆消防桶
Bucket



ITEM CODE		Size	H	
Brass	BE-CU	L	mm	g
BR281B-1002	BE281B-1002	10	250	1200
BR281B-1004	BE281B-1004	15	280	1550

防爆料铲
Scoop,Sugar




ITEM CODE		B	L	
Brass	BE-CU	mm	mm	g
BR283A-1002	BE283A-1002	75	200	200
BR283A-1004	BE283A-1004	140	360	645

防爆簸箕
Dustpan



ITEM CODE		L	B	H	
Brass	BE-CU	mm	mm	mm	g
BR282-1002	BE282-1002	150	130	20	130
BR282-1004	BE282-1004	200	200	50	335
BR282-1006	BE282-1006	270	250	50	635

防爆勺子
Scoop



ITEM CODE		Φ	L		
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL283B-1002	BE283B-1002	112	500	1100	1220

防爆漏勺
Strainer



ITEM CODE		Φ mm	L mm	g
Brass	Copper			
BR283C-1002	CO283C-1002	300	600	1800

防爆长柄圆头刷
Brush



ITEM CODE		L*B mm	Rows	H mm	g
Copper	Phosphor				
CO285-1002	PH285-1002	290*29	4*16	28	115

防爆盆
Basin




ITEM CODE		D mm	H mm	g
Brass	Copper			
BR283D-1002	CO283D-1002	400	150	1250

防爆长柄刷
Brush



ITEM CODE		L*B mm	Rows	H mm	g
Copper	Phosphor				
CO285A-1002	PH285A-1002	350*28	4*19	30	150

防爆料铲
Scoop,Sugar




ITEM CODE		B mm	L mm	g
Copper	BE-CU			
CO283E-1002	BE283E-1002	85	300	200
CO283E-1004	BE283E-1004	110	300	230

防爆木柄刷
Brush




ITEM CODE		L*B mm	Rows	H mm	g
Copper	Phosphor				
CO286-1002	PH286-1002	215*29	6*15	15	30

防爆木柄圆头刷
Brush




ITEM CODE		L*B mm	Rows	H mm	g
Copper	Phosphor				
CO284-1002	PH284-1002	205*48	6*16	41	260

防爆弯柄刷
Brush,Shoe Handle




ITEM CODE		L*B mm	Rows	H mm	g
Copper	Phosphor				
CO286A-1002	PH286-1002	255	4*16	30	180

防爆清理刷
Brush,Spark-plug Cleaning




ITEM CODE		L mm	Rows	H mm	g
Copper	Phosphor				
CO286B-1002	PH286B-1002	196	3*7	13	20

防爆杆平刷
Brush,Wheel




ITEM CODE		Φ mm	H mm	Φ1 mm	g
Copper	Phosphor				
CO288-1002	PH288-1002	75	10	6	140

防爆板刷
Broom,Round Wire




ITEM CODE		L mm	Rows	H mm	g
Copper	Phosphor				
CO286C-1002	PH286C-1002	310	6*25	55	550

防爆扭丝轮刷
Weel Brush,Knot Wire




ITEM CODE		Φ mm	H mm	Φ1 mm	g
Copper	Phosphor				
CO289-1002	PH289-1002	125	15	14	440

防爆硬质板刷
Scrubbing Broom,Round Wire




ITEM CODE		L*B mm	Rows	H mm	g
Copper	Phosphor				
CO286D-1002	PH286D-1002	210	6*17	40	500

防爆轮刷
Brush,Wheel,Crimped Wire




ITEM CODE		Φ mm	H mm	M mm	g
Copper	Phosphor				
CO289A-1002	PH289A-1002	125	15	14	320

防爆试管刷
Brunsh,Tube




ITEM CODE		Φ mm	L1 mm	L mm	g
Copper	Phosphor				
CO287-1002	PH287-1002	20	100	320	100

防爆杯刷
Brush,Cup




ITEM CODE		Φ mm	H mm	M mm	g
Copper	Phosphor				
CO290-1002	PH290-1002	100	30	14	480

防爆扭丝杯刷
Cup Brush,Knot Wire



ITEM CODE		Φ	H	M	
Copper	Phosphor	mm	mm	mm	g
CO290A-1002	PH290A-1002	125	30	14	580

防爆索具卸扣
Shackle



ITEM CODE		Size	K	L	H		
AL-BR	BE-CU		mm	mm	mm	AL-BR	BE-CU
AL292-1002	BE292-1002	1/2	30	60	40	130	135
AL292-1004	BE292-1004	3/4	37	99	78	830	915

防爆笔刷
Brush,End




ITEM CODE		Φ	H	Φ1	
Copper	Phosphor	mm	mm	mm	g
CO290B-1002	PH290B-1002	26	25	6	120

防爆手摇油泵
Manual Portable Oil Pump



ITEM CODE		L	D		
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL293-1002	BE293-1002	1350	25	5700	6000


防爆清洁球
Brush,Ball



ITEM CODE	
Copper	Phosphor
CO290C-1002	PH290C-1002

g: 25

防爆可调提桶钩
Barrel Hook,Adjustable



ITEM CODE		H	K	
AL-BR	BE-CU	kg	mm	AL-BR	BE-CU
AL294-1002	BE294-1002	700	1060	3050	3300

防爆锄头
Hoe




ITEM CODE		B	H		
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL291-1002	BE291-1002	130	130	970	1080
AL291-1004	BE291-1004	200	200	1600	1780

防爆卡兰
Screw Clamp



ITEM CODE		B	Kmax		
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL295-1002	BE295-1002	120	400	2200	2395

防爆耙子
Rake




ITEM CODE		L	B	H		
AL-BR	BE-CU	mm	mm	mm	AL-BR	BE-CU
AL296-1002	BE296-1002	1270	350	100	1935	2080
AL296-1004	BE296-1004	1275	450	120	2135	2300

防爆消防勾
Fire Hook




ITEM CODE		L	L1		
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL300-1002	BE300-1002	270	1215	1300	1365

防爆凿子
Chisel




ITEM CODE		B	L		
AL-BR	BE-CU	mm	mm	AL-BR	BE-CU
AL297-1002	BE297-1002	14	280	180	200
AL297-1004	BE297-1004	18	320	250	270

防爆管子台虎钳
Self Locking Pipe Vice



ITEM CODE		D		
AL-BR	BE-CU	mm	AL-BR	BE-CU
AL301-1002	BE301-1002	10-60	4425	4870
AL301-1004	BE301-1004	10-90	9420	10350
AL301-1006	BE301-1006	15-115	13900	15300
AL301-1008	BE301-1008	30-220	27800	30600
AL301-1010	BE301-1010	30-300	35000	38000

防爆耙子
Rake




ITEM CODE		B	H	L		
AL-BR	BE-CU	mm	mm	mm	AL-BR	BE-CU
AL298-1002	BE298-1002	300	150	1130	1400	1550

防爆链条调节器
Chain Adjuster



ITEM CODE		S	Load	L		
AL-BR	BE-CU	mm	T	mm	AL-BR	BE-CU
AL302-1002	BE302-1002	6	1.12	73	200	225
AL302-1004	BE302-1004	8	2	100	450	500
AL302-1006	BE302-1006	10	3.15	137	1150	1280

防爆耙子
Rake



ITEM CODE		L	B	H		
AL-BR	BE-CU	mm	mm	mm	AL-BR	BE-CU
AL299-1002	BE299-1002	780	160	80	600	670

防爆安全带
Safety Belt



ITEM CODE	Size	g
AL303-1002	全身型	1200
AL303-1004	双肩型	1000

防爆弯管器
Tube Bender



ITEM CODE		Size	g	
AL-BR	BE-CU	mm	AL-BR	BE-CU
AL304-1002	BE304-1002	6、8、10	420	460
AL304-1004	BE304-1004	12	1500	1650
AL304-1006	BE304-1006	14	1800	2000


防爆液压铲车
Hydraulic Pallet Truck



ITEM CODE		Load(kg)	L(mm)	H(mm)	B_1(mm)	B_2(mm)
AL-BR	BE-CU					
AL306-1002	BE306-1002	2000	1190	1240	160	545

		h_1(mm)	h_2(mm)	Φ_1(inch)	Φ_2(inch)	Weight(kg)
AL-BR	BE-CU					
AL306-1002	BE306-1002	90	190	7	3	132

防爆管子割刀
Pipe Cutter



ITEM CODE		D	D	g	
AL-BR	BE-CU	inch	mm	AL-BR	BE-CU
AL305-1002	BE305-1002	3/8-2	10-50	2010	2210
AL305-1004	BE305-1004	3/8-3	10-75	3700	4070

防爆管子割刀
Pipe Cutter



ITEM CODE		D	D	g	
AL-BR	BE-CU	inch	mm	AL-BR	BE-CU
AL305A-1002	BE305A-1002	4-6	100-150	11500	12250
AL305A-1004	BE305A-1004	8-12	200-300	19000	21000

防爆手拉单轨行车
Trolley For Chain Hoist(Pull Type)



ITEM CODE		Capacity	Lifting	I-Beam Width	kg
AL-BR	BE-CU	T	m	mm	
AL307-1002	BE307-1002	0.5	2.5	68-94	16.5
AL307-1004	BE307-1004	1	2.5	68-100	20
AL307-1006	BE307-1006	2	2.5	94-124	26
AL307-1008	BE307-1008	3	3	116-140	27.5
AL307-1010	BE307-1010	5	3	142-180	34
AL307-1012	BE307-1012	10	3	142-180	68
AL307-1014	BE307-1014	16	3	142-180	170

防爆手拉单轨行车
Trolley For Chain Hoist(Pull Type)



ITEM CODE		Capacity	Lifting	I-Beam Width	kg
AL-BR	BE-CU	T	m	mm	
AL307B-1002	BE307B-1002	0.5	2.5	68-94	12.5
AL307B-1004	BE307B-1004	1	2.5	68-100	14.5
AL307B-1006	BE307B-1006	2	2.5	94-124	22.3
AL307B-1008	BE307B-1008	3	3	116-140	24
AL307B-1010	BE307B-1010	5	3	142-180	34
AL307B-1012	BE307B-1012	10	3	142-180	68
AL307B-1014	BE307B-1014	16	3	142-180	170
AL307B-1016	BE307B-1016	20	3	142-180	170

防爆集成型手拉葫芦小车
Chain Hoist With Trolley



ITEM CODE		Capacity	I-Beam Width	kg
AL-BR	BE-CU	T	mm	
AL307C-1002	BE307C-1002	0.5	68-94	21.5
AL307C-1004	BE307C-1004	1	68-100	27.5
AL307C-1006	BE307C-1006	2	94-124	40
AL307C-1008	BE307C-1008	3	116-140	42

防爆手拉葫芦
Chain Hoist



ITEM CODE		Capacity	Lifting	kg
AL-BR	BE-CU	T	m	
AL308-1002	BE308-1002	0.5	2.5	10.2
AL308-1004	BE308-1004	1	2.5	13.6
AL308-1006	BE308-1006	2	2.5	22
AL308-1008	BE308-1008	3	3	23.6
AL308-1010	BE308-1010	5	3	36
AL308-1012	BE308-1012	10	3	68.5
AL308-1014	BE308-1014	16	3	187

防爆集成型手拉葫芦小车
Chain Hoist With Trolley



ITEM CODE		Capacity	I-Beam Width	kg
AL-BR	BE-CU	T	mm	
AL307D-1002	BE307D-1002	0.5	68-94	25
AL307D-1004	BE307D-1004	1	68-100	34.5
AL307D-1006	BE307D-1006	2	94-124	48
AL307D-1008	BE307D-1008	3	116-140	50

防爆手扳葫芦
Ratchet Lever Hoist



		Capacity	Lifting	kg
AL-BR	BE-CU	T	m	
AL308B-1002	BE308B-1002	0.75	1.5	7.7
AL308B-1004	BE308B-1004	1.5	1.5	11.8
AL308B-1006	BE308B-1006	3	1.5	21
AL308B-1008	BE308B-1008	6	1.5	32
AL308B-1010	BE308B-1010	9	1.5	47

防爆重型手拉葫芦
Chain Hoist



ITEM CODE		Capacity	I-Beam Width	kg
AL-BR	BE-CU	T	mm	
AL308A-1002	BE308A-1002	0.5	2.5	11.4
AL308A-1004	BE308A-1004	1	2.5	18.4
AL308A-1006	BE308A-1006	2	2.5	27.9
AL308A-1008	BE308A-1008	3	3	28.3
AL308A-1010	BE308A-1010	5	3	54

防爆紧线器
Come Along




ITEM CODE		Size	kg
AL-BR	BE-CU	T	
AL308C-1002	BE308C-1002	1	3
AL308C-1004	BE308C-1004	2	4.5
AL308C-1006	BE308C-1006	3	6.3
AL308C-1008	BE308C-1008	4	7.8

防爆扭力扳手
Torque Wrench



ITEM CODE		C	Torque	L	
AL-BR	BE-CU	inch	N.m	mm	AL-BR / BE-CU
AL309-1002	BE309-1002	3/8	100	310	540 / 600
AL309-1004	BE309-1004	1/2	300	490	1210 / 1340
AL309-1006	BE309-1006	3/4	500	560	1930 / 2050

防爆台虎钳
Parallel Vice



ITEM CODE		B	Kmax	
AL-BR	BE-CU	mm	mm	AL-BR / BE-CU
AL311-1002	BE311-1002	90	90	7400 / 8150
AL311-1004	BE311-1004	125	125	16800 / 19550
AL311-1006	BE311-1006	150	150	26500 / 30000
AL311-1008	BE311-1008	170	170	27400 / 30300

防爆预置式扭力扳手
Lock Torque Wrench-Window Display




ITEM CODE		C	Torque	L	
AL-BR	BE-CU	inch	N.m	mm	AL-BR / BE-CU
AL309A-1000	BE309A-1000	1/4	2-10	290	800 / 850
AL309A-1002	BE309A-1002	3/8	5-50	360	920 / 980
AL309A-1004	BE309A-1004	1/2	10-100	405	1020 / 1100
AL309A-1006	BE309A-1006	1/2	20-200	500	1200 / 1320
AL309A-1008	BE309A-1008	1/2	60-300	595	1330 / 1500
AL309A-1010	BE309A-1010	3/4	150-750	1040	4930 / 5700
AL309A-1012	BE309A-1012	1	200-1000	1253	8500 / 10000

防爆手虎钳
Hand Vise




ITEM CODE		K	L	
AL-BR	BE-CU	mm	mm	AL-BR / BE-CU
AL311A-50	BE311A-50	50	165	830 / 915

防爆棘轮插头
Rectangular Reversible Ratchet Head



ITEM CODE		H*B	C	L	
AL-BR	BE-CU	mm	inch	mm	AL-BR / BE-CU
AL309B-1002	BE309B-1002	9*12	3/8	50	150 / 165
AL309B-1004	BE309B-1004	14*18	1/2	78	400 / 445

防爆钻头
Drill Bit




ITEM CODE	Φ	L	
BE-CU	mm	mm	BE-CU
BE312-1002	6	100	20
BE312-1004	7	120	30
BE312-1006	8	140	50
BE312-1008	9	160	75
BE312-1010	10	180	100
BE312-1012	11	200	120
BE312-1014	12	220	170
BE312-1016	13	240	220
BE312-1018	14	260	280
BE312-1020	15	280	360
BE312-1022	16	300	440
BE312-1024	17	300	500
BE312-1026	18	320	600
BE312-1028	19	320	700
BE312-1030	20	330	800

防爆法兰支开器
Flange Prop

ITEM CODE		Size	
AL-BR	BE-CU	mm	AL-BR / BE-CU
AL310-1002	BE310-1002	FZM16-24	6600 / 7300
AL310-1004	BE310-1004	FZM27-36	9000 / 9900

防爆人体静电释放仪
Releasing Static Device



ITEM CODE		L	D	
AL-BR	BE-CU	mm	mm	AL-BR / BE-CU
AL313-1002	BE313-1002	1150	90	3700 / 3900

防爆千斤顶
Screw Jack



ITEM CODE		Model	Capacity	MIN.H	Lifting
AL-BR	BE-CU		T	mm	mm
AL314-1002	BE314-1002	FBQL3.2	3.2	220	110
AL314-1004	BE314-1004	FBQL 5	5	250	130
AL314-1006	BE314-1006	FBQL10	10	280	150
AL314-1008	BE314-1008	FBQL16	16	320	180

电子型防爆人体静电释放仪
Releasing Static Device



ITEM CODE		L	D	
AL-BR	BE-CU	mm	mm	AL-BR / BE-CU
AL313A-1002	BE313A-1002	1150	90	4200 / 4300

防爆盘根工具
Packing Tool



ITEM CODE		
AL-BR	BE-CU	AL-BR / BE-CU
AL315-1002	BE315-1002	800 / 900

防爆液压千斤顶
Hydraulic Screw Jack



液压缸 Hydraulic Cylinder

ITEM CODE		Model	Height	Lifting	
AL-BR	BE-CU		mm	mm	
AL316-1002	BE316-1002	ZBYG-10B	48	58	1600
AL316-1004	BE316-1004	ZBYG-20B	56	67	2700
AL316-1006	BE316-1006	ZBYG-30B	62	75	4600
AL316-1008	BE316-1008	ZBYG-50B	72	88	7800

泵浦 Pumps


ITEM CODE		Model	Working Pressure	oil capacity	
AL-BR	BE-CU		MPa	L	
AL316A-1002	BE316A-1002	ZBB-700C	70	600-350	110

防爆人体静电释放仪
Releasing Static Device



ITEM CODE		L	D	
AL-BR	BE-CU	mm	mm	AL-BR / BE-CU
AL313B-1002	BE313B-1002	1000	90	2700 / 2900

防爆尺子
Ruler



ITEM CODE		Size mm	g	
AL-BR	BE-CU		AL-BR	BE-CU
AL317-1002	BE317-1002	500	190	140
AL317-1004	BE317-1004	1000	390	290

防爆塞尺
Filler Gauge



ITEM CODE		Size mm	g
AL-BR	BE-CU		
AL319-1002	BE319-1002	0.05-1.0mm	70

防爆丁字尺
T Square



ITEM CODE		Size mm	g
AL-BR	BE-CU		
AL318-1002	BE318-1002	1000	1450

防爆直角尺
Filler Gauge



ITEM CODE		Size mm	g	
AL-BR	BE-CU		AL-BR	BE-CU
AL320-1002	BE320-1002	150*300	145	165
AL320-1004	BE320-1004	250*500	250	275

防爆套装双头呆扳手
Double Open End Wrench Set



ITEM CODE		SPECIFICATION mm
AL-BR	BE-CU	
ALA-9	BEA-9	8*10,10*12,12*14,14*17,17*19,19*22, 22*24,24*27,30*32
ALA-10	BEA-10	8*10,10*12,12*14,14*17,17*19,19*22, 22*24,24*27,27*30,30*32
ALA-11	BEA-11	8*10,9*11,10*12,12*14,14*17,17*19, 19*22,22*24,24*27,27*30,30*32
ALA-12	BEA-12	6*7,8*9,10*11,12*13,14*15,16*17, 18*19,20*22,21*23,24*26,25*28,30*32
ALA-13	BEA-13	5.5*7,6*7,8*10,9*11,10*12,12*14,14*17, 17*19,19*22,22*24,24*27,27*30,30*32

防爆套装呆梅扳手
Combination Wrench Set



ITEM CODE		SPECIFICATION mm
AL-BR	BE-CU	
ALB-9	BEB-9	8,10,12,14,17,19,22,24,27
ALB-10	BEB-10	10,12,14,17,19,22,24,27,30,32
ALB-11	BEB-11	8,10,12,14,17,19,22,24,27,30,32
ALB-12	BEB-12	6,8,10,12,14,17,19,22,24,27,30,32
ALB-13	BEB-13	8,10,12,13,14,16,17,19,22,24,27,30,32

防爆套装双头梅花扳手
Double Box Offset Wrench Set



ITEM CODE		SPECIFICATION mm
AL-BR	BE-CU	
ALC-9	BEC-9	8*10,10*12,12*14,14*17,17*19,19*22,22*24, 24*27,30*32
ALC-10	BEC-10	8*10,10*12,12*14,14*17,17*19,19*22,22*24, 24*27,27*30,30*32
ALC-11	BEC-11	8*10,9*11,10*12,12*14,14*17,17*19,19*22,2 2*24,24*27,27*30,30*32
ALC-12	BEC-12	6*7,8*9,10*11,12*13,14*15,16*17, 18*19,20*22,21*23,24*26,25*28,30*32
ALC-13	BEC-13	5.5*7,6*7,8*10,9*11,10*12,12*14,14*17, 17*19,19*22,22*24,24*27,27*30,30*32

防爆 16 件套组合套装工具
Tool Set-16pcs



ITEM CODE		DESCRIPTION		SPECIFICATION
AL-BR	BE-CU			
ALG-16	BEG-16	双头梅花扳手	Wrench,Double Box	8*10,10*12,14*17,19*22
		活扳手	Wrench,Adjustable	250mm
		管钳子	Wrench,Pipe	350mm
		新式水泵钳	Pliers,Water Pump	250mm
		鲤鱼钳	Pliers,Adjustable Combination	150mm,200mm
		一字螺丝刀	Slotted Screwdriver	150mm
		十字螺丝刀	Phillips Screwdriver	150mm
		装柄羊角锤	Hammer,Claw	0.45kg
		泥子刀	Knife,Putty	25*200mm
		削皮刀	Knife,Common	250mm
		两头扁刮刀	Scraper,Deck	45*300mm
		木柄刷	Brush	4*16mm

防爆 17 件套组合套装工具
Tool Set-17pcs



ITEM CODE		DESCRIPTION		SPECIFICATION
AL-BR	BE-CU			
ALH-17	BEH-17	防爆管钳子	Wrench,Pipe	350mm
		防爆活扳手	Wrench,Adjustable	200mm,300mm
		防爆呆梅两用扳手	Wrench,Combination	14mm,17mm,19mm, 22mm,24mm,27mm
		防爆克丝钳	Pliers,Lineman	200mm
		防爆尖嘴钳	Pliers,Long Nose	200mm
		防爆鲤鱼钳	Pliers,Adjustable Combination	200mm
		防爆钎子	Punch,Machinists	Φ18*160mm
		防爆扁铲	Chisel,Flat	Φ18*160mm
		防爆一字螺丝刀	Slotted Screwdriver	6*150mm
		防爆十字螺丝刀	Phillips Screwdriver	#2*150mm
		防爆装柄奶头锤		0.91Kg

防爆 26 件套电工组合套装工具
Tool Set-26pcs



ITEM CODE		DESCRIPTION		SPECIFICATION
AL-BR	BE-CU			
ALI-26	BEI-26	圆扁铲	Chisel Flat	18*200mm
		活扳手	Wrench,Adjustable	150mm
		克丝钳	Pliers,Lineman	200mm
		鲤鱼钳	Pliers,Adjustable Combination	200mm
		尖嘴钳	Pliers,Snipe Nose	150mm
		十字螺丝刀	Phillips Screwdriver	150mm,200mm
		一字螺丝刀	Slotted Screwdriver	150mm,200mm
		1/2＂套筒头	1/2"Socket	8mm,10mm,12mm,14mm,17mm
		滑行头手柄	Sliding T Handle	1/2"*250mm
		装柄检验锤	Hammer,Testing	0.15kg
		呆梅两用扳手	Wrench,Combination	8mm,10mm,12mm,14mm,17mm
		内六角扳手	Wrench,Hex Key	4mm,5mm,6mm,8mm, 10mm

防爆 26 件套组合套装工具

Tool Set-26pcs



ITEM CODE		DESCRIPTION		SPECIFICATION
AL-BR	BE-CU			
ALJ-16	BEJ-16	管钳子	Wrench,Pipe	450mm,250mm
		活扳手	Wrench,Adjustable	375mm,300mm,200mm,150mm
		装柄奶头锤	Hammer,Ball Pein	0.91kg
		克丝钳	Pliers,Lineman	200mm
		尖嘴钳	Pliers,Snipe Nose	200mm
		一字螺丝刀	Slotted Screwdriver	12*400mm,8*200mm
		十字螺丝刀	Phillips Screwdriver	#4*400mm,#3*200mm
		F 扳手	Valve Handle	500mm
		双头梅花扳手	Wrench,Double Box	30*27mm,27*24mm,24*22mm,22*19mm,19*17mm,17*14mm
		双头呆扳手	Wrench,Double Open End	30*32mm,27*30mm,24*27mm,22*24mm,19*22mm,17*19mm,

防爆 36 件套组合套装工具

Tool Set-36pcs



ITEM CODE		DESCRIPTION		SPECIFICATION
AL-BR	BE-CU			
ALL-36	BEL-36	装柄八角锤	Hammer,Sledge	1.8kg
		装柄奶头锤	Hammer,Ball Pein	0.91kg
		管钳子	Wrench,Pipe	450mm
		活扳手	Wrench,Adjustable	150mm,200mm
		呆梅两用扳手	Wrench,Combination	10mm,8mm
		克丝钳	Pliers,Lineman	200mm,150mm
		尖嘴钳	Pliers,Snipe Nose	150mm
		鲤鱼钳	Pliers,Adjustable Combination	200mm
		圆嘴钳	Pliers,Round Nose	150mm
		鸭嘴钳	Pliers,Flat Nose	150mm
		斜口钳	Pliers,Diagonal Cutting	150mm
		一字螺丝刀	Slotted Screwdriver	4*75,5*100,6*150,8*200mm
		十字螺丝刀	Phillips Screwdriver	#1*75,#1*100,#2*150,#3*200mm
		S 型螺丝刀	Slotted Offset Screwdriver	6*72,8*125,10*196mm
		八角扁铲	Chisel 8 Point	16*160mm
		剪刀	Shears,Cutting	150mm
		削皮刀	Knife,Common	250mm
		泥子刀	Knife,Putty	50*200mm
		镊子	Tweezers,Neat Tips	200mm
		撬棍	Bar	19*500mm
		T 型钎子	Marking Tool	252mm
		羊角起钉钳	Bar,Wrecking	400mm
		锯弓子	Hacksaw Frame	500mm
		锯条	Hacksaw Blade	300mm
		刷子	Brush,Flat Back,Scratch	6*16mm

防爆 56 件套组合套装工具

Tool Set-56pcs



ITEM CODE		DESCRIPTION		SPECIFICATION
AL-BR	BE-CU			
ALN-56	BEN-56	双呆扳手	Wrench,Double Open End	5.5*7,6*7,8*10,9*11,10*12,12*14,14*17,17*19,19*22,22*24,24*27,27*30,30*32mm
		内六角扳手	Wrench,Hex Key	2mm,3mm,4mm,5mm,6mm,7mm,8mm,10mm
		一字螺丝刀	Slotted Screwdriver	3*50mm,4*75mm,5*100mm,6*150mm
		十字螺丝刀	Phillips Screwdriver	#0*50mm,#1*75mm,#1*100mm,#2*150mm
		活扳手	Wrench,Adjustable	250mm
		镊子	Tweezers,Neat Tips	150mm
		克丝钳	Pliers,Lineman	150mm
		尖嘴钳	Pliers,Snipe Nose	150mm
		水泵钳	Pliers,Groove Joint	250mm
		扭力扳手	Torque Wrench	1/4",3/8"
		1/4"套筒头	1/4"Socket	4mm,5mm,6mm,7mm,8mm,9mm,10mm,11mm
		3/8"套筒头	3/8" Socket	10mm,11mm,12mm,13mm,14mm,17mm,19mm
		旋具手柄	Driver Type Handle	1/4"
		棘轮扳手	Ratchet Wrench	3/8"
		直接头	Straight Joint	3/8"
		套筒接杆	Driver Extension	3/8"*75mm
		英制火花塞	Spark Plug	

防爆 62 件套组合套装工具

Tool Set-62pcs



ITEM CODE		DESCRIPTION		SPECIFICATION
AL-BR	BE-CU			
ALP-62	BEP-62	活扳手	Wrench,Adjustable	200mm,250mm,300mm
		呆梅扳手	Wrench,Combination	8mm,10mm,12mm,14mm,17mm,19mm,22mm,24mm,27mm
		英制呆梅扳手	Wrench,Combination	3/8", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 1",
		美式管钳子	Wrench,Pipe	200mm,350mm
		叠置式水泵钳	Pliers,Groove Joint	250mm
		鲤鱼钳	Pliers,Adjustable Combination	150mm,200mm,
		克丝钳	Pliers,Lineman	200mm
		尖嘴钳	Pliers,Snipe Nose	150mm
		一字螺丝刀	Slotted Screwdriver	75mm,100mm,150mm,200mm,
		十字螺丝刀	Phillips Screwdriver	75mm,100mm,150mm,200mm,
		羊角起钉钳	Bar,Wrecking	400mm
		尖撬棍	Bar,Pinch	Φ19*500mm
		削皮刀	Knife,Common	250mm
		泥子刀	Knife,Putty	40*200mm,50*200mm,100*200mm
		两头扁刮刀	Scraper,Deck	350mm
		多用开桶扳手	Wrench,Bung	385mm
		圆型扁铲	Chisel,Flat	16*160mm,18*200mm
		装柄机械锤	Hammer(Cross Pein Engineers	0.5kg,1kg
		装柄羊角锤	Hammer,Claw	0.45kg
		1/2"套筒头	1/2"Socket	8mm,10mm,13mm,14mm,16mm,17mm,19mm,21mm,22mm,26mm
		1/2"套筒连接杆	Driver Extension	200mm
		1/2"换向棘轮	Ratchet Wrench	245mm
		1/2"转向手柄	Hinged Handle	250mm

防爆 28 件套组合套装工具

Tool Set-28pcs



ITEM CODE		DESCRIPTION		SPECIFICATION
AL-BR	BE-CU			
ALK-28	BEK-28	装柄八角锤	Hammer,Sledge	1.8kg
		装柄奶头锤	Hammer,Ball Pein	0.91Kg
		装柄羊角锤	Hammer,Claw	0.45kg
		管钳子	Wrench,Pipe	300mm,450mm
		活扳手	Wrench,Adjustable	200mm,300mm
		呆梅两用扳手	Wrench,Combination	8mm,10mmm,12mm,14mm,17mm,19mm,22mm,24mm,27mm,30mm,32mm
		克丝钳	Pliers,Lineman	200mm
		尖嘴钳	Pliers,Long Nose	200mm
		鲤鱼钳	Pliers,Adjustable Combination	200mm
		撬棍	Bar,Pinch	Φ25*300mm
		扁铲	Chisel,Flat	Φ25*300mm
		一字螺丝刀	Slotted Screwdriver	100mm,200mm
		十字螺丝刀	Phillips Screwdriver	100mm,200mm
		F 扳手	Valve Handle	400mm

防爆 40 件套组合套装工具

Tool Set-40pcs



ITEM CODE		DESCRIPTION		SPECIFICATION
AL-BR	BE-CU			
ALM-40	BEM-40	装柄八角锤	Hammer,Sledge	1kg
		装柄羊角锤	Hammer,Claw	0.23kg
		装柄奶头锤	Hammer,Ball Pein	0.45kg
		管钳子	Wrench,Pipe	200mm
		活扳手	Wrench,Adjustable	150mm,250mm
		克丝钳	Pliers,Lineman	150mm
		尖嘴钳	Pliers,Snipe Nose	150mm
		鸭嘴钳	Pliers,Flat Nose	150mm
		斜口钳	Pliers,Diagonal Cutting	150mm
		鲤鱼钳	Pliers,Adjustable Combination	150mm
		胡桃钳	Pincers	200mm
		剪刀	Shears,Cutting	150mm
		一字螺丝刀	Slotted Screwdriver	4*75mm,5*100mm,6*150mm
		十字螺丝刀	Phillips Screwdriver	#1*75mm,#1*100mm,#2*150mm,
		S 型螺丝刀	Slotted Offset Screwdriver	6*72mm,8*125mm,10*196mm
		内六角扳手	Wrench,Hex Key	3mm,4mm,5mm,6mm,7mm,8mm
		六角扁铲	Chisel,6 Point	16*160mm
		起钉器	Bar,Wrecking	250mm
		削皮刀	Knife,Common	250mm
		泥子刀	Knife,Putty	25*200mm
		镊子	Tweezers,Neat Tips	150mm
		三角锉	File,Triangle	200mm
		听针	Hearing Needle	6*250mm
		T 型钎子	Marking Tool	250mm
		鸡尾锯	Hand Saw	370mm
		锯弓子	Hacksaw Frame	500mm
		锯条	Hacksaw Blade	300mm
		刷子	Brush	6*16mm

防爆 50 件套组合套装工具

Tool Set-50pcs



ITEM CODE		DESCRIPTION		SPECIFICATION
AL-BR	BE-CU			
ALO-50	BEO-50	装柄八角锤	Hammer,Sledge	1.8kg
		装柄奶头锤	Hammer,Ball Pein	0.91kg
		装柄羊角锤	Hammer,Claw	0.45kg
		管钳子	Wrench,Pipe	300mm,450mm
		活扳手	Wrench,Adjustable	200mm*24mm,300mm*36mm
		呆梅两用扳手	Wrench,Combination	8mm,10mmm,12mm,14mm,17mm,19mm,22mm,24mm,27mm,30mm,32mm
		克丝钳	Pliers,Lineman	200mm
		尖嘴钳	Pliers,Long Nose	200mm
		鲤鱼钳	Pliers,Adjustable Combination	200mm
		撬棍	Bar,Pinch	Φ25*300mm
		扁铲	Chisel,Flat	Φ25*300mm
		钎子	Punch,Machinists	Φ20*300mm
		一字螺丝刀	Slotted,Screwdriver	5*100mm,8*200mm
		十字螺丝刀	Phillips,Screwdriver	#1*100mm,#3*200mm
		F 扳手	Valve,Handle	400mm
		削皮刀	Knife,Common	250mm
		锯弓子	Hacksaw Frame	500mm
		锯条	Hacksaw Blade	300mm
		1/2"套筒头	1/2"Socket	10mm,11mm,12mm,13mm,14mm,17mm,19mm,22mm,24mm,27mm,30mm,32mm
		棘轮扳手	Ratchet Wrench	1/2"x245mm
		接杆 1/2"	Driver Extension	125mm,250mm
		快速摇柄	Speed Handle	400mm
		滑行头手柄	Sliding T Handle	250mm
		万向接头	Universal Joint	1/2"
		泥子刀	Putty Knife	25*200mm

防爆 100 件套组合套装工具

Tool Set-100pcs



ITEM CODE		DESCRIPTION		SPECIFICATION
AL-BR	BE-CU			
ALQ-100	BEQ-100	装柄奶头锤	Hammer,Ball Pein	0.23kg,0.45kg
		装柄羊角锤	Hammer,Claw	0.23kg
		活扳手	Wrench,Adjustable	150mm,200mm,250mm
		呆梅两用扳手	Wrench,Combination	8mm,10mm,12mm,14mm,17mm,19mm,22mm,24mm,27mm,30mm,32mm
		克丝钳	Pliers,Lineman	200mm
		尖嘴钳	Pliers,Snipe Nose	150mm
		鲤鱼钳	Pliers,Adjustable Combination	150mm
		鸭嘴钳	Pliers,Flat Nose	150mm
		胡桃钳	Pincers	200mm
		圆嘴钳	Pliers,Round Nose	150mm
		斜嘴钳	Pliers,Diagonal Cutting	200mm
		镊子	Tweezer,Neat Tips	150mm
		六角扁铲	Flat 6 Chisel	14*160mm,16*160mm,18*160mm
		顶尖	Centre Punch	Φ16*100mm,Φ18*200mm,
		钎子	Punch,Machinists	Φ20*300mm
		一字螺丝刀	Slotted Screwdriver	Φ18*160mm,Φ18*250mm,
		十字螺丝刀	Phillips Screwdriver	Φ20*300mm
		削皮刀	Knife,Common	5*75mm,6*100mm,7*150mm,
		锯弓子	Hacksaw Frame	8*200mm,9*300mm,10*350mm
		锯条	Hacksaw Blade	5*75mm,6*150mm,8*250mm,
		鸡尾锯	Hand Saw	9*300mm
		除锈刀	Scraper,Flat	250mm
		半圆锉刀	File,Half Round With Handle	500mm
		平锉刀	File,Flat With Handle	300mm
		方锉刀	File,Square With Handle	370mm
		三角锉刀	File,Triangle With Handle	35*350mm
		1/4" *3/8"盒装套筒	1/4"*3/8"Socket	200mm
		3/4" *1"盒装套筒	3/4"*1"Socket	200mm
		手电筒	Torch	200mm
				Set-20pcs

防爆 120 件套组合套装工具

Tool Set-120pcs





ITEM CODE		DESCRIPTION		SPECIFICATION
AL-BR	BE-CU			
ALR-120	BER-120	呆梅两用扳手	Wrench, Combination	8mm,10mm,12mm,13mm,14mm, 16mm,17mm,19mm,22mm,24mm, 27mm,30mm32mm
		F 扳手	Valve Handle	400mm
		装柄八角锤	Hammer,Sledge	1kg,1.8kg
		装柄羊角锤	Hammer,Claw	0.45kg
		装柄奶头锤	Hammer,Ball Pein	0.45kg
		管钳子	Wrench,Pipe	150mm,200mm,250mm,300mm,350mm
		活扳手	Wrench,Adjustable	150mm,200mm,250mm,300mm
		克丝钳	Pliers,Lineman	150mm,200mm
		尖嘴钳	Pliers,Snipe Nose	150mm,200mm
		斜口钳	Pliers,Diagonal Cutting	150mm,200mm
		鸭嘴钳	Pliers,Flat Nose	150mm,200mm
		鲤鱼钳	Pliers,Adjustable Combination	150mm,200mm
		胡桃钳	Pincers	200mm
		剪刀	Shears,Cutting	150mm
		水泵钳	Pliers,Groove Joint	250mm
		一字螺丝刀	Slotted Screwdriver	4*75mm,5*100mm,6*150mm,8*200mm
		十字螺丝刀	Phillips Screwdriver	#1*75mm,#1*100mm,#2*150mm,#3*200mm
		S 型螺丝刀	Slotted Offset Screwdriver	6*72mm,8*125mm,10*196mm
		内六角扳手	Wrench,Hex Key	3mm,4mm,5mm,6mm,7mm,8mm,10mm
		六角扁铲	Chisel 6 Point	16*160mm
		起钉器	Bar,Wrecking	250mm
		双头开捅扳手	Wrench,Bung	350mm
		削皮刀	Knife,Common	250mm
		泥子刀	Knife,Putty	25*200mm
		镊子	Tweezers,Neat Tips	150mm
		三角锉	File,Triangle	200mm
		听针	Hearing Needle	6*250mm
		T 型钎子	Marking Tool	250mm
		鸡尾锯	Hand Saw	370mm
		锯弓子	Hacksaw Frame	500mm
		锯条	Hacksaw Blade	300mm
		刷子	Brush	6*16mm
		1/2"盒装套筒	1/2"Dr Socket	Set-28pcs
		3/4"盒装套筒	3/4"Dr Socket	Set-21pcs

防爆 176 件套组合套装工具

Tool Set-176pcs





ITEM CODE		DESCRIPTION		SPECIFICATION
AL-BR	BE-CU			
ALS-176	BES-176	呆梅两用扳手	Wrench,Combination	6mm,8mm,10mm,12mm,13mm, 14mm,15mm,16mm,17mm,19mm, 22mm,24mm,27mm,30mm,32mm
		单头呆扳手	Wrench,Single Open End	41mm,42mm,44mm,46mm,48mm, 50mm,55mm,60mm
		凹槽双头呆扳手	Wrench,Double Open End	8*10mm,9*11mm,12*14mm, 13*16mm,16*18mm,17*19mm 20*22mm,21*23mm,24*27mm 30*32mm
		L 型套筒扳手	Wrench,Socket L-Type	8mm,10mm,12mm,13mm, 14mm,15mm,16mm,17mm 19mm,22mm,24mm,27mm, 30mm,32mm
		内六角扳手	Wrench,Hex Key	8mm,10mm,12mm,13mm, 14mm,17mm,19mm,22mm
		活扳手	Wrench,Adjustable	200mm,300mm
		一字螺丝刀	Slotted Screwdriver	4*100mm,6*150mm,8*200mm
		十字螺丝刀	Phillips Screwdriver	#1*100mm,#2*150mm,#3*200mm
		克丝钳	Pliers,Lineman	200mm
		叠置式水泵钳	Pliers,Groove Joint	250mm
		敲击梅花扳手	Wrench,Striking Box	22mm,24mm,27mm,30mm, 32mm,34mm,36mm,38mm, 41mm,46mm,50mm,55mm, 60mm,65mm,70mm,
		六角扁铲	Chisel,Hex 6 Point	14*160mm
		机械冲子	Punch,Machinists	14*150mm
		木柄圆头刷	Brush,Flat Back,Scratch	205*48mm
		长柄圆头刷	Brush	290*29mm
		装柄八角锤	Hammer,Sledge	1kg,1.8kg,2.7kg,4.5kg

防爆内六角套装

Hex Key Wrench Set



ITEM CODE		DESCRIPTION
AL-BR	BE-CU	
ALS-A-9	BES-A-9	1.5,2,2.5,3,4,5,6,8,10mm
ALS-A-11	BES-A-11	2,3,4,5,6,7,8,9,10,11,12mm
ALS-A-13	BES-A-13	2,3,4,5,6,7,8,9,10,11,12,13,14mm

防爆 6 件套组合套装工具

Tool Set-6 pcs



ITEM CODE		DESCRIPTION		SPECIFICATION
AL-BR	BE-CU			
ALT-6	BET-6	一字螺丝刀	Slotted Screwdriver	5/16"*3"
		十字螺丝刀	Phillips Screwdriver	#2*4"
		活扳手	Wrench,Adjustable	8"
		羊角起钉锤	Crate Opener	230mm
		新式水泵钳	Pliers,Water Pump	10"
		鲤鱼钳	Pliers,Adjustable Combination	6"

防爆 6 件套组合套装工具

Tool Set-6pcs



ITEM CODE		DESCRIPTION		SPECIFICATION
AL-BR	BE-CU			
ALV-6	BEV-6	一字螺丝刀	Slotted Screwdriver	5/16"*3",7/16"*6", 25/64"*8"
		十字螺丝刀	Phillips Screwdriver	#1*3",#2*4",#3*6"

防爆 10 件套组合套装工具

Tool Set-10pcs



ITEM CODE		DESCRIPTION		SPECIFICATION
AL-BR	BE-CU			
ALU-10	BEU-10	一字螺丝刀	Slotted Screwdriver	5/16"*3"
		十字螺丝刀	Phillips Screwdriver	#2*4"
		活扳手	Wrench,Adjustable	6",10"
		羊角锤	Hammer,Claw	0.45kg
		新式水泵钳	Pliers,Water Pump	10"
		木柄泥子刀	Knife,Putty	1-1/4"*3-9/16"
		削皮刀	Knife,Common	3-1/8"
		鲤鱼钳	Pliers,Adjustable	6"
		美式管钳子	Combination	10"

防爆 21 件套组合套装工具

Tool Set-21pcs



ITEM CODE		DESCRIPTION		SPECIFICATION
AL-BR	BE-CU			
ALW-21	BEW-21	1/2" 套筒头	Socket	5/16",3/8",7/16",1/2", 9/16", 19/32",5/8",11/16",3/4", 25/32",13/16",7/8" 15/16",1",1-1/16",1-1/8" 1-1/4"
		转向手柄	Hinged Handle	1/2"*250mm
		换向棘轮扳手	Ratchet Wrench	1/2"*245mm
		连接杆	Driver Extension	1/2"*250mm
		滑杆	Sliding Bar	11"

防爆 16 件套组合套装工具

Tool Set-16pcs



ITEM CODE		DESCRIPTION		SPECIFICATION
AL-BR	BE-CU			
ALX-16	BEX-16	一字螺丝刀	Slotted Screwdriver	5/16"*3"
		十字螺丝刀	Phillips Screwdriver	#3*6"
		活扳手	Wrench,Adjustable	8",12"
		羊角锤	Hammer,Claw	0.45kg
		起钉锤	Crate Opener	230mm
		新式水泵钳	Pliers,Water Pump	12"
		木柄泥子刀	Knife,Putty	1-1/4"*3-9/16"
		木柄削皮刀	Knife,Co mmon	5-3/4"
		铁皮剪刀	Shears,Tin	12"
		尖嘴钳	Pliers,Snipe Nose	7"
		鲤鱼钳	Pliers,Adjustable Combination	8"
		除锈铲	Scraper,Spray Booth	3"
		刮刀	Scraper,Deck	380mm
		美式管钳	Wrench,Pipe(American Type)	14"
		开桶扳手	Wrench,Bung	300mm

防爆 34 件套组合套装工具

Tool Set-34pcs



ITEM CODE AL-BR	ITEM CODE BE-CU	DESCRIPTION		SPECIFICATION
ALY-34	BEY-34	双头呆扳手	Wrench,Double Open End	6*7,8*9,9*11,10*12,11*13,14*15,16*18,17*19,20*22,21*23,24*26,27*30,32*36,1/16",3/32",2mm,3mm,4mm
		内六角	Wrench,Hex Key	5mm,6mm,8mm,10mm
		一字螺丝刀	Slotted Screwdriver	8*150,5*100,4*75,3*50
		十字螺丝刀	Phillips Screwdriver	3*75,5*100,6*150,
		镊子	Tweezers,Neat Tips	150mm
		新式水泵钳	Pliers,Water Pump	250mm
		活扳手	Wrench,Adjustable	250mm
		斜嘴钳	Pliers,Diagonal Cutting	6"
		尖嘴钳	Long Nose Plier	6"

防爆 85 件套组合套装工具

Tool Set-85pcs



ITEM CODE AL-BR	ITEM CODE BE-CU	DESCRIPTION		SPECIFICATION
ALZ-85	BEZ-85	镊子	Tweezers,Neat Tips	200mm
		T 型钎子	Marking Tool	200mm
		削皮刀	Knife,Common	250mm
		裁剪刀	Scissors	225mm
		锯弓子	Hacksaw Frame	500mm
		锯条	Hacksaw Blade	300mm
		泥子刀	Knife,Putty	40*200
		一字螺丝刀	Slotted Screwdriver	3*50,4.5*150,6*100 8*150,10*300
		S 型螺丝刀	Phillips Offset Screwdriver	6*150,6*130,10*140
		十字螺丝刀	Phillips Screwdriver	#1*75,#2*125,#3*200 #4*300
		鲤鱼钳	Pliers,Adjustable Combination	200mm
		鸭嘴钳	Pliers,Flat Nose	150mm
		尖嘴钳	Pliers,Snipe Nose	150mm
		斜嘴钳	Pliers,Diagonal Cutting	150mm
		剥线钳	Wire Stripping Pliers	170mm
		圆嘴钳	Pliers,Round Nose	150mm
		克丝钳	Pliers,Lineman	200mm
		活扳手	Wrench,Adjustable	150mm,250mm
		美式管钳子	Wrench,Pipe(American Type)	350mm
		奶头锤	Hammer,Ball Pein	0.45kg
		英式平顶锤	Club Hammer	4p
		圆形扁铲	Chisel,Pneumatic	16*160,25*230
		撬棍	Bar	16*455
		羊角起钉钳	Bar,Wrecking	455mm
		换向棘轮	Ratchet Wrench	1/2"*245
		滑行头手柄	Siding T Handle	1/2"
		套筒连接杆	Driver Extension	1/2"*100,1/2"*250
		万向接头	Universal Joint	1/2"
		1/2" 万套筒头	1/2" Dr Socket	10,11,12,13,14,15,17,19,22,24,27,30,mm,7/16",1/2",9/16",5/8",11/16",3/4",13/16",7/8",15/16",1",1-1/16",1-1/8"
		内六角扳手	Wrench,Hex Key	1.5,2,2.5,3,4,5,6,8,10,mm
		英制内六角扳手	Wrench,Hex Key	1/16",5/64",3/32",1/8",5/32",3/16",7/32",1/4",5/16",3/8",7/16"

防爆 36 件套组合套装工具

Tool Set-36pcs



ITEM CODE AL-BR	ITEM CODE BE-CU	DESCRIPTION		SPECIFICATION
ALAA01-36	BEAA01-36	镊子	Tweezers	200mm
		T 型钎子	Marking Tool	187mm
		削皮刀	Knife	185mm
		裁剪刀	Scissors	225mm
		锯弓子	Hacksaw Frame	500mm
		锯条	Hacksaw Blade	300mm
		泥子刀	Putty Knife / Scraper	40mm x 200mm
		长柄圆头刷	Wire Brush	4 x 19
		一字螺丝刀	Screwdriver Flat	3x50,4.5x150,6x100,8x150,10x300mm
		S 型一字螺丝刀	Screwdriver Offset	6x150,6x130,10x140mm
		十字螺丝刀	Screwdriver Cross Head	No.1*75,No.2*125,No.3*200,No.4*300mm
		鲤鱼钳	Pliers Adjustable Combination	200mm
		鸭嘴钳	Pliers Flat Nose	150mm
		尖嘴钳	Pliers Snipe Nose	150mm
		斜嘴钳	Side Cutter	150mm
		剥线钳	Wire Stripper	170mm
		圆嘴钳	Pliers Round Nose	150mm
		克丝钳	Pliers Combination	200mm
		活扳手	Adjustable Spanner	18x150,30x250mm
		美式管钳子	American Pipe Wrench	50mm x 350mm
		奶头锤	Ball pein Hammer	0.68Kg
		英式平顶锤	Club Hammer	1.8Kg
		圆型扁铲	Cold Chisel	16x160,25x230mm
		撬棍	Pry Bar	16mm x 455mm
		羊角起钉钳	Swan Neck Bar (Wrecking Bar)	455mm

防爆 85 件套组合套装工具

Tool Set-85pcs



ITEM CODE AL-BR	ITEM CODE BE-CU	DESCRIPTION		SPECIFICATION
ALAA02-85	BEAA02-85	镊子	Tweezers	200mm
		T 型钎子	Marking Tool	187mm
		削皮刀	Knife	185mm
		裁剪刀	Scissors	225mm
		锯弓子	Hacksaw Frame	500mm
		锯条	Hacksaw Blade	300mm
		泥子刀	Putty Knife / Scraper	40mm x 200mm
		长柄圆头刷	Wire Brush	4 x 19
		一字螺丝刀	Screwdriver Flat	3x50,4.5x150,6x100,8x150,10x300mm,6x150,6x130,10x140,mm
		S 型一字螺丝刀	Screwdriver Offset	
		十字螺丝刀	Screwdriver Cross Head	No.1*75,No.2*125,No.3*200,No.4*300mm
		鲤鱼钳	Pliers Adjustable Combination	200mm
		鸭嘴钳	Pliers Flat Nose	150mm
		尖嘴钳	Pliers Snipe Nose	150mm
		斜嘴钳	Side Cutter	150mm
		剥线钳	Wire Stripper	170mm
		圆嘴钳	Pliers Round Nose	150mm
		克丝钳	Pliers Combination	200mm
		活扳手	Adjustable Spanner	18x150,30x250,mm
		美式管钳子	Wrench,Pipe(American Type)	50mm x 350mm
		奶头锤	Ball pein Hammer	0.68Kg
		英式平顶锤	Club Hammer	1.8Kg
		圆型扁铲	Cold Chisel	16x160,25x230,mm
		撬棍	Pry Bar	16mm x 455mm
		羊角起钉钳	Swan Neck Bar (Wrecking Bar)	455mm
		换向棘轮扳手	Ratchet	1/2" Square
		滑行头手柄	Sliding Bar	1/2" Square
		套筒连接杆	Extension Bar	1/2"Sqx100mm,1/2"Sqx250mm
		万向接头	Universal Joint	1/2" Square
		套筒头 1/2 "	Socket 1/2"	10,11,12,13,14,15,17,19,22,24,27,30,mm
			Socket1/2"	7/16",1/2",9/16",5/8" 11/16",3/4",13/16",7/8",15/16",1",1-1/16",1-1/8"
		内六角扳手	Hex Wrench	1.5,2,2.5,3,4,5,6,8,10,mm
		英制内六角扳手	Hex Wrench	1/16",5/64",3/32",1/8",5/32",3/16",7/32",1/4",

防爆 100 件套组合套装工具


Tool Set-100pcs



ITEM CODE AL-BR	ITEM CODE BE-CU	DESCRIPTION		SPECIFICATION
ALAA03-100	BEAA03-100	镊子	Tweezers	200mm
		T 型钎子	Marking Tool	187mm
		削皮刀	Knife	185mm
		裁剪刀	Scissors	225mm
		锯弓子	Hacksaw Frame	500mm
		锯条	Hacksaw Blade	300mm
		泥子刀	Putty Knife / Scraper	40mm x 200mm
		长柄圆头刷	Wire Brush	4 x 19
		一字螺丝刀	Screwdriver Flat	3x50,4.5x150,6x100,8x150,10x300mm
		S 型一字螺丝刀	Screwdriver Offset	6x150,6x130,10x140mm
		十字螺丝刀	Screwdriver Cross Head	No.1*75,No.2*125,No.3*200,No.4*300mm
		鲤鱼钳	Pliers Adjustable Combination	200mm
		鸭嘴钳	Pliers Flat Nose	150mm
		尖嘴钳	Pliers Snipe Nose	150mm
		斜嘴钳	Side Cutter	150mm
		剥线钳	Wire Stripper	170mm
		圆嘴钳	Pliers Round Nose	150mm
		克丝钳	Pliers Combination	200mm
		活扳手	Adjustable Spanner	18x150,30x250mm
		美式管钳子	Wrench,Pipe(American Type)	50mm x 350mm
		奶头锤	Ball pein Hammer	0.68Kg
		英式平顶锤	Club Hammer	1.8Kg
		圆型扁铲	Cold Chisel	16x160,25x230mm
		撬棍	Pry Bar	16mm x 455mm
		羊角起钉钳	Swan Neck Bar (Wrecking Bar)	455mm
		换向棘轮扳手	Ratchet	1/2" Square
		滑行头手柄	Sliding Bar	1/2" Square
		套筒连接杆	Extension Bar	1/2"Sqx100mm,1/2"Sqx250mm
		万向接头	Universal Joint	1/2" Square
		套筒头 1/2	"Socket 1/2"	10,11,12,13,14,15,17,19,22,24,27,30,mm
		套筒头 1/2	"Socket1/2"	7/16",1/2",9/16",5/8" 11/16",3/4",13/16",7/8",15/16",1",1-1/16",1-1/8"
		内六角扳手	Hex Wrench	1.5,2,2.5,3,4,5,6,8,10mm
		内六角扳手	Hex Wrench	1/16",5/64",3/32",1/8",5/32",3/16",7/32",1/4",5/16",3/8",7/16"
		双头呆扳手	Double Open Spanner	7/16x1/2",1/2x11/16",9/16x5/8",3/4x13/16",7/8x15/16",1x1-1/8",1-1/16x1-1/4"
		双头呆扳手	Double Open Spanner	10x11,12x13,14x15,16x17,18x19,20x22mm
		新式水泵钳	Water Pump Plier	250mm
		煤矿探针	Mine Prodder	1030mm

防爆 5 件套组合套装工具

Tool Set-5pcs



ITEM CODE AL-BR	ITEM CODE BE-CU	DESCRIPTION	SPECIFICATION
ALAA04-5	BEAA04-5	A. 异形锥子 A.same as the drawing	168mm
		B. 异形锥子 B.same as the drawing	168mm
		C. 异形锥子 C.same as the drawing	168mm
		D. 异形锥子 D.same as the drawing	168mm
		迷你斜口钳 Mini Pliers,Diagonal Cutting	5"

防爆 68 件套组合套装工具

Tool Set-68pcs



ITEM CODE AL-BR	ITEM CODE BE-CU	DESCRIPTION		SPECIFICATION
ALAA05-68	BEAA05-68	1/2`套筒头	1/2`Socket-6point	8mm,10mm,12mm,13mm,15mm 16mm,17mm,18mm,19mm 22mm,24mm,27mm,30mm
		1/2" 防爆内六方套头	1/2" Internal Hexagon Socket	8mm, 10mm, 12mm
		万向接头	Universal Joint	1/2"*80mm
		换向棘轮扳手	Ratchet Wrench	1/2"*245mm
		套筒连接杆	Driver Extension	1/2"*100mm
		活扳手	Wrench, Adjustable	18*150mm,24*200mm,36*300mm
		呆梅两用扳手	Combination Wrench	7mm,8mm,10mm,12mm,13mm 15mm,16mm,17mm,18mm 19mm,22mm,24mm,27mm 30mm
		内六角扳手	Wrench, Hex Key	2mm,3mm,4mm,5mm,6mm 7mm,8mm,9mm,10mm 11mm,12mm
		奶头锤	Hammer, Ball Pein	340g
		八角锤	Hammer, Sledge	1000g
		削皮刀	Knife	185mm
		除锈刀	Scraper, Flat	30*200mm
		机械冲子	Punch, Machinist	14*150mm
		顶出冲子	Drift, Cylindrical	6*12*115mm,8*14*120mm 10*16*145mm
		A 型克丝钳	Pliers, Cutting	8"
		斜口钳	Pliers, Diagonal Cutting	6"
		套入式水泵钳	Pliers, Slip Joint	10"
		尖嘴钳	Pliers, Long Nose	6"
		一字螺丝刀	Slotted Screwdriver	100*4mm,75*4mm,100*5mm 150*6mm,350*11mm,
		十字螺丝刀	Phillips Screwdriver	100mm,125mm,200mm, 300mm

防爆 9 件套组合套装工具

Tool Set-9pcs



ITEM CODE AL-BR	ITEM CODE BE-CU	DESCRIPTION		SPECIFICATION
ALAA06-9	BEAA06-9	泥子刀	Putty Knife	50*200mm
		泥子刀	Putty Knife	100*203mm
		除锈刀	Flat Scraper	30*200mm
		三角刮刀	Triangular Scraper	300mm
		铲式砖瓦锤	Scraper Pick And Scaler	75*450mm
		除锈铲	Scraper	75mm
		弧形除锈铲	Arched scraper	100mm
		弯柄刷	Brush	4*16mm
		箱子	Case	

防爆 16 件套组合套装工具

Tool Set-16pcs



ITEM CODE AL-BR	ITEM CODE BE-CU	DESCRIPTION		SPECIFICATION
ALAA07-16	BEAA07-16	泥子刀	Putty Knife	50*200mm
		新式水泵钳	Water Pump Pliers	300mm
		铁皮剪刀	Tin Shears	300mm
		活扳手	Adjustable Wrench	24*200mm,36*300mm
		多用开桶扳手	Bung Wrench	385mm
		克丝钳	Lineman Pliers	200mm
		尖嘴钳	Snipe Nose Pliers	200mm
		羊角锤	Claw Hammer	680g
		弯柄刷	Brush	4*16
		削皮刀	Common Knife	137*250mm
		刮刀	Deck Scraper	300mm
		十字螺丝刀	Phillips Screwdriver	150mm
		一字螺丝刀	Slotted Screwdriver	8*150mm
		美式管钳子	Pipe Wrench(American Type)	50-350mm
		箱子	Case	

防爆 18 件套组合套装工具

Tool Set-18pcs



ITEM CODE AL-BR	ITEM CODE BE-CU	DESCRIPTION		SPECIFICATION
ALAA08-18	BEAA08-18	圆嘴钳	Round Nose Pliers	150mm
		鸭嘴钳	Flat Nose Pliers	150mm
		斜口钳	Diagonal Cutting Pliers	150mm
		克丝钳	Lineman Pliers	150mm
		镊子	Neat Tips Tweezer	150mm
		剥线钳	Wire Stripping Pliers	170mm
		活扳手	Adjustable Wrench	18*150mm
		一字螺丝刀	Slotted Screwdriver	3*75mm,4*100mm,6*150mm
		十字螺丝刀	Phillips Screwdriver	#0*50mm,#1*75mm
		球头内六角扳手	Hex Key With Ball Wrench	3mm,4mm,5mm
		削皮刀	Common Knife	250mm
		裁剪刀	Scissors	225mm
		箱子	Case	

防爆 21 件套组合套装工具

Tool Set-21pcs



ITEM CODE AL-BR	ITEM CODE BE-CU	DESCRIPTION		SPECIFICATION
ALAA09-21	BEAA09-21	美式管钳子	Pipe Wrench(American Type)	50*350mm
		呆梅两用扳手	Combination Wrench	10mm,11mm,12mm,13mm,14mm,17mm,19mm,22mm,
		十字螺丝刀	Phillips Screwdriver	100mm
		一字螺丝刀	Slotted Screwdriver	150*8mm
		活扳手	Adjustable Wrench	30*250mm
		克丝钳	Lineman Pliers	200mm
		尖嘴钳	Snipe Nose Pliers	200mm
		羊角锤	Claw Hammer	680g
		弯柄刷	Brush	4*16mm
		刮刀	Deck Scraper	300mm
		泥子刀	Putty Knife	25*200mm
		削皮刀	Common Knife	137*250mm
		新式水泵钳	Water Pump Pliers	250mm
		箱子	Case	

防爆 18 件套组合套装工具

Tool Set-18pcs



ITEM CODE AL-BR	ITEM CODE BE-CU	DESCRIPTION		SPECIFICATION
ALAA10-18	BEAA10-18	羊角起钉钳	Wrecking Bar	19*800mm
		活扳手	Adjustable Wrench	30*250mm,36*300mm 46*375mm
		奶头锤	Ball Pein Hammer	450g,680g
		除锈锤	Scaling Hammer	300g
		八角锤	Sledge Hammer	2500g
		刮刀	Deck Scraper	300mm
		弧形除锈铲	Arched Scraper	100mm
		一字螺丝刀	Slotted Screwdriver	8*200mm,10*300mm
		六角扁铲	Hex Chisel/6Point	18*160mm
		圆形扁铲	Flat Chisel	24*250mm
		美式管钳子	Pipe Wrench(American Type)	200mm,250mm 50*350mm
		箱子	Case	

防爆 38 件套组合套装工具

Tool Set-38pcs



ITEM CODE AL-BR	ITEM CODE BE-CU	DESCRIPTION		SPECIFICATION
ALAA11-38	BEAA11-38	呆梅两用扳手	Combination Wrench	10mm,11mm,12mm,13mm,14mm,15mm,17mm,19mm,22mm,24mm
		新式水泵钳	Water Pump Pliers	250mm
		削皮刀	Common Knife	137*250mm
		泥子刀	Putty Knife	50*200mm
		弯柄刷	Brush	4*16mm
		内六角扳手	Hex Key Wrench	2mm,3mm,4mm,5mm 6mm,8mm,10mm
		克丝钳	Lineman Pliers	200mm
		斜口钳	Diagonal Cutting Pliers	150mm
		45°瑞典水泵钳	Swedish Type 45° Wrench	38*430mm
		活扳手	Adjustable Wrench	30*250mm,36*300mm
		机械锤	Cross Pein Engineers Hammer	500g
		德式八角锤	Sledge Hammer(German Type)	2000g
		一字螺丝刀	Slotted Screwdriver	100*5mm,150*8mm
		十字螺丝刀	Phillips Screwdriver	75mm,150mm
		圆形扁铲	Flat Chisel	20*200mm
		平尖铲	Cross Cutting Chisel	200mm
		平头冲子	Punch	5*11*150mm,8*14*150mm
		裁剪刀	Scissors	225mm
		箱子	Case	

黄铜塑柄八角锤

Brass Hammer,Sledge



ITEM CODE	Size lb	L mm	g
BR2101A-1002	1	300	450
BR2101A-1004	2	350	910
BR2101A-1006	3	400	1400
BR2101A-1008	4	400	1800
BR2101A-1010	5	400	2250
BR2101A-1012	6	700	2700
BR2101A-1014	8	700	3600
BR2101A-1016	10	900	4500
BR2101A-1018	12	900	5400
BR2101A-1020	14	900	6400
BR2101A-1022	16	900	7200
BR2101A-1024	20	900	9000

黄铜木柄八角锤

Brass Hammer,Sledge



ITEM CODE	Size lb	L mm	g
BR2101B-1002	1	310	450
BR2101B-1004	2	320	910
BR2101B-1006	3	360	1400
BR2101B-1008	4	380	1800
BR2101B-1010	5	400	2250
BR2101B-1012	6	400	2700
BR2101B-1014	8	700	3600
BR2101B-1016	10	800	4500
BR2101B-1018	12	800	5400
BR2101B-1020	14	800	6400
BR2101B-1022	16	900	7200
BR2101B-1024	20	900	9000

黄铜塑柄圆鼓锤

Brass Hammer,Mallet



ITEM CODE	Size lb	L mm	g
BR2102A-1002	1	300	450
BR2102A-1004	2	350	910
BR2102A-1006	3	400	1400
BR2102A-1008	5	400	2250
BR2102A-1010	6	700	2700
BR2102A-1012	8	700	3600
BR2102A-1014	10	900	4500
BR2102A-1016	15	900	6750

黄铜木柄圆鼓锤

Brass Hammer,Mallet



ITEM CODE	Size lb	L mm	g
BR2102B-1002	1	310	450
BR2102B-1004	2	320	910
BR2102B-1006	3	360	1400
BR2102B-1008	5	400	2250
BR2102B-1010	6	400	2700
BR2102B-1012	8	700	3600
BR2102B-1014	10	800	4500
BR2102B-1016	15	800	6750

黄铜塑柄圆鼓锤

Brass Hammer,Drum Type



ITEM CODE	Size lb	L mm	g
BR2103A-1002	1/2	280	230
BR2103A-1004	1	310	450
BR2103A-1006	1-1/2	340	680
BR2103A-1008	2	350	910
BR2103A-1010	3	400	1400
BR2103A-1012	4	400	1800
BR2103A-1014	5	400	2250
BR2103A-1016	6	700	2700
BR2103A-1018	8	700	3600
BR2103A-1020	10	900	4500

黄铜木柄圆鼓锤

Brass Hammer,Drum Type



ITEM CODE	Size lb	L mm	g
BR2103B-1002	1/2	280	230
BR2103B-1004	1	300	450
BR2103B-1006	1-1/2	320	680
BR2103B-1008	2	320	910
BR2103B-1010	3	360	1400
BR2103B-1012	4	360	1800
BR2103B-1014	5	400	2250
BR2103B-1016	6	400	2700
BR2103B-1018	8	700	3600
BR2103B-1020	10	800	4500

黄铜塑柄德式八角锤
Brass Hammer,Sledge(German Type)



ITEM CODE	Size g	L mm	g
BR2104A-1002	500	310	500
BR2104A-1004	1000	350	1000
BR2104A-1006	1500	400	1500
BR2104A-1008	1800	400	1800
BR2104A-1010	2000	400	2000
BR2104A-1012	2700	700	2700
BR2104A-1014	3600	700	3600
BR2104A-1016	4000	900	4000
BR2104A-1018	5000	900	5000

黄铜木柄德式八角锤
Brass Hammer,Sledge(German Type)



ITEM CODE	Size g	L mm	g
BR2104B-1002	500	310	500
BR2104B-1004	1000	320	1000
BR2104B-1006	1500	360	1500
BR2104B-1008	1800	380	1800
BR2104B-1010	2000	380	2000
BR2104B-1012	2700	400	2700
BR2104B-1014	3600	700	3600
BR2104B-1016	4000	800	4000
BR2104B-1018	5000	800	5000

黄铜塑柄奶头锤
Brass Hammer,Ball Pein



ITEM CODE	Size lb	L mm	g
BR2105A-1002	1/2	280	230
BR2105A-1004	3/4	280	340
BR2105A-1006	1	280	450
BR2105A-1008	1-1/2	310	680
BR2105A-1010	2	340	910
BR2105A-1012	2-1/2	350	1130

黄铜木柄奶头锤
Brass Hammer,Ball Pein



ITEM CODE	Size lb	L mm	g
BR2105B-1002	1/2	300	230
BR2105B-1004	3/4	300	340
BR2105B-1006	1	300	450
BR2105B-1008	1-1/2	325	680
BR2105B-1010	2	365	910
BR2105B-1012	2-1/2	365	1130

黄铜塑柄方锤
Brass Hammer,Double Face



ITEM CODE	Size g	L mm	g
BR2106A-1002	500	300	500
BR2106A-1004	1000	350	1000
BR2106A-1006	2000	400	2000
BR2106A-1008	3000	700	3000
BR2106A-1010	5000	790	5000

黄铜木柄方锤
Brass Hammer,Double Face



ITEM CODE	Size g	L mm	g
BR2106B-1002	500	310	500
BR2106B-1004	1000	320	1000
BR2106B-1006	2000	380	2000
BR2106B-1008	3000	700	3000
BR2106B-1010	5000	800	5000

黄铜塑柄欧式平锤
Brass Flat Hammer(Euro Type)



ITEM CODE	Size lb	L mm	g
BR2107A-1002	1	310	450
BR2107A-1004	2	350	910
BR2107A-1006	3	400	1400
BR2107A-1008	5	400	2250
BR2107A-1010	6	700	2700
BR2107A-1012	8	700	3600
BR2107A-1014	10	900	4500
BR2107A-1016	15	900	6750

黄铜木柄欧式平锤
Brass Flat Hammer(Euro Type)



ITEM CODE	Size lb	L mm	g
BR2107B-1002	1	310	450
BR2107B-1004	2	320	910
BR2107B-1006	3	360	1400
BR2107B-1008	5	400	2250
BR2107B-1010	6	400	2700
BR2107B-1012	8	700	3600
BR2107B-1014	10	800	4500
BR2107B-1016	15	800	6750

黄铜塑柄除锈锤
Brass Hammer,Scaling



ITEM CODE	Size g	L mm	g
BR2108A-1002	150	280	205
BR2108A-1004	300	280	370

黄铜木柄除锈锤
Brass Hammer,Scaling



ITEM CODE	Size g	L mm	g
BR2108B-1002	150	330	205
BR2108B-1004	300	350	370

黄铜尼龙顶锤
Nylon Hammer



ITEM CODE	Size g	L mm	g
BR2109-1002	420	280	420
BR2109-1004	650	340	650

紫铜塑柄八角锤

Copper Hammer,Sledge



ITEM CODE	Size lb	L mm	g
CO2201A-1002	1	300	450
CO2201A-1004	2	350	910
CO2201A-1006	3	400	1400
CO2201A-1008	4	400	1800
CO2201A-1010	5	400	2250
CO2201A-1012	6	700	2700
CO2201A-1014	8	700	3600
CO2201A-1016	10	900	4500
CO2201A-1018	12	900	5400
CO2201A-1020	14	900	6400
CO2201A-1022	16	900	7200
CO2201A-1024	20	900	9000

紫铜木柄八角锤

Copper Hammer,Sledge



ITEM CODE	Size lb	L mm	g
CO2201B-1002	1	310	450
CO2201B-1004	2	320	910
CO2201B-1006	3	360	1400
CO2201B-1008	4	380	1800
CO2201B-1010	5	400	2250
CO2201B-1012	6	400	2700
CO2201B-1014	8	700	3600
CO2201B-1016	10	800	4500
CO2201B-1018	12	800	5400
CO2201B-1020	14	800	6400
CO2201B-1022	16	900	7200
CO2201B-1024	20	900	9000

紫铜塑柄圆鼓锤

Copper Hammer,Mallet



ITEM CODE	Size lb	L mm	g
CO2202A-1002	1	300	450
CO2202A-1004	2	350	910
CO2202A-1006	3	400	1400
CO2202A-1008	5	400	2250
CO2202A-1010	6	700	2700
CO2202A-1012	8	700	3600
CO2202A-1014	10	900	4500
CO2202A-1016	15	900	6750

紫铜木柄圆鼓锤

Copper Hammer,Mallet



ITEM CODE	Size lb	L mm	g
CO2202B-1002	1	310	450
CO2202B-1004	2	320	910
CO2202B-1006	3	360	1400
CO2202B-1008	5	400	2250
CO2202B-1010	6	400	2700
CO2202B-1012	8	700	3600
CO2202B-1014	10	800	4500
CO2202B-1016	15	800	6750

紫铜塑柄圆鼓锤

Copper Hammer,Drum Type



ITEM CODE	Size lb	L mm	g
CO2203A-1002	1/2	280	230
CO2203A-1004	1	300	450
CO2203A-1006	1-1/2	340	680
CO2203A-1008	2	350	910
CO2203A-1010	3	400	1400
CO2203A-1012	4	400	1800
CO2203A-1014	5	400	2250
CO2203A-1016	6	700	2700
CO2203A-1018	8	700	3600
CO2203A-1020	10	900	4500

紫铜木柄圆鼓锤

Copper Hammer,Drum Type



ITEM CODE	Size lb	L mm	g
CO2203B-1002	1/2	280	230
CO2203B-1004	1	300	450
CO2203B-1006	1-1/2	320	680
CO2203B-1008	2	320	910
CO2203B-1010	3	360	1400
CO2203B-1012	4	360	1800
CO2203B-1014	5	400	2250
CO2203B-1016	6	400	2700
CO2203B-1018	8	700	3600
CO2203B-1020	10	800	4500

WEDO 维度®

防爆工具 NON-SPARKING TOOLS

紫铜塑柄德式八角锤

Copper Hammer,Sledge(German Type)



ITEM CODE	Size lb	L mm	g
CO2204A-1002	500	300	500
CO2204A-1004	1000	350	1000
CO2204A-1006	1500	400	1500
CO2204A-1008	1800	400	1800
CO2204A-1010	2000	400	2000
CO2204A-1012	2700	700	2700
CO2204A-1014	3600	700	3600
CO2204A-1016	4000	900	4000
CO2204A-1018	5000	900	5000

紫铜木柄德式八角锤

Copper Hammer,Sledge(German Type)



ITEM CODE	Size g	L mm	g
CO2204B-1002	500	310	500
CO2204B-1004	1000	320	1000
CO2204B-1006	1500	360	1500
CO2204B-1008	1800	380	1800
CO2204B-1010	2000	380	2000
CO2204B-1012	2700	400	2700
CO2204B-1014	3600	700	3600
CO2204B-1016	4000	800	4000
CO2204B-1018	5000	800	5000

紫铜塑柄奶头锤

Copper Hammer,Ball Pein



ITEM CODE	Size lb	L mm	g
CO2205A-1002	1/2	280	230
CO2205A-1004	3/4	280	340
CO2205A-1006	1	280	450
CO2205A-1008	1-1/2	310	680
CO2205A-1010	2	340	910
CO2205A-1012	2-1/2	350	1130

紫铜木柄奶头锤

Copper Hammer,Ball Pein



ITEM CODE	Size lb	L mm	g
CO2205B-1002	1/2	300	230
CO2205B-1004	3/4	300	340
CO2205B-1006	1	300	450
CO2205B-1008	1-1/2	325	680
CO2205B-1010	2	365	910
CO2205B-1012	2-1/2	365	1130

紫铜塑柄方锤

Copper Hammer,Double Face



ITEM CODE	Size g	L mm	g
CO2206A-1002	500	300	500
CO2206A-1004	1000	350	1000
CO2206A-1006	2000	400	2000
CO2206A-1008	3000	700	3000
CO2206A-1010	5000	900	5000

紫铜木柄方锤

Copper Hammer,Double Face



ITEM CODE	Size g	L mm	g
CO2206B-1002	500	310	500
CO2206B-1004	1000	320	1000
CO2206B-1006	2000	380	2000
CO2206B-1008	3000	700	3000
CO2206B-1010	5000	800	5000

紫铜塑柄欧式平锤
Copper Flat Hammer(Euro Type)



ITEM CODE	Size lb	L mm	g
CO2207A-1002	1	300	450
CO2207A-1004	2	350	910
CO2207A-1006	3	400	1400
CO2207A-1008	5	400	2250
CO2207A-1010	6	700	2700
CO2207A-1012	8	700	3600
CO2207A-1014	10	900	4500
CO2207A-1016	15	900	6750

紫铜木柄欧式平锤
Copper Flat Hammer(Euro Type)



ITEM CODE	Size lb	L mm	g
CO2207B-1002	1	310	450
CO2207B-1004	2	320	910
CO2207B-1006	3	360	1400
CO2207B-1008	5	400	2250
CO2207B-1010	6	400	2700
CO2207B-1012	8	700	3600
CO2207B-1014	10	800	4500
CO2207B-1016	15	800	6750

紫铜塑柄除锈锤
Copper Hammer,Scaling



ITEM CODE	Size g	L mm	g
CO2208A-1002	150	280	205
CO2208A-1004	300	280	370

紫铜木柄除锈锤
Copper Hammer,Scaling



ITEM CODE	Size g	L mm	g
CO2208B-1002	150	330	205
CO2208B-1004	300	350	370



维度绝缘工具

1. 绝缘工具的定义

绝缘工具是指可在额定电压 1000Vac(交流电压) 和 1500Vdc (直流电压) 的带电和近电工件或器件上进行维修作业的手工具。

2. 绝缘工具的特点

工作对象特殊、结构牢固、安全可靠、防护要求高、用途专一。

3. 绝缘工具依据的标准

欧盟标准 EN 60900 ：2012 /VDE 0682 Part 201

《耐压最高为 1000V AC 和 1500V DC 的带电作业手工具》 该标准被国际电工委员会作为国际标准发布。

IEC 60900 ：2012《耐压最高为 1000V AC 和 1500V DC 的带电作业手工具》 ，我国于 2008 年等同采用国际标准 IEC 60900 制定了国家标准 ： GB/T 18269-2008 《交流 1kV、直流 1.5kV 及以下等级带电作业用绝缘手工具》 。

4. 维度工具认证



我司生产的钢制绝缘工具、防爆绝缘工具均通过德国 VDE 认证。VDE 含义德语 Verband Deutscher Elektrote chnikere 德国电气工程师协会对电气产品的认证，按照德国 VDE 国家标准或欧洲 EN 标准，或 IEC 国际电工委员会标准对电工产品进行检验和认证。

GS 含义德语 "Geprufte Sicherheit"(安全性已认证) ，也有 Germany Safety"(德国安全) 的意思。GS 认证以德国产品安全法 (GPGS) 为依据，按照欧盟统一标准 EN 或德国工业标准 DIN 进行检测的一种自愿性认证，是欧洲市场公认的德国安全标志。

IEC/EN 含义国际电工委员会 (International Electro technical Commission, 简称 IEC) 在欧盟标准基础上，于 2012 年制定的交流 1000V 和直流 1500V 以下带电作业用手持工具标准。

5. 维度工具性能测试

①阻燃试验：



试验时用火焰烧手柄 10 秒后，将火焰熄灭，此时手柄被引燃的火焰高度在 20 秒内不得超过 120mm。

②拉拔试验：



将产品在通风的加热室中加热到 70 ℃ ±3℃，持续 168 小时，取出后自然冷却 3 分钟，在试验环境温度 23℃ ±5、湿度 45%-75% 进行测试，通过对产品的绝缘层与机体之间施加额定载荷，两者不出现松动、移位或脱落等现象。

③高压介电试验：



用以检测绝缘件的绝缘强度 . 对试件分别施加频率为 50Hz 或 60Hz、 10KV 的交流电压和 15kV 直流电压进行耐压试验，试验期间无电击穿，火花放电或飞弧发生。

④低温冲击试验



实验前将产品放置在 -25℃ ±3℃的低温室中 2 小时，产品取出后在实验室温度 23℃ ±5℃的环境中放置 2 分钟后，进行落高 0.6 米的冲击，试验后绝缘层不得出现裂痕，脱落。

⑤压痕试验



通过介电强度试验后，应对产品绝缘层最易受损伤部位施压 20N 压力进行压痕测试。

6. 绝缘工具的要求

①工具的形式



绝缘工具必须是单头结构，如单头呆扳手、单头梅花扳手等，任何双头工具都不能作为绝缘工具。

②严格控制金属的外露



尽可能将工具的金属外露部分减至最小，操作者的握捏部分严禁有任何哪怕是最微小的金属露出。 梅花扳手仅需露出十二角内圈金属，呆扳手仅露出开口内侧的金属，内六角扳手露出的金属部分不得大于 18mm。

③设置防护凸缘



对于绝缘工具无法避免的外露金属部分，应在握捏部位设置较宽大的防护凸缘，以防止操作者的手滑向金属部分从而发生触电危险。

④绝缘材料必须整体包覆



包覆工具的绝缘材料必须保持其整体性，以防出现缝隙而破坏绝缘强度 . 并且，绝缘材料和工具主体必须粘合牢固，不易脱落。

⑤组装后使用的绝缘工具不得留有间隙



对于套筒及其连接件，必须留有可相互重叠的绝缘层以消除连接间隙，且其机械式锁紧系统应承受 500N 的力，避免带电作业时间隙部位出现放电火花。

防爆绝缘注塑一字螺丝刀

Injection Slotted Screwdriver

AC 1000V IEC 60900:2012



ITEM CODE		L_1	L_1	L	H	B		
AL-BR	BE-CU	inch	mm	mm	mm	mm	AL-BR	BE-CU
INA6101-1002	INB6101-1002	2	50	134	0.5	3	33	35
INA6101-1004	INB6101-1004	2	50	134	1.0	4.5	40	43
INA6101-1006	INB6101-1006	3	75	159	0.6	3	32	35
INA6101-1008	INB6101-1008	3	75	159	0.8	4	42	45
INA6101-1010	INB6101-1010	3	75	180	1.0	5	65	70
INA6101-1012	INB6101-1012	4	100	184	0.8	4	42	45
INA6101-1014	INB6101-1014	4	100	205	1.0	5	70	75
INA6101-1016	INB6101-1016	4	100	215	1.1	6	80	85
INA6101-1018	INB6101-1018	5	125	240	1.1	6	95	100
INA6101-1020	INB6101-1020	6	150	265	1.1	6	105	110
INA6101-1022	INB6101-1022	6	150	265	1.2	7	120	125
INA6101-1024	INB6101-1024	6	150	277	1.2	8	135	140
INA6101-1026	INB6101-1026	8	200	327	1.2	8	155	165
INA6101-1028	INB6101-1028	10	250	377	1.6	9	175	185

防爆绝缘注塑十字螺丝刀

Injection Phillips Screwdriver

AC 1000V IEC 60900:2012



ITEM CODE		L_1	size	L^1	L	Φ		
AL-BR	BE-CU	inch		mm	mm	mm	AL-BR	BE-CU
INA6102-1002	INB6102-1002	2	0	50	134	3	32	35
INA6102-1004	INB6102-1004	3	1	75	159	4	63	70
INA6102-1006	INB6102-1006	4	1	100	205	5	70	75
INA6102-1008	INB6102-1008	5	2	125	240	6	95	100
INA6102-1010	INB6102-1010	6	2	150	265	6	105	110
INA6102-1012	INB6102-1012	8	3	200	327	8	155	165
INA6102-1014	INB6102-1014	10	3	250	377	8	170	185

防爆绝缘注塑克丝钳

Injection Pliers,Lineman

AC 1000V IEC 60900:2012



ITEM CODE		L	L		
AL-BR	BE-CU	inch	mm	AL-BR	BE-CU
INA6201-1002	INB6201-1002	6	150	165	180
INA6201-1004	INB6201-1004	7	175	330	355
INA6201-1006	INB6201-1006	8	200	435	465

防爆绝缘浸塑克丝钳

Dipped Pliers,Lineman

AC 1000V IEC 60900:2012



ITEM CODE		L	L		
AL-BR	BE-CU	inch	mm	AL-BR	BE-CU
INA6201A-1002	INB6201A-1002	6	150	165	180
INA6201A-1004	INB6201A-1004	7	175	330	355
INA6201A-1006	INB6201A-1006	8	200	435	465

防爆绝缘注塑尖嘴钳

Injection Pliers,Snipe Nose

AC 1000V IEC 60900:2012



ITEM CODE		L	L	L^1		
AL-BR	BE-CU	inch	mm	mm	AL-BR	BE-CU
INA6202-1002	INB6202-1002	6	150	54	170	190
INA6202-1004	INB6202-1004	8	200	74	300	335

防爆绝缘浸塑尖嘴钳

Dipped Pliers,Snipe Nose

AC 1000V IEC 60900:2012



ITEM CODE		L	L	L^1		
AL-BR	BE-CU	inch	mm	mm	AL-BR	BE-CU
INA6202A-1002	INB6202A-1002	6	150	54	170	190
INA6202A-1004	INB6202A-1004	8	200	74	300	335

防爆绝缘注塑斜口钳

Injection Pliers,Diagonal Cutting

AC 1000V IEC 60900:2012



ITEM CODE		L	L		
AL-BR	BE-CU	inch	mm	AL-BR	BE-CU
INA6203-1002	INB6203-1002	6	150	225	245
INA6203-1004	INB6203-1004	8	200	365	410

防爆绝缘浸塑斜口钳

Dipped Pliers,Diagonal Cutting

AC 1000V IEC 60900:2012



ITEM CODE		L	L		
AL-BR	BE-CU	inch	mm	AL-BR	BE-CU
INA6203A-1002	INB6203A-1002	6	150	225	245
INA6203A-1004	INB6203A-1004	8	200	365	410

防爆绝缘注塑弯嘴钳

Injection Pliers,Round 45 Degree Bent

AC 1000V IEC 60900:2012



ITEM CODE		L	L		
AL-BR	BE-CU	inch	mm	AL-BR	BE-CU
INA6204-1002	INB6204-1002	6	150	170	190

防爆绝缘浸塑弯嘴钳

Dipped Pliers,Round 45 Degree Bent

AC 1000V IEC 60900:2012



ITEM CODE		L	L		
AL-BR	BE-CU	inch	mm	AL-BR	BE-CU
INA6204A-1002	INB6204A-1002	6	150	170	190

防爆绝缘注塑鸭嘴钳

Injection Pliers,Flat Nose

AC 1000V IEC 60900:2012



ITEM CODE		L	L		
AL-BR	BE-CU	inch	mm	AL-BR	BE-CU
INA6205-1002	INB6205-1002	6	150	151	165
INA6205-1004	INB6205-1004	8	200	257	281

防爆绝缘浸塑鸭嘴钳

Dipped Pliers,Flat Nose

AC 1000V IEC 60900:2012



ITEM CODE		L	L		
AL-BR	BE-CU	inch	mm	AL-BR	BE-CU
INA6205A-1002	INB6205A-1002	6	150	151	165
INA6205A-1004	INB6205A-1004	8	200	257	281

防爆绝缘注塑圆嘴钳

Injection Pliers,Round Nose

AC 1000V IEC 60900:2012



ITEM CODE		L	L		
AL-BR	BE-CU	inch	mm	AL-BR	BE-CU
INA6206-1002	INB6206-1002	6	150	150	165

防爆绝缘浸塑圆嘴钳

Dipped Pliers,Round Nose

AC 1000V IEC 60900:2012



ITEM CODE		L	L		
AL-BR	BE-CU	inch	mm	AL-BR	BE-CU
INA6206A-1002	INB6206A-1002	6	150	150	165

防爆绝缘注塑剥线钳

Injection Wire Stripping Pliers

AC 1000V IEC 60900:2012



ITEM CODE		L mm	AL-BR	BE-CU
AL-BR	BE-CU			
INA6207-1002	INB6207-1002	170	205	225

防爆绝缘浸塑剥线钳

Dipped Wire Stripping Pliers

AC 1000V IEC 60900:2012



ITEM CODE		L mm	AL-BR	BE-CU
AL-BR	BE-CU			
INA6207A-1002	INB6207A-1002	170	205	225

防爆绝缘注塑套入式水泵钳

Dipped Pliers,Slip Joint

AC 1000V IEC 60900:2012




ITEM CODE		L inch	L mm	K_{max} mm	AL-BR	BE-CU
AL-BR	BE-CU					
INA6208-1002	INB6208-1002	10	250	32	335	365

防爆绝缘注塑套筒头

Injection Socket

AC 1000V IEC 60900:2012



C=3/8″

ITEM CODE		S mm	L_1 mm	L mm	AL-BR	BE-CU
AL-BR	BE-CU					
INA6301-8	INB6301-8	8	28	44	32	35
INA6301-9	INB6301-9	9	28	44	32	35
INA6301-10	INB6301-10	10	32	48	45	50
INA6301-11	INB6301-11	11	32	48	45	50
INA6301-12	INB6301-12	12	32	48	45	50
INA6301-13	INB6301-13	13	32	48	45	50
INA6301-14	INB6301-14	14	32	48	45	50
INA6301-15	INB6301-15	15	32	48	48	53
INA6301-16	INB6301-16	16	32	48	53	58
INA6301-17	INB6301-17	17	32	48	57	63
INA6301-19	INB6301-19	19	32	48	62	68
INA6301-20	INB6301-20	20	32	48	70	77

C=1/2″

ITEM CODE		S mm	L_1 mm	L mm	AL-BR	BE-CU
AL-BR	BE-CU					
INA6302-10	INB6302-10	10	40	56	71	78
INA6302-11	INB6302-11	11	40	56	72	79
INA6302-12	INB6302-12	12	40	56	72	79
INA6302-13	INB6302-13	13	40	56	73	80
INA6302-14	INB6302-14	14	40	56	73	80
INA6302-15	INB6302-15	15	40	56	85	94
INA6302-16	INB6302-16	16	40	56	85	94
INA6302-17	INB6302-17	17	40	56	85	94
INA6302-18	INB6302-18	18	42	58	85	94
INA6302-19	INB6302-19	19	42	58	100	110
INA6302-20	INB6302-20	20	42	58	105	120
INA6302-21	INB6302-21	21	43	59	110	125
INA6302-22	INB6302-22	22	43	59	115	130
INA6302-23	INB6302-23	23	43	59	135	150
INA6302-24	INB6302-24	24	43	59	145	165
INA6302-25	INB6302-25	25	43	59	160	180
INA6302-26	INB6302-26	26	43	59	180	200
INA6302-27	INB6302-27	27	46	62	190	215
INA6302-28	INB6302-28	28	46	62	200	225
INA6302-29	INB6302-29	29	46	62	210	235
INA6302-30	INB6302-30	30	46	62	220	250
INA6302-32	INB6302-32	32	46	62	260	295

防爆绝缘浸塑套筒头

Dipped Socket

AC 1000V IEC 60900:2012



C=3/8″

ITEM CODE		S mm	L_1 mm	L mm	AL-BR	BE-CU
AL-BR	BE-CU					
INA6301A-8	INB6301A-8	8	28	44	32	35
INA6301A-9	INB6301A-9	9	28	44	32	35
INA6301A-10	INB6301A-10	10	32	48	45	50
INA6301A-11	INB6301A-11	11	32	48	45	50
INA6301A-12	INB6301A-12	12	32	48	45	50
INA6301A-13	INB6301A-13	13	32	48	45	50
INA6301A-14	INB6301A-14	14	32	48	45	50
INA6301A-15	INB6301A-15	15	32	48	48	53
INA6301A-16	INB6301A-16	16	32	48	53	58
INA6301A-17	INB6301A-17	17	32	48	57	63
INA6301A-19	INB6301A-19	19	32	48	62	68
INA6301A-20	INB6301A-20	20	32	48	70	77

C=1/2″

ITEM CODE		S mm	L_1 mm	L mm	AL-BR	BE-CU
AL-BR	BE-CU					
INA6302A-10	INB6302A-10	10	40	56	71	78
INA6302A-11	INB6302A-11	11	40	56	72	79
INA6302A-12	INB6302A-12	12	40	56	72	79
INA6302A-13	INB6302A-13	13	40	56	73	80
INA6302A-14	INB6302A-14	14	40	56	73	80
INA6302A-15	INB6302A-15	15	40	56	85	94
INA6302A-16	INB6302A-16	16	40	56	85	94
INA6302A-17	INB6302A-17	17	40	56	85	94
INA6302A-18	INB6302A-18	18	42	58	85	94
INA6302A-19	INB6302A-19	19	42	58	100	110
INA6302A-20	INB6302A-20	20	42	58	105	120
INA6302A-21	INB6302A-21	21	43	59	110	125
INA6302A-22	INB6302A-22	22	43	59	115	130
INA6302A-23	INB6302A-23	23	43	59	135	150
INA6302A-24	INB6302A-24	24	43	59	145	165
INA6302A-25	INB6302A-25	25	43	59	160	180
INA6302A-26	INB6302A-26	26	43	59	180	200
INA6302A-27	INB6302A-27	27	46	62	190	215
INA6302A-28	INB6302A-28	28	46	62	200	225
INA6302A-29	INB6302A-29	29	46	62	210	235
INA6302A-30	INB6302A-30	30	46	62	220	250
INA6302A-32	INB6302A-32	32	46	62	260	295

防爆绝缘注塑 T 型扳手

Injection Sliding T Type Wrench

AC 1000V IEC 60900:2012



ITEM CODE		C inch	L mm	H mm	AL-BR	BE-CU
AL-BR	BE-CU					
INA6303-1002	INB6303-1002	3/8	140	200	330	360
INA6303-1004	INB6303-1004	1/2	140	200	400	440

防爆绝缘浸塑 T 型扳手

Dipped Sliding T Type Wrench

AC 1000V IEC 60900:2012



ITEM CODE		C inch	L mm	H mm	AL-BR	BE-CU
AL-BR	BE-CU					
INA6303A-1002	INB6303A-1002	3/8	140	200	340	370
INA6303A-1004	INB6303A-1004	1/2	140	200	420	465

防爆绝缘浸塑套筒连接杆

Dipped Driver Extension

AC 1000V IEC 60900:2012



ITEM CODE		C inch	L_1 mm	L mm	AL-BR	BE-CU
AL-BR	BE-CU					
INA6304-1002	INB6304-1002	3/8	75	91	80	93
INA6304-1004	INB6304-1004	3/8	150	166	160	185
INA6304-1006	INB6304-1006	1/2	125	141	230	260
INA6304-1008	INB6304-1008	1/2	250	266	425	470

防爆绝缘浸塑滑行头手柄

Dipped Sliding T Handle

AC 1000V IEC 60900:2012



ITEM CODE		C inch	L mm	H mm	AL-BR	BE-CU
AL-BR	BE-CU					
INA6305-1002	INB6305-1002	1/2	250	39	310	340
INA6305-1004	INB6305-1004	3/8	160	37	120	135

防爆绝缘浸塑 T 型套筒扳手

Dipped Sliding T Type Wrench

AC 1000V IEC 60900:2012



ITEM CODE		S mm	L mm	H mm	AL-BR	BE-CU
AL-BR	BE-CU					
INA6306-7	INB6306-7	7	120	120	90	100
INA6306-9	INB6306-9	9	130	130	140	155
INA6306-11	INB6306-11	11	140	150	170	190
INA6306-14	INB6306-14	14	150	170	240	265
INA6306-17	INB6306-17	17	170	190	370	410
INA6306-19	INB6306-19	19	180	210	480	535

防爆绝缘浸塑套筒弯柄

Dipped Offset Handle

AC 1000V IEC 60900:2012



ITEM CODE		C inch	L mm	H mm	AL-BR	BE-CU
AL-BR	BE-CU					
INA6307-1002	INB6307-1002	3/8	200	50	287	314
INA6307-1004	INB6307-1004	1/2	230	60	380	410

防爆绝缘注塑单头呆扳手

Injection Wrench,Single Open End

AC 1000V
IEC 60900:2012



ITEM CODE		S mm	L mm	AL-BR	BE-CU
AL-BR	BE-CU				
INA6401-8	INB6401-8	8	95	35	40
INA6401-10	INB6401-10	10	105	45	50
INA6401-12	INB6401-12	12	125	60	65
INA6401-14	INB6401-14	14	140	85	95
INA6401-17	INB6401-17	17	160	95	105
INA6401-19	INB6401-19	19	170	115	130
INA6401-22	INB6401-22	22	195	152	170
INA6401-24	INB6401-24	24	220	170	190
INA6401-27	INB6401-27	27	240	260	285
INA6401-30	INB6401-30	30	260	290	320
INA6401-32	INB6401-32	32	275	365	400

防爆绝缘浸塑单头呆扳手

Dipped Wrench,Single Open End

AC 1000V
IEC 60900:2012



ITEM CODE		S mm	L mm	AL-BR	BE-CU
AL-BR	BE-CU				
INA6401A-8	INB6401A-8	8	95	35	40
INA6401A-10	INB6401A-10	10	105	45	50
INA6401A-12	INB6401A-12	12	125	60	65
INA6401A-14	INB6401A-14	14	140	85	95
INA6401A-17	INB6401A-17	17	160	95	105
INA6401A-19	INB6401A-19	19	170	115	130
INA6401A-22	INB6401A-22	22	195	152	170
INA6401A-24	INB6401A-24	24	220	170	190
INA6401A-27	INB6401A-27	27	240	260	285
INA6401A-30	INB6401A-30	30	260	290	320
INA6401A-32	INB6401A-32	32	275	365	400

防爆绝缘注塑活扳手

Injection Wrench,Adjustable

AC 1000V
IEC 60900:2012



ITEM CODE		L mm	Kmax mm	AL-BR	BE-CU
AL-BR	BE-CU				
INA6402-1002	INB6402-1002	150	18	120	135
INA6402-1004	INB6402-1004	200	24	255	281
INA6402-1006	INB6402-1006	250	30	401	440
INA6402-1008	INB6402-1008	300	36	655	720

防爆绝浸塑活扳手

Dipped Wrench,Adjustable

AC 1000V
IEC 60900:2012



ITEM CODE		L mm	Kmax mm	AL-BR	BE-CU
AL-BR	BE-CU				
INA6402A-1002	INB6402A-1002	150	18	120	135
INA6402A-1004	INB6402A-1004	200	24	255	281
INA6402A-1006	INB6402A-1006	250	30	401	440
INA6402A-1008	INB6402A-1008	300	36	655	720

防爆绝缘浸塑内六方套头

Dipped Internal Hexagon Socket

AC 1000V
IEC 60900:2012



ITEM CODE		C inch	S mm	L_1 mm	L mm	AL-BR	BE-CU
AL-BR	BE-CU						
INA6308-3	INB6308-3	1/4	3	55	71	16	17
INA6308-4	INB6308-4		4	55	71	16	17
INA6308-5	INB6308-5		5	55	71	18	20
INA6308-6	INB6308-6		6	55	71	23	26
INA6308-7	INB6308-7		7	55	71	27	30
INA6308-8	INB6308-8		8	65	81	40	45
INA6308-9	INB6308-9		9	65	81	50	55
INA6308-10	INB6308-10		10	65	81	60	65

防爆绝缘浸塑直柄单头梅花扳手

Dipped Wrench,Single Box

AC 1000V
IEC 60900:2012



ITEM CODE		S mm	L mm	AL-BR	BE-CU
AL-BR	BE-CU				
INA6403-8	INB6403-8	8	110	35	40
INA6403-10	INB6403-10	10	120	45	50
INA6403-12	INB6403-12	12	130	60	65
INA6403-14	INB6403-14	14	140	80	90
INA6403-17	INB6403-17	17	155	90	105
INA6403-19	INB6403-19	19	170	95	130
INA6403-22	INB6403-22	22	190	150	175
INA6403-24	INB6403-24	24	215	200	220
INA6403-27	INB6403-27	27	230	245	270
INA6403-30	INB6403-30	30	255	335	370
INA6403-32	INB6403-32	32	265	385	425

防爆绝缘浸塑高颈单头梅花扳手

Dipped Wrench,Single Box Offset

AC 1000V
IEC 60900:2012



ITEM CODE		S mm	L mm	AL-BR	BE-CU
AL-BR	BE-CU				
INA6404-10	INB6404-10	10	125	60	66
INA6404-12	INB6404-12	12	130	80	88
INA6404-14	INB6404-14	14	145	110	120
INA6404-17	INB6404-17	17	155	130	145
INA6404-19	INB6404-19	19	170	150	165
INA6404-22	INB6404-22	22	190	165	185
INA6404-24	INB6404-24	24	215	210	235
INA6404-27	INB6404-27	27	230	270	310
INA6404-30	INB6404-30	30	255	380	430
INA6404-32	INB6404-32	32	265	400	450

防爆绝缘浸塑双面撬棒棘轮扳手

Dipped Ratchet Wrench

AC 1000V
IEC 60900:2012



ITEM CODE		S_1 mm	S_2 mm	L mm	AL-BR	BE-CU
AL-BR	BE-CU					
INA6406-1417	INB6406-1417	14	17	280	370	410
INA6406-1719	INB6406-1719	17	19	310	410	450
INA6406-1922	INB6406-1922	19	22	345	480	530
INA6406-2224	INB6406-2224	22	24	365	620	680

防爆绝缘浸塑奶头锤

Dipped Hammer,Ball Pein

AC 1000V
IEC 60900:2012



ITEM CODE	S g	L mm	AL-BR
AL-BR			
INA6601-1002	230	280	403
INA6601-1004	340	280	502
INA6601-1006	450	310	680
INA6601-1008	680	340	950
INA6601-1010	910	350	1205
INA6601-1012	1130	400	1470

防爆绝缘浸塑内六角扳手

Dipped Wrench,Hex key

AC 1000V
IEC 60900:2012



ITEM CODE		S mm	L mm	H mm	AL-BR	BE-CU
AL-BR	BE-CU					
INA6405-3	INB6405-3	3	59	25	7	8
INA6405-4	INB6405-4	4	65	30	8	10
INA6405-5	INB6405-5	5	79	32	12	16
INA6405-6	INB6405-6	6	85	37	20	25
INA6405-7	INB6405-7	7	88	43	30	34
INA6405-8	INB6405-8	8	92	44	45	50
INA6405-9	INB6405-9	9	97	44	55	61
INA6405-10	INB6405-10	10	110	45	70	82
INA6405-11	INB6405-11	11	119	48	90	100
INA6405-12	INB6405-12	12	130	52	130	145

防爆绝缘注塑 24 件套组合套装工具

Insulated Tools Set-24pcs

AC 1000V
IEC 60900:2012



ITEM CODE		DESCRIPTION		SPECIFICATION
AL-BR	BE-CU			
INA6501	INB6501	注塑单头呆扳手	Wrench,Single Open End	10,11,12,13,14,17,19mm 8"
		注塑克丝钳	Pliers,Lineman	6"
		注塑斜口钳	Pliers,Diagonal Cutting	3*50,4*100,5*100mm
		注塑一字螺丝刀	Slotted Screwdriver	#0*50,#1*75,#2*150
		注塑十字螺丝刀	Phillips Screwdriver	#1*100 mm
		注塑套筒头(C=1/2	"Socket 1/2"	10,11,12,13,14,17,19mm
		注塑T型扳手	Sliding T Type Wrench	1/2"

绝缘注塑德式克丝钳

Injection Pliers,Lineman

AC 1000V IEC 60900:2012



- 钳头铬钒钢整体锻造而成
- 刃口硬度 HRC58-63 之间
- 德国 VDE 权威认证，绝缘耐压 1000V

ITEM CODE	L_1 inch	L mm	g
IN501-06	6	150	175
IN501-07	7	175	350
IN501-08	8	200	455

绝缘浸塑德式克丝钳

Dipped Pliers,Lineman

AC 1000V IEC 60900:2012



- 钳头铬钒钢整体锻造而成
- 刃口硬度 HRC58-63 之间
- 德国 VDE 权威认证，绝缘耐压 1000V

ITEM CODE	L_1 inch	L mm	g
IN501A-06	6	150	173
IN501A-07	7	175	345
IN501A-08	8	200	455

绝缘注塑德式尖嘴钳

Injection Pliers,Snipe Nose

AC 1000V IEC 60900:2012



- 钳头铬钒钢整体锻造而成
- 刃口硬度 HRC58-63 之间
- 德国 VDE 权威认证，绝缘耐压 1000V

ITEM CODE	L inch	L mm	g
IN502-06	6	150	180
IN502-08	8	200	315

绝缘浸塑德式尖嘴钳

Dipped Pliers,Snipe Nose

AC 1000V IEC 60900:2012



- 钳头铬钒钢整体锻造而成
- 刃口硬度 HRC58-63 之间
- 德国 VDE 权威认证，绝缘耐压 1000V

ITEM CODE	L inch	L^1 mm	L mm	g
IN502A-06	6	54	150	180
IN502A-08	8	74	200	315

绝缘注塑德式斜口钳

Injection Pliers,Diagonal Cutting

AC 1000V IEC 60900:2012



- 钳头铬钒钢整体锻造而成
- 刃口硬度 HRC58-63 之间
- 德国 VDE 权威认证，绝缘耐压 1000V

ITEM CODE	L inch	L mm	g
IN503-06	6	150	235

绝缘浸塑德式斜口钳

Dipped Pliers,Diagonal Cutting

AC 1000V IEC 60900:2012



- 钳头铬钒钢整体锻造而成
- 刃口硬度 HRC58-63 之间
- 德国 VDE 权威认证，绝缘耐压 1000V

ITEM CODE	L inch	L mm	g
IN503A-06	6	150	235

绝缘注塑德式大头斜口钳

Injection Heavy Duty Diagonal Cutting Pliers

AC 1000V IEC 60900:2012



- 钳头铬钒钢整体锻造而成
- 刃口硬度 HRC58-63 之间
- 德国 VDE 权威认证，绝缘耐压 1000V

ITEM CODE	Size inch	Pc Box	kg
IN504-07	7	60	20
IN504-08	8	60	21

绝缘浸塑德式大头斜口钳

Dipped Heavy Duty Diagonal Cutting Pliers

AC 1000V IEC 60900:2012



- 钳头铬钒钢整体锻造而成
- 刃口硬度 HRC58-63 之间
- 德国 VDE 权威认证，绝缘耐压 1000V

ITEM CODE	Size inch	L mm	g
IN504A-07	7	180	255

绝缘注塑德式弯嘴钳

Injection Pliers,Round 45 Degree Bent

AC 1000V IEC 60900:2012



- 钳头铬钒钢整体锻造而成
- 刃口硬度 HRC58-63 之间
- 德国 VDE 权威认证，绝缘耐压 1000V

ITEM CODE	L inch	L mm	g
IN505-06	6	150	180

绝缘浸塑德式弯嘴钳

Dipped Pliers,Round 45 Degree Bent

AC 1000V IEC 60900:2012



- 钳头铬钒钢整体锻造而成
- 刃口硬度 HRC58-63 之间
- 德国 VDE 权威认证，绝缘耐压 1000V

ITEM CODE	L inch	L mm	g
IN505A-06	6	150	180

绝缘注塑德式剥线钳

Injection Wire Stripping Pliers

AC 1000V IEC 60900:2012



- 钳头铬钒钢整体锻造而成
- 刃口硬度 HRC58-63 之间
- 德国 VDE 权威认证，绝缘耐压 1000V

ITEM CODE	L mm	g
IN506-06	170	215

绝缘浸塑德式剥线钳

Dipped Wire Stripping Pliers

AC 1000V IEC 60900:2012



- 钳头铬钒钢整体锻造而成
- 刃口硬度 HRC58-63 之间
- 德国 VDE 权威认证，绝缘耐压 1000V

ITEM CODE	L mm	g
IN506A-06	170	215

绝缘注塑德式圆嘴钳

Injection Pliers,Round Nose

AC 1000V IEC 60900:2012



- 钳头铬钒钢整体锻造而成
- 钳口硬度 HRC58-63 之间
- 德国 VDE 权威认证，绝缘耐压 1000V

ITEM CODE	L inch	L mm	g
IN507-06	6	150	155

绝缘浸塑德式圆嘴钳

Dipped Pliers,Round Nose

AC 1000V IEC 60900:2012



- 钳头铬钒钢整体锻造而成
- 钳口硬度 HRC58-63 之间
- 德国 VDE 权威认证，绝缘耐压 1000V

ITEM CODE	L inch	L mm	g
IN507A-06	6	150	155

绝缘注塑德式鸭嘴钳

Injection Pliers,Flat Nose

AC 1000V IEC 60900:2012



- 钳头铬钒钢整体锻造而成
- 钳口硬度 HRC58-63 之间
- 德国 VDE 权威认证，绝缘耐压 1000V

ITEM CODE	L inch	L mm	g
IN508-06	6	160	190

绝缘浸塑德式鸭嘴钳

Dipped Pliers, Flat Nose

AC 1000V IEC 60900:2012



- 钳头铬钒钢整体锻造而成
- 钳口硬度 HRC58-63 之间
- 德国 VDE 权威认证，绝缘耐压 1000V

ITEM CODE	L inch	L mm	g
IN508A-06	6	160	190

绝缘注塑水泵钳

Injection Pliers,Slip Joint

AC 1000V IEC 60900:2012



- 钳头铬钒钢整体锻造而成
- 钳口硬度 HRC58-63 之间
- 德国 VDE 权威认证，绝缘耐压 1000V

ITEM CODE	Size inch	Pc Box	kg	Carton size cm
IN510-10	10	36	14	31.5×28×57

绝缘浸塑水泵钳

Dipped Pliers,Slip Joint

AC 1000V IEC 60900:2012



- 钳头铬钒钢整体锻造而成
- 钳口硬度 HRC58-63 之间
- 德国 VDE 权威认证，绝缘耐压 1000V

ITEM CODE	L inch	L mm	K_{max} mm	g
IN510A-10	10	250	32	350

绝缘一字螺丝刀

VDE Slotted Screwdriver

AC 1000V IEC 60900:2012



- 刀杆为 6150-CRV, 硬度可达 HRC58
- 手柄根据雅正人的手型设计，握感舒适。
- 德国 VDE 权威认证，绝缘耐压 1000V

ITEM CODE	Size	D mm	L mm	Pc Box
IN511-02	2.5*75	0.4	173	120
IN511-04	3*100	0.6	198	120
IN511-06	4*100	0.8	198	120
IN511-08	5.5*125	1	230	120
IN511-10	6.5*150	1.2	260	120
IN511-12	8*175	1.6	294	120

绝缘十字螺丝刀

VDE Phillips Screwdriver

AC 1000V IEC 60900:2012



- 刀杆为 6150-CRV, 硬度可达 HRC58
- 手柄根据雅正人的手型设计，握感舒适。
- 德国 VDE 权威认证，绝缘耐压 1000V

ITEM CODE	size	D mm	L mm	Pc Box
IN512-02	PH0*60	3	158	120
IN512-04	PH1*80	4.5	185	120
IN512-06	PH2*100	6	220	120
IN512-08	PH3*150	8	269	120

绝缘加长十字螺丝刀

VDE Long Phillips Screwdriver

AC 1000V IEC 60900:2012



- 刀杆为 6150-CRV, 硬度可达 HRC58
- 手柄根据雅正人的手型设计，握感舒适。
- 德国 VDE 权威认证，绝缘耐压 1000V

ITEM CODE	Size	D mm	L mm	Pc Box
IN513-02	PH0*100	3	198	120
IN513-04	PH1*150	4.5	255	120
IN513-06	PH2*175	6	285	120
IN513-08	PH3*200	8	319	120

绝缘米字螺丝刀

VDE Pozidriv Screwdriver

AC 1000V IEC 60900:2012



- 刀杆为 6150-CRV, 硬度可达 HRC58
- 手柄根据雅正人的手型设计，握感舒适。
- 德国 VDE 权威认证，绝缘耐压 1000V

ITEM CODE	size	D mm	L mm	Pc Box
IN514-02	PZ0*60	3	158	120
IN514-04	PZ1*80	4.5	185	120
IN514-06	PZ2*100	6	220	120
IN514-08	PZ3*150	8	269	120

绝缘加长米字螺丝刀

VDE Long Pozidriv Screwdriver

AC 1000V IEC 60900:2012



- 刀杆为 6150-CRV, 硬度可达 HRC58
- 手柄根据雅正人的手型设计，握感舒适。
- 德国 VDE 权威认证，绝缘耐压 1000V

ITEM CODE	Size	D mm	L mm	Pc Box
IN515-02	PZ0*100	3	198	120
IN515-04	PZ1*150	4.5	255	120
IN515-06	PZ2*175	6	285	120
IN515-08	PZ3*200	8	319	120

绝缘注塑直平型电缆刀

Insulated Cable Knife(Straight)

AC 1000V IEC 60900:2012



- 通过 VDE 认证，符合 IEC60900:2012 标准，耐压 1000V
- 表面镀镍处理
- 采用防锈不锈钢制造，高强度

ITEM CODE	Length of blade mm	Length mm
IN520-02	50	180

绝缘注塑镰刀型电缆刀

Insulated Cable Knife(Long Hook)

AC 1000V
IEC 60900:2012



- 通过 VDE 认证，符合 IEC60900:2012 标准，耐压 1000V
- 表面镀镍处理
- 采用防锈不锈钢制造，高强度

ITEM CODE	Length of blade mm	Length mm
IN520A-02	28	155

绝缘注塑小圆型电缆刀

Insulated Cable Knife(Semicircle)

AC 1000V
IEC 60900:2012



- 通过 VDE 认证，符合 IEC60900:2012 标准，耐压 1000V
- 表面镀镍处理
- 采用防锈不锈钢制造，高强度

ITEM CODE	Length of blade mm	Length mm
IN520B-02	50	180

绝缘注塑直平可换型电缆

Insulated Cable Knife(Changeable)

AC 1000V
IEC 60900:2012



- 通过 VDE 认证，符合 IEC60900:2012 标准，耐压 1000V
- 表面镀镍处理
- 采用防锈不锈钢制造，高强度

ITEM CODE	Length of blade mm	Length mm
IN520E-02	50	185

绝缘浸塑内六角扳手

Dipped Wrench,Hex Key

AC 1000V
IEC 60900:2012



ITEM CODE	S mm	L mm	H mm	g
IN521-03	3	59	25	7
IN521-04	4	65	30	8
IN521-05	5	79	32	12
IN521-06	6	85	37	20
IN521-07	7	88	43	30
IN521-08	8	92	44	50
IN521-09	9	97	44	60
IN521-10	10	110	45	75
IN521-11	11	119	48	95
IN521-12	12	130	52	140

绝缘浸塑内六方套头

Dipped Internal Hexagon Socket

AC 1000V
IEC 60900:2012



ITEM CODE	C inch	S mm	L¹ mm	g
IN524-3	1/4	3	55	17
IN524-4		4	55	17
IN524-5		5	55	20
IN524-6		6	55	25
IN524-7		7	55	30
IN524-8		8	65	45
IN524-9		9	65	55
IN524-10		10	65	65

绝缘浸塑 T 型套筒扳手

Dipped Sliding T Type Wrench

AC 1000V
IEC 60900:2012



ITEM CODE	S mm	L mm	H mm	g
IN525-07	7	120	120	95
IN525-09	9	130	130	150
IN525-11	11	140	150	180
IN525-14	14	150	170	255
IN525-17	17	170	190	390
IN525-19	19	180	210	510

绝缘浸塑镊子

Dipped Precision Tweezers

AC 1000V
IEC 60900:2012



- 通过 VDE 认证，符合 IEC60900:2012 标准，耐压 1000V
- 表面镀镍处理
- 采用防锈不锈钢制造，高强度

ITEM CODE	L mm
IN526-02	160mm
IN526-04	180mm

绝缘浸塑尖尾棘轮扳手

Dipped Ratchet Wrench

AC 1000V
IEC 60900:2012



ITEM CODE	S₁ mm	S₂ mm	L mm	g
IN528-1417	14	17	280	390
IN528-1719	17	19	310	435
IN528-1922	19	22	345	505
IN528-2224	22	24	365	655

绝缘注塑活扳手

Injection Wrench,Adjustable

AC 1000V
IEC 60900:2012



- 整体铬钒钢锻造而成
- 高精度螺母，开合自如
- 扳口镭射刻度，使用方便
- 产品整体热处理，扭矩超美标 30% 以上
- 德国 VDE 权威认证，绝缘耐压 1000V

ITEM CODE	L mm	Kmax mm	g
IN527-06	150	18	125
IN527-08	200	24	270
IN527-10	250	30	420
IN527-12	300	36	690

绝缘浸塑活扳手

Dipped Wrench,Adjustable

AC 1000V
IEC 60900:2012



ITEM CODE	L mm	Kmax mm	g
IN527A-06	150	18	125
IN527A-08	200	24	270
IN527A-10	250	30	420
IN527A-12	300	36	690

绝缘注塑单头呆扳手

Injection Wrench,Single Open End

AC 1000V
IEC 60900:2012



ITEM CODE	S mm	L mm	g
IN529-08	8	95	40
IN529-10	10	105	50
IN529-12	12	125	65
IN529-14	14	140	90
IN529-17	17	160	100
IN529-19	19	170	120
IN529-22	22	195	160
IN529-24	24	220	180
IN529-27	27	240	270
IN529-30	30	260	300
IN529-32	32	275	380

绝缘浸塑单头呆扳手

Dipped Wrench,Single Open End

AC 1000V
IEC 60900:2012



- 开口倾角为 15°
- 表面镀铬处理
- 铬钒钢锻造而成，整体热处理
- 通过 VDE 认证，符合 IEC60900:2004 标准，耐压 1000V

ITEM CODE	S mm	L mm	g
IN529A-08	8	95	40
IN529A-10	10	105	50
IN529A-12	12	125	65
IN529A-14	14	140	90
IN529A-17	17	160	100
IN529A-19	19	170	120
IN529A-22	22	195	160
IN529A-24	24	220	180
IN529A-27	27	240	270
IN529A-30	30	260	300
IN529A-32	32	275	380

绝缘浸塑单头梅花扳手

Dipped Wrench,Single Box

AC 1000V
IEC 60900:2012



ITEM CODE	S mm	L mm	g
IN530A-08	8	110	40
IN530A-10	10	120	50
IN530A-12	12	130	65
IN530A-14	14	140	85
IN530A-17	17	155	95
IN530A-19	19	170	100
IN530A-22	22	190	160
IN530A-24	24	215	210
IN530A-27	27	230	255
IN530A-30	30	255	355
IN530A-32	32	265	405

绝缘浸塑高颈单头梅花扳手

Dipped Wrench,Single Box Offset

AC 1000V
IEC 60900:2012



- 头部带有弯曲
- 表面镀铬处理
- 铬钒钢锻造而成，整体热处理
- 通过 VDE 认证，符合 IEC60900:2004 标准，耐压 1000V

ITEM CODE	S mm	L mm	g
IN531A-10	10	125	65
IN531A-12	12	130	85
IN531A-14	14	145	115
IN531A-17	17	155	140
IN531A-19	19	170	160
IN531A-22	22	190	175
IN531A-24	24	215	220
IN531A-27	27	230	285
IN531A-30	30	255	400
IN531A-32	32	265	420

绝缘注塑套筒头

Injection Socket C=3/8"

AC 1000V
IEC 60900:2012



ITEM CODE	S mm	L_1 mm	L mm	g
IN535-08	8	28	44	34
IN535-09	9	28	44	34
IN535-10	10	28	44	47
IN535-11	11	28	44	47
IN535-12	12	28	44	47
IN535-13	13	28	44	47
IN535-14	14	28	44	47
IN535-15	15	28	44	50
IN535-16	16	28	44	55
IN535-17	17	30	46	60
IN535-19	19	30	46	65
IN535-20	20	32	48	75

绝缘浸塑套筒头

Dipped Socket C=3/8"

AC 1000V
IEC 60900:2012



ITEM CODE	S mm	L_1 mm	L mm	g
IN535A-08	8	28	44	34
IN535A-09	9	28	44	34
IN535A-10	10	28	44	47
IN535A-11	11	28	44	47
IN535A-12	12	28	44	47
IN535A-13	13	28	44	47
IN535A-14	14	28	44	47
IN535A-15	15	28	44	50
IN535A-16	16	28	44	55
IN535A-17	17	30	46	60
IN535A-19	19	30	46	65
IN535A-20	20	32	48	75

Injection Socket C=1/2"

ITEM CODE	S mm	L_1 mm	L mm	g
IN536-10	10	38	55	75
IN536-11	11	38	55	75
IN536-12	12	38	55	75
IN536-13	13	38	55	77
IN536-14	14	38	55	77
IN536-15	15	38	55	90
IN536-16	16	38	55	90
IN536-17	17	38	55	90
IN536-18	18	38	55	90
IN536-19	19	38	55	105
IN536-20	20	38	55	110
IN536-21	21	38	55	115
IN536-22	22	38	55	120
IN536-23	23	38	55	142
IN536-24	24	38	55	155
IN536-25	25	41	58	170
IN536-26	26	41	58	190
IN536-27	27	42	59	200
IN536-28	28	44	61	210
IN536-29	29	44	61	225
IN536-30	30	44	61	235
IN536-32	32	44	61	275

绝缘浸塑套筒头

Dipped Socket C=1/2"

ITEM CODE	S mm	L_1 mm	L mm	g
IN536A-10	10	38	55	75
IN536A-11	11	38	55	75
IN536A-12	12	38	55	75
IN536A-13	13	38	55	77
IN536A-14	14	38	55	77
IN536A-15	15	38	55	90
IN536A-16	16	38	55	90
IN536A-17	17	38	55	90
IN536A-18	18	38	55	90
IN536A-19	19	38	55	105
IN536A-20	20	38	55	110
IN536A-21	21	38	55	115
IN536A-22	22	38	55	120
IN536A-23	23	38	55	142
IN536A-24	24	38	55	155
IN536A-25	25	41	58	170
IN536A-26	26	41	58	190
IN536A-27	27	42	59	200
IN536A-28	28	44	61	210
IN536A-29	29	44	61	225
IN536A-30	30	44	61	235
IN536A-32	32	44	61	275

绝缘注塑 T 型扳手

Injection Sliding T Type Wrench

AC 1000V
IEC 60900:2012



ITEM CODE	C inch	L mm	H mm	g
IN537-02	3/8	140	200	350
IN537-04	1/2	140	200	420

绝缘浸塑 T 型扳手

Dipped Sliding T Type Wrench

AC 1000V
IEC 60900:2012



ITEM CODE	C inch	L mm	H mm	g
IN537A-02	3/8	140	200	350
IN537A-04	1/2	140	200	420

绝缘浸塑滑行头手柄

Dipped Sliding T Handle

AC 1000V
IEC 60900:2012



ITEM CODE	C inch	L mm	H mm	g
IN538-02	1/2	250	39	325
IN538-04	3/8	160	37	125

绝缘浸塑套筒弯柄

Dipped Offset Handle

AC 1000V
IEC 60900:2012



ITEM CODE	C inch	L mm	H mm	g
IN539-02	3/8	200	50	305
IN539-04	1/2	230	60	410

绝缘浸塑套筒连接杆

Dipped Driver Extension

AC 1000V
IEC 60900:2012



ITEM CODE	C inch	L_1 mm	L mm	g
IN540-02	3/8	75	91	85
IN540-04	3/8	150	166	170
IN540-06	1/2	125	141	245
IN540-08	1/2	250	266	450

绝缘注塑 24 件套组合套装工具

Insulated Tools Set-24pcs

AC 1000V
IEC 60900:2012



ITEM CODE	DESCRIPTION		SPECIFICATION
IN541-24	注塑单头呆扳手	Wrench,Single Open End	10,11,12,13,14,17,19mm
	注塑克丝钳	Pliers,Lineman	8"
	注塑斜口钳	Pliers,Diagonal Cutting	6"
	注塑一字螺丝刀	Slotted Screwdriver	3*50,4*100,5*100mm
	注塑十字螺丝刀	Phillips Screwdriver	#0*50,#1*75,#2*150 #1*100mm
	注塑套筒头 C=1/2"	Socket 1/2"	10,11,12,13,14,17,19mm
	注塑 T 型扳手	Sliding T Type Wrench	1/2"

绝缘注塑 7 件套组合套装工具

Insulated Tools Set-7pcs

AC 1000V
IEC 60900:2012



ITEM CODE	DESCRIPTION		SPECIFICATION
IN541A-7	克丝钳	Pliers,Lineman	200mm
	斜口钳	Pliers,Diagonal Cutting	160mm
	尖嘴钳	Pliers,Snipe Nose	200mm
	剥线钳	Wire Stripping Pliers	170mm
	一字螺丝刀	Slotted Screwdriver	4*100mm
	十字螺丝刀	Phillips Screwdriver	#1*75mm
	测电笔	Test Pencil	150mm

绝缘注塑 8 件套组合套装工具

Insulated Tools Set-8pcs

AC 1000V
IEC 60900:2012



ITEM CODE	DESCRIPTION		SPECIFICATION
IN541B-8	克丝钳	Pliers,Lineman	200mm
	斜口钳	Pliers,Diagonal Cutting	150mm
	尖嘴钳	Pliers,Snipe Nose	200mm
	一字螺丝刀	Slotted Screwdriver	5*100mm,6*150mm
	十字螺丝刀	Phillips Screwdriver	#1*75mm,#2*150mm
	测电笔	Test Pencil	150mm

绝缘注塑 41 件套组合套装工具

Insulated Tools Set-41pcs

AC 1000V
IEC 60900:2012



ITEM CODE	DESCRIPTION		SPECIFICATION
IN541C-41	克丝钳	Pliers,Lineman	200mm
	斜口钳	Pliers,Diagonal Cutting	160mm
	电缆钳	Cable Cutter	250mm
	剥线钳	Wire Stripping Pliers	170mm
	一字螺丝刀	Slotted Screwdriver	3*75,4*100,5*125,6*150mm
	十字螺丝刀	Phillips Screwdriver	#1*75,#2*100mm
	单头开口扳手	Single Open End	10,13,14,17,19,22mm
	单头梅花扳手	Single Box	10,13,14,17,19,22mm
	活扳手	Wrench,Adjustable	250mm
	换向棘轮扳手	Ratchet Wrench	1/2"
	T型扳手	Sliding T Type Wrench	1/2"
	套筒接杆	Driver Extension	1/2"*125mm,1/2"*250mm
	套筒头 1/2"	Socket 1/2"	1011,12,13,14,16,17,18,19,22,24mm
	电工刀	Electrician Knife	50*180mm
	电工剪刀	Shears,Cutting	160mm
	绝缘胶布	Insulating Tape	20mm*10m

绝缘注塑 46 件套组合套装工具

Insulated Tools Set-46pcs

AC 1000V
IEC 60900:2012



ITEM CODE	DESCRIPTION		SPECIFICATION
IN541D-46	克丝钳	Pliers,Lineman	200mm
	斜口钳	Pliers,Diagonal Cutting	160mm
	剥线钳	Wire Stripping Pliers	170mm
	电缆钳	Cable Cutter	250mm
	水泵钳	Pliers,Water Pump	250mm
	单头开口扳手	Single Open End	10,13,14,17,19,22mm
	单头梅花扳手	Single Box	10,13,14,17,19,22mm
	活扳手	Wrench,Adjustable	250mm
	一字螺丝刀	Slotted Screwdriver	3*75,4*100mm,5*125,6*150mm
	换向棘轮扳手	Ratchet Wrench	1/2"
	T型扳手	Sliding T Type Wrench	1/2"
	套筒接杆	Driver Extension	1/2"*125mm,1/2"*250mm
	套筒头 1/2"	Socket 1/2"	10,11,12,13,14,17,19,22,24mm
	电缆刀	Cable Knife	180mm
	剥皮刀	Knife	160mm
	电工绝缘塑料夹	Insulating Clamp	6pcs
	电工绝缘垫	Insulating Mat	3



撬棒呆扳手

Wrench,Construction with Pin

40 CR



- 锻造，扭力加强。
- 尖尾独特设计，可当安装钎子使用。
- 开口规格精准，有效保护螺母及扳手使用寿命。
- 表面喷黑和本色处理，环保美观，防锈强。
- 特殊规格可定制。

ITEM CODE	Size mm	L mm	g
CT3301-17	17	220	120
CT3301-19	19	240	150
CT3301-22	22	260	200
CT3301-24	24	280	250
CT3301-27	27	300	330
CT3301-30	30	320	420
CT3301-32	32	340	500
CT3301-36	36	360	680
CT3301-41	41	380	950
CT3301-46	46	400	1050
CT3301-50	50	420	1100
CT3301-55	55	450	1400
CT3301-60	60	480	1900

德标双头呆扳手

Wrench,Double Open End

40 CR | DIN 895



- 采用德国 DIN 895 标准。
- 锻造，扭力加强。
- 人工力学设计，使用舒适省力。
- 开口规格精准，有效保护螺母及扳手使用寿命。
- 表面喷黑和本色处理，环保美观，防锈强。
- 特殊规格可定制。

ITEM CODE	Size mm	L mm	g
CT3303-1417	14*17	160	120
CT3303-1719	17*19	180	130
CT3303-1922	19*22	200	180
CT3303-1924	19*24	220	250
CT3303-2224	22*24	230	230
CT3303-2427	24*27	255	320
CT3303-2730	27*30	280	470
CT3303-3032	30*32	300	580
CT3303-3236	32*36	320	700
CT3303-3436	34*36	330	750
CT3303-3641	36*41	350	850
CT3303-4146	41*46	380	970
CT3303-4650	46*50	420	1400
CT3303-5055	50*55	460	1800
CT3303-5560	55*60	500	2650
CT3303-6065	60*65	540	3200
CT3303-6570	65*70	580	3450
CT3303-7075	70*75	620	3900
CT3303-7580	75*80	660	4620

弯柄敲击呆扳手

Wrench,Bent Striking Open

40 CR



- 整体锻造。
- 开口规格精准，有效保护螺母及扳手使用寿命。
- 表面喷黑和本色处理，环保美观，防锈强。
- 特殊规格可定制。

ITEM CODE	Size mm	L mm	g
CT3304A-19	19	140	140
CT3304A-22	22	150	170
CT3304A-24	24	150	200
CT3304A-27	27	175	400
CT3304A-32	32	190	550
CT3304A-36	36	210	750
CT3304A-41	41	230	1100
CT3304A-46	46	250	1250
CT3304A-50	50	275	1700
CT3304A-55	55	305	2300
CT3304A-60	60	315	2800
CT3304A-65	65	335	3600
CT3304A-70	70	370	4400
CT3304A-75	75	375	4700
CT3304A-80	80	400	6100

德标单头呆扳手

Wrench, Single Open End

40 CR | DIN 894



- 采用德国 DIN 894 标准。
- 锻造，扭力加强。
- 人工力学设计，使用舒适省力。
- 开口规格精准，有效保护螺母及扳手使用寿命。
- 表面喷黑和本色处理，环保美观，防锈强。
- 特殊规格可定制。

ITEM CODE	Size	L mm	g
CT3302-14	14	140	90
CT3302-17	17	160	100
CT3302-19	19	170	120
CT3302-22	22	195	160
CT3302-24	24	220	180
CT3302-27	27	240	270
CT3302-30	30	260	300
CT3302-32	32	275	380
CT3302-34	34	290	470
CT3302-36	36	310	500
CT3302-41	41	345	580
CT3302-46	46	375	900
CT3302-50	50	410	1150
CT3302-55	55	450	1400
CT3302-60	60	490	2000
CT3302-65	65	530	2800
CT3302-70	70	570	3050
CT3302-75	75	610	3500
CT3302-80	80	645	4600
CT3302-85	85	690	5200
CT3302-90	90	850	6100
CT3302-95	95	850	6100
CT3302-100	100	1000	7700
CT3302-105	105	1000	7700
CT3302-110	110	1000	9000
CT3302-115	115	1000	9000
CT3302-120	120	1000	9500
CT3302-125	125	1000	9500

德标敲击呆扳手

Wrench,Striking Open

40 CR | DIN 133



- 采用德国 DIN133 标准。
- 锻造，扭力加强。
- 开口规格精准，有效保护螺母及扳手使用寿命。
- 表面喷黑和本色处理，环保美观，防锈强。
- 特殊规格可定制。

ITEM CODE	Size inch	L	g
CT3304-22	22	135	190
CT3304-24	24	150	230
CT3304-27	27	175	350
CT3304-30	30	190	500
CT3304-32	32	190	600
CT3304-36	36	210	700
CT3304-38	38	220	820
CT3304 -41	41	230	900
CT3304-46	46	250	1200
CT3304-50	50	275	1500
CT3304-55	55	305	2000
CT3304-60	60	315	2200
CT3304-65	65	335	3100
CT3304-70	70	370	4000
CT3304-75	75	375	4500
CT3304-80	80	400	5500
CT3304-85	85	400	5500
CT3304-90	90	445	8000
CT3304-100	100	485	11500
CT3304-110	110	512	14000
CT3304-120	120	530	16300
CT3304-130	130	560	18500
CT3304-140	140	630	24000
CT3304-150	150	630	24000

高颈撬棒呆扳手

Wrench,Construction with Pin

40 CR



- 锻造，扭力加强。
- 尖尾独特设计，可当安装钎子使用。
- 开口规格精准，有效保护螺母及扳手使用寿命。
- 表面喷黑和本色处理，环保美观，防锈强。
- 特殊规格可定制。

ITEM CODE	Size mm	L mm	g
CT3305-17	17	320	205
CT3305-19	19	350	300
CT3305-22	22	350	410
CT3305-24	24	370	450
CT3305-27	27	370	610
CT3305-30	30	400	755
CT3305-32	32	400	755
CT3305-36	36	430	900
CT3305-41	41	470	1205
CT3305-46	46	500	1515
CT3305-50	50	530	1780
CT3305-55	55	560	2045

WEDO 维度®

特种钢制工具 SPECIAL JUMBO TOOLS

德标呆梅两用扳手

Wrench,Combination

40 CR | DIN 3113



- 采用德国 DIN 3113 标准。
- 锻造，扭力加强。
- 人工力学设计，使用舒适省力。
- 开口规格精准，有效保护螺母及扳手使用寿命。
- 表面喷黑和本色处理，环保美观，防锈强。
- 特殊规格可定制。

ITEM CODE	Size mm	L mm	g
CT3306-22	22	245	280
CT3306-24	24	265	320
CT3306-27	27	290	440
CT3306-30	30	320	640
CT3306-32	32	340	700
CT3306-36	36	360	1000
CT3306-41	41	430	1420
CT3306-46	46	480	1600
CT3306-50	50	520	1900
CT3306-55	55	560	2470
CT3306-60	60	595	2750
CT3306-65	65	595	3300
CT3306-70	70	630	4200
CT3306-75	75	630	4000
CT3306-80	80	660	5400
CT3306-85	85	660	5200
CT3306-90	90	720	7100
CT3306-95	95	720	6800
CT3306-100	100	780	8400
CT3306-105	105	780	8100
CT3306-110	110	840	9800
CT3306-115	115	840	9500
CT3306-120	120	900	12100
CT3306-125	125	900	11800

高颈单头梅花扳手

Wrench,Single Box

40 CR



- 锻造，扭力加强。
- 高颈设计，特殊空间使用更加高效。
- 圆弧内角设计，有效保护螺母及扳手使用寿命。
- 表面喷黑和本色处理，环保美观，防锈强。
- 特殊规格可定制。

ITEM CODE	Size mm	L mm	g
CT3308-22	22	190	200
CT3308-24	24	215	245
CT3308-27	27	230	310
CT3308-30	30	255	425
CT3308-32	32	265	510
CT3308-36	36	295	690
CT3308-41	41	330	960
CT3308-46	46	365	1305
CT3308-50	50	400	1610
CT3308-55	55	445	2100
CT3308-60	60	474	2500
CT3308-65	65	510	2900
CT3308-70	70	555	3360
CT3308-75	75	590	3400
CT3308-80	80	620	4650
CT3308-85	85	665	5300
CT3308-90	90	700	5950
CT3308-100	100	740	6750

德标敲击梅花扳手

Wrench,Striking Box

40 CR | DIN 7444



- 采用德国 DIN 7444 标准。
- 整体锻造。
- 圆弧内角设计，有效保护螺母及扳手使用寿命。
- 表面喷黑和本色处理，环保美观，防锈强。
- 特殊规格可定制。

ITEM CODE	Size mm	L mm	g
CT3310-17	17	145	200
CT3310-19	19	145	200
CT3310-22	22	155	230
CT3310-24	24	165	250
CT3310-27	27	175	310
CT3310-30	30	185	405
CT3310-32	32	185	430
CT3310-36	36	205	520
CT3310-41	41	225	710
CT3310-46	46	235	900
CT3310-50	50	250	1050
CT3310-55	55	265	1360
CT3310-60	60	274	1500
CT3310-65	65	298	2100
CT3310-70	70	320	2350
CT3310-75	75	326	2850
CT3310-80	80	350	3400
CT3310-85	85	355	4100
CT3310-90	90	380	5200
CT3310-100	100	410	6700
CT3310-110	110	445	8640
CT3310-120	120	480	10400
CT3310-130	130	520	11900
CT3310-140	140	520	12280
CT3310-150	150	565	13650
CT3310-160	160	585	15800

弯柄梅花扳手

Wrench,Single Bent Box

40 CR



- 锻造，扭力加强。
- 圆弧内角设计，有效保护螺母及扳手使用寿命。
- 表面喷黑和本色处理，环保美观，防锈强。
- 特殊规格可定制。

ITEM CODE	Size mm	L mm	g
CT3307-10	10	119	55
CT3307-12	12	151	82
CT3307-14	14	151	90
CT3307-17	17	174	150
CT3307-19	19	207	215
CT3307-22	22	207	215
CT3307-24	24	250	330
CT3307-27	27	250	330
CT3307-30	30	295	520
CT3307-32	32	295	550
CT3307-36	36	307	600
CT3307-41	41	340	780
CT3307-46	46	370	1050
CT3307-50	50	400	1580
CT3307-55	55	430	2130
CT3307-60	60	450	2430
CT3307-65	65	470	2520
CT3307-70	70	490	3480
CT3307-75	75	510	3800
CT3307-80	80	530	4200

弯柄敲击梅花扳手

Wrench,Striking Box Bent

40 CR



- 整体锻造。
- 圆弧内角设计，有效保护螺母及扳手使用寿命。
- 表面喷黑和本色处理，环保美观，防锈强。
- 特殊规格可定制。

ITEM CODE	Size mm	L mm	g
CT3309-22	22	140	220
CT3309-24	24	160	280
CT3309-27	27	175	350
CT3309-30	30	190	500
CT3309-32	32	190	450
CT3309-36	36	210	600
CT3309-41	41	225	850
CT3309-46	46	240	1100
CT3309-50	50	255	1300
CT3309-55	55	270	1500
CT3309-60	60	285	2000
CT3309-65	65	300	2500
CT3309-70	70	320	2800
CT3309-75	75	330	3200

直柄单头梅花扳手

Wrench,Single End Box

40 CR



- 锻造，扭力加强。
- 人工力学设计，使用舒适省力。
- 圆弧内角设计，有效保护螺母及扳手使用寿命。
- 表面喷黑和本色处理，环保美观，防锈强。
- 特殊规格可定制。

ITEM CODE	Size mm	L mm	g
CT3311-22	22	190	170
CT3311-24	24	215	210
CT3311-27	27	230	265
CT3311-30	30	255	370
CT3311-32	32	265	445
CT3311-36	36	295	600
CT3311-41	41	330	835
CT3311-46	46	365	1135
CT3311-50	50	400	1400
CT3311-55	55	445	1830
CT3311-60	60	474	2180
CT3311-65	65	510	2600
CT3311-70	70	555	3050
CT3311-75	75	590	3085
CT3311-80	80	620	4200
CT3311-85	85	620	4800
CT3311-90	90	650	5400
CT3311-100	100	650	6100

高颈撬棒梅花扳手

Wrench,Construction

40 CR



- 锻造，扭力加强。
- 尖尾设计独特设计，可当安装钎子使用。
- 圆弧内角设计，有效保护螺母及扳手使用寿命。
- 表面喷黑和本色处理，环保美观，防锈强。
- 特殊规格可定制。

ITEM CODE	Size mm	L mm	g
CT3312-17	17	310	190
CT3312-19	19	330	215
CT3312-22	22	350	275
CT3312-24	24	370	340
CT3312-27	27	400	425
CT3312-30	30	430	600
CT3312-32	32	430	580
CT3312-36	36	460	825
CT3312-41	41	490	1070
CT3312-46	46	520	1450
CT3312-50	50	540	1780
CT3312-55	55	560	2100
CT3312-60	60	610	2500
CT3312-65	65	630	2700
CT3312-70	70	630	3200
CT3312-75	75	665	3460
CT3312-80	80	690	4000
CT3312-85	85	690	3850
CT3312-90	90	710	5000
CT3312-95	95	710	4800
CT3312-100	100	730	5800
CT3312-110	110	750	7200

德标双头梅花扳手

Wrench,Double Box Offset

40 CR | DIN 838



- 采用德国 DIN 838 标准。
- 锻造，扭力加强。
- 人工力学设计，使用舒适省力。
- 圆弧内角设计，有效保护螺母及扳手使用寿命。
- 表面喷黑和本色处理，环保美观，防锈强。
- 特殊规格可定制。

ITEM CODE	Size mm	L mm	g
CT3314-1719	17*19	280	170
CT3314-1922	19*22	300	200
CT3314-1924	19*24	320	300
CT3314-2123	21*23	320	350
CT3314-2224	22*24	330	400
CT3314-2427	24*27	340	450
CT3314-2730	27*30	350	500
CT3314-3032	30*32	370	650
CT3314-3236	32*36	430	950
CT3314-3641	36*41	470	1200
CT3314-4146	41*46	500	1500
CT3314-4650	46*50	525	1800
CT3314-5055	50*55	550	2700
CT3314-5560	55*60	575	3000
CT3314-6065	60*65	600	3600
CT3314-6570	65*70	625	3900
CT3314-7075	70*75	650	4300
CT3314-7580	75*80	675	4800

加力杆梅花扳手

Ring Wrench for Extension

40 CR



- 整体锻造。
- 圆弧内角设计，有效保护螺母及扳手使用寿命。
- 表面喷黑和本色处理，环保美观，防锈强。
- 特殊规格可定制。

ITEM CODE	Size mm	L mm	g
CT3316-24	24	180	450
CT3316-27	27	190	500
CT3316-30	30	200	550
CT3316-32	32	235	750
CT3316-36	36	245	850
CT3316-41	41	265	1000
CT3316-46	46	280	1400
CT3316-50	50	290	1600
CT3316-55	55	300	1750
CT3316-60	60	345	2800
CT3316-65	65	355	3200
CT3316-70	70	365	3700
CT3316-75	75	375	4100
CT3316-80	80	385	4900

梅花扳手加力杆

Extension for NO.3316

40 CR



- 表面喷黑和本色处理，环保美观，防锈强。
- 特殊规格可定制。

ITEM CODE	Size mm	L mm	Φ mm	g
CT3316A-1002	24-30	460	19	775
CT3316A-1004	32-41	610	22	1130
CT3316A-1006	46-55	760	25	1875
CT3316A-1008	60-80	860	30	2880

凸型敲击梅花扳手

Wrench,Striking Convex Box

40 CR



- 整体锻造。
- 圆弧内角设计，有效保护螺母及扳手使用寿命。
- 表面喷黑和本色处理，环保美观，防锈强。
- 特殊规格可定制。

ITEM CODE	Size mm	L mm	g
CT3313-27	27	175	350
CT3313-30	30	185	500
CT3313-32	32	185	450
CT3313-36	36	210	700
CT3313-41	41	227	900
CT3313-46	46	245	1200
CT3313-50	50	257	1500
CT3313-55	55	267	1700
CT3313-60	60	278	2000
CT3313-65	65	298	2200
CT3313-70	70	320	2800
CT3313-75	75	326	3000

平把双头梅花扳手

Wrench,Double Flat Box

40 CR | DIN 837



- 采用德国 DIN837 标准。
- 锻造，扭力加强。
- 圆弧内角设计，有效保护螺母及扳手使用寿命。
- 表面喷黑和本色处理，环保美观，防锈强。
- 特殊规格可定制。

ITEM CODE	Size mm	L mm	g
CT3315-1719	17*19	185	125
CT3315-1922	19*22	200	170
CT3315-2224	22*24	220	225
CT3315-2427	24*27	255	300
CT3315-2430	24*30	270	355
CT3315-2528	25*28	265	360
CT3315-2730	27*30	280	405
CT3315-3032	30*32	295	470
CT3315-3034	30*34	310	555
CT3315-3236	32*36	330	620
CT3315-3436	34*36	345	715
CT3315-3641	36*41	365	880

高颈敲击梅花扳手

Offset Slogging Box Wrench

40 CR



- 整体锻造。
- 圆弧内角设计，有效保护螺母及扳手使用寿命。
- 表面喷黑和本色处理，环保美观，防锈强。
- 特殊规格可定制。

ITEM CODE	Size mm	L mm	g
CT3317-24	24	160	350
CT3317-27	27	180	450
CT3317-30	30	200	580
CT3317-32	32	200	560
CT3317-36	36	220	780
CT3317-41	41	240	900
CT3317-46	46	250	1250
CT3317-50	50	270	1650
CT3317-55	55	295	2150
CT3317-60	60	317	2300
CT3317-65	65	330	2600
CT3317-70	70	350	3200
CT3317-75	75	370	4400
CT3317-80	80	385	4750
CT3317-90	90	420	6800
CT3317-100	100	435	7750
CT3317-110	110	455	9200
CT3317-120	120	485	10500
CT3317-130	130	520	12000

美式敲击梅花扳手

Offset Slogging Box Wrench (American

40 CR



- 整体锻造。
- 圆弧内角设计，有效保护螺母及扳手使用寿命。
- 表面喷黑和本色处理，环保美观，防锈强。
- 特殊规格可定制。

ITEM CODE	Size mm	L mm	g
CT3318-22	22	240	900
CT3318-24	24	240	900
CT3318-27	27	270	1200
CT3318-30	30	280	1400
CT3318-32	32	290	1600
CT3318-36	36	300	1800
CT3318-38	38	300	1700
CT3318-41	41	320	2000
CT3318-46	46	340	2600
CT3318-50	50	350	3000
CT3318-55	55	360	3900
CT3318-60	60	375	4100
CT3318-65	65	390	4200
CT3318-70	70	400	5100
CT3318-75	75	420	5500
CT3318-80	80	440	6900
CT3318-85	85	460	7330
CT3318-90	90	480	8800
CT3318-95	95	480	8800
CT3318-100	100	515	10900
CT3318-105	105	515	10900
CT3318-110	110	550	12100
CT3318-115	115	550	12100
CT3318-120	120	585	15200
CT3318-125	125	585	15100
CT3318-130	130	620	17800
CT3318-135	135	620	17650

直柄美式敲击梅花扳手

Offset Slogging Box Wrench (American Type)

40 CR



- 锻造，扭力加强。
- 圆弧内角设计，有效保护螺母及扳手使用寿命。
- 表面喷黑和本色处理，环保美观，防锈强。
- 特殊规格可定制。

ITEM CODE	Size mm	L	g
CT3318A-27	27	250	630
CT3318A-30	30	256	740
CT3318A-32	32	260	770
CT3318A-36	36	270	1040
CT3318A-41	41	278	1240
CT3318A-46	46	287	1650
CT3318A-50	50	296	1730
CT3318A-55	55	303	2050
CT3318A-60	60	315	2330
CT3318A-65	65	322	2640
CT3318A-70	70	325	2875
CT3318A-75	75	338	3300
CT3318A-80	80	348	3700
CT3318A-85	85	355	4000
CT3318A-90	90	360	4230
CT3318A-95	95	365	4600
CT3318A-100	100	375	4900
CT3318A-105	105	385	6500
CT3318A-110	110	400	6500
CT3318A-115	115	415	7200
CT3318A-120	120	430	8000

可调大力扳手

Giant Adjustable Wrench

40 CR



- 锻造，扭力加强。
- 表面喷黑和本色处理，环保美观，防锈强。

ITEM CODE	Size inch	L	g
CT3319-1002	1-3/8--2-7/8	24	4450
CT3319-1004	2-3/4--4-3/4	36	13000

凸型单头梅花扳手

Wrench,Single Box Convex

40 CR



- 锻造，扭力加强。
- 凸型设计，特殊空间使用更加高效。
- 圆弧内角设计，有效保护螺母及扳手使用寿命。
- 表面喷黑和本色处理，环保美观，防锈强。
- 特殊规格可定制。

ITEM CODE	Size mm	L	g
CT3319A-17	17	140	170
CT3319A-19	19	155	225
CT3319A-22	22	180	290
CT3319A-24	24	200	410
CT3319A-27	27	225	550
CT3319A-30	30	250	820
CT3319A-32	32	270	930
CT3319A-36	36	290	1100
CT3319A-41	41	310	1530
CT3319A-46	46	330	1800
CT3319A-50	50	350	2280
CT3319A-55	55	370	2710
CT3319A-60	60	390	3120
CT3319A-65	65	410	3600
CT3319A-70	70	430	4450
CT3319A-75	75	450	5110
CT3319A-80	80	470	5660
CT3319A-85	85	490	6390
CT3319A-90	90	500	7640
CT3319A-95	95	510	8450
CT3319A-100	100	525	9160

尖撬棍

Bar,Pinch

40 CR



- 锻造，扭力加强。
- 表面喷黑和本色处理，环保美观，防锈强。

ITEM CODE	Size mm	g
CT3320-1002	16*300	470
CT3320-1004	16*400	630
CT3320-1006	18*500	950
CT3320-1008	20*600	1340
CT3320-1010	22*700	1960
CT3320-1012	24*800	2680
CT3320-1014	26*900	3750
CT3320-1016	28*1000	4830
CT3320-1018	30*1000	5500
CT3320-1020	32*1200	7600

勾扳手

Wrench,Hook

40 CR | DIN 1810



- 采用德国 DIN 1810 标准。
- 锻造，扭力加强。
- 人工力学设计，使用舒适省力。
- 表面喷黑和本色处理，环保美观，防锈强。

ITEM CODE	Size mm	L	g
CT3321-1002	30-32	136	60
CT3321-1004	34-36	170	90
CT3321-1006	40-42	170	100
CT3321-1008	45-50	206	150
CT3321-1010	52-55	206	160
CT3321-1012	58-62	242	210
CT3321-1014	68-75	242	250
CT3321-1016	80-90	280	370
CT3321-1018	95-100	280	410
CT3321-1020	110-115	334	700
CT3321-1022	120-130	334	750
CT3321-1024	135-145	383	1050

可调勾扳手

Hook Wrench, Adjustable

40 CR | DIN 1810



- 采用德国 DIN 1810 标准。
- 锻造，扭力加强。
- 人工力学设计，使用舒适省力。
- 表面喷黑和本色处理，环保美观，防锈强。

ITEM CODE	Size mm	L	g
CT3321A-1002	19-50	162	110
CT3321A-1004	32-75	205	225
CT3321A-1006	50-120	288	450
CT3321A-1008	115-170	310	580

柱销式勾扳手

Hook Wrench With Pin

40 CR



- 锻造，扭力加强。
- 人工力学设计，使用舒适省力。
- 表面喷黑和本色处理，环保美观，防锈强。

ITEM CODE	Size mm	L	g
CT3321B-1002	12-14	116	12
CT3321B-1004	16-18	116	15
CT3321B-1006	20-22	125	22
CT3321B-1008	25-28	139	32
CT3321B-1010	30-32	136	50
CT3321B-1012	34-36	171	90
CT3321B-1014	40-42	171	100
CT3321B-1016	45-50	207	150
CT3321B-1018	52-55	207	160
CT3321B-1020	58-62	243	230
CT3321B-1022	68-75	243	250
CT3321B-1024	80-90	281	370
CT3321B-1026	95-100	281	410
CT3321B-1028	110-115	333	700

特种钢制工具 SPECIAL JUMBO TOOLS

滑动式可调勾扳手

Hook Wrench,Adjustable

40 CR



- 锻造，扭力加强。
- 滑动可调设计，提升使用范围。
- 表面喷黑和本色处理，环保美观，防锈强。

ITEM CODE	Size mm	L mm	g
CT3321C-1002	20-42	162	100
CT3321C-1004	45-90	250	394
CT3321C-1006	95-165	310	580

阀门扳手

Valve Spanner

40 CR



- 锻造，扭力加强。
- 表面喷黑和本色处理，环保美观，防锈强。

ITEM CODE	Size inch	L mm	g
CT3322-1002	2-7	215	230
CT3322-1004	8-15	400	1550
CT3322-1006	16-20	490	1960
CT3322-1008	16-20	800	2700

钎子

Punch,Machinists'

40 CR



- 表面喷黑和本色处理，环保美观，防锈强。
- 锻造，特殊规格可定制。

ITEM CODE	Size mm	L mm	g
CT3324-1002	16*300	300	470
CT3324-1004	16*400	400	630
CT3324-1006	18*500	500	1000
CT3324-1008	20*600	600	1480
CT3324-1010	22*700	700	2080
CT3324-1012	24*800	800	2840
CT3324-1014	26*900	900	3680
CT3324-1016	28*1000	1000	4600
CT3324-1018	30*1000	1000	5500
CT3324-1020	32*1200	1200	7600

柱销式可调勾扳手

Wrench,Construction with Pin

40 CR



- 锻造，扭力加强。
- 可调设计，提升使用范围。
- 表面喷黑和本色处理，环保美观，防锈强。

ITEM CODE	Size mm	L mm	g
CT3321D-1004	20-35/2.5	150	90
CT3321D-1006	22-35/3	150	90
CT3321D-1008	35-60/4	170	120
CT3321D-1010	35-60/5	170	120
CT3321D-1012	60-90/5	250	340
CT3321D-1014	60-90/5.5	250	340

阀门扳手

Valve Spanner

40 CR



- 锻造，扭力加强。
- 表面喷黑和本色处理，环保美观，防锈强。

ITEM CODE	K inch	D inch	L inch	g
CT3322A-1002	1-3/8	1-1/2	21-3/8	1350

内六角扳手

Wrench,Hex Key

40 CR



- 锻造，扭力加强。
- 人工力学设计，使用舒适省力。
- 表面喷黑和本色处理，环保美观，防锈强。

ITEM CODE	Size mm	L mm	g
CT3325-22	22	187	1000
CT3325-24	24	192	1400
CT3325-27	27	213	1770
CT3325-30	30	255	2500
CT3325-32	32	286	3120
CT3325-36	36	328	4000
CT3325-38	38	348	4700
CT3325-41	41	380	5700
CT3325-46	46	413	7000
CT3325-50	50	445	9550
CT3325-55	55	457	11200
CT3325-60	60	470	14050
CT3325-65	65	482	15300
CT3325-70	70	495	16700

带爪阀门扳手

Valve Spanner

40 CR



- 锻造，扭力加强
- 表面喷黑和本色处理，环保美观，防锈强。

ITEM CODE	Size mm	L	g
CT3322B-1002	12.5-18.8	240	160
CT3322B-1004	25-80	285	260
CT3322B-1006	50-150	325	625
CT3322B-1008	125-250	420	1050
CT3322B-1010	250-400	555	1650
CT3322B-1012	350-900	765	2250

可调竖孔扳手

Adjustable Hinged Pin Wrench for Nut with 2 holes

40 CR



- 锻造，扭力加强。
- 表面喷黑和本色处理，环保美观，防锈强。

ITEM CODE	Size mm	L mm	d mm	g
CT3321E-1002	18-40	150	4	90
CT3321E-1004	40-80	220	5	255
CT3321E-1006	80-125	295	6	625
CT3321E-1008	125-200	405	8	1550

钳工扁铲

Chisel, Flat

40 CR



- 表面喷黑和本色处理，环保美观，防锈强。
- 锻造，特殊规格可定制。

ITEM CODE	Size mm	L mm	g
CT3323-1002	16*160	160	250
CT3323-1004	18*180	180	340
CT3323-1006	20*160	160	360
CT3323-1008	22*180	180	490
CT3323-1010	24*180	180	610
CT3323-1012	25*250	250	960
CT3323-1014	27*300	300	1350
CT3323-1016	30*300	300	1660
CT3323-1018	35*500	500	3770

F 扳手

Valve Handle

40 CR



- 锻造，扭力加强。
- 表面喷黑和本色处理，环保美观，防锈强。
- 特殊规格可定制。

ITEM CODE	Size mm	g
CT3326-1002	45*350	510
CT3326-1004	50*400	800
CT3326-1006	55*450	940
CT3326-1008	60*500	1170
CT3326-1010	65*550	1300
CT3326-1012	70*600	1470
CT3326-1014	75*650	1560
CT3326-1016	80*700	1600
CT3326-1018	85*750	2250
CT3326-1020	90*800	2430
CT3326-1022	93*850	2530
CT3326-1024	96*900	2600
CT3326-1026	100*950	2800
CT3326-1028	103*1000	2900
CT3326-1030	105*1200	5400

防滑 F 扳手

Valve Handle

40 CR



- 锻造，扭力加强。
- 表面喷黑和本色处理，环保美观，防锈强。
- 特殊规格可定制。

ITEM CODE	Size mm	g
CT3326A-1002	30*200	250
CT3326A-1004	35*250	355
CT3326A-1006	40*300	420
CT3326A-1008	45*350	555
CT3326A-1010	50*400	700
CT3326A-1012	55*450	785
CT3326A-1014	60*500	1150
CT3326A-1016	65*550	1220
CT3326A-1018	70*600	1310
CT3326A-1020	75*650	1570
CT3326A-1022	80*700	1785
CT3326A-1024	85*750	2090
CT3326A-1026	90*800	2550

顶尖

Punch,Center

40 CR



- 锻造，扭力加强。
- 表面喷黑和本色处理，环保美观，防锈强。

ITEM CODE	Size mm	L mm	g
CT3329-1002	22*700	700	2080
CT3329-1004	24*800	800	2840
CT3329-1006	26*900	900	3680
CT3329-1008	28*1000	1000	4600
CT3329-1010	30*1000	1000	5500
CT3329-1012	32*1200	1200	7600

1" 方套筒头

1"Dr Socket

40 CR



- 锻造，扭力加强。
- 表面喷黑和本色处理，环保美观，防锈强。

ITEM CODE	Size mm	L mm	g
CT3332-24	24	55	360
CT3332-27	27	55	380
CT3332-30	30	60	430
CT3332-32	32	60	460
CT3332-36	36	65	525
CT3332-41	41	70	655
CT3332-46	46	75	780
CT3332-50	50	75	890
CT3332-55	55	80	1050
CT3332-60	60	85	1320
CT3332-65	65	90	1475
CT3332-70	70	90	1625
CT3332-75	75	95	2155
CT3332-80	80	95	2390

双头 C 型扳手

Wrench,C

40 CR



- 锻造，扭力加强。
- 表面喷黑和本色处理，环保美观，防锈强。

ITEM CODE	Size mm	L mm	g
CT3327-1002	200	200	350
CT3327-1004	250	250	600
CT3327-1006	450	450	2250

加力杆

Bar,Sliding

40 CR

- 锻造，扭力加强。
- 表面喷黑和本色处理，环保美观，防锈强。

ITEM CODE	Size mm	L mm	g
CT3330-1002	Φ21*400	400	1080

套筒连接杆

Driver Extension

40 CR



- 锻造，扭力加强。
- 表面喷黑和本色处理，环保美观，防锈强。

ITEM CODE	Size inch	L mm	g
CT3333-1002	3/4	200	910
CT3333-1004	1	200	1480

单头 C 型扳手

Wrench,C

40 CR



- 锻造，扭力加强。
- 表面喷黑和本色处理，环保美观，防锈强。

ITEM CODE	K mm	L mm	g
CT3328-1002	40	450	1300

滑行头

Sliding T Handle

40 CR



- 锻造，扭力加强。
- 表面喷黑和本色处理，环保美观，防锈强。

ITEM CODE	Size inch	L mm	g
CT3331-1002	3/4	400	1280
CT3331-1004	1	400	1650

换向棘轮扳手

Ratchet Wrench

40 CR



- 锻造，扭力加强。
- 表面喷黑和本色处理，环保美观，防锈强。

ITEM CODE	Size inch	L mm	g
CT3334-1002	3/4	160	1570
CT3334-1004	1	180	3100
CT3334-1006	1-1/2	225	4600

换向棘轮扳手

Ratchet Wrench

40 CR



- 锻造，扭力加强。
- 表面喷黑和本色处理，环保美观，防锈强。

ITEM CODE	Size inch	L mm	g
CT3335-1002	3/4	320	1490
CT3335-1004	1	550	3220
CT3335-1006	1-1/2	600	4600

风动套筒头

Impact Socket

40 CR　DIN 3129



- 锻造，扭力加强。
- 采用德国 DIN3129 标准。
- 圆弧内角设计，有效保护螺母及套筒使用寿命。
- 表面喷黑和本色处理，环保美观，防锈强。
- 特殊规格可定制。

Impact Socket (1-1/2")

ITEM CODE	Size mm	L mm	g
CT3336-32	32	75	1860
CT3336-36	36	80	2200
CT3336-41	41	80	2150
CT3336-46	46	85	2290
CT3336-50	50	85	2380
CT3336-55	55	90	2480
CT3336-60	60	90	2640
CT3336-65	65	95	3060
CT3336-70	70	95	3200
CT3336-75	75	100	3625
CT3336-80	80	100	3980
CT3336-85	85	110	4400
CT3336-90	90	110	4700
CT3336-95	95	110	5500
CT3336-100	100	115	5820
CT3336-105	105	115	6400
CT3336-110	110	115	6540
CT3336-115	115	125	10380
CT3336-120	120	125	11020
CT3336-125	125	130	11970
CT3336-130	130	135	13575
CT3336-135	135	140	14850
CT3336-140	140	140	15600
CT3336-145	145	145	13800
CT3336-150	150	150	19500

风动套筒头

加深 1-1/2 " 风动套筒头
Impact Socket (1-1/2"Deep)

ITEM CODE	Size mm	L mm	g
CT3337-41	41	115	3000
CT3337-46	46	115	3300
CT3337-50	50	135	3400
CT3337-55	55	140	3930
CT3337-60	60	150	4790
CT3337-65	65	150	5440
CT3337-70	70	160	6000
CT3337-75	75	170	6250
CT3337-80	80	170	6390
CT3337-85	85	170	7130
CT3337-90	90	178	7680
CT3337-95	95	184	8850
CT3337-100	100	190	9080
CT3337-105	105	197	13200
CT3337-110	110	203	14030
CT3337-115	115	203	10670
CT3337-120	120	213	19000
CT3337-125	125	213	20020
CT3337-130	130	220	22500

1 " 风动套筒头
Impact Socket (1")

ITEM CODE	Size mm	L mm	g
CT3338-30	30	60	750
CT3338-32	32	60	760
CT3338-36	36	60	900
CT3338-41	41	65	940
CT3338-46	46	70	1300
CT3338-50	50	75	1500
CT3338-55	55	75	1680
CT3338-60	60	85	2100
CT3338-65	65	85	2170
CT3338-70	70	90	2500
CT3338-75	75	90	2780
CT3338-80	80	90	3000

3/4 " 风动套筒头
Impact Socket (3/4")

ITEM CODE	Size mm	L mm	g
CT3338A-24	24	50	400
CT3338A-27	27	53	415
CT3338A-30	30	53	425
CT3338A-32	32	56	450
CT3338A-36	36	56	480
CT3338A-41	41	58	700
CT3338A-46	46	60	740
CT3338A-50	50	70	1025

加深 1 " 风动套筒
Impact Socket (1"Deep)

ITEM CODE	Size mm	L mm	g
CT3338B-24	24	100	950
CT3338B-27	27	100	1000
CT3338B-30	30	100	1000
CT3338B-32	32	100	1200
CT3338B-36	36	100	1200
CT3338B-38	38	100	1400
CT3338B-41	41	100	1550
CT3338B-46	46	100	2120
CT3338B-50	50	100	2380
CT3338B-55	55	100	2730
CT3338B-60	60	100	2800
CT3338B-65	65	100	2950
CT3338B-70	70	100	3120
CT3338B-75	75	100	3600
CT3338B-80	80	100	4000

风动套筒头

加深 3/4 " 风动套筒头
Impact Socket (3/4"Deep)

ITEM CODE	Size mm	L mm	g
CT3338C-17	17	90	570
CT3338C-19	19	90	580
CT3338C-22	22	90	600
CT3338C-24	24	90	720
CT3338C-27	27	90	720
CT3338C-30	30	90	780
CT3338C-32	32	90	875
CT3338C-34	34	90	950
CT3338C-36	36	90	1040
CT3338C-38	38	90	1100
CT3338C-41	41	90	1200
CT3338C-46	46	100	1630
CT3338C-50	50	100	1950

加深 2-1/2 " 风动套筒头
Impact Socket (2-1/3"Deep)

ITEM CODE	Size mm	L mm	g
CT3338D-46	46	115	5900
CT3338D-50	50	115	6120
CT3338D-55	55	115	6120
CT3338D-60	60	120	6420
CT3338D-65	65	120	6420
CT3338D-70	70	125	6830
CT3338D-75	75	125	7090
CT3338D-80	80	125	6990
CT3338D-85	85	135	8160
CT3338D-90	90	135	7510
CT3338D-95	95	140	9480
CT3338D-100	100	145	10500
CT3338D-105	105	145	10760
CT3338D-110	110	155	12180
CT3338D-115	115	160	12900
CT3338D-120	120	160	13460
CT3338D-125	125	170	14500
CT3338D-130	130	170	15400
CT3338D-135	135	175	16870
CT3338D-140	140	180	18360
CT3338D-145	145	185	20190
CT3338D-150	150	190	21900
CT3338D-155	155	195	24480
CT3338D-160	160	200	27500
CT3338D-165	165	205	29500
CT3338D-170	170	210	31600
CT3338D-175	175	210	33900
CT3338D-180	180	220	35700

风动套筒连接杆

Driver Extension

40 CR



- 锻造，扭力加强。
- 表面喷黑和本色处理，环保美观，防锈强。

ITEM CODE	C inch	L mm	g
CT3339-1002	3/4	200	900
CT3339-1004	1	200	1400
CT3339-1006	1	400	3000
CT3339-1008	1-1/2	250	5200
CT3339-1010	1-1/2	500	9200

1 " 风动内六方套头

Sockets For Torque Wrenches

40 CR



- 锻造，扭力加强。
- 表面喷黑和本色处理，环保美观，防锈强。

ITEM CODE	Size mm	L mm	L1 mm	g
CT3339A-19	19	75	21	830
CT3339A-22	22	75	24	890
CT3339A-24	24	75	26	920
CT3339A-27	27	75	28	980
CT3339A-30	30	75	30	1050
CT3339A-32	32	75	32	1130
CT3339A-36	36	75	33	1250

3/4 " 风动内六方套头
Sockets For Torque Wrenches

ITEM CODE	Size mm	L mm	L1 mm	g
CT3339B-14	14	65	17	450
CT3339B-17	17	65	19	510
CT3339B-19	19	65	21	550
CT3339B-22	22	65	24	610
CT3339B-24	24	65	26	650
CT3339B-27	27	65	28	720

变径接头 / 风动变径接头

Adaptor

40 CR



- 锻造，扭力加强。
- 表面喷黑和本色处理，环保美观，防锈强。

ITEM CODE	□ inch	■ inch	L mm	g
CT3341-1002	3/4	1/2	55	275
CT3341-1004	1/2	3/4	50	160
CT3341-1006	1	3/4	70	810
CT3341-1008	3/4	1	60	340
CT3341-1010	1-1/2	1	85	1585
CT3341-1012	1	1-1/2	85	1165

ITEM CODE	□ inch	■ inch	L mm	g
CT3341A-1002	3/4	1	65	450
CT3341A-1004	1	3/4	70	700
CT3341A-1006	1	1-1/2	115	1500
CT3341A-1008	1-1/2	1	110	3000
CT3341A-1010	1-1/2	2-1/2	140	5700
CT3341A-1012	2-1/2	1-1/2	140	7300

球型万向接头

Universal Joint

40 CR



ITEM CODE	C inch	L mm	g
CT3343-1002	1	110	1500
CT3343-1004	1-1/2	200	4200

风动万向接头

Universal Joint

40 CR



- 锻造，扭力加强。
- 表面喷黑和本色处理，环保美观，防锈强。

ITEM CODE	C inch	L mm	g
CT3340-1002	3/4	110	600
CT3340-1004	1	125	1300
CT3340-1006	1-1/2	235	5000
CT3340-1008	2-1/2	333	18000





6.3mm 系列公制六角套筒

1/4" Dr.6pt Socket



- 优质铬钒钢热锻
- 圆弧六角设计，有效保护螺母
- 通过德国 VPA/GS 认证
- 强度超美标 50%

ITEM CODE	Size mm	L mm	Pc Box	kg
WD101-04	4mm	25	1260	14.00
WD101-4.5	4.5mm	25	1260	14.00
WD101-05	5mm	25	1260	14.00
WD101-5.5	5.5mm	25	1260	14.00
WD101-06	6mm	25	1260	15.50
WD101-07	7mm	25	1260	16.50
WD101-08	8mm	25	1260	15.50
WD101-09	9mm	25	960	19.50
WD101-10	10mm	25	960	17.00
WD101-11	11mm	25	700	17.00
WD101-12	12mm	25	600	17.00
WD101-13	13mm	25	600	20.00
WD101-14	14mm	25	480	20.00

10mm 系列公制六角套筒

3/8" Dr.6pt Socket



- 优质铬钒钢热锻
- 圆弧六角设计，有效保护螺母
- 通过德国 VPA/GS 认证
- 强度超美标 50%

ITEM CODE	Size mm	L mm	Pc Box	kg
WD102-06	6mm	28	600	13.40
WD102-07	7mm	28	600	14.80
WD102-08	8mm	28	600	15.50
WD102-09	9mm	28	600	15.80
WD102-10	10mm	28	600	16.80
WD102-11	11mm	28	600	17.40
WD102-12	12mm	28	600	16.50
WD102-13	13mm	28	600	19.80
WD102-14	14mm	28	400	14.50
WD102-15	15mm	28	400	17.90
WD102-16	16mm	28	400	17.10
WD102-17	17mm	30	240	13.10
WD102-18	18mm	30	240	14.90
WD102-19	19mm	30	240	15.50
WD102-20	20mm	32	240	19.30
WD102-21	21mm	32	240	20.30
WD102-22	22mm	32	180	16.20
WD102-23	23mm	32	180	18.30
WD102-24	24mm	32	180	19.50

12.5mm 系列公制六角套筒

1/2" Dr.6pt Socket



- 优质铬钒钢热锻
- 圆弧六角设计，有效保护螺母
- 通过德国 VPA/GS 认证
- 强度超美标 50%

ITEM CODE	Size mm	L mm	Pc Box	kg
WD103-08	8mm	38	400	21.00
WD103-09	9mm	38	400	21.50
WD103-10	10mm	38	400	20.30
WD103-11	11mm	38	400	20.60
WD103-12	12mm	38	400	21.40
WD103-13	13mm	38	400	22.90
WD103-14	14mm	38	400	23.20
WD103-15	15mm	38	400	22.80
WD103-16	16mm	38	400	21.40
WD103-17	17mm	38	400	27.30
WD103-18	18mm	38	320	26.90
WD103-19	19mm	38	320	21.60
WD103-20	20mm	38	320	27.70
WD103-21	21mm	38	320	26.40
WD103-22	22mm	38	160	15.30
WD103-23	23mm	38	160	15.70
WD103-24	24mm	38	160	16.30
WD103-25	25mm	41	160	23.20
WD103-26	26mm	41	160	26.10
WD103-27	27mm	43	160	26.70
WD103-28	28mm	44	120	23.00
WD103-29	29mm	44	120	21.70
WD103-30	30mm	44	120	23.90
WD103-32	32mm	44	90	19.40

6.3mm 系列公制六角长套筒

1/4" Dr.6pt deep Socket



- 优质铬钒钢热锻
- 圆弧六角设计，有效保护螺母
- 长度加长，使用更加省力
- 通过德国 VPA/GS 认证
- 强度超美标 50%

ITEM CODE	Size mm	L mm	Pc Box	kg
WD105-04	4mm	50	672	15.60
WD105-4.5	4.5mm	50	672	15.60
WD105-05	5mm	50	672	17.00
WD105-5.5	5.5mm	50	672	17.00
WD105-06	6mm	50	672	18.30
WD105-07	7mm	50	672	20.30
WD105-08	8mm	50	672	17.60
WD105-09	9mm	50	504	19.10
WD105-10	10mm	50	504	21.70
WD105-11	11mm	50	360	18.00
WD105-12	12mm	50	360	19.10
WD105-13	13mm	50	360	21.30
WD105-14	14mm	50	240	18.30

10mm 系列公制六角长套筒

3/8" Dr.6pt deep Socket



- 优质铬钒钢热锻
- 圆弧六角设计，有效保护螺母
- 长度加长，使用更加省力
- 通过德国 VPA/GS 认证
- 强度超美标 50%

ITEM CODE	Size mm	L mm	Pc Box	kg
WD106-06	6mm	63.4	300	16.50
WD106-07	7mm	63.4	300	17.10
WD106-08	8mm	63.4	300	17.40
WD106-09	9mm	63.4	300	18.00
WD106-10	10mm	63.4	300	18.00
WD106-11	11mm	63.4	300	18.90
WD106-12	12mm	63.4	192	14.20
WD106-13	13mm	63.4	192	16.30
WD106-14	14mm	63.4	192	17.40
WD106-15	15mm	63.4	192	21.90
WD106-16	16mm	63.4	192	21.30
WD106-17	17mm	63.4	108	14.80
WD106-18	18mm	63.4	108	17.60
WD106-19	19mm	63.4	108	17.10
WD106-20	20mm	63.4	108	19.50
WD106-21	21mm	63.4	108	19.00
WD106-22	22mm	63.4	108	23.30
WD106-23	23mm	63.4	108	27.10
WD106-24	24mm	63.4	108	26.00

12.5mm 系列公制六角长套筒

1/2" Dr.6pt deep Socket




- 优质铬钒钢热锻
- 圆弧六角设计，有效保护螺母
- 长度加长，使用更加省力
- 通过德国 VPA/GS 认证
- 强度超美标 50%

ITEM CODE	Size mm	L mm	Pc Box	kg
WD107-08	8mm	76.4	192	21.40
WD107-09	9mm	76.4	192	21.80
WD107-10	10mm	76.4	192	22.90
WD107-11	11mm	76.4	192	24.00
WD107-12	12mm	76.4	192	23.40
WD107-13	13mm	76.4	192	23.00
WD107-14	14mm	76.4	160	19.30
WD107-15	15mm	76.4	160	19.80
WD107-16	16mm	76.4	160	20.10
WD107-17	17mm	76.4	160	21.60
WD107-18	18mm	76.4	144	25.80
WD107-19	19mm	76.4	144	23.50
WD107-20	20mm	76.4	128	26.40
WD107-21	21mm	76.4	128	25.20
WD107-22	22mm	76.4	80	19.20
WD107-23	23mm	76.4	80	22.10
WD107-24	24mm	76.4	80	21.90
WD107-25	25mm	76.4	64	20.26
WD107-26	26mm	76.4	64	19.24
WD107-27	27mm	76.4	64	22.20
WD107-28	28mm	76.4	48	19.00
WD107-29	29mm	76.4	48	17.90
WD107-30	30mm	76.4	48	18.50
WD107-32	32mm	76.4	48	22.40

转向手柄

Flex Handle-Industrial Grade



- 超过棘轮扳手 50% 以上的扭矩，操作更省力。

ITEM CODE	Size mm	L mm	Pc Box	kg
WD110-02	6.3*150	150	96	8
WD110-04	10*200	215	64	10.5
WD110-06	12.5*250	271.5	36	19.5
WD110-08	12.5*375	386.5	34	20

万向接头

Universal Joint-Industrial Grade



- 可在狭窄空间操作，使用方便。

ITEM CODE	Size mm	L mm	Pc Box	kg
WD111-02	6.3	39.5	640	18.8
WD111-04	10	55	320	21
WD111-06	12.5	75	120	19

连接杆

Extension Bar-Industrial Grade



- 适用于狭窄空间，深度范围内操作，强度高，不断裂，不变形。

ITEM CODE	Size mm	L mm	Pc Box	kg
WD114-02	6.3	50	720	18
WD114-04	6.3	75	540	19.3
WD114-06	6.3	100	400	19.4
WD114-08	6.3	150	300	20.5
WD114-10	10	75	240	17.6
WD114-12	10	150	120	16.7
WD114-14	12.5	125	120	17.8
WD114-16	12.5	250	48	10.5

L 弯柄

L-Handle-industrial Grade



- 超过棘轮扳手 50% 以上的扭矩，使用寿命更长。

ITEM CODE	Size mm	L mm	Pc Box	kg
WD116-02	12.5	250	48	20.9

转换接头
Bit Adapter

1/4" 3/8" 1/2" CR-V




• 变换规格，使用方便。

ITEM CODE	F mm	M mm	Pc Box	kg
WD117-02	6.3	10	600	10
WD117-04	10	6.3	1000	21
WD117-06	10	12.5	400	17.6
WD117-08	12.5	10	500	10

T 型滑行头手柄
Sliding T-bar

1/4" 3/8" 1/2" CR-V



• 超过棘轮扳手强度 30%，使用寿命更长。

ITEM CODE	Size mm	L mm	Pc Box	kg
WD118-02	6.3	114	240	11
WD118-04	10	165	120	16.8
WD118-06	12.5	250	48	17.1

6.3mm 旋柄
Spinner Handle

1/4" CR-V



• 超过棘轮扳手强度 30%，使用寿命更长。

ITEM CODE	Size mm	L mm	Pc Box	kg
WD120-02	6.3	150	120	11

6.3mm 软连接
1/4"Dr.Flexible Extension Bar

1/4" CR-V



• 可交换不同角度，适合在狭窄空间操作。

ITEM CODE	Size mm	L mm	Pc Box	kg
WD121-02	6.3	150	300	19.6

弓形快速摇柄
Speed Bar


1/2" CR-V



ITEM CODE	Size mm	Pc Box	kg
WD125-02	12.5	20	15

6.3mm 系列花型旋具套筒
1/4"Dr.Bit Socket Torx

6.3 S2




• 旋具头采用 S-2 高级合金钢整体淬火，不易断裂、打滑。

ITEM CODE	Size mm	L mm	Pc Box	kg
WD126-08	T08	37	720	12
WD126-10	T10			
WD126-15	T15			
WD126-20	T20			
WD126-25	T25			
WD126-27	T27			
WD126-30	T30			
WD126-40	T40			

6.3mm 系列六角旋具套筒
1/4"Dr.Bit Socket Hexagon

6.3 S2



• 旋具头采用 S-2 高级合金钢整体淬火，不易断裂、打滑。

ITEM CODE	Size mm	L mm	Pc Box	kg
WD127-03	H3	37	720	12
WD127-04	H4			
WD127-05	H5			
WD127-06	H6			
WD127-07	H7			
WD127-08	H8			

6.3mm 系列一字旋具套筒
1/4"Dr.Bit Socket Slotted

6.3 S2




• 旋具头采用 S-2 高级合金钢整体淬火，不易断裂、打滑。

ITEM CODE	Size mm	L mm	Pc Box	kg
WD128-04	SL4.0	37	720	12
WD128-5.5	SL5.5			
WD128-6.5	SL6.5			

6.3mm 系列十字旋具套筒
1/4"Dr.Bit Socket Phillips

6.3 S2




• 旋具头采用 S-2 高级合金钢整体淬火，不易断裂、打滑。

ITEM CODE	Size mm	L mm	Pc Box	kg
WD129-01	PH1	37	720	12
WD129-02	PH2			
WD129-03	PH3			

6.3mm 系列米字旋具套筒
1/4"Dr.Bit Socket Pozidriv

6.3 S2



• 旋具头采用 S-2 高级合金钢整体淬火，不易断裂、打滑。

ITEM CODE	Size mm	L mm	Pc Box	kg
WD130-01	PZ1	37	720	12
WD130-02	PZ2			
WD130-03	PZ3			

10mm 系列花型旋具套筒
3/8"Dr.Bit Socket Dodecagon

10 S2



• 旋具头采用 S-2 高级合金钢整体淬火，不易断裂、打滑。

ITEM CODE	Size mm	L mm	Pc Box	kg
WD131-10	T10	50	720	15
WD131-15	T15			
WD131-20	T20			
WD131-25	T25			
WD131-30	T30			
WD131-40	T40			
WD131-45	T45			
WD131-50	T50			

10mm 系列六角旋具套筒
3/8"Dr.Bit Socket Hexagon

10 S2



• 旋具头采用 S-2 高级合金钢整体淬火，不易断裂、打滑。

ITEM CODE	Size mm	L mm	Pc Box	kg
WD132-03	H3	50	720	15
WD132-04	H4			
WD132-05	H5			
WD132-06	H6			
WD132-07	H7			
WD132-08	H8			

10mm 系列一字旋具套筒
3/8"Dr.Bit Socket Slotted

10 S2



• 旋具头采用 S-2 高级合金钢整体淬火，不易断裂、打滑。

ITEM CODE	Size mm	L mm	Pc Box	kg
WD133-04	SL4.0	50	720	15
WD133-5.5	SL5.5			
WD133-6.5	SL6.5			
WD133-08	SL8.0			

10mm 系列十字旋具套筒
3/8"Dr.Bit Socket Phillips

10 S2



• 旋具头采用 S-2 高级合金钢整体淬火，不易断裂、打滑。

ITEM CODE	Size mm	L mm	Pc Box	kg
WD134-01	PH1	50	720	15
WD134-02	PH2			
WD134-03	PH3			
WD134-04	PH4			

10mm 系列米字旋具套筒
3/8"Dr.Bit Socket

10 S2



• 旋具头采用 S-2 高级合金钢整体淬火，不易断裂、打滑。

ITEM CODE	Size mm	L mm	Pc Box	kg
WD135-01	PZ1	50	720	15
WD135-02	PZ2			
WD135-03	PZ3			

10mm 系列中孔花型旋
3/8"Dr.Bit Socket Tamper Proof Torx

10 S2



• 旋具头采用 S-2 高级合金钢整体淬火，不易断裂、打滑。

ITEM CODE	Size mm	L mm	Pc Box	kg
WD136-45	T45	50	720	15
WD136-50	T50			
WD136-55	T55			
WD136-60	T60			

12.5mm 系列花型旋具套筒
1/2"Dr.Bit Socket Torx

12.5 S2



• 旋具头采用 S-2 高级合金钢整体淬火，不易断裂、打滑。

ITEM CODE	Size mm	L mm	Pc Box	kg
WD137-20	T20	55	720	15
WD137-25	T25			
WD137-27	T27			
WD137-30	T30			
WD137-40	T40			
WD137-45	T45			
WD137-50	T50			
WD137-55	T55			
WD137-60	T60			

12.5mm 系列 6 角旋具套筒
1/2"Dr.Bit Socket Hexagon

12.5 S2



• 旋具头采用 S-2 高级合金钢整体淬火，不易断裂、打滑。

ITEM CODE	Size mm	L mm	Pc Box	kg
WD138-04	H4	55	720	15
WD138-05	H5			
WD138-06	H6			
WD138-07	H7			
WD138-08	H8			
WD138-10	H10			
WD138-12	H12			
WD138-14	H14			
WD138-17	H17			

12.5mm 系列一字旋具套筒
1/2"Dr.Bit Socket Slotted

12.5 S2



• 旋具头采用 S-2 高级合金钢整体淬火，不易断裂、打滑。

ITEM CODE	Size mm	L mm	Pc Box	kg
WD139-08	SL8.0	55	720	15
WD139-10	SL10			
WD139-12	SL12			

12.5mm 系列 12 角旋具套筒
1/2"Dr.Spline Bit Socket

12.5 S2



• 旋具头采用 S-2 高级合金钢整体淬火，不易断裂、打滑。

ITEM CODE	Size mm	L mm	Pc Box	kg
WD140-05	M5	55	720	15
WD140-06	M6			
WD140-08	M8			
WD140-10	M10			
WD140-12	M12			
WD140-14	M14			
WD140-16	M16			

12.5mm 系列长花型旋具套筒
1/2"Dr.Bit Socket deep Torx

12.5 S2



• 旋具头采用 S-2 高级合金钢整体淬火，不易断裂、打滑。

ITEM CODE	Size mm	L mm
WD142-20	T20	100
WD142-25	T25	
WD142-27	T27	
WD142-30	T30	
WD142-40	T40	
WD142-45	T45	
WD142-50	T50	
WD142-55	T55	
WD142-60	T60	

12.5mm 系列长 6 角旋具套筒
1/2"Dr.Bit Socket deep Hexagon

12.5 S2



• 旋具头采用 S-2 高级合金钢整体淬火，不易断裂、打滑。

ITEM CODE	Size mm	L mm
WD143-04	H4	100
WD143-05	H5	
WD143-06	H6	
WD143-07	H7	
WD143-08	H8	
WD143-10	H10	
WD143-12	H12	
WD143-14	H14	
WD143-17	H17	

棘轮扳手
Ratchet Wrench

72T 快速脱落 CR-V



• 棘轮头采用 45 齿和 72 齿，通过德国 VPA/GS 认证。
• 快脱设计，单手操作转向及套筒脱落功能，使用更加轻松自如。
• 超强度，超 DIN 标准 20% 以上，疲劳试验达 50000-100000 次。

ITEM CODE	Size mm	L mm	Pc Box	kg
WD146-02	6.3	155	100	18
WD146-04	10	210	60	19
WD146-06	12.5	255	40	21

钢制工具 STEEL TOOLS

棘轮扳手
Ratchet wrench

72T | 快速脱落 | CR-V



- 棘轮头采用 24 齿，通过德国 VPA/GS 认证。
- 超强度，超 DIN 标准 20% 以上，疲劳试验达 50000-100000 次
- 不能敲击或加杠杆使用，不能用脚踩冲击使用

ITEM CODE	Size mm	L mm	Pc Box	kg
WD148-02	6.3	155	100	18
WD148-04	10	210	60	19
WD148-06	12.5	255	40	21

重型棘轮扳手
Heavy Duty Ratchet wrench

快速脱落 | CR-V




- 棘轮头采用 24 齿，通过德国 VPA/GS 认证。
- 超强度，超 DIN 标准 20% 以上，疲劳试验达 50000-100000 次
- 不能敲击或加杠杆使用，不能用脚踩冲击使用

ITEM CODE	Size mm	L mm	Pc Box	kg
WD149-02	20	510	6	17

L 套筒
L Wrench

CR-V



ITEM CODE	Size mm	L mm	Pc Box	g
WD152-06	6	102	240	9.5
WD152-07	7	106	240	10.5
WD152-08	8	114	150	10
WD152-09	9	122	150	12
WD152-10	10	129	150	15
WD152-11	11	136	120	15
WD152-12	12	144	120	18
WD152-13	13	152	120	22
WD152-14	14	160	72	14.5
WD152-15	15	169	72	17
WD152-16	16	178	48	14
WD152-17	17	187	48	15
WD152-18	18	195	48	16.5
WD152-19	19	204	48	21.5
WD152-20	20	212	48	23.5
WD152-21	21	221	40	21
WD152-22	22	230	40	23.5
WD152-23	23	240	32	19.5
WD152-24	24	250	32	20.5
WD152-25	25	260	24	20.5
WD152-26	26	270	24	22.5
WD152-27	27	280	24	24.5
WD152-28	28	290	18	21
WD152-29	29	300	18	21
WD152-30	30	310	18	23.5
WD152-31	31	320	15	22
WD152-32	32	330	15	23.5
WD152-33	33	340	12	20
WD152-34	34	350	12	21
WD152-35	35	360	12	21
WD152-36	36	370	12	22

全抛光双头活动套筒扳手
Double fl xible socket wrench in mirror finis



ITEM CODE	Size mm	L mm	Pc Box	g
WD152C-0809	8*9	181	200	18/17
WD152C-1011	10*11	197	200	26/25
WD152C-1012	10*12	203	200	26/25
WD152C-1213	12*13	213	150	25/24
WD152C-1415	14*15	229	100	22/21
WD152C-1617	16*17	246	100	25/24
WD152C-1819	18*19	262	80	25/24
WD152C-2022	20*22	279	50	24/23

33 件 1/4" 系列公制套筒组套
33pcs.1/4"Dr.Socket Wrench Set

33件 | 1/4" | CR-V



ITEM CODE	DESCRIPTION	SPECIFICATION
WD157A-33	12 件公制套筒 (12pcs 6pt.Metric Sockets)	4,4.5,5,5.5,6,7,8, 9,10,11,12,13mm
	3 件内六角扳手 (3pcs Hex Keys)	1.5,2,2.5mm
	12 件旋具套筒 (12pcs Bit Sockets)	一字 (Slotted) 3,4,5,6,7mm 十字 (Philips) PH1,PH2 六角 (Hex) 3,4,5,6,8mm
	快脱棘轮扳手 (Quick Release Ratchet Handle)	
	滑行杆 (Sliding T-bar)	
	万向接头 (Universal Joint)	
	接杆 (Extension Bars)	2",4"
	旋柄 (Spinner Handle)	
	重量 (Weight)	1.17kg

22 件 3/8" 系列公制套筒组套
22pcs.3/8"Dr.Socket Wrench Set

22件 | 3/8" | CR-V



ITEM CODE	DESCRIPTION	SPECIFICATION
WD157B-22	15 件公制套筒 (15pcs 6pt.Metric Sockets)	6,7,8,9,10,11,12,13,14 15,16,17,18,19,22mm
	2 件火花塞套筒 (2pcs Spark Plug Sockets)	16,21mm
	快脱棘轮扳手 (Quick Release Ratchet Handle)	
	滑行杆 (Sliding T-bar)	
	万向接头 (Universal Joint)	
	接杆 (Extension Bars)	3",6"
	重量 (Weight)	2kg

26 件 1/2" 系列套筒扳手
26pcs.1/2"Dr.Socket Wrench Set

26件 | 1/2" | CR-V



ITEM CODE	DESCRIPTION	SPECIFICATION
WD157D-26	18 件系列套筒 (18pcs 6t.Metric Sockets)	10,11,12,13,14,15,16,17,18,19, 20,21,22,23,24,27,30,32mm
	2 件火花塞套筒 (2pcs Spark Plug Sockets)	16,21mm
	快脱棘轮扳手 (Quick Release Ratchet Handle)	
	滑行杆 (Sliding T-bar)	
	万向接头 (Universal Joint)	3",5",10"
	接杆 (Extension Bars)	5.38kg

15 件 20mm 系列套筒组套
15pcs.20mmDr.Socket Wrench Set

15件 | CR-V



ITEM CODE	DESCRIPTION	SPECIFICATION
WD157U-15	10 件 20mm 系列套筒 (10pcs.6pt.Metric Socket)	30,32,33,36,38, 41,46,50,55,60mm
	1 件 20mm 系列 T 型滑杆 (Sliding T-Bar)	450mm
	2 件 20mm 系列接杆 (Extension Bars)	100mm,200mm
	1 件 20mm 系列棘轮扳手 (Ratchet Handle)	475mm
	1 件 20mm 系列万向接头 (Universal Joint)	
	每套重量 (Weight kg)	13.40kg

94 件 1/4" 1/2" 系列套筒扳手
94pcs.1/4"&1/2"Dr.Socket Wrench Set

94件 | 1/4" | 1/2" | CR-V



ITEM CODE	DESCRIPTION	SPECIFICATION
WD157M-94	13 件 1/4" 套筒 (13pcs 1/4"Dr.6pt.Metric Sockets)	4,4.5,5,5.5,6,7,8,9,10,11, 12,13,14mm
	8 件 1/4" 长套筒 (8pcs 1/4"Dr.6pt.Metric Deep Sockets)	6,7,8,9,10,11,12,13mm
	18 件 1/2" 套筒 (18pcs 1/2"Dr.6pt.Metric Sockets)	10,11,12,13,14,15,16,17,18,19, 20,21,22,23,24,27,30,32mm
	4 件 1/2" 系列长套筒 (4pcs 1/2"Dr.6pt.Deep Sockets)	14,15,17,19mm
	2 件 1/2" 系列火花塞套筒 (2pcs 1/2"Dr.Spark Plug Sockets)	16,21mm
	17 件 1/4" 系列旋具套筒 (17pcs 1/4"Dr.Bit Sockets)	十字 (Philips)PH1,PH2 一字 (Slotted)4,5.5,7mm 米字 (Pozidriv)PZ1,PZ2 六角 (Hex)3,4,5,6,mm 花型 (Torx)T8,T10,T15,T20, T25,T30
	15 件 8mm 系列 30L 长旋具头 (15pcs 8mm Shank 30L Bits)	十字 (Philips)PH3,PH4 一字 (Slotted)8,10,12mm 米字 (Pozidriv)PZ3,PZ4 花型 (Torx)T40,T45,T50,T55 六角 (Hex)8,10,12,14mm
	3 件内六角扳手 (3pcs Hex Keys)	1.5,2,2.5
	快脱棘轮扳手 (Quick Release Ratchet Handle)	1/4",1/2"
	1/4" 滑行杆 (1/4"Dr.Sliding T-bar)	
	1/4",1/2" 万向接头 (1/4",1/2"Dr.Universal Joint)	
	2 件 1/4" 系列接杆 (2pcs 1/4"Extension Bars)	2",4"
	1/2" 系列接杆 (1/2"Extension Bars)	5",10"
	3 用接头 (M 3-Way Adapter)	3/8"F*1/2"M
	1/4" 软接杆 (1/4"Dr.Flexible Extension Bar)	6"
	1/4" 旋柄 (1/4"Dr.Spinner Handle)	
	1/2" 旋具头接头 (1/2"Dr.Bit Adapter)	
	1/4" 旋具带珠接杆 (Adptor1/4"Hex*1/4"s)	
	重量 (weight)	6.25kg

钢制工具 STEEL TOOLS

21 件 20mm 系列套筒组套

21pcs 20mmDr.Socket Wrench Set

21件 CR-V




ITEM CODE	DESCRIPTION	SPECIFICATION
WD157W-21	15 件 20mm 系列套筒 (15pcs 6pt.Metric Sockets)	21,22,23,24,26,27,28,30,32,34,36,38,41,46,50mm
	2 件 20mm 系列滑行杆及滑行头 (Sliding T-bar & 3-Way Adapter)	35,36,38,41,46,50mm
	2 件 20mm 系列接杆 (Extension Bars)	450mm
	1 件 20mm 系列棘轮扳手 (Ratchet Handle)	200mm,400mm
	1 件 20mm 系列转向手柄 (Flex Handle-Industrial Grade)	475mm
	每套重量 (Weight kg)	

公制双头呆扳手

Wrench,Double Open End

CR-V





- 整体铬钒钢锻造而成
- 开口规格精准有效保护螺母。
- 长度加长 20%, 使用更加省力


ITEM CODE	Size mm	T1 mm	T2 mm	L mm	g
WD201-5.507	5.5*7	4.8	3.2	126	21
WD201-0607	6*7	4.8	3.2	126	21
WD201-0809	8*9	5.1	3.3	145	38
WD201-0810	8*10	5.1	3.3	145	38
WD201-0911	9*11	5.8	3.6	163	61
WD201-1011	10*11	5.8	3.6	163	61
WD201-1012	10*12	5.8	3.6	163	61
WD201-1113	11*13	6.5	4.1	181	66
WD201-1213	12*13	6.5	4.1	181	66
WD201-1214	12*14	6.5	4.1	181	66
WD201-1315	13*15	7.0	4.2	189	108
WD201-1316	13*16	7.0	4.2	189	108
WD201-1415	14*15	7.0	4.2	189	108
WD201-1417	14*17	7.0	4.2	189	108
WD201-1617	16*17	7.2	4.6	199	115
WD201-1618	16*18	7.2	4.6	199	115
WD201-1719	17*19	8.4	5.0	221	157
WD201-1819	18*19	8.4	5.0	221	157
WD201-1921	19*21	9.3	5.9	243	203
WD201-1922	19*22	9.3	5.9	243	203
WD201-2022	20*22	9.3	5.9	243	203
WD201-2123	21*23	8.8	5.0	238	196
WD201-2224	22*24	9.5	6.5	265	222
WD201-2326	23*26	9.8	6.6	287	398
WD201-2427	24*27	9.8	6.6	287	398
WD201-2528	25*28	9.4	6.2	280	345
WD201-2730	27*30	10.5	7.3	298	485
WD201-3032	30*32	11.6	8.6	311	564

公制呆梅两用扳手

Wrench,Combination

CR-V





- 整体铬钒钢锻造而成
- 开口规格精准有效保护螺母。
- 长度加长 20%, 使用更加省力

ITEM CODE	Size mm	T1 mm	T2 mm	T3 mm	L mm	g
WD203-5.5	5.5	4.6	3.2	6.0	127.5	33
WD203-06	6	4.6	3.2	6.0	127.5	33
WD203-07	7	4.6	3.2	6.0	128.0	33
WD203-08	8	4.8	3.4	6.4	142.0	37
WD203-09	9	5.2	3.5	6.8	151.0	38
WD203-10	10	5.3	3.5	7.0	161.0	47
WD203-11	11	5.5	3.5	7.4	168.0	56
WD203-12	12	5.8	3.7	8.0	172.0	65
WD203-13	13	6.2	4.0	8.5	180.0	71
WD203-14	14	6.5	4.3	9.0	192.0	96
WD203-15	15	6.8	4.5	9.5	200.0	98
WD203-16	16	7.0	4.8	10.2	210.0	124
WD203-17	17	7.4	5.0	10.6	226.0	150
WD203-18	18	7.7	5.2	11.0	238.0	159
WD203-19	19	8.0	5.4	11.4	250.0	175
WD203-20	20	8.3	5.6	11.8	262.0	170
WD203-21	21	8.7	5.8	12.1	275.0	262
WD203-22	22	9.0	6.1	12.8	295.0	308
WD203-23	23	9.1	6.2	13.5	305.0	280
WD203-24	24	9.2	6.4	14.5	315.0	425
WD203-25	25	9.4	6.6	14.5	325.0	366
WD203-26	26	9.4	6.6	14.5	325.0	366
WD203-27	27	9.5	6.7	15.0	337.0	481
WD203-28	28	10.3	7.1	15.0	333.0	481
WD203-29	29	10.3	7.1	15.0	350.0	510
WD203-30	30	10.3	7.2	15.5	355.0	478
WD203-31	31	11.0	7.7	16.0	376.0	514
WD203-32	32	11.0	7.7	16.0	376.0	514

双头呆扳手组套 (9 件套)

9pcs Wrench,Double Open End



ITEM CODE	S1*S2/mm
WD201B9	6*7,8*10,10*12,12*14,14*17,16*18, 17*19,19*22,21*23

双头呆扳手组套 (12 件套)

12pcs Wrench,Double Open End

ITEM CODE	S1*S2/mm
WD201B12	6*7,8*9,10*11,12*13,14*15,16*17,18*19, 20*22,21*23,24*27,25*28,30*32

双头呆扳手组套 (13 件套)

13pcs Wrench,Double Open End

ITEM CODE	S1*S2/mm
WD201B13	6*7,8*10,10*12,11*13,12*14,14*17,16*18, 17*19,19*22,21*23,22*24,24*27,30*32

26 件 20mm+25mm 系列公制套筒组套

26pcs 20mm+25mmDr. Socket Wrench Set

26件 CR-V



ITEM CODE	DESCRIPTION	SPECIFICATION
WD157X-26	17 件 20mm 系列套筒 (17pcs 20mmDr. Sockets)	21,22,23,24,26,27,28,29,30, 31,32,34,36,38,41,46,50mm
	3 件 25mm 系列套筒 (3pcs 25mmDr. Sockets)	55,60,65mm
	1 件 20mm 系列快脱棘轮扳手 (Quick Release Ratchet Handle)	
	1 件 20mm 系列接杆 (Extension Bars)	200mm
	1 件 20mm 系列万向接头 (Universal Joint)	
	1 件 20mm 系列滑行杆 (Sliding T-bar)	
	1 件三用接头 (3-Way Adapter)	20mm F*25mm M
	1 件加力杆 (Adding Force)	
	每套重量 (Weight kg)	17.20kg

公制双头梅花扳手

Wrench,Double Box Offset

CR-V





- 整体铬钒钢锻造而成
- 开口规格精准有效保护螺母。
- 长度加长 20%, 使用更加省力

ITEM CODE	Size mm	T1 mm	T2 mm	T3 mm	L mm	g
WD202-5.507	5.5*7	5.5	5.0	5.5	164	50
WD202-0607	6*7	5.5	5.0	5.5	164	50
WD202-0809	8*9	6.4	5.3	7.4	180	76
WD202-0810	8*10	6.4	5.3	7.4	180	76
WD202-0911	9*11	6.8	5.7	7.4	195	99
WD202-1011	10*11	6.8	5.7	7.4	195	99
WD202-1012	10*12	6.8	5.7	7.4	195	99
WD202-1113	11*13	7.8	6.0	8.4	210	118
WD202-1213	12*13	7.8	6.0	8.4	210	118
WD202-1214	12*14	7.8	6.0	8.4	210	118
WD202-1315	13*15	8.0	6.0	8.7	238	151
WD202-1316	13*16	8.0	6.0	8.7	238	151
WD202-1415	14*15	8.0	6.0	8.7	238	151
WD202-1417	14*17	8.0	6.0	8.7	238	151
WD202-1617	16*17	8.4	6.6	10.5	240	183
WD202-1618	16*18	8.4	6.6	10.5	240	183
WD202-1719	17*19	8.8	6.9	10.5	258	196
WD202-1819	18*19	8.8	6.9	10.5	258	196
WD202-1921	19*21	10.0	6.9	11.0	278	271
WD202-1922	19*22	10.0	6.9	11.0	278	271
WD202-2022	20*22	10.0	6.9	11.0	278	271
WD202-2123	21*23	10.5	7.7	11.0	300	313
WD202-2224	22*24	10.9	8.6	12.8	327	380
WD202-2326	23*26	12.0	8.6	12.8	327	380
WD202-2427	24*27	12.0	8.6	12.8	370	474
WD202-2528	25*28	13.5	8.4	13.5	395	536
WD202-2730	27*30	12.3	8.6	13.2	380	454
WD202-3032	30*32	14.5	8.8	15.5	415	622

双头梅花扳手组套（9 件套）

9pcs Wrench,Double Box Offset



ITEM CODE	S1*S2/mm
WD202B9	6*7,8*10,10*12,12*14,14*17,16*18, 17*19,19*22,21*23

双头梅花扳手组套（12 件套）

12pcs Wrench,Double Box Offset

ITEM CODE	S1*S2/mm
WD202B12	6*7,8*9,10*11,12*13,14*15,16*17,18*19, 20*22,21*23,24*27,25*28,30*32

双头梅花扳手组套（13 件套）

13pcs Wrench,Double Box Offset

ITEM CODE	S1*S2/mm
WD202B13	6*7,8*10,10*12,11*13,12*14,14*17,16*18, 17*19,19*22,21*23,22*24,24*27,30*32

两用扳手组套工具（9 件套）

9pcs Wrench,Combination



ITEM CODE	S/mm
WD203B9	8,10,11,12,13,14,15,17,19

两用扳手组套工具（11 件套）

11pcs Wrench,Combination

ITEM CODE	S/mm
WD203B11	8,9,10,12,13,14,15,16,17,19,22

两用扳手组套工具（13 件套）

13pcs Wrench,Combination

ITEM CODE	S/mm
WD203B13	6,8,10,12,14,16,17,19,22,24,27,30,32

公制换向棘轮两用扳手

Reversible Ratchet Combination Wrench

72T | 5° | CR-V | 换向



ITEM CODE	Size mm	L mm	Pc Box	kg
WD208-08	8mm	130	420	23/18
WD208-09	9mm			
WD208-10	10mm	147	300	25/23
WD208-11	11mm	165	200	23/21
WD208-12	12mm	183	150	23/21
WD208-13	13mm			
WD208-14	14mm			25/23
WD208-15	15mm			
WD208-16	16mm	200	100	23/21
WD208-17	17mm			
WD208-18	18mm	218	80	24/22
WD208-19	19mm			
WD208-20	20mm			
WD208-21	21mm	236	60	20/18
WD208-22	22mm			
WD208-23	23mm	245	50	23/20
WD208-24	24mm			

公制棘轮两用扳手

Ratchet Combination Wrench

72T | 5° | CR-V



ITEM CODE	Size mm	L mm	Pc Box	kg
WD207-06	6mm	114	560	24/23
WD207-07	7mm	114	560	24/23
WD207-08	8mm	132	360	23/22
WD207-09	9mm	132	360	23/22
WD207-10	10mm	149	300	25/24
WD207-11	11mm	167	200	22/21
WD207-12	12mm	185	150	22/21
WD207-13	13mm	185	150	22/21
WD207-14	14mm	202	150	25/24
WD207-15	15mm	202	150	25/24
WD207-16	16mm	220	100	23/22
WD207-17	17mm	220	100	23/22
WD207-18	18mm	238	80	23/22
WD207-19	19mm	238	80	23/22
WD207-20	20mm	238	80	23/22
WD207-21	21mm	247	60	21/20
WD207-22	22mm	247	60	21/20
WD207-23	23mm	270	50	22/21
WD207-24	24mm	270	50	22/21
WD207-25	25mm	270	50	22/21
WD207-27	27mm	293	40	22/21
WD207-30	30mm	322	30	21/20
WD207-32	32mm	388	20	20/19

公制活头棘轮两用扳手

Flexible Ratchet Combination Wrench

72T | 5° | CR-V



ITEM CODE	Size mm	L mm	Pc Box	kg
WD209-06	6mm	124	480	25/24
WD209-07	7mm			
WD209-08	8mm	138	300	23/22
WD209-09	9mm			
WD209-10	10mm	156	250	25/24
WD209-11	11mm	174	180	22/21
WD209-12	12mm	192	150	24/23
WD209-13	13mm			
WD209-14	14mm	210	100	21/20
WD209-15	15mm			
WD209-16	16mm	229	80	21*20
WD209-17	17mm			
WD209-18	18mm	247	60	19/18
WD209-19	19mm			
WD209-20	20mm			
WD209-21	21mm	258	60	24/23
WD209-22	22mm			
WD209-23	23mm	268	50	23/22
WD209-24	24mm			
WD209-25	25mm			
WD209-27	27mm	290	40	23/22
WD209-30	30mm	317	30	21/20
WD209-32	32mm	383	20	22/21

公制单头棘轮套筒扳手

One Head Ratchet Socket Wrench

40cr | 换向



- 整体铬钒钢锻造而成
- 扭力加强，超美标 50%
- 不能敲击或加杠杆使用，不能用脚踩冲击使用

ITEM CODE	Size mm	L mm	Pc Box	kg	Carton Size cm	ΦD mm	h1 mm	h2 mm	H mm
WD223-1214	12*14	235	100	21/20	47*27*20	28.5	11	11	14
WD223-1417	14*17	270	50	16/15	30*27*22	35	14.5	14.5	16
WD223-1719	17*19	312	40	19/18	35*30*21	40	16	16	18
WD223-1721	17*21								
WD223-1921	19*21								
WD223-1922	19*22								
WD223-1924	19*24	355	30	21/20	39*34*18	50	18	18	20
WD223-2224	22*24								
WD223-2126	21*26								
WD223-2427	24*27	395	24	23/22	42*29*21	60	19.2	19.2	21.5
WD223-2430	24*30								
WD223-3032	30*32	435	16	23/22	46*31*15	68	20.5	20.5	24
WD223-3236	32*36								

公制单边棘轮套筒扳手

One Side Ratchet Socket Wrench

40cr | 换向



- 整体铬钒钢锻造而成
- 扭力加强，超美标 50%
- 不能敲击或加杠杆使用，不能用脚踩冲击使用

ITEM CODE	Size mm	L mm	Pc Box	kg	Carton Size cm	ΦD mm	h1 mm	H mm
WD224-10	10	235	100	20/19	47*27*20	235	11	14
WD224-12	12							
WD224-14	14							
WD224-17	17	270	50	15/14	30*27*22	270	14.5	16
WD224-19	19	312	40	18/17	35*30*21	312	16	18
WD224-22	22							
WD224-24	24	355	30	20/19	38*34*18	355	18	20
WD224-27	27							
WD224-30	30	395	24	22/21	42*29*21	395	19.2	21.5
WD224-35	35	435	16	22/21	46*31*15	435	20.5	24
WD224-36	36							
WD224-41	41	455	12	22/21	49*27*17	455	21.5	27
WD224-46	46	500	8	18/17	53*22*18	500	22.5	30
WD224-50	50							

活扳手
Wrench Adjustable

CR-V



- 整体铬钒钢锻造而成
- 高精度螺母，开合自如
- 扳口镭射刻度，使用方便
- 产品整体热处理，扭矩超美标 30% 以上

ITEM CODE	Size mm	L mm	Pc Box	kg
WD233-04	4"	108	240	13.2/12.2
WD233-06	6"	158	120	16.6/15.6
WD233-08	8"	208	96	25.5/24.5
WD233-10	10"	258	60	25.8/24.8
WD233-12	12"	308	36	27.5/26.5
WD233-15	15"	385	16	20.5/19.5
WD233-18	18"	462	4	8/7
WD233-24	24"	612	4	12.7/11.7

沾塑柄活扳手
Wrench Adjustable

CR-V



- 整体铬钒钢锻造而成
- 高精度螺母，开合自如
- 扳口镭射刻度，使用方便

ITEM CODE	Size mm	L mm	Pc Box	kg
WD238-06	6"	158	120	16.6/15.6
WD238-08	8"	208	96	25.5/24.5
WD238-10	10"	258	60	25.8/24.8
WD238-12	12"	308	36	27.5/26.5
WD238-15	15"	385	16	20.5/19.5

公制加长内六角
Long Hex Key

&

CR-V



- 铬钒钢整体锻造而成
- 整体热处理，硬度可达 HRC58

ITEM CODE	Size mm	L mm	H mm	Pc Box
WD242-1.5	1.5	63.5	15.5	3000
WD242-02	2	77	18	3000
WD242-2.5	2.5	87.5	20.5	3000
WD242-03	3	93	23	3000
WD242-04	4	104	29	1400
WD242-05	5	120	33	800
WD242-5.5	5.5	132	33	600
WD242-06	6	141	38	480
WD242-07	7	147	41	300
WD242-08	8	158	44	300
WD242-09	9	169	47	160
WD242-10	10	180	50	160
WD242-12	12	202	57	96
WD242-14	14	229	70	80
WD242-17	17	262	80	48
WD242-19	19	284	89	36

磷化活扳手
Wrench Adjustable

磷化 CR-V



ITEM CODE	Size mm	L mm	Opening Capacity mm	Pc Box	kg
WD236-06	150	153	19.3	120	16.6/15.6
WD236-08	200	204	24	72	25.5/24.5
WD236-10	250	254	29	48	25.8/24.8
WD236-12	300	305	34	24	27.5/26.5
WD236-15	375	381	45	16	20.5/19.5

塑柄活扳手
Wrench Adjustable

CR-V



- 整体铬钒钢锻造而成
- 产品整体热处理，扭力加强
- 高精度螺母，开合自如
- 扳口镭射刻度，使用方便

ITEM CODE	Size mm	L mm	Opening Capacity mm	Pc Box	kg
WD239-06	150	160	24	72	16.6/15.6
WD239-08	200	210	30	96	25.5/24.5
WD239-10	250	260	35	60	25.8/24.8
WD239-12	300	310	41	36	27.5/26.5

公制特长平头内六角
Extra Long Hex Key

&

CR-V



- 铬钒钢整体锻造而成
- 整体热处理，硬度可达 HRC58

ITEM CODE	Size mm	L mm	H mm	Pc Box
WD243-1.5	1.5	91.5	15.5	3000
WD243-02	2	102	18	3000
WD243-2.5	2.5	114.5	20.5	3000
WD243-03	3	129	23	3000
WD243-04	4	144	29	1400
WD243-05	5	165	33	800
WD243-5.5	5.5	175	33	600
WD243-06	6	186	38	480
WD243-07	7	197	41	300
WD243-08	8	208	44	300
WD243-09	9	219	47	160
WD243-10	10	234	50	160
WD243-12	12	262	57	96
WD243-14	14	294	70	80
WD243-17	17	337	80	48
WD243-19	19	364	89	36

锥形圆孔活扳手
Wrench Adjustable

CR-V



- 整体铬钒钢锻造而成
- 产品整体热处理，扭力加强
- 高精度螺母，开合自如
- 扳口镭射刻度，使用方便

ITEM CODE	Size mm	L mm	Opening Capacity mm	Pc Box	kg
WD237-30	750	750	85	3	18.5/17.5

汽车扳手
Auto Wrench

CR-V



- 整体铬钒钢锻造而成，产品整体热处理，扭力加强。
- 高精度螺母，开合自如。

ITEM CODE	Size mm	L mm	Pc Box	kg
WD240-02	230	230	30	16/15
WD240-04	280	280	30	26/25

公制加长球头内六角
Long Ball Joint Hex Key

&

CR-V




- 球头设计可在 25 度范围内活动，适用狭小空间作业。

ITEM CODE	Size mm	L mm	H mm	Pc Box
WD245-1.5	1.5	63.5	15.5	3000
WD245-02	2	77	18	3000
WD245-2.5	2.5	87.5	20.5	3000
WD245-03	3	93	23	3000
WD245-04	4	104	29	1400
WD245-05	5	120	33	800
WD245-5.5	5.5	132	33	600
WD245-06	6	141	38	480
WD245-07	7	147	41	300
WD245-08	8	158	44	300
WD245-09	9	169	47	160
WD245-10	10	180	50	160
WD245-12	12	202	57	96
WD245-14	14	229	70	80
WD245-17	17	262	80	48
WD245-19	19	284	89	36

公制特长球头内六角
Extra Long Ball Joint Hex Key

&

CR-V



ITEM CODE	Size mm	L mm	H mm	Pc Box
WD246-1.5	1.5	91.5	15.5	3000
WD246-02	2	102	18	3000
WD246-2.5	2.5	114.5	20.5	3000
WD246-03	3	129	23	3000
WD246-04	4	144	29	1400
WD246-05	5	165	33	800
WD246-5.5	5.5	175	33	600
WD246-06	6	186	38	480
WD246-07	7	197	41	300
WD246-08	8	208	44	300
WD246-09	9	219	47	160
WD246-10	10	234	50	160
WD246-12	12	262	57	96
WD246-14	14	294	70	80
WD246-17	17	337	80	48
WD246-19	19	364	89	36

9 件套公制加长球头内六角组套
9pc Long Arm Ball Point Hex Key Set

9件 CR-V 6150



ITEM CODE	Size mm	Pc Box	kg
WD258A	1.5,2,2.5,3,4,5,6,8,10	60	22

9 件套公制特长球头内六角组套
9pc Extra Long Arm Ball Point Hex Key Set

ITEM CODE	Size mm	Pc Box	kg
WD258B	1.5,2,2.5,3,4,5,6,8,10	48	21

8 件套 T 型球头内六角扳手
8pc T-Handle Hex Key Set

8件 CR-V 6150



ITEM CODE	Size mm	Pc Box	kg
WD278A	2,2.5,3,4,5,6,8,10mm	10	14

12 件套英制加长球头内六角组套
12pc Long Arm Ball Point Hex Key Set SAE

12件 CR-V 6150



ITEM CODE	Size inch	Pc Box	kg
WD266	1/16",5/64",3/32",7/64",1/8",9/64",5/32",3/16",7/32",1/4",5/16",3/8"	36	22

8 件套公制折叠式平头内六角扳手
8pc Folding Hex Key Set

8件 CR-V 6150



ITEM CODE	Size mm	Pc Box	kg
WD267	1.5,2,2.5,3,4,5,6,8	60	12

重型管子钳
Wrench,Pipe

CrMo 球墨铸铁



- 钳头铬钼钢锻造而成，钳口特殊热处理硬度可达 58-62HRC
- 球墨铸铁钳体，强度高韧度佳。
- 扭力超过美标 30%

ITEM CODE	Size	L mm	Pc Box	kg
WD301-06	6"	150	72	17.8
WD301-08	8"	200	48	20
WD301-10	10"	260	36	26
WD301-12	12"	300	24	24
WD301-14	14"	350	12	16.7
WD301-18	18"	450	12	26
WD301-24	24"	600	6	21
WD301-36	36"	900	4	24
WD301-48	48"	1200	2	21

9 件套公制加长平头内六角组套
9pc Long Arm Hex Key Set

9件 CR-V 6150



ITEM CODE	Size mm	Pc Box	kg
WD257A	1.5,2,2.5,3,4,5,6,8,10	60	22

9 件套公制特长平头内六角组套
9pc Extra Long Arm Hex Key Set

ITEM CODE	Size mm	Pc Box	kg
WD257B	1.5,2,2.5,3,4,5,6,8,10	48	21

9 件套英制折叠式平头内六角扳手
9pc Folding Hex Key Set SAE

9件 CR-V 6150



ITEM CODE	Size mm	Pc Box	kg
WD268	5/64",3/32",7/64",1/8",9/64",5/32",3/16",7/32",1/4"	60	12

铝柄管钳子
Aluminum Pipe

CrMo 铝柄



- 钳头铬钼钢锻造而成，钳口特殊热处理硬度可达 58-62HRC
- 圆形手柄末端，可以防止管钳意外滑落
- 手柄末端孔型结构便于悬挂

ITEM CODE	Size	L mm	Pc Box	kg
WD309-10	10"	275	36	17.7
WD309-12	12"	328	24	17.06
WD309-14	14"	369	24	22.65
WD309-18	18"	465	12	18
WD309-24	24"	623	6	15
WD309-36	36"	900	4	17.58

全金属扭力扳手
Torque Wrench



- 精度高、结构坚固、操作方便。
- 棘轮头的设计可以顺时、逆时切换，棘轮齿数为 45 齿
- 精度：3%（500N.m 以上精度为 4%），优于国际上扭力扳手的标准精度
- 手柄有防滑设计

ITEM CODE	Drive	Size N.m	Divding The Value N.m	L mm	D mm	kg
WD280A-02	1/4"	2.5-12	0.05	290	38	0.68
WD280A-04	1/4"	4.0-20	0.10	290	38	0.68
WD280A-06	3/8"	6.0-30	0.10	318	38	0.82
WD280A-08	3/8"	10-60	0.25	388	38	0.96
WD280A-10	3/8"	20-100	0.5	443	38	1.04
WD280A-12	3/8"	25-125	0.5	443	38	1.04
WD280A-14	1/2"	6.0-30	0.10	318	38	0.82
WD280A-16	1/2"	10-60	0.25	388	38	0.96
WD280A-18	1/2"	20-100	0.5	443	38	1.04
WD280A-20	1/2"	25-125	0.5	443	38	1.04
WD280A-22	1/2"	40-200	1.0	468	40	1.16
WD280A-24	1/2"	65-335	1.0	528	40	1.30
WD280A-26	1/2"	65-335	1.0	700	40	2.10
WD280A-28	3/4"	65-335	1.0	528	40	1.34
WD280A-30	3/4"	65-335	1.0	700	40	2.15
WD280A-32	3/4"	80-400	2.0	700	57	3.00
WD280A-34	3/4"	100-500	2.5	855	60	5.00
WD280A-36	3/4"	160-800	4	1055	60	5.90
WD280A-38	3/4"	200-1000	5	1055	60	5.90
WD280A-40	1"	160-800	4	1055	60	5.90
WD280A-42	1"	200-1000	5	1055	60	5.90
WD280A-44	1"	300-1500	5	1260	72	9.20
WD280A-46	1"	400-2000	10	1260	72	9.20
WD280A-48	1"	600-3000	15	1260	72	10.5
WD280A-50	1"	300-1500	5	1600	72	11.5
WD280A-52	1"	400-2000	10	1600	72	11.5
WD280A-54	1"	600-3000	15	1840	72	15

胶柄棘轮预置式扭力扳手
Torque Wrench



- 精度高、结构坚固、操作方便。
- 棘轮头的设计可以顺时、逆时切换，棘轮齿数为 45 齿
- 精度：3%（500N.m 以上精度为 4%），优于国际上扭力扳手的标准精度
- 手柄有防滑设计
- 手柄尾端调整锁紧装置可防止在操作过程中，将已设定好的扭力值因操作失误，导致扭力值不准确
- 双刻度视窗可精确的设定扭力值，极小的分辨率

ITEM CODE	Drive	Size N.m	L mm	D mm	kg
WD281A-02	1/4"	2.5-12	285	38	0.54
WD281A-04	1/4"	4.0-20	285	38	0.54
WD281A-06	3/8"	6.0-30	313	38	0.68
WD281A-08	3/8"	10-60	383	38	0.82
WD281A-10	3/8"	20-100	438	38	0.90
WD281A-12	3/8"	25-125	438	38	0.90
WD281A-14	1/2"	6.0-30	313	38	0.68
WD281A-16	1/2"	10-60	383	38	0.82
WD281A-18	1/2"	20-100	360	38	0.74
WD281A-20	1/2"	20-100	438	38	0.90
WD281A-22	1/2"	25-125	438	38	0.90
WD281A-24	1/2"	40-200	463	40	1.02
WD281A-26	1/2"	40-200	525	40	1.14
WD281A-28	1/2"	65-335	523	40	1.16
WD281A-30	1/2"	65-335	700	40	1.95
WD281A-32	3/4"	65-335	523	40	1.20
WD281A-34	3/4"	65-335	700	40	2.00
WD281A-36	3/4"	80-400	700	57	2.58
WD281A-38	3/4"	100-500	700	57	2.60
WD281A-40	3/4"	100-500	840	60	4.04
WD281A-42	3/4"	160-800	1040	60	4.93
WD281A-44	3/4"	200-1000	1040	60	4.93
WD281A-46	1"	160-800	1040	60	4.93
WD281A-48	1"	200-1000	1040	60	4.93
WD281A-50	1"	300-1500	1250	72	8.20
WD281A-52	1"	400-2000	1250	72	8.20
WD281A-54	1"	600-3000	1250	72	9.50

数显扭矩扳手
Digital Torque Wrench



ITEM CODE	Drive	Size N.m	L mm	Precision 精确度（正向）	Precision 精确度（反向）	kg
WD283A-02	3/8"	10.0-135.0N.m	400	±2%	±3%	1.05
WD283A-04	3/8"	20.0-200.0N.m	570	±2%	±3%	1.6
WD283A-06	3/8"	10.0-135.0N.m	400	±2%	±3%	1.2
WD283A-08	3/8"	20.0-200.0N.m	570	±2%	±3%	1.6
WD283A-10	1/2"	10.0-135.0N.m	400	±2%	±3%	1.05
WD283A-12	1/2"	20.0-200.0N.m	570	±2%	±3%	1.6
WD283A-14	1/2"	10.0-135.0N.m	400	±2%	±3%	1.2
WD283A-16	1/2"	20.0-200.0N.m	570	±2%	±3%	1.6
WD283A-18	1/2"	34.0-340.0N.m	770	±2%	±3%	2
WD283A-20	3/4"	60-600N.m	1248	±2%	±3%	5.94
WD283A-22	3/4"	80-800N.m	1248	±2%	±3%	5.94
WD283A-24	3/4"	100-1000N.m	1248	±2%	±3%	5.94
WD283A-26	1"	150-1500N.m	1248	±2%	±3%	5.94
WD283A-28	1"	200-2000N.m	1248	±2%	±3%	12

链条扳手
Chain Pipe Wrench



• 链条长度可根据要求调整，产品总长不包括链条长度。
• 整支铬钒钢锻造而成，齿部特殊热处理。
• 可装卸汽车滤芯，管道安装等，可夹持不同形状的物体。

ITEM CODE	Size	L mm	Pc Box	kg
WD310-12	12"	308	24	21
WD310-15	15"	380	16	20
WD310-24	24"	615	12	18.5

链条管钳子
Chain Pipe



• 链条长度可根据要求调整，产品总长不包括链条长度。
• 钳口采用优质合金钢锻造而成，经过整体热处理和齿部高频，具有不磨损，不打滑，使用寿命长。
• 用于管道安装等，可夹持大口径管道和不同形状的物体。

ITEM CODE	Size	L mm	C mm	H mm	Pc Box
WD311-04	4"	890	93	80	6
WD311-06	6"	1000	93	90	4
WD311-08	8"	1200	93	95	2

45 度鹰嘴管子钳
Adjustable Pipe Wrench,45°With Straight Jaws

45° CR-V



ITEM CODE	Size inch	L mm	OPENING mm	Pc Box	kg
WD312-02	0.5"	235	25	48	20
WD312-04	1"	330	40	24	20
WD312-06	1.5"	415	55	16	22.5
WD312-08	2"	535	67	8	20
WD312-10	3"	652	103	6	26

S 型鹰嘴管
Adjustable Pipe Wrench,"S"Type

S型 CR-V



ITEM CODE	Size inch	L mm	OPENING mm	Pc Box	kg
WD313-02	0.5"	235	25	48	20
WD313-04	1"	330	40	24	20
WD313-06	1.5"	415	55	16	22.5
WD313-08	2"	535	67	8	20
WD313-10	3"	652	103	6	26

90 度鹰嘴管子钳
Adjustable Pipe Wrench,90°Type

90° CR-V



ITEM CODE	Size inch	L mm	OPENING mm	Pc Box	kg
WD314-02	1"	320	40	24	18.8
WD314-04	1.5"	425	55	16	21.5
WD314-06	2"	560	67	8	19
WD314-08	3"	630	103	6	18.8
WD314-10	4"	735	121	3	16.5

欧式沾塑水泵钳
Box Joint Plier

CR-V



• 整体铬钒钢锻造而成。
• 通过德国 VPA/GS 认证。
• 钳口特殊热处理。
• 寿命超过普通产品 5 倍。

ITEM CODE	Size	L mm	Pc Box	kg
WD316-10	10"	240	48	18.5
WD316-12	12"	300	36	20.5

沾塑水泵钳
Box Joint Pliers

CR-V



• 整体铬钒钢锻造而成。
• 通过德国 VPA/GS 认证。
• 钳口特殊热处理。
• 寿命超过普通产品 5 倍。

ITEM CODE	Size	L mm	Opening mm	Pc Box	kg
WD317-08	8"	203	30	60	17
WD317-10	10"	250	45	48	20
WD317-12	12"	315	54	36	23.5
WD317-16	16"	418	95	24	28

迷你断线
Mini Bolt

65 锰钢



• 钳头采用 65 锰钢锻造而成
• 硬度可达 HRC62，剪切能力强
• 精密配合，剪切更顺畅强力。

ITEM CODE	Size	Cutting Dia mm	Pc Box	kg
WD322-08	8"	2	36	11.5

单臂断线钳
Bolt Cutter

T8A



• 钳头采用 T8A 锻造而成，
• 严格的刃口硬度控制，防止崩刃和塌刃，使用寿命更长。

ITEM CODE	Size	Cutting Dia mm	Pc Box	kg
WD324-12	12"	4	24	21.2
WD324-14	14"	5	24	26.8
WD324-18	18"	6	12	20
WD324-24	24"	8	8	22.5
WD324-30	30"	10	6	25.1
WD324-36	36"	12	4	25
WD324-42	42"	14	2	18.2
WD324-48	48"	16	2	21

电缆剪
Cable Cutter

高碳钢



• 头部整体锻造而成，手柄握持舒适。
• 严格的刃口硬度控制，硬度可达 HRC61，使用寿命更长。
• 管柄喷塑处理美观不生锈，剪切后钢丝绳不散开，省时省力。

ITEM CODE	Size inch	Pc Box	kg	Carton size
WD330-06	6"	120	22/20	40*32*19.5
WD330-08	8"	72	27/25	30*27*35
WD330-10	10"	48	27/25	32*30*21

钢丝绳剪
Wire Rope Cutter

T8A



• 头部整体锻造而成，手柄握持舒适。
• 严格的刃口硬度控制，硬度可达 HRC61，使用寿命更长。
• 管柄喷塑处理美观不生锈，剪切后钢丝绳不散开，省时省力。

ITEM CODE	Size	Cutting Dia mm	Pc Box	kg
WD332-24	24"	12	8	22.7

迷你钢丝绳剪
Mini Wire Rope Cutter



• 刀片采用优质铬钒钢锻造，整体调质，刃口高频处理，把柄沾塑，表面精磨。

ITEM CODE	Size	Pc Box	Shear Area	kg	Carton Size cm
WD332A-08	8"	60	3	32/30	45*22.5*17

德式铁皮剪
Tinman's Snips German Type

碳钢



• 高碳钢整体锻压而成。
• 刃口高频感应淬火，剪切能力强。

ITEM CODE	Size inch	Pc Box	kg	Carton Size cm
WD343-08	8"	60	20/19	48*28*22
WD343-10	10"	48	25/24	57*33*19
WD343-12	12"	36	26/25	49*36*20
WD343-14	14"	24	25/24	43*33*19.5

机械式电缆剪
Mechanical Cable Cutters

9 SICR 铠装电缆 铜铝电缆



★提示；专切铜铝电缆的工具不能切断钢索，钢绞线及钢筋。

ITEM CODE	Cutting Range (Armored Cable)	Cutting Range (Cu-Al Cable)	Carton size (cm)	GW/CTN (kg)
WD333-130J	Φ130mm	Φ130mm	524*328*59	8.3

机械式电缆剪
Mechanical Cable Cutters

9 SICR 铠装电缆 铜铝电缆



★提示；专切铜铝电缆的工具不能切断钢索，钢绞线及钢筋。

ITEM CODE	Cutting Range (Armored Cable)	Cutting Range (Cu-Al Cable)	Carton size (cm)	GW/CTN (kg)
WD334-100J	3*300mm²&Φ100mm	3*300mm²&Φ100mm	482*270*59	6.6

机械式电缆剪
Mechanical Cable Cutters

9 SICR 钢绞线 钢芯铝绞线



ITEM CODE	Cutting Range (Prestressed Steel wire)	Cutting Range ACSR	Carton size (cm)	GW/CTN (kg)
WD335-13J	150mm²	720mm²	345*125*46	1.95

机械式电缆剪
Mechanical Cable Cutters

9 SICR 钢绞线 钢芯铝绞线



★提示；专切铜铝电缆的工具不能切断钢索，钢绞线及钢筋

ITEM CODE	Cutting Range (Prestressed Steel wire)	Cutting Range ACSR	Carton size (cm)	GW/CTN (kg)
WD336-30J	100mm²	630mm²	405*160*64	3.6

美式铁皮剪
Tinman's Snips American Type

碳钢



- 高碳钢整体锻压而成。
- 刃口高频感应淬火，剪切能力强。
- 弯头设计，适用于剪切各种弧形。

ITEM CODE	Size inch	Pc Box	kg	Carton Size cm
WD345-08	8"	48	21/20	54*28*30
WD345-10	10"	48	28/27	54*36*32
WD345-12	12"	48	34/33	60*38.5*32
WD345-14	14"	36	35/34	47*45*33

美式航空剪
Aviation Tin Snips

碳钢



- 高碳钢整体锻压而成。
- 刃口高频感应淬火，剪切能力强。

ITEM CODE	Size inch	Pc Box	kg	Carton Size cm
WD346-02	10" 左	60	25/24	56*33*36
WD346-04	10" 中	60	25/24	56*33*36
WD346-06	10" 右	60	25/24	56*33*36

德式钢丝钳
Pliers Lineman

CR-V | HRC 58-63



- 超 ANSI 标准。
- 根据人体力学设计的手柄，握持更加舒适。
- 整体铬钒钢锻造而成，钳口特殊处理，刃口硬度 HRC58-63。

ITEM CODE	Size inch	Pc Box	kg	Carton Size cm
WD351-06	6"	60	17	41*23*33
WD351-08	8"	60	24	46*18*33

德式尖嘴钳
Pliers,Snipe Nose

CR-V | HRC 58-63



- 超 ANSI 标准。
- 根据人体力学设计的手柄，握持更加舒适。
- 整体铬钒钢锻造而成，钳口特殊处理，刃口硬度 HRC58-63。

ITEM CODE	Size inch	Pc Box	kg	Carton Size cm
WD352-06	6"	60	15	41*23*33
WD352-08	8"	60	22	46*18*33

德式斜口钳
Pliers,Diagonal Cutting

CR-V | HRC 58-63



- 超 ANSI 标准。
- 根据人体力学设计的手柄，握持更加舒适。
- 整体铬钒钢锻造而成，钳口特殊处理，刃口硬度 HRC58-63。

ITEM CODE	Size inch	Pc Box	kg	Carton Size cm
WD353-06	6"	60	16	41*23*33
WD353-07	7"	60	23	46*18*33

剥线钳
Wire Stripper Plier



- 整体铬钒钢锻造而成，钳口特殊处理，刃口硬度 HRC58-63。
- 根据人体力学设计的手柄，握持更加舒适。
- 超 ANSI 标准。

ITEM CODE	Size inch	Pc Box	kg	Carton Size cm
WD370-06	6"	60	16	41*23*33

顶切钳
End Cutting Pliers



- 超 ANSI 标准。
- 根据人体力学设计的手柄，握持更加舒适。
- 整体铬钒钢锻造而成，钳口特殊处理，刃口硬度 HRC58-63。

ITEM CODE	Size inch	Pc Box	kg	Carton Size cm
WD372-06	6"	60	13	46*26*32
WD372-08	8"	60	21	46*31*34

胡桃钳
Carpenter's Pliers



- 超 ANSI 标准。
- 根据人体力学设计的手柄，握持更加舒适。
- 整体铬钒钢锻造而成，钳口特殊处理，刃口硬度 HRC58-63。

ITEM CODE	Size inch	Pc Box	kg	Carton Size cm
WD373-08	8"	60	24	46*31*27

鲤鱼钳
Slip Joint Pliers



- 超 ANSI 标准。
- 根据人体力学设计的手柄，握持更加舒适。
- 整体铬钒钢锻造而成，钳口特殊处理，刃口硬度 HRC58-63。

ITEM CODE	Size inch	Pc Box	kg	Carton Size cm
WD374-06	6"	60	17	41*23*33
WD374-08	8"	60	24	46*18*33

穴用直口卡簧钳
Internal Snap Ring Pliers



- 塑手柄，握持舒适。
- 钳头精细加工，精度高，韧性好。

ITEM CODE	Size inch	Pc Box
WD377-05	5"	60
WD377-07	7"	60
WD377-09	9"	60
WD377-13	13"	30

穴用弯口卡簧钳
Internal Snap Ring Bent Nose Pliers



- 整体铬钒钢锻造而成。
- 塑手柄，握持舒适。
- 钳头精细加工，精度高，韧性好。

ITEM CODE	Size inch	Pc Box
WD378-05	5"	60
WD378-07	7"	60
WD378-09	9"	60
WD378-13	13"	30

轴用直口卡簧钳
External Snap Ring Pliers



- 整体铬钒钢锻造而成。
- 塑手柄，握持舒适。
- 钳头精细加工，精度高，韧性好。

ITEM CODE	Size inch	Pc Box
WD379-05	5"	60
WD379-07	7"	60
WD379-09	9"	60
WD379-13	13"	30

轴用弯口卡簧钳
External Snap Ring Bent Nose Pliers



- 整体铬钒钢锻造而成。
- 塑手柄，握持舒适。
- 钳头精细加工，精度高，韧性好。

ITEM CODE	Size inch	Pc Box
WD380-05	5"	60
WD380-07	7"	60
WD380-09	9"	60
WD380-13	13"	30

多功能剥线钳
Wire Stripper



- 整体锻造而成，钳口特殊处理。
- 可理线，弯线，弹簧手柄更加便捷。
- 精密剥线孔，可轻易剥离绝缘皮尔不伤内线。
- 刻度清晰，便于操作。

ITEM CODE	Size	Capacity 美国线规	Capacity 剥线范围	Pc Box
WD387-07	7"	24	0.6	120
		22	0.8	
		20	1	
		18	1.3	
		16	1.6	
		14	2	
		12	2.6	

WEDO 维度®

钢制工具 STEEL TOOLS

圆口带刃大力钳
Curved Jaw Locking Pliers-Industrial Grade

CR-V | 强夹持



- 钳口铬钒钢锻造而成，韧性好。
- 冲压钢板手柄，夹持物体不变形，夹持力超美标 30% 以上。
- 螺杆热处理易调整，最佳夹持尺寸。

ITEM CODE	Size inch	L mm	Opening Capacity mm	Clamping Force kg	Pc Box	kg
WD405-05	5"	140	20	408	48	9.03
WD405-07	7"	185	35	1135	48	19.66
WD405-10	10"	225	40	1135	36	23.34
WD405-12	12"	255	50	1300	24	23.05

直嘴大力钳
Straight Jaw Locking Pliers-Industrial Grade

CR-V | 强夹持



- 钳口铬钒钢锻造而成，韧性好。
- 冲压钢板手柄，夹持物体不变形，夹持力超美标 30% 以上。
- 螺杆热处理易调整，最佳夹持尺寸。

ITEM CODE	Size inch	L mm	Opening Capacity mm	Clamping Force kg	Pc Box	kg
WD406-07	7"	185	35	1135	48	19.78
WD406-10	10"	225	40	1135	36	21.56

尖嘴带刃大力钳
Long Nose Locking Pliers-Industrial Grade

CR-V | 强夹持



- 钳口铬钒钢锻造而成，韧性好。
- 冲压钢板手柄，夹持物体不变形，夹持力超美标 30% 以上
- 螺杆热处理易调整，最佳夹持尺寸。

ITEM CODE	Size inch	L mm	Opening Capacity mm	Clamping Force kg	Pc Box	kg
WD407-07	7"	165	50	204	36	7.53
WD407-09	9"	216	70	408	36	14.7

链条大力钳
Chain Locking Pliers

CR-V | 强夹持



- 钳口铬钒钢锻造而成，韧性好。
- 冲压钢板手柄，夹持物体不变形，夹持力超美标 30% 以上
- 螺杆热处理易调整，最佳夹持尺寸。

ITEM CODE	Size inch	L mm	Opening Capacity mm	Clamping Force kg	Pc Box	kg
WD417-18	18"	230	10-145	36		29.07

平板金属夹钳
Locking Sheet Metal Clamp

CR-V | 强夹持



- 可夹持铁板。
- 冲压钢板手柄，夹持物体不变形，夹持力超美标 30% 以上。
- 螺杆热处理易调整，最佳夹持尺寸。
- 钳口铬钒钢锻造而成，韧性好。

ITEM CODE	Size inch	L mm	Opening Capacity mm	Clamping Force kg	Pc Box	kg
WD418-10	10"	248	15	454	16	12.99

焊接大力钳
Locking Welding Clamp

CR-V | 强夹持



- 钳口铬钒钢锻造而成，韧性好。
- 冲压钢板手柄，夹持物体不变形，夹持力超美标 30% 以上
- 螺杆热处理易调整，最佳夹持尺寸。
- 钳嘴 U 形，中间为空的，可以进行焊接，铆接等操作

ITEM CODE	Size inch	L mm	Opening Capacity mm	Clamping Force kg	Pc Box	kg
WD419-09	9"	225	60	227	24	16.2

锻造“G”型夹
Drop Forged“G”Clamps

高碳钢 | 强夹持



- 高碳钢整体锻造而成。
- T 形旋转手柄提供更大扭力和紧固力。
- 夹持力超国际标准，使用寿命是铸造的 10 倍以上。

ITEM CODE	Size	Pc Box	H	kg	Carton Size
WD450-03	3"	24	46	24/23	28*22*22
WD450-04	4"	20	56	24/23	32*25*24
WD450-06	6"	8	76	25/24	37*34*14
WD450-08	8"	6	92	25/24	42*24*18

重型活动带砧台钳
Parallel Vice

强夹持



- 钳口采用粉末冶金压制，钳口吻合精度更高。
- 台虎钳本体采用特殊材料铸造而成，抗拉强度超强。
- 底座加强设计，使用寿命超长。
- 特殊表面处理，美观大方。

ITEM CODE	Size	Pc Box	Opening Capacity mm	kg	Carton Size cm
WD476-04	4"	2	100	23/22	37*36*19
WD476-05	5"	1	125	20/19	46*19*24
WD476-06	6"	1	150	30/29	52*22*26
WD476-08	8"	1	200	45/43	61*26*28
WD476-10	10"	1	225	70/62	70*32*36(木)

锯弓子
Hacksaw Frame



ITEM CODE	Size inch	Full Long
WD547-02	12"	300mm

直刃木柄电工刀
Electrician's Knife

65 锰钢



- 采用优质锰钢锻造而成，硬度大，韧性好。
- 刃口硬度 HRC57，耐压切割力强。
- 原木手柄美观耐用。

ITEM CODE	Size	L mm	Pc Box
WD548-02	直刃	205	120

弯刃木柄电工刀
Electrician's Knife

65 锰钢



- 采用优质锰钢锻造而成，硬度大，韧性好。
- 刃口硬度 HRC57，耐压切割力强。
- 原木手柄美观耐用。

ITEM CODE	Size	L mm	Pc Box
WD549-02	弯刃	200	120

铝合金美工刀 /TPR 胶垫防滑
Aluminum Alloy Utility Knife

铝合金



ITEM CODE	Size	Pc Box	kg
WD551-02	18mm	120	13/14

三连发美工刀 /TPR 包胶
Utility Knife

ATA x3



ITEM CODE	Size	Pc Box	kg
WD555-02	18	120	17/16

平锉
Flat File

T12



- 采用特殊合金材料制造，经热处理使锉刀表面硬度更高，使用寿命更长。
- 先进的齿形设计，使锉齿均匀，平整，使用更加锋利。

ITEM CODE	Size	Tooth Form	Pc Box	kg	Carton Size cm
WD556-12	6"	粗 (Bastard)	300	20	390*220*100
WD556-14	8"	粗 (Bastard)	120	16	275*205*100
WD556-16	10"	粗 (Bastard)	80	19	335*240*90
WD556-18	12"	粗 (Bastard)	40	16	395*175*75
WD556-22	6"	中 (Second)	300	20	390*220*100
WD556-24	8"	中 (Second)	120	16	275*205*100
WD556-26	10"	中 (Second)	80	19	335*240*90
WD556-28	12"	中 (Second)	40	16	395*175*75
WD556-32	6"	细 (Smooth)	300	20	390*220*100
WD556-34	8"	细 (Smooth)	120	16	275*205*100
WD556-36	10"	细 (Smooth)	80	19	335*240*90
WD556-38	12"	细 (Smooth)	40	16	395*175*75

半圆锉
Half-Round File

T12



- 采用特殊合金材料制造，经热处理使锉刀表面硬度更高，使用寿命更长。
- 先进的齿形设计，使锉齿均匀，平整，使用更加锋利。

ITEM CODE	Size	Tooth Form	Pc Box	kg	Carton Size cm
WD557-12	6"	粗 (Bastard)	300	18	390*220*90
WD557-14	8"	粗 (Bastard)	120	14	275*205*100
WD557-16	10"	粗 (Bastard)	80	18	335*225*100
WD557-18	12"	粗 (Bastard)	40	14	395*175*100
WD557-22	6"	中 (Second)	300	18	390*220*90
WD557-24	8"	中 (Second)	120	14	275*205*100
WD557-26	10"	中 (Second)	80	18	335*225*100
WD557-28	12"	中 (Second)	40	14	395*175*100
WD557-32	6"	细 (Smooth)	300	18	390*220*90
WD557-34	8"	细 (Smooth)	120	14	275*205*100
WD557-36	10"	细 (Smooth)	80	18	335*225*100
WD557-38	12"	细 (Smooth)	40	14	395*175*100

三角锉
Triangular File

T12



- 采用特殊合金材料制造，经热处理使锉刀表面硬度更高，使用寿命更长。
- 先进的齿形设计，使锉齿均匀，平整，使用更加锋利。

ITEM CODE	Size	Tooth Form	Pc Box	kg	Carton Size cm
WD558-12	6"	粗 (Bastard)	300	18	390*220*100
WD558-14	8"	粗 (Bastard)	120	13	275*205*100
WD558-16	10"	粗 (Bastard)	80	17	335*240*85
WD558-18	12"	粗 (Bastard)	40	14	395*175*75
WD558-22	6"	中 (Second)	300	18	390*220*100
WD558-24	8"	中 (Second)	120	13	275*205*100
WD558-26	10"	中 (Second)	80	17	335*240*85
WD558-28	12"	中 (Second)	40	14	395*175*75
WD558-32	6"	细 (Smooth)	300	18	390*220*100
WD558-34	8"	细 (Smooth)	120	13	275*205*100
WD558-36	10"	细 (Smooth)	80	17	335*240*85
WD558-38	12"	细 (Smooth)	40	14	395*175*75

方锉
Square File

T12



- 采用特殊合金材料制造，经热处理使锉刀表面硬度更高，使用寿命更长。
- 先进的齿形设计，使锉齿均匀，平整，使用更加锋利。

ITEM CODE	Size	Tooth Form	Pc Box	kg	Carton Size cm
WD559-12	6"	粗 (Bastard)	600	21	390*220*100
WD559-14	8"	粗 (Bastard)	240	17	275*205*100
WD559-16	10"	粗 (Bastard)	160	24	335*240*85
WD559-18	12"	粗 (Bastard)	40	11	395*175*75
WD559-22	6"	中 (Second)	600	21	390*220*100
WD559-24	8"	中 (Second)	240	17	275*205*100
WD559-26	10"	中 (Second)	160	24	335*240*85
WD559-28	12"	中 (Second)	40	11	395*175*75
WD559-32	6"	细 (Smooth)	600	21	390*220*100
WD559-34	8"	细 (Smooth)	240	17	275*205*100
WD559-36	10"	细 (Smooth)	160	24	335*240*85
WD559-38	12"	细 (Smooth)	40	11	395*175*75

圆锉
Round File

T12



- 采用特殊合金材料制造，经热处理使锉刀表面硬度更高，使用寿命更长。
- 先进的齿形设计，使锉齿均匀，平整，使用更加锋利。

ITEM CODE	Size	Tooth Form	Pc Box	kg	Carton Size cm
WD560-12	6"	粗 (Bastard)	600	17	390*220*100
WD560-14	8"	粗 (Bastard)	240	14	275*205*100
WD560-16	10"	粗 (Bastard)	160	19	335*240*85
WD560-18	12"	粗 (Bastard)	40	9	395*175*75
WD560-22	6"	中 (Second)	600	17	390*220*100
WD560-24	8"	中 (Second)	240	14	275*205*100
WD560-26	10"	中 (Second)	160	19	335*240*85
WD560-28	12"	中 (Second)	40	9	395*175*75
WD560-32	6"	细 (Smooth)	600	17	390*220*100
WD560-34	8"	细 (Smooth)	240	14	275*205*100
WD560-36	10"	细 (Smooth)	160	19	335*240*85
WD560-38	12"	细 (Smooth)	40	9	395*175*75

10 件套什锦锉
10 PCS Diesiler's File

10件 T12



- 采用特殊合金材料制造，经热处理使锉刀表面硬度更高，使用寿命更长。
- 先进的齿形设计，使锉齿均匀，平整，使用更加锋利。

ITEM CODE	Size	Pc Box
WD561-02	3*140*10	60
WD561-04	4*160*10	60
WD561-06	5*180*10	60

四件套锉刀组套
4 Piece All Purpose File

T12



ITEM CODE	DESCRIPTION	SPECIFICATION
WD562A-04	6" 中板锉 (150mm Flat 2nd Cut File)	150mm
	6" 中圆锉 (150mm Round 2nd Cut File)	150mm
	6" 中三角锉 (150mm Triangular 2nd Cut File)	150mm
	双色柄 （Double color handle ）	11.6mm
	每套重量 (Weight kg)	0.28kg

五件套锉刀组套
5 Piece All Purpose File&Rasp Set

T12 45#



ITEM CODE	DESCRIPTION	SPECIFICATION
WD562B-05	8" 中板锉 (200mm Flat 2nd Cut File)	200mm
	8" 四用锉 (200mm 4 in1 Rasp)	200mm
	6" 中圆锉 (150mm Round 2nd Cut File)	150mm
	6" 中三角锉 （150mm Triangular 2nd Cut File ）	150mm
	双色柄 (Double color handle)	11.6mm
	每套重量 (Weight kg)	0.54kg

十件套锉刀组套
10 Piece All Purpose File&Needle File Set

T12 Gcr15



ITEM CODE	DESCRIPTION	SPECIFICATION
WD562C-10	6" 中板锉 (150mm Flat 2nd Cut File)	150mm
	6" 中圆锉 (150mm Round 2nd Cut File)	150mm
	6" 中三角锉 (150mm Triangular 2nd Cut File)	150mm
	什锦锉 6 件套 （φ4×160×6 Needle File Set ）	160,160,160,160,160,160mm
	双色柄 (Double color handle)	11.6mm
	每套重量 (Weight kg)	0.44kg

测电笔
Test Pencil



- 刀头淬火处理
- ABS 材料的塑料外壳，美观耐用。

ITEM CODE	Size	Test range	L mm	kg
WD609-02	3*140	12-220V	155	0.045

钢制工具 STEEL TOOLS

测电笔
Test Pencil



• 刀头淬火处理
• ABS 材料的塑料外壳，美观耐用。

ITEM CODE	Size	Test range	L mm	kg
WD609A-02	3*130	12-220V	130	0.045

测电笔
Test Pencil




• ABS 材料的塑料外壳，美观耐用。

ITEM CODE	L mm	SENSITIVITY RANGE	kg
WD609B-02	150	90-1000VAC	0.045

一字螺丝刀
Slotted Screwdriver

CR-V




• 刀杆采用铬钒钢锻造而成，硬度高，韧性好。
• 刀头采用特殊工艺加工，强度高，扭力加倍。
• 根据人体工程学设计的双料手柄，握持更加舒适。

ITEM CODE	Size mm	Box	Pc/Carton
WD610-02	-3X75	12	144
WD610-04	-3X100	12	144
WD610-06	-5X75	12	144
WD610-08	-5X100	12	144
WD610-10	-5X125	12	120
WD610-12	-5X150	12	120
WD610-14	-5X200	12	120
WD610-16	-5X250	12	120
WD610-18	-5X300	12	120
WD610-20	-6X38	12	144
WD610-22	-6X100	12	120
WD610-24	-6X125	12	120
WD610-26	-6X150	12	120
WD610-28	-6X200	12	120
WD610-30	-6X250	12	120
WD610-32	-6X300	12	120
WD610-34	-8X200	6	72
WD610-36	-8X250	6	72
WD610-38	-8X300	6	72

十字螺丝刀
Phillips Screwdriver

CR-V



• 刀杆采用铬钒钢锻造而成，硬度高，韧性好。
• 刀头采用特殊工艺加工，强度高，扭力加倍。
• 根据人体工程学设计的双料手柄，握持更加舒适。

ITEM CODE	Size mm	Box	Pc/Carton
WD611-02	PH0X75	12	144
WD611-04	PH0X100	12	144
WD611-06	PH1X75	12	144
WD611-08	PH1X100	12	144
WD611-10	PH1X125	12	120
WD611-12	PH1X150	12	120
WD611-14	PH1X200	12	120
WD611-16	PH1X250	12	120
WD611-18	PH1X300	12	120
WD611-20	PH2X38	12	144
WD611-22	PH2X100	12	120
WD611-24	PH2X125	12	120
WD611-26	PH2X150	12	120
WD611-28	PH2X200	12	120
WD611-30	PH2X250	12	120
WD611-32	PH2X300	12	120
WD611-34	PH3X200	6	72
WD611-36	PH3X250	6	72
WD611-38	PH3X300	6	72

一字穿心螺丝刀
Slotted Screwdriver

CR-V



• 刀杆采用铬钒钢锻造而成，硬度高，韧性好。
• 刀头采用特殊工艺加工，强度高，扭力加倍。
• 根据人体工程学设计的双料手柄，握持更加舒适。

ITEM CODE	Size mm	Pc/Carton	Carton Size	kg
WD612-02	6x100mm	120	32*23*24.5	18
WD612-06	6x150mm	120	32*28*24.5	20
WD612-08	8x200mm	72	35*22.5*25.5	18
WD612-12	8x300mm	72	15*22.5*25.5	19

十字穿心螺丝刀
Phillips Screwdriver

CR-V



• 刀杆采用铬钒钢锻造而成，硬度高，韧性好。
• 刀头采用特殊工艺加工，强度高，扭力加倍。
• 根据人体工程学设计的双料手柄，握持更加舒适。

ITEM CODE	Size mm	Pc/Carton	Carton Size	kg
WD613-02	6x100mm	120	32*23*24.5	18
WD613-06	6x150mm	120	32*28*24.5	20
WD613-08	8x200mm	72	35*22.5*25.5	18
WD613-12	8x300mm	72	15*22.5*25.5	19

螺丝刀 9 件套
Slotted Screwdriver

CR-V



ITEM CODE	Size mm
WD610A-9	3X75,6X38,5X150 6X100,8X200, PH0X75,PH1X150, PH2X38,PH2X100

6.35MM 系列十字形螺丝批头
1/4" Phillips Bits

6.35 S2



• 采用 S-2 高级合金钢制造。
• 表面沙丁镍铁处理，美观耐用。
• 硬度 HRC58-61，性能呢超美标 50%。

ITEM CODE	Size PH*D*L*S	PC Box
WD614-02	PH0*2*50*6.35	100
WD614-04	PH1*2.5*50*6.35	100
WD614-06	PH2*4*50*6.35	100
WD614-08	PH3*6*50*6.35	100

6.35MM 系列内六角形螺丝批头
1/4" Hexagon Bits

6.35 S2




• 采用 S-2 高级合金钢制造。
• 表面沙丁镍铁处理，美观耐用。
• 硬度 HRC58-61，性能呢超美标 50%。

ITEM CODE	Size PH*D*L*S	PC Box
WD618-1.5	S1.5*50*6.35	100
WD618-02	S2*50*6.35	100
WD618-2.5	S2.5*50*6.35	100
WD618-03	S3*50*6.35	100
WD618-04	S4*50*6.35	100
WD618-05	S5*50*6.35	100
WD618-06	S6*50*6.35	100

6.35MM 系列一字形螺丝批头
1/4" Slotted Bits

6.35 S2



• 采用 S-2 高级合金钢制造。
• 表面沙丁镍铁处理，美观耐用。
• 硬度 HRC58-61，性能呢超美标 50%。

ITEM CODE	Size PH*D*L*S	PC Box
WD615-03	SL3*0.5*50*6.35	100
WD615-04	SL4*0.6*50*6.35	100
WD615-05	SL5*0.75*50*6.35	100
WD615-06	SL6*0.85*50*6.35	100

6.35MM 系列 25mm 长十字形螺丝批头
1/4" Phillips Bits

6.35 S2



• 采用 S-2 高级合金钢制造。
• 表面沙丁镍铁处理，美观耐用。
• 硬度 HRC58-61，性能呢超美标 50%。

ITEM CODE	Size PH*D*L*S	PC Box
WD627-02	PH0*25*6.35	200
WD627-04	PH1*25*6.35	200
WD627-06	PH2*25*6.35	200
WD627-08	PH3*25*6.35	200

6.35MM 系列花形螺丝批头
1/4" Torx Bits

6.35 S2



• 采用 S-2 高级合金钢制造。
• 表面沙丁镍铁处理，美观耐用。
• 硬度 HRC58-61，性能呢超美标 50%。

ITEM CODE	Size PH*D*L*S	PC Box
WD616-08	T8*50*6.35	100
WD616-10	T10*50*6.35	100
WD616-15	T15*50*6.35	100
WD616-20	T20*50*6.35	100
WD616-25	T25*50*6.35	100
WD616-27	T27*50*6.35	100
WD616-30	T30*50*6.35	100
WD616-40	T40*50*6.35	100

6.35MM 系列 25mm 长一字形螺丝批头
1/4" Slotted Bits

6.35 S2



• 采用 S-2 高级合金钢制造。
• 表面沙丁镍铁处理，美观耐用。
• 硬度 HRC58-61，性能呢超美标 50%。

ITEM CODE	Size PH*D*L*S	PC Box
WD628-03	SL3*0.5*25*6.35	200
WD628-04	SL4*0.6*25*6.35	200
WD628-05	SL5*0.75*25*6.35	200
WD628-06	SL6*0.85*25*6.35	200
WD628-07	SL7*0.95*25*6.35	200

6.35MM 系列梅花带孔形螺丝批头
1/4" Tamper Proof Torx Bits

6.35 S2



• 采用 S-2 高级合金钢制造。
• 表面沙丁镍铁处理，美观耐用。
• 硬度 HRC58-61，性能呢超美标 50%。

ITEM CODE	Size PH*D*L*S	PC Box
WD617-08	TP8*50*6.35	100
WD617-10	TP10*50*6.35	100
WD617-15	TP15*50*6.35	100
WD617-20	TP20*50*6.35	100
WD617-25	TP25*50*6.35	100
WD617-27	TP27*50*6.35	100
WD617-30	TP30*50*6.35	100

6.35MM 系列 25mm 长梅花形螺丝批头
1/4" Torx Bits

6.35 S2



• 采用 S-2 高级合金钢制造。
• 表面沙丁镍铁处理，美观耐用。
• 硬度 HRC58-61，性能呢超美标 50%。

ITEM CODE	Size PH*D*L*S	PC Box
WD629-08	T8*25*6.35	200
WD629-09	T9*25*6.35	200
WD629-10	T10*25*6.35	200
WD629-15	T15*25*6.35	200
WD629-20	T20*25*6.35	200
WD629-25	T25*25*6.35	200
WD629-27	T27*25*6.35	200
WD629-30	T30*25*6.35	200
WD629-40	T40*25*6.35	200

6.35MM 系列 25mm 长梅花带孔形螺丝批头

1/4" Tamper Proof Torx Bits

6.35 S2



- 采用 S-2 高级合金钢制造。
- 表面沙丁镍铁处理，美观耐用。
- 硬度 HRC58-61，性能呢超美标 50%。

ITEM CODE	Size PH*D*L*S	PC Box
WD630-08	TP8*25*6.35	200
WD630-09	TP9*25*6.35	200
WD630-10	TP10*25*6.35	200
WD630-15	TP15*25*6.35	200
WD630-20	TP20*25*6.35	200
WD630-25	TP25*25*6.35	200
WD630-27	TP27*25*6.35	200
WD630-30	TP30*25*6.35	200
WD630-40	TP40*25*6.35	200

6.35MM 系列 25mm 内六角形螺丝批头

1/4" Hexagon Bits

6.35 S2



- 采用 S-2 高级合金钢制造。
- 表面沙丁镍铁处理，美观耐用。
- 硬度 HRC58-61，性能呢超美标 50%。

ITEM CODE	Size PH*D*L*S	PC Box
WD631-1.5	S1.5*25*6.35	100
WD631-02	S2*25*6.35	100
WD631-2.5	S2.5*25*6.35	100
WD631-03	S3*25*6.35	100
WD631-04	S4*25*6.35	100
WD631-05	S5*25*6.35	100
WD631-06	S6*25*6.35	100

6.35MM 系列 25mm 长米字形螺丝批头

1/4" Pozidriv Bits

6.35 S2



- 采用 S-2 高级合金钢制造。
- 表面沙丁镍铁处理，美观耐用。
- 硬度 HRC58-61，性能呢超美标 50%。

ITEM CODE	Size PH*D*L*S	PC Box
WD632-02	PZ0*25*6.35	200
WD632-04	PZ1*25*6.35	200
WD632-06	PZ2*25*6.35	200
WD632-08	PZ3*25*6.35	200

6.35MM 系列 25mm 长带珠接杆

1/4" Extension Bar

6.35 S2



- 采用 S-2 高级合金钢制造。
- 表面沙丁镍铁处理，美观耐用。
- 硬度 HRC58-61，性能呢超美标 50%。

ITEM CODE	Size PH*D*L*S	PC Box
WD634-02	SQ1/4*25*6.35	100

6.35MM 系列 50mm 长带珠接杆

1/4" Extension Bar

6.35 S2




- 采用 S-2 高级合金钢制造。
- 表面沙丁镍铁处理，美观耐用。
- 硬度 HRC58-61，性能呢超美标 50%。

ITEM CODE	Size PH*D*L*S	PC Box
WD635-02	SQ1/4*50*6.35	100

6.35MM 系列双头十字形螺丝批头

1/4" Double Phillips Bits

6.35 S2



- 采用 S-2 高级合金钢制造。
- 表面沙丁镍铁处理，美观耐用。
- 硬度 HRC58-61，性能呢超美标 50%。

ITEM CODE	Size PH*D*L*S	PC Box
WD636-01	PH1*PH1*65*6.35	100
WD636-02	PH2*PH2*65*6.35	100
WD636-03	PH3*PH3*65*6.35	100

包塑柄 美式羊角锤

American Type Claw Hammer With Plastic Coating Handle

包塑柄



ITEM CODE	Size oz	L mm	Pc Box	kg	Carton Size cm
WD651-16	16	320	36	27/26	45X39X21

包塑柄圆头锤

American Type Ball Pein Hammer With Plastic Coating Handle

包塑柄



ITEM CODE	Size lb	L mm	Pc Box	kg	Carton Size cm
WD659-08	1	320	36	26/25	38X36X21
WD659-10	1.5	320	24	25/24	42X27X25
WD659-12	2	340	24	30/29	44X29X28
WD659-14	2.5	340	18	27/26	48X44X17
WD659-16	3	340	18	32/31	48X46X18

德式包塑柄钳工锤

German Type Machinist Hammer With Wooden Handle

包塑柄



ITEM CODE	Size g	L mm	Pc Box	kg	Carton Size cm
WD662-04	200	280	120	32/30	56X33X28
WD662-08	400	300	60	32/30	63X36X19
WD662-10	500	320	48	30/29	54X38X21
WD662-14	800	350	36	35/34	45X41X24
WD662-16	1000	360	24	29/28	43X31X26

包塑柄八角锤

Sledge Hammer With Plastic Coating Handle

包塑柄



ITEM CODE	Size	L mm	Pc Box	kg	Carton Size cm
WD678-02	2	258	24	28.5/27.5	30X21.5X22.5
WD678-03	3	297	6	9/8	40X12.5X13.5
WD678-04	4	385	6	13/12	44X13.5X14.5
WD678-06	6	894	4	15/14	98X17.5X11
WD678-08	8	894	4	17/16	98X18.5X13
WD678-10	10	894	4	21/20	98X18.5X13
WD678-12	12	894	4	24.5/23.5	99X20X13.5
WD678-14	14	894	4	28/27	99X21X13.5
WD678-16	16	894	4	31/30	100.5X21.5X14.5
WD678-18	18	894	2	19/18	100X23.5X8
WD678-20	20	894	2	20.5/19.5	100X23.5X8

木柄橡胶锤

Rubber Hammer With Wooden Handle

木柄



ITEM CODE	Size	Pc Box	kg	Carton Size cm
WD694-16	16OZ	40	21/20	31X40X44
WD694-24	24OZ	30	24/23	36X41X39

伸缩杆轮胎扳手

Telescopic Tyre Wrench

CR-V




- 整理铬钒钢锻造而成，表面镀铬。
- 使用寿命长，强度超过标准 30%
- 可伸缩，携带方便。

ITEM CODE	Size	L mm	Pc Box	kg
WD804-02	17-19	540	24	25.5
WD804-04	21-23	540	24	26.6

铝柄布袋式机滤芯扳手
Belt Wrench

铝柄



- 布带长度可根据要求调整，产品总长不包括布带长度。
- 能拆装不同尺寸的管状棱体或异型产品，方便快捷。

ITEM CODE	Size mm	L mm	Pc Box	kg
WD807-12	300	305	36	16

可调式两爪拉马
Two Jaws Puller-Industrial Grade

CR-V



- 整体铬钒钢锻造而成，整只热处理。
- 拉爪合理设计，使其在加力时不脱落。

ITEM CODE	Size mm	Scope mm	Opening Capacity mm	Pc Box	kg
WD821-03	75	44	80	40	18.5
WD821-04	100	60	125	20	16
WD821-06	150	105	155	12	21.5
WD821-08	200	180	215	6	25
WD821-10	250	215	190	6	27
WD821-12	300	205	280	2	19

可调式三爪拉马
Three Jaws Puller-Industrial Grade

CR-V



- 整体铬钒钢锻造而成，整只热处理。
- 拉爪合理设计，使其在加力时不脱落。

ITEM CODE	Size mm	Scope mm	Opening Capacity mm	Pc Box	kg
WD822-03	75	47	75	40	23.9
WD822-04	100	60	125	20	23
WD822-06	150	95	170	12	31
WD822-08	200	190	225	6	35
WD822-10	250	230	195	4	26
WD822-12	300	215	265	2	26

精品黄油枪
High Pressure Grease Gun



- 使用无缝钢管制作而成，工作压力大，效率高。
- 工作压力可达 10000PSI。

ITEM CODE	Size mm	Pc Box
WD826-04	400cc	10
WD826-06	600cc	10
WD826-08	800cc	8

整体式液压拉马
Hydraulic Gear Pullers,Integral Type



- 整体式拔轮器是一种替代传统拉马的理想化新工具。
- 操作方便省时省力，不受场地限制，结构紧凑，使用灵活重量轻，体积小携带方便。
- 有两钳爪和三钳爪选择。

ITEM CODE	Tated Output 安全负重 (T)	Max.Stroke 最大行程 (mm)
WD853-5	5	50
WD853-10	10	60
WD853-20	20	70
WD853-30	30	70
WD853-50	50	60

Max.Spread 横向最长外径 (mm)	Weight 重量 (kg)	Volume 体积 (mm)
200	7.5	(1/4)440*380*320
250	11	(1/2)440*210*360
350	19	430*400*140
400	25	480*200*180
500	45	520*250*220

手动泵浦
Hand Pumps

WD856-700



WD856-700A



WD856-700B



WD856-700C




- 配置高压油管和快速接头。
- 每半年必须更换一次油。

ITEM CODE	工作压力 Working Pressure		流量 Flow Rate (L/min)		Oil Capacity L	Volume mm	Weight kg
	低压段 Low Pressure Stage	高压段 High	低压段 Low Pressure Stage	高压段 High Pressure			
WD856-700	2	70	13	2.3	1000/700	730*180*180	12
WD856-700A	2	70	13	2.3	3200/2700	820*180*270	14
WD856-700B	2	70	13	2.3	1000/700	780*180*270	13
WD856-700C	2	70	8	1.8	600/350	600*150*160	6.5

液压油缸
Hydraulic Cylinders Series






- 轻便，容易携带，设计合理。
- 表面烤漆处理，光泽亮丽不易生锈。
- 全部原材料经顶级热处理，并以进口数控车床、钻床、磨床加工而成。
- 进口密封件，使油缸联系工作不易磨损。

ITEM CODE	Tonnage T	Stroke mm	Oil Capacity	Matching Pump	Closed Height A mm	Extended Height B mm	Outside Dia D*L(mm)	Inside Dia.E mm	Piston Dia F mm	G.W. kg
WD863-1050	10	50	85	WD856-700C	122	172	68	45	36	3.1
WD863-10100	10	100	169	WD856-700C	172	272				4.4
WD863-10150	10	150	254	WD856-700C	222	372				5.7
WD863-2050	20	50	157	WD856-700C	126	176	78	60	45	4
WD863-20100	20	100	311	WD856-700	176	276				5.3
WD863-20150	20	150	465	WD856-700	226	376				6.6
WD863-3050	30	50	237	WD856-700C	137	187	103	75	65	7.9
WD863-30100	30	100	471	WD856-700	187	287				10.7
WD863-30150	30	150	705	WD856-700A	237	387				13.5
WD863-5050	50	50	389	WD856-700	147	197	123	95	70	11.6
WD863-50100	50	100	768	WD856-700A	197	297				14.9
WD863-50150	50	150	1147	WD856-700A	247	397				18
WD863-10050	100	50	779	WD856-700A	182	232	168	135	90	25.7
WD863-100100	100	100	1530	WD856-700A	232	332				30.6
WD863-100150	100	150	2281	WD856-700A	282	432				35.5
WD863-15050	150	50	1133	WD856-700A	182	232	205	165	115	43
WD863-150100	150	100	2237	WD856-700A	232	332				53
WD863-150150	150	150	3342	WD859-630A	282	432				63
WD863-20050	200	50	1500	WD856-700A	202	252	228	190	135	60
WD863-200100	200	100	2953	WD859-630A	252	352				71
WD863-200150	200	150	4406	WD859-630A	302	452				83
WD863-25050	250	50	1815	WD859-630A	248	298	270	215	180	105
WD863-250150	250	150	5446	WD859-630A	348	498				142
WD863-250300	250	300	10892	WD859-630A	498	798				196
WD863-30050	300	50	2262	WD859-630A	267	317	285	240	200	126
WD863-300150	300	150	6786	WD859-630M	367	517				165
WD863-300300	300	300	13572	WD859-630M	517	817				224
WD863-40050	400	50	2863	WD859-630M	315	365	325	270	220	195
WD863-400150	400	150	8588	WD859-630M	415	565				245
WD863-400300	400	300	17177	WD859-630M	565	865				318
WD863-50050	500	50	3653	WD859-630M	345	395	373	305	250	283
WD863-500150	500	150	10959	WD859-630M	445	595				349
WD863-500300	500	300	21918	WD859-630M	595	895				451
WD863-60050	600	50	4276	WD859-630M	371	421	402	330	270	354
WD863-600150	600	150	12829	WD859-630M	471	621				431
WD863-600300	600	300	25659	WD859-630M	621	921				546
WD863-80050	800	50	5973	WD859-630M	424	474	472	390	320	560
WD863-800150	800	150	17919	WD859-630M	524	674				665
WD863-800300	800	300	35838	WD859-630M	674	974				825
WD863-100050	1000	50	7261	WD859-630M	477	527	530	430	360	799
WD863-1000150	1000	150	21783	WD859-630M	577	727				937
WD863-1000300	1000	300	43566	WD859-630M	727	1027				1145

薄型液压油缸
Low Height Hydraulic Cylinders





- 轻巧紧凑设计用于狭小工作空间。
- 烤漆表面增强耐腐蚀能力。
- 防尘圈减少污染，延长液压缸使用寿命。
- 轻便型容易携带，油缸平面设有二孔以固定使用。

ITEM CODE	Tonnage T	Stroke mm	Oil Capacity cm^3	Matching Pump	Closed Height A mm	Extended Height B mm	Outside Dia D*L(mm)	Inside Dia.E mm	Piston Dia F mm	G.W. kg
WD862-10B	10	10	16	WD856-700C	48	58	83*60	45	38	1.6
WD862-20B	20	11	34	WD856-700C	56	67	99*76	60	50	2.7
WD862-30B	30	13	55	WD856-700C	62	75	123*98	75	64	4.6
WD862-50B	50	16	101	WD856-700C	72	88	148*120	95	70	7.8
WD862-100B	100	16	200	WD856-700	91	107	188*160	135	100	16.8
WD862-150B	150	16	342	WD856-700	100	116	215*190	165	115	27
WD862-200B	200	20	567	WD856-700	110	130	255*244	190	135	42

液压钳
Hydraulic Crimpling



ITEM CODE	WD877-300
最大压力（T） Max. pressure	12
最大行程（mm） Max. stroke	18
压接范围（mm^2） Crimping range	16-300
配置模具（mm^2） Size of standard dies	16,25,35，50,70,95,120,150,185,240,300
形式 Crimp pattern	六角式 Hexagonal type
整机重量（kg） G.W.	9
体积（mm） Volume	550*250*140

液压钢筋剪
Hydraulic Rebar Cutters



ITEM CODE	WD887-20
吨位（T） Tonnage	12
破切范围（mm） Cutting range	4-20
整机重量（kg） G.W.	5
体积（mm） Volume	(1/4)530*390*230

法兰劈开器
Flange Spreaders

WD892-8



WD892-10



WD892-1481



ITEM CODE	Max.Spreading Force Ton	Tip Clearance mm
WD892-8	8	6
WD892-10	10	6
WD892-1481	14	6

Max.Spread mm	Type	Oil Capacity cm^3	G.W kg
77	Mechanical	-	8
81	Type	70	10
81	Hydraulic Type	70	9

液压弯管机
Hydraulic Pipe Benders



ITEM CODE	Capacity T	Max.storke mm	Bending Range mm
WD895A-1A	6	150	Φ16-Φ33

Bending Formers in	Wall Thickness Of Pipe	G.W kg	Volume mm
3/8",1/2",3/4",1"	1.5-3.5	17	430*380*130

立式油压千斤顶
Oil pressure Jack



ITEM CODE	Size	Closed Height	Extended Height	Height	Greatest height	Kg/Pc
WD902-02	2T	148	80	60	278	2
WD902-03	3T	175	90	60	325	2.8
WD902-05	5T	185	115	60	360	3.3
WD902-08	8T	195	115	60	370	4.5
WD902-10	10T	195	125	60	385	5
WD902-16	16T	215	140	60	425	7
WD902-20	20T	235	145	60	440	8.16
WD902-32	32T	255	150		405	11.8
WD902-50	50T	300				30

手动式弯管机
Manual Pipe Benders



ITEM CODE	Bending Range mm	Bending Formers IN	Bending Formers mm
WD899A-25S	Φ10-Φ25	3/8",1/2",9/16", 5/8",3/4",7/8",1"	10,12,14,16,19,22,25

Wall Thickness Of Pipe	G.W KG	Volume mm
0.8-2	28	660*460*180

手拉葫芦
Chain Hoist



ITEM CODE	Size
WD906-1-3	1T*3M
WD906-1-6	1T*6M
WD906-1-9	1T*9M
WD906-1-12	1T*12M
WD906-2-3	2T*3M
WD906-2-6	2T*6M
WD906-2-9	2T*9M
WD906-2-12	2T*12M
WD906-3-3	3T*3M
WD906-3-6	3T*6M
WD906-3-9	3T*9M
WD906-3-12	3T*12M
WD906-5-3	5T*3M
WD906-5-6	5T*6M
WD906-5-9	5T*9M
WD906-5-12	5T*12M
WD906-10-3	10T*3M
WD906-10-6	10T*6M
WD906-10-9	10T*9M
WD906-10-12	10T*12M
WD906-20-3	20T*3M
WD906-20-6	20T*6M
WD906-20-9	20T*9M
WD906-20-12	20T*12M

注：除列表外，在 12 米以内各起重高度均可订货。
Remarks：inaddition the standard lift we accept orders to 12m life

高档工具车

WD1301 High-grade Tool Cart





产品尺寸 Product size	780*465*720mm
带轮尺寸 Product with wheel size	780*465*775mm
小抽屉尺寸 Small drawers size	545*95*75mm
大抽屉尺寸 Big drawers size	545*95*125mm
装箱数 Pcs/Box	1 pcs
毛重 / 净重 GW/CTN(kg)	59.5/58kg
包装尺寸 Packing size	820*530*660mm
整体承重 Tonnage	330kg



更实用的设计：
采用多孔侧面板可用于方便悬挂更多的工具。
Practical design:
Adopting porous side panel to hang on more tools.



隔挡设计：
抽屉内部设的隔挡插槽，方便以后摆放不同工具时安装隔挡。
Partition design:
Install the septalium inside drawer, convenient to install partitions when put different tools in it.



安全挂钩设计：
每层抽屉装有安全挂钩，防止抽屉忘锁倾倒掉出工具。
Safety hook design:
Each of layer has a safety hook which to avoid tools drop out of drawer when user forget to lock the drawer.

高档工具车

WD1302 High-grade Tool Cart

- 前方中控式安全锁。
- 全伸缩式抽屉，更方便取拿或归位工具。
- 第一层抽屉活动式分格设计，让使用变的更随心合意。
- 顶部配置 5MM 防滑防燥音胶垫。
- Centralised safety lock.
- Fully telescoping drawer, making take out and take back tools more easier.
- The first layer of drawer design in the type of mobile grid, making it more convenient for user.
- Equip with 5mm skid–proof and noise–proof rubber mat on the top.

产品尺寸 Product size	800*480*730mm
带轮尺寸 Product with wheel size	800*480*930mm
背板尺寸 Backboard size	785*500mm
抽屉尺寸 Drawer size	575*410*105mm
侧柜尺寸 Side cabinet size	470*405*780mm
毛重 / 净重 GW/CTN(kg)	73/71kg
包装尺寸 Packing size	850*530*720mm
整体承重 Tonnage	350kg







更实用的设计：
采用多孔侧面板可用于方便悬挂更多的工具。
Practical design:
Adopting porous side panel to hang on more tools.



抽屉采用优质轨，经久耐用，承重力强；中间设有隔挡，方便工具分类存储。
The drawer used high–quality slide, durable and stronger. Install partition in the middle of drawer, convenient for tools classified storage.



侧面小柜设计：
适用于喷漆罐类物品的存放，防止物品倾倒。
Side cabinet design:
Suitable for storing spray paint can, to avoid tools topple from the cabinet.

高级工具车

WD1311 High-grade



产品尺寸 Product size	960*460*690mm
带轮尺寸 Product with wheel size	960*460*810mm
2 抽屉尺寸 2 drawer size	510*101*40mm
3 抽屉尺寸 3 drawer size	510*106*0mm
侧柜尺寸 Side cabinet size	300*405*550mm
每箱数量 Pc/Box	1 台
毛重 / 净重 GW/CTN(kg)	61/57kg
包装尺寸 Packing size	1020*520*730mm
整台最高载重 Maximum GW	160kg

高级工具车

WD1315 High-grade



产品尺寸 Product size	960*460*850mm
带轮尺寸 Product with wheel size	960*460*970mm
一抽尺寸 1 drawer size	850*750*75mm
小抽尺寸 Small drawer size	515*400*0mm
大抽尺寸 Big drawer size	515*400*140mm
每箱数量 Pc/Box	1 台
毛重 / 净重 GW/CTN(kg)	73/70kg
包装尺寸 Packing size	1020*520*880mm
整台最高承重 Maximum GW	160kg

工具车

WD1323 Tool Box



产品尺寸 Product size	350*155*75mm
每箱数量 Pc/Box	12 只
毛重 / 净重 GW/CTN(kg)	12.5/12kg
包装尺寸 Packing size	525*65*440mm

工具车

WD1326 Tool Box




产品尺寸 Product size	500*180*90mm
每箱数量 Pc/Box	6 只
毛重 / 净重 GW/CTN(kg)	19/16.5kg
包装尺寸 Packing size	710*450*450mm

工具车

WD1327 Tool Box



产品尺寸 Product size	420*200*160mm
每箱数量 Pc/Box	6 只
毛重 / 净重 GW/CTN(kg)	14/13kg
包装尺寸 Packing size	450X435X540mm



WEDO 维度®

不锈钢呆梅两用扳手
Stainless Wrench,Combination



ITEM CODE	Size mm	L mm	g
ST8101-6	6	105	18
ST8101-7	7	120	40
ST8101-8	8	120	40
ST8101-9	9	135	45
ST8101-10	10	135	45
ST8101-11	11	150	65
ST8101-12	12	150	65
ST8101-13	13	175	90
ST8101-14	14	175	90
ST8101-15	15	195	140
ST8101-16	16	195	140
ST8101-17	17	195	140
ST8101-18	18	215	180
ST8101-19	19	215	180
ST8101-20	20	215	180
ST8101-21	21	245	280
ST8101-22	22	245	280
ST8101-23	23	265	320
ST8101-24	24	265	320
ST8101-25	25	265	320
ST8101-26	26	290	430
ST8101-27	27	290	430
ST8101-30	30	320	530
ST8101-32	32	340	780
ST8101-34	34	360	960
ST8101-36	36	360	960
ST8101-38	38	430	1300
ST8101-41	41	430	1300
ST8101-46	46	480	1760
ST8101-50	50	520	2020
ST8101-55	55	560	2000
ST8101-60	60	595	2920
ST8101-65	65	595	3440

不锈钢平把呆梅两用扳手
Stainless Wrench,Combination




ITEM CODE	Size mm	L mm	g
ST8101A-6	6	105	18
ST8101A-7	7	120	40
ST8101A-8	8	120	40
ST8101A-9	9	135	45
ST8101A-10	10	135	45
ST8101A-11	11	150	65
ST8101A-12	12	150	65
ST8101A-13	13	175	90
ST8101A-14	14	175	90
ST8101A-15	15	195	140
ST8101A-16	16	195	140
ST8101A-17	17	195	140
ST8101A-18	18	215	180
ST8101A-19	19	215	180
ST8101A-20	20	215	180
ST8101A-21	21	245	280
ST8101A-22	22	245	280
ST8101A-23	23	265	320
ST8101A-24	24	265	320
ST8101A-25	25	265	320
ST8101A-26	26	290	430
ST8101A-27	27	290	430
ST8101A-30	30	320	530
ST8101A-32	32	340	780
ST8101A-34	34	360	960
ST8101A-36	36	360	960
ST8101A-38	38	430	1300
ST8101A-41	41	430	1300
ST8101A-46	46	480	1760
ST8101A-50	50	520	2020
ST8101A-55	55	560	2000
ST8101A-60	60	595	2920
ST8101A-65	65	595	3440

不锈钢双头呆扳手
Stainless Wrench,Double Open End



ITEM CODE	Size mm	L mm	g
ST8102-0607	6*7	92	25
ST8102-0709	7*9	96	28
ST8102-0810	8*10	100	34
ST8102-0911	9*11	110	50
ST8102-1012	10*12	120	60
ST8102-1214	12*14	130	75
ST8102-1417	14*17	150	120
ST8102-1719	17*19	170	150
ST8102-1922	19*22	185	220
ST8102-2224	22*24	210	312
ST8102-2427	24*27	230	345
ST8102-2528	25*28	236	365
ST8102-2730	27*30	250	485
ST8102-3032	30*32	265	610
ST8102-3234	32*34	270	815
ST8102-3236	32*36	300	885
ST8102-3436	34*36	300	885
ST8102-3638	36*38	330	1350
ST8102-3641	36*41	330	1350
ST8102-4146	41*46	360	1690

不锈钢平把双头呆扳手
Stainless Wrench,Double Open End



ITEM CODE	S mm	L mm	g
ST8102A-0607	6*7	120	25
ST8102A-0709	7*9	135	35
ST8102A-0810	8*10	145	45
ST8102A-1012	10*12	165	70
ST8102A-1214	12*14	180	95
ST8102A-1417	14*17	195	120
ST8102A-1719	17*19	210	165
ST8102A-1922	19*22	225	220
ST8102A-2224	22*24	250	312
ST8102A-2427	24*27	270	400
ST8102A-2730	27*30	290	540
ST8102A-3032	30*32	310	740
ST8102A-3236	32*36	330	900
ST8102A-3436	34*36	345	970

不锈钢德标单头呆扳手
Stainless Wrench,Single Open End




ITEM CODE	S mm	L mm	g
ST8103-8	8	95	40
ST8103-10	10	105	50
ST8103-12	12	125	65
ST8103-14	14	140	95
ST8103-17	17	160	105
ST8103-19	19	170	130
ST8103-22	22	195	170
ST8103-24	24	220	190
ST8103-27	27	240	285
ST8103-30	30	260	320
ST8103-32	32	275	400
ST8103-34	34	290	455
ST8103-36	36	310	530
ST8103-41	41	345	615
ST8103-46	46	375	950

不锈钢德标平把单头呆扳手
Stainless Wrench,Single Open End



ITEM CODE	S mm	L mm	g
ST8103A-8	8	95	40
ST8103A-10	10	105	50
ST8103A-12	12	125	65
ST8103A-14	14	140	95
ST8103A-17	17	160	105
ST8103A-19	19	170	130
ST8103A-22	22	195	170
ST8103A-24	24	220	210
ST8103A-27	27	240	300
ST8103A-30	30	260	380
ST8103A-32	32	260	450

不锈钢撬棒呆扳手
Stainless Wrench,Construction With Pin



ITEM CODE	S mm	L mm	g
ST8104-17	17	320	210
ST8104-19	19	350	320
ST8104-22	22	350	430
ST8104-24	24	370	480
ST8104-27	27	370	640
ST8104-30	30	400	800
ST8104-32	32	400	800
ST8104-36	36	430	950
ST8104-41	41	470	1270
ST8104-46	46	500	1600

不锈钢平把撬棒呆扳手
Stainless Wrench,Construction With Pin



ITEM CODE	S mm	L mm	g
ST8104A-17	17	320	210
ST8104A-19	19	350	320
ST8104A-22	22	350	430
ST8104A-24	24	370	480
ST8104A-27	27	370	640
ST8104A-30	30	400	800
ST8104A-32	32	400	800
ST8104A-36	36	430	950
ST8104A-41	41	470	1270
ST8104A-46	46	500	1600

不锈钢高颈撬棒呆扳手
Stainless Wrench,Construction Offset Type With Pin




ITEM CODE	S mm	L mm	g
ST8105-17	17	320	210
ST8105-19	19	350	320
ST8105-22	22	350	430
ST8105-24	24	370	480
ST8105-27	27	370	640
ST8105-30	30	400	800
ST8105-32	32	400	800
ST8105-36	36	430	950
ST8105-41	41	470	1270
ST8105-46	46	500	1600

不锈钢德标敲击呆扳手
Stainless Wrench,Striking Open



ITEM CODE	S mm	L mm	g
ST8106-17	17	125	150
ST8106-19	19	125	150
ST8106-22	22	135	195
ST8106-24	24	150	245
ST8106-27	27	175	335
ST8106-30	30	190	435
ST8106-32	32	190	515
ST8106-36	36	210	800
ST8106-41	41	230	955
ST8106-46	46	250	1225
ST8106-50	50	275	1560
ST8106-55	55	305	1850
ST8106-60	60	315	2190
ST8106-65	65	335	3060

不锈钢平头双头梅花扳手
Stainless Wrench,Double Flat Box




ITEM CODE	S1*S2 mm	L mm	g
ST8108-0810	8*10	115	32
ST8108-0911	9*11	125	37
ST8108-1012	10*12	140	55
ST8108-1214	12*14	145	70
ST8108-1417	14*17	165	100
ST8108-1719	17*19	185	132
ST8108-1922	19*22	200	180
ST8108-2224	22*24	220	240
ST8108-2427	24*27	255	320
ST8108-2730	27*30	280	385
ST8108-3032	30*32	295	465
ST8108-3036	30*36	330	600
ST8108-3641	36*41	365	935

不锈钢弯柄单头梅花扳手
Stainless Wrench,Single Bent Box




ITEM CODE	S mm	L mm	g
ST8110-10	10	119	45
ST8110-12	12	151	50
ST8110-14	14	151	60
ST8110-16	16	174	90
ST8110-17	17	174	90
ST8110-19	19	207	195
ST8110-22	22	207	180
ST8110-24	24	250	300
ST8110-27	27	250	270
ST8110-30	30	295	420
ST8110-32	32	295	420
ST8110-34	34	307	600
ST8110-36	36	307	600
ST8110-38	38	340	830
ST8110-41	41	340	810
ST8110-46	46	370	930
ST8110-50	50	400	1300
ST8110-55	55	430	1650
ST8110-60	60	450	2100
ST8110-65	65	470	2360

不锈钢双头梅花扳手
Stainless Wrench,Double Box Offset




ITEM CODE	Size mm	L mm	g
ST8107-0507	5.5*7	115	22
ST8107-0607	6*7	115	25
ST8107-0709	7*9	130	40
ST8107-0810	8*10	130	45
ST8107-0911	9*11	140	55
ST8107-1011	10*11	140	65
ST8107-1012	10*12	140	65
ST8107-1213	12*13	160	80
ST8107-1214	12*14	160	80
ST8107-1417	14*17	220	205
ST8107-1618	16*18	220	220
ST8107-1719	17*19	250	225
ST8107-1722	17*22	250	290
ST8107-1819	18*19	250	295
ST8107-1922	19*22	280	270
ST8107-1924	19*24	310	310
ST8107-2123	21*23	285	285
ST8107-2126	21*26	320	410
ST8107-2224	22*24	310	410
ST8107-2427	24*27	340	400
ST8107-2430	24*30	350	450
ST8107-2528	25*28	350	550
ST8107-2632	26*32	370	600
ST8107-2730	27*30	360	520
ST8107-3032	30*32	380	630
ST8107-3036	30*36	405	1145
ST8107-3234	32*34	400	1080
ST8107-3236	32*36	405	1145
ST8107-3436	34*36	420	1165
ST8107-3641	36*41	445	1600

不锈钢直柄单头梅花扳手
Stainless Wrench,Single Box



ITEM CODE	S mm	L mm	g
ST8109-8	8	110	40
ST8109-10	10	120	50
ST8109-12	12	130	65
ST8109-14	14	140	90
ST8109-17	17	155	105
ST8109-19	19	170	130
ST8109-22	22	190	175
ST8109-24	24	215	220
ST8109-27	27	230	270
ST8109-30	30	255	370
ST8109-32	32	265	425
ST8109-36	36	295	550
ST8109-41	41	330	825
ST8109-46	46	365	1120
ST8109-50	50	400	1270
ST8109-55	55	445	1590
ST8109-60	60	474	1850
ST8109-65	65	510	2060

不锈钢平把弯柄单头梅花扳手
Stainless Wrench,Single Bent Box



ITEM CODE	S mm	L mm	g
ST8110A-10	10	119	60
ST8110A-12	12	151	85
ST8110A-14	14	151	85
ST8110A-16	16	174	150
ST8110A-17	17	174	160
ST8110A-19	19	207	195
ST8110A-22	22	207	205
ST8110A-24	24	250	330
ST8110A-27	27	250	315
ST8110A-30	30	295	480
ST8110A-32	32	295	455
ST8110A-34	34	307	650
ST8110A-36	36	307	650
ST8110A-38	38	340	830
ST8110A-41	41	340	810
ST8110A-46	46	370	1230
ST8110A-50	50	400	1400
ST8110A-55	55	430	1930
ST8110A-60	60	450	2100
ST8110A-65	65	470	2360

不锈钢平把双头梅花扳手
Stainless Wrench,Double Box Offset



ITEM CODE	Size mm	L mm	g
ST8107A-0810	8*10	130	55
ST8107A-1012	10*12	140	85
ST8107A-1214	12*14	160	151
ST8107A-1417	14*17	220	205
ST8107A-1719	17*19	250	225
ST8107A-1922	19*22	280	310
ST8107A-1924	19*24	310	355
ST8107A-2224	22*24	310	455
ST8107A-2427	24*27	340	520
ST8107A-2730	27*30	360	705
ST8107A-3032	30*32	380	805
ST8107A-3236	32*36	405	1145
ST8107A-3641	36*41	445	1600

不锈钢平头单头梅花扳手
Stainless Wrench,Single Box



ITEM CODE	S mm	L mm	g
ST8109A-8	8	110	40
ST8109A-10	10	120	50
ST8109A-12	12	130	65
ST8109A-14	14	140	90
ST8109A-17	17	155	105
ST8109A-19	19	170	130
ST8109A-22	22	190	175
ST8109A-24	24	215	220
ST8109A-27	27	230	270
ST8109A-30	30	255	370
ST8109A-32	32	265	425
ST8109A-36	36	295	550
ST8109A-41	41	330	825
ST8109A-46	46	365	1120
ST8109A-50	50	400	1270
ST8109A-55	55	445	1590
ST8109A-60	60	474	1850
ST8109A-65	65	510	2060

不锈钢高颈单头梅花扳手
Stainless Wrench,Single Box



ITEM CODE	S mm	L mm	g
ST8111-22	22	190	185
ST8111-24	24	215	235
ST8111-27	27	230	270
ST8111-30	30	255	430
ST8111-32	32	265	450
ST8111-36	36	295	610
ST8111-41	41	330	855
ST8111-46	46	365	1000

不锈钢平把高颈单头梅花扳手
Stainless Wrench,Single Box Offset



ITEM CODE	S mm	L mm	g
ST8111A-22	22	190	185
ST8111A-24	24	215	235
ST8111A-27	27	230	310
ST8111A-30	30	255	430
ST8111A-32	32	265	450
ST8111A-36	36	295	610
ST8111A-41	41	330	855
ST8111A-46	46	365	1000

不锈钢高颈撬棒梅花扳手
Stainless Wrench,Construction



ITEM CODE	S mm	L mm	g
ST8112-14	14	270	145
ST8112-17	17	310	200
ST8112-19	19	330	250
ST8112-22	22	350	320
ST8112-24	24	370	400
ST8112-27	27	400	500
ST8112-30	30	430	730
ST8112-32	32	430	700
ST8112-36	36	460	900
ST8112-41	41	490	1090
ST8112-46	46	520	1560

不锈钢平把高颈撬棒梅花扳手
Stainless Wrench,Construction



ITEM CODE	S mm	L mm	g
ST8112A-14	14	270	145
ST8112A-17	17	310	200
ST8112A-19	19	330	250
ST8112A-22	22	350	320
ST8112A-24	24	370	400
ST8112A-27	27	400	500
ST8112A-30	30	430	700
ST8112A-32	32	430	660
ST8112A-36	36	460	900
ST8112A-41	41	490	1090
ST8112A-46	46	520	1560

不锈钢弯柄敲击梅花扳手
Stainless Wrench,Striking Box Bent




ITEM CODE	S mm	L mm	g
ST8114-24	24	160	280
ST8114-27	27	175	370
ST8114-30	30	190	525
ST8114-32	32	190	500
ST8114-36	36	210	630
ST8114-41	41	225	750
ST8114-46	46	240	1160
ST8114-50	50	255	1240
ST8114-55	55	270	1450
ST8114-60	60	285	1820
ST8114-65	65	300	2645
ST8114-70	70	320	2960

不锈钢德标敲击梅花扳手
Stainless Wrench,Striking Box



ITEM CODE	S mm	L mm	g
ST8113-17	17	145	210
ST8113-19	19	145	210
ST8113-22	22	155	235
ST8113-24	24	165	235
ST8113-27	27	175	350
ST8113-30	30	185	475
ST8113-32	32	185	490
ST8113-34	34	200	540
ST8113-36	36	205	580
ST8113-38	38	215	680
ST8113-41	41	225	755
ST8113-46	46	235	990
ST8113-50	50	250	1145
ST8113-55	55	265	1440
ST8113-60	60	274	1620
ST8113-65	65	298	1995
ST8113-70	70	320	2435
ST8113-75	75	326	3010
ST8113-80	80	350	3600

不锈钢活扳手
Stainless Wrench,Adjustable



ITEM CODE	L mm	K_{max} mm	g
ST8115-1002	100	13	40
ST8115-1004	150	18	145
ST8115-1006	200	24	265
ST8115-1008	250	30	410
ST8115-1010	300	36	650
ST8115-1012	375	46	1410
ST8115-1014	450	55	2070
ST8115-1016	600	60	

不锈钢管钳子
Stainless Wrench,Pipe



ITEM CODE	L mm	K_{max} mm	g
ST8116-1002	200	25	380
ST8116-1004	250	30	580
ST8116-1006	300	40	750
ST8116-1008	350	50	1100

不锈钢英式管钳子
Stainless Wrench,Pipe(British Type)



ITEM CODE	L mm	g
ST8116A-1002	250	500
ST8116A-1004	300	700
ST8116A-1006	350	1000
ST8116A-1008	450	1650
ST8116A-1010	600	2710
ST8116A-1012	900	4950

不锈钢美式重型管钳子
Stainless Wrench,Adjustable(American Type)



ITEM CODE	L mm	K_{max} mm	g
ST8117-1002	200	25	420
ST8117-1004	250	30	735
ST8117-1006	300	40	1050
ST8117-1008	350	50	1315

Aluminium Handle

ITEM CODE	L mm	K_{max} mm	g
ST8117-1010	450	60	1500
ST8117-1012	600	75	2300
ST8117-1014	900	85	3700
ST8117-1016	1200	110	8000

不锈钢链型管钳
Stainless Chain Wrench



ITEM CODE	L mm	D mm	g
ST8117A-1002	600	100	2000
ST8117A-1004	600	200	2500
ST8117A-1006	900	300	4500
ST8117A-1008	900	400	5200

不锈钢猴式活扳手
Stainless Wrench,Monkey



ITEM CODE	L mm	K_{max} mm	g
ST8118-1002	240	45	510
ST8118-1004	254	48	615
ST8118-1006	305	58	910
ST8118-1008	350	65	1220
ST8118-1010	380	70	1465

不锈钢汽车扳手
Stainless Motor Wrench



ITEM CODE	S mm	L mm	g
ST8119-62	62	250	575
ST8119-78	78	280	860
ST8119-82	82	375	1430

不锈钢内六角扳手
Stainless Wrench,Hex Key



ITEM CODE	S mm	L mm	g
ST8120-1.5	1.5	59	8
ST8120-2	2	59	8
ST8120-2.5	2.5	59	8
ST8120-3	3	59	8
ST8120-4	4	65	10
ST8120-5	5	79	16
ST8120-6	6	85	25
ST8120-7	7	88	34
ST8120-8	8	92	50
ST8120-9	9	97	61
ST8120-10	10	110	82
ST8120-11	11	119	100
ST8120-12	12	130	145
ST8120-13	13	140	180
ST8120-14	14	150	211
ST8120-15	15	156	260
ST8120-16	16	162	300
ST8120-17	17	168	370
ST8120-18	18	173	450
ST8120-19	19	177	490
ST8120-21	21	184	652
ST8120-22	22	186	675
ST8120-24	24	192	825
ST8120-25	25	200	925
ST8120-26	26	206	1025
ST8120-27	27	213	1220
ST8120-28	28	222	1350
ST8120-30	30	240	1615
ST8120-32	32	266	2065
ST8120-36	36	294	2905
ST8120-41	41	320	4120

不锈钢T型内六角扳手
Stainless Wrench T Hex Key



ITEM CODE	S mm	g
ST8120C-1002	1.5	50
ST8120C-1004	2	55
ST8120C-1006	2.5	60
ST8120C-1008	3	80
ST8120C-1010	4	100
ST8120C-1012	5	120
ST8120C-1014	6	180
ST8120C-1016	8	220
ST8120C-1018	10	250

不锈钢勾扳手
Stainless Wrench,Hook



ITEM CODE	Size mm	L mm	g
ST8123A-1002	30-32	136	60
ST8123A-1004	34-36	170	90
ST8123A-1006	40-42	170	100
ST8123A-1008	45-50	206	150
ST8123A-1010	52-55	206	160
ST8123A-1012	58-62	242	210
ST8123A-1014	68-75	242	250
ST8123A-1016	80-90	280	370
ST8123A-1018	95-100	280	410
ST8123A-1020	110-115	334	700
ST8123A-1022	120-130	334	750
ST8123A-1024	135-145	383	1050

不锈钢双头C型扳手
Stainless Valve Wrench,C Type



ITEM CODE	L mm	S¹ mm	S² mm	g
ST8121-1002	200	14.5	18.5	370
ST8121-1004	250	17.5	25.5	635

不锈钢柱销式勾扳手
Stainless Hook Wrench With Pin



ITEM CODE	D mm	L mm	g
ST8124-1002	30-32	136	63
ST8124-1004	34-36	171	95
ST8124-1006	40-42	171	105
ST8124-1008	45-50	207	160
ST8124-1010	52-55	207	170
ST8124-1012	58-62	243	225
ST8124-1014	68-75	243	265
ST8124-1016	80-90	281	375
ST8124-1018	95-100	281	415
ST8124-1020	110-115	333	770

不锈钢T型球头内六角扳手
Stainless Wrench T Ball Hex Key



ITEM CODE	S mm	g
ST8120A-1002	3	55
ST8120A-1004	4	75
ST8120A-1006	5	85
ST8120A-1008	6	100
ST8120A-1010	7	115
ST8120A-1012	8	125
ST8120A-1014	9	135
ST8120A-1016	10	150

不锈钢单头C型扳手
Stainless Valve Wrench,C Type



ITEM CODE	L mm	S mm	g
ST8122-1002	450	40	1205

不锈钢勾扳手
Stainless Wrench,Hook



ITEM CODE	Size mm	L mm	g
ST8123-1002	30-32	136	60
ST8123-1004	34-36	170	90
ST8123-1006	40-42	170	100
ST8123-1008	45-50	206	150
ST8123-1010	52-55	206	160
ST8123-1012	58-62	242	210
ST8123-1014	68-75	242	250
ST8123-1016	80-90	280	370
ST8123-1018	95-100	280	410
ST8123-1020	110-115	334	700
ST8123-1022	120-130	334	750
ST8123-1024	135-145	383	1050

不锈钢柱销式勾扳手
Stainless Hook Wrench With Pin



ITEM CODE	D mm	L mm	g
ST8124A-1002	30-32	136	63
ST8124A-1004	34-36	171	95
ST8124A-1006	40-42	171	105
ST8124A-1008	45-50	207	160
ST8124A-1010	52-55	207	170
ST8124A-1012	58-62	243	225
ST8124A-1014	68-75	243	265
ST8124A-1016	80-90	281	375
ST8124A-1018	95-100	281	415
ST8124A-1020	110-115	333	770

不锈钢可调勾扳手
Stainless Hook Wrench,Adjustable



ITEM CODE	D mm	L mm	g
ST8124B-1002	20-35	165	115
ST8124B-1004	35-60	190	150
ST8124B-1006	60-90	280	350
ST8124B-1008	90-155	330	650
ST8124B-1010	155-230	400	1150

不锈钢U型内六角扳手
Stainless Formed T Hex Key



ITEM CODE	S mm	g
ST8120B-1002	3	55
ST8120B-1004	4	75
ST8120B-1006	5	85
ST8120B-1008	6	100
ST8120B-1010	7	115
ST8120B-1012	8	125
ST8120B-1014	9	135
ST8120B-1016	10	150

不锈钢F扳手
Stainless Valve Wrench



ITEM CODE	K mm	L mm	g
ST8125-30	30	200	280
ST8125-35	35	250	360
ST8125-40	40	300	470
ST8125-45	45	350	520
ST8125-50	50	400	800
ST8125-55	55	450	940
ST8125-60	60	500	1180
ST8125-65	65	550	1320
ST8125-70	70	600	1500
ST8125-75	75	650	1600
ST8125-80	80	700	1700
ST8125-85	85	750	2250
ST8125-90	90	800	2450
ST8125-95	95	850	2550
ST8125-100	100	900	2650

不锈钢防滑F扳手
Stainless Valve Wrench



ITEM CODE	K mm	L mm	H mm	g
ST8126-30	30	200	46	265
ST8126-35	35	250	52	375
ST8126-40	40	300	54	450
ST8126-45	45	350	60	585
ST8126-50	50	400	68	740
ST8126-55	55	450	74	830
ST8126-60	60	500	80	1200
ST8126-65	65	550	85	1280
ST8126-70	70	600	88	1380
ST8126-75	75	650	95	1650
ST8126-80	80	700	100	1870
ST8126-85	85	750	100	2090
ST8126-90	90	800	107	2310
ST8126-95	95	900	112	2980
ST8126-100	100	1000	117	3330

不锈钢单头开桶扳手
Stainless Wrench,Bung



ITEM CODE	L mm	H mm	g
ST8127-1002	300	70	630

不锈钢双头开桶扳手
Stainless Wrench,Bung



ITEM CODE	L mm	H¹ mm	H² mm	g
ST8128-1002	350	70	95	1165

不锈钢多用开桶扳手
Stainless Wrench,Bung




ITEM CODE	L mm	H¹ mm	H² mm	g
ST8129-1002	385	93	61	1250

不锈钢双面撬棒棘轮扳手
Stainless Ratchet Wrench



ITEM CODE	S¹ mm	S² mm	L mm	g
ST8130-1417	14	17	280	410
ST8130-1719	17	19	310	450
ST8130-1922	19	22	345	530
ST8130-2224	22	24	365	680
ST8130-2427	24	27	380	860
ST8130-2730	27	30	400	990
ST8130-3032	30	32	400	1025
ST8130-3236	32	36	450	1450
ST8130-3641	36	41	495	1860

不锈钢双面撬棒棘轮扳手
Stainless Ratchet Wrench



ITEM CODE	S¹ mm	S² mm	L mm	g
ST8130A-1417	14	17	280	410
ST8130A-1719	17	19	310	450
ST8130A-1922	19	22	345	530
ST8130A-2224	22	24	365	680
ST8130A-2427	24	27	380	860
ST8130A-2730	27	30	400	990
ST8130A-3032	30	32	400	1025
ST8130A-3236	32	36	450	1450
ST8130A-3641	36	41	495	1860

不锈钢三叉扳手
Stainless Cabinet Key



ITEM CODE	S1*S2*S3 mm	g
ST8131-1002	8*9*10	290
ST8131-1004	10*12*14	320
ST8131-1006	11*13*15	350
ST8131-1008	12*14*17	385
ST8131-1010	14*17*19	425

不锈钢四叉扳手
Stainless Cabinet Key



ITEM CODE	S1*S2*S3*S4 mm	L mm	g
ST8132-1002	17*19*21*23	350	1250
ST8132-1004	17*19*22*24	350	1250

不锈钢一字螺丝刀
Stainless Slotted Screwdriver



ITEM CODE	L¹ inch	L¹ mm	L mm	H mm	B mm	g
ST8201-1002	2	50	134	0.5	3	35
ST8201-1004	2	50	134	1.0	4.5	43
ST8201-1006	3	75	159	0.6	3	35
ST8201-1008	3	75	159	0.8	4	45
ST8201-1010	3	75	180	1.0	5	70
ST8201-1012	4	100	184	0.8	4	45
ST8201-1014	4	100	205	1.0	5	75
ST8201-1016	4	100	215	1.1	6	85
ST8201-1018	5	125	240	1.1	6	100
ST8201-1020	6	150	265	1.1	6	110
ST8201-1022	6	150	265	1.2	7	125
ST8201-1024	6	150	277	1.2	8	140
ST8201-1026	8	200	327	1.2	8	165
ST8201-1028	10	250	377	1.6	9	185
ST8201-1030	10	250	377	1.8	11	260
ST8201-1032	12	300	427	1.6	10	245
ST8201-1034	12	300	427	1.8	11	290
ST8201-1036	14	350	477	1.8	11	320
ST8201-1038	16	400	550	2.0	12	

不锈钢十字螺丝刀
Stainless Phillips Screwdriver



ITEM CODE	L¹ inch	size	L¹ mm	L mm	Φ mm	g
ST8202-1002	2	0	50	134	3	35
ST8202-1004	3	1	75	159	4	70
ST8202-1006	4	1	100	205	5	75
ST8202-1008	5	2	125	240	6	100
ST8202-1010	6	2	150	265	6	110
ST8202-1012	8	3	200	327	8	165
ST8202-1014	10	3	250	377	8	185
ST8202-1016	12	4	300	427	9	245
ST8202-1018	14	4	350	477	9	270
ST8202-1020	16	4	400	550	9	295
ST8202-1022	18	4	450	600	9	320

不锈钢重型一字螺丝刀
Stainless Slotted Screwdriver



ITEM CODE	L₁ mm	B mm	L mm	g
ST8203-1002	50	3	155	255
ST8203-1004	75	4	180	270
ST8203-1006	100	5	205	325
ST8203-1008	150	6	255	340
ST8203-1010	200	8	305	390
ST8203-1012	250	9	370	555
ST8203-1014	300	10	420	650

不锈钢重型十字螺丝刀
Stainless Phillips Screwdriver



ITEM CODE	L₁ mm	size	L mm	g
ST8204-1002	50	0	155	255
ST8204-1004	75	1	180	270
ST8204-1006	100	1	205	325
ST8204-1008	150	2	255	340
ST8204-1010	200	3	305	390
ST8204-1012	250	3	370	555
ST8204-1014	300	4	420	650

不锈钢短柄一字螺丝刀
Stainless Stubby Screwdriver



ITEM CODE	L_1 mm	B mm	L mm	g
ST8205-1002	38	3	85	140
ST8205-1004	38	4	85	160
ST8205-1006	38	5	85	180
ST8205-1008	38	6	85	190
ST8205-1010	38	8	85	200

不锈钢柄一字螺丝刀
Stainless Stainless Slotted Screwdriver



ITEM CODE	B mm	L mm	g
ST8206-1002	3	50	200
ST8206-1004	4	75	215
ST8206-1006	5	100	230
ST8206-1008	6	150	250
ST8206-1010	8	200	370
ST8206-1012	10	300	450

不锈钢柄十字螺丝刀
Stainless Stainless Phillips Screwdriver

ITEM CODE	Size	L mm	g
ST8207-1002	PH0	50	200
ST8207-1004	PH1	75	215
ST8207-1006	PH2	150	250
ST8207-1008	PH3	200	370
ST8207-1010	PH4	300	450

不锈钢柄六方套筒螺丝刀
Stainless Stainless Driver Hex Nut



ITEM CODE	B mm	L mm	g
ST8208-6	6	90	240
ST8208-8	8	100	245
ST8208-10	10	110	255
ST8208-12	12	110	280
ST8208-14	14	110	300
ST8208-17	17	120	330
ST8208-19	19	130	360
ST8208-22	22	130	380

不锈钢克丝钳
Stainless Pliers,Lineman



ITEM CODE	L inch	L mm	g
ST8301-1002	6	150	180
ST8301-1004	7	175	355
ST8301-1006	8	200	465
ST8301-1008	10	250	550

不锈钢鲤鱼钳
Stainless Pliers,Adjustable Combination



ITEM CODE	L inch	L mm	K mm	g
ST8302-1002	6	150	8	213
ST8302-1004	8	200	13	380

不锈钢斜口钳
Stainless Pliers,Diagonal Cutting



ITEM CODE	L inch	L mm	g
ST8303-1002	6	150	245
ST8303-1004	8	200	410

不锈钢尖嘴钳
Stainless Pliers,Snipe Nose



ITEM CODE	L inch	L mm	L_1 mm	g
ST8304-1002	6	150	54	190
ST8304-1004	8	200	74	335

不锈钢套入式水泵钳
Stainless Pliers,Slip Joint



ITEM CODE	L inch	L mm	Kmax mm	g
ST8305-1002	10	250	32	365

不锈钢剥线压线断线钳
Stainless Bolt Chipper



ITEM CODE	L inch	L mm	g
ST8306-1002	8	200	225

不锈钢大力钳
Stainless Locking Pliers



ITEM CODE	Size inch	L mm	D mm	g
ST8307-1002	10	225	40	480

不锈钢镊子
Stainless Tweezers,Flat Nose



ITEM CODE	L mm	g
ST8308-1002	150	30
ST8308-1004	200	50

不锈钢夹钳
Stainless Forceps And Tweezers



ITEM CODE	L mm	g
ST8309-1002	120	35
ST8309-1004	140	40
ST8309-1006	160	50
ST8309-1008	180	60
ST8309-1010	200	70

不锈钢镊子
Stainless Tweezers



ITEM CODE	L mm	g
ST8310-1002	100	15
ST8310-1004	120	19
ST8310-1006	140	22
ST8310-1008	160	25
ST8310-1010	180	28
ST8310-1012	200	35
ST8310-1014	250	45
ST8310-1016	300	55

不锈钢克丝钳
Stainless Pliers, Lineman



ITEM CODE	L mm	g
ST8311-1002	150	250
ST8311-1004	180	370
ST8311-1006	200	420

不锈钢尖嘴钳
Stainless Pliers,Snipe Nose



ITEM CODE	L mm	g
ST8312-1002	165	185
ST8312-1004	178	210
ST8312-1006	200	230

不锈钢顶切钳
Stainless Pincers



ITEM CODE	L mm	g
ST8313-1002	180	280

不锈钢鲤鱼钳
Stainless Pliers, Adjustable Combination



ITEM CODE	L mm	g
ST8314-1002	200	280

不锈钢美式斜口钳
Stainless Pliers, Diagonal Cutting



ITEM CODE	L mm	g
ST8315-1002	190	310

不锈钢套入式水泵钳
Stainless Pliers, Slip Joint



ITEM CODE	L mm	g
ST8317-1002	165	220
ST8317-1004	250	435
ST8317-1006	300	700

不锈钢装柄奶头锤
Stainless Hammer,Ball Pein



ITEM CODE	H g	L mm	g
ST8401-1002	340	280	340
ST8401-1004	450	280	450
ST8401-1006	680	310	680
ST8401-1008	910	340	910
ST8401-1010	1130	350	1130
ST8401-1012	1400	400	1400

不锈钢柄奶头锤
Stainless Hammer,Ball Pein



ITEM CODE	H g	L mm	g
ST8401A-1002	230	280	650
ST8401A-1004	340	280	770
ST8401A-1006	450	310	1080
ST8401A-1008	680	330	1450

不锈钢装柄崭口榔头
Stainless Hammer,Pein



ITEM CODE	H g	L mm	g
ST8402-1002	250	280	400
ST8402-1004	300	280	460

不锈钢德式装柄机械锤
Stainless Hammer,Cross Pein Engineers'



ITEM CODE	H g	L mm	g
ST8403-1002	500	310	500
ST8403-1004	1000	340	1000
ST8403-1006	1500	400	1500
ST8403-1008	2000	400	2000

不锈钢工具 STAINLESS TOOLS

不锈钢柄德式机械锤
StainlessHammer,Cross Pein Engineers'



ITEM CODE	H g	g
ST8403A-1002	500	1350
ST8403A-1004	1000	2500

不锈钢柄德式机械锤
Stainless Hammer,Cross Pein Engineers'



ITEM CODE	H g	g
ST8403B-1002	250	500
ST8403B-1004	500	900
ST8403B-1006	750	1300

不锈钢装柄检验锤
Stainless Hammer,Testing



ITEM CODE	H g	L mm	g
ST8404-1002	150	280	270
ST8404-1004	250	280	345

不锈钢装柄除锈锤
Stainless Hammer,Scaling



ITEM CODE	H g	L mm	g
ST8405-1002	150	280	270
ST8405-1004	300	280	420

不锈钢装柄羊角锤
Stainless Hammer,Claw



ITEM CODE	H g	L mm	g
ST8406-1002	230	280	405
ST8406-1004	450	300	652
ST8406-1006	680	330	953

不锈钢装柄八角锤
Stainless Hammer,Sledge



ITEM CODE	B mm	L mm	g
ST8407-1002	450	310	450
ST8407-1004	1000	400	1000
ST8407-1006	1400	400	1400
ST8407-1008	1500	400	1500
ST8407-1010	1800	400	1800
ST8407-1012	2000	400	2000
ST8407-1014	2200	400	2200
ST8407-1016	2500	700	2500
ST8407-1018	2700	700	2700

不锈钢装柄德式八角锤
Stainless Hammer,Sledge(German Type)



ITEM CODE	H g	L mm	g
ST8408-1002	500	310	500
ST8408-1004	1000	350	1000
ST8408-1006	1500	400	1500
ST8408-1008	2000	400	2000

不锈钢长柄方锹
Stainless Shovel,Square



ITEM CODE	L mm	B mm	g
ST8409-1002	1400	175	1800
ST8409-1004	1450	240	2200

不锈钢长柄尖锹
Stainless Shovel,Round Point



ITEM CODE	L mm	B mm	g
ST8410-1002	1450	240	1553

不锈钢焊工锤
Stainless Hammer



ITEM CODE	Size g	L mm	g
ST8411-1002	250	300	320

不锈钢英式平顶锤
Stainless Club Hammer



ITEM CODE	Size lb	L mm	g
ST8412-1002	2	340	1000
ST8412-1004	4	400	2000

不锈钢尼龙锤
Stainless Nylon Hammer



ITEM CODE	Size g	L mm	g
ST8413-1002	800	340	1500
ST8413-1004	1000	400	2000

不锈钢尼龙锤
Stainless Nylon Hammer




ITEM CODE	Size g	g
ST8413A-1002	150	350
ST8413A-1004	250	500
ST8413A-1006	350	700
ST8413A-1008	500	900

不锈钢万向接头
Stainless Universal Joint



ITEM CODE	C inch	L mm	g
ST8504-1002	1/2	80	186
ST8504-1004	3/4	110	530
ST8504-1006	1	132	1000

不锈钢套筒头 1/2"
Stainless Socket(1/2")



ITEM CODE	S mm	L mm	g
ST8501-6	6	40	75
ST8501-7	7	40	77
ST8501-8	8	40	77
ST8501-9	9	40	78
ST8501-10	10	40	78
ST8501-11	11	40	79
ST8501-12	12	40	79
ST8501-13	13	40	80
ST8501-14	14	40	80
ST8501-15	15	40	94
ST8501-16	16	40	94
ST8501-17	17	40	94
ST8501-18	18	42	94
ST8501-19	19	42	110
ST8501-20	20	42	120
ST8501-21	21	43	125
ST8501-22	22	43	130
ST8501-23	23	43	150
ST8501-24	24	43	165
ST8501-25	25	43	180
ST8501-26	26	43	200
ST8501-27	27	46	215
ST8501-28	28	46	225
ST8501-29	29	46	235
ST8501-30	30	46	250
ST8501-32	32	46	295

不锈钢套筒头 3/8"
Stainless Socket(3/8")




ITEM CODE	S mm	L mm	g
ST8502-5	5	28	35
ST8502-5.5	5.5	28	35
ST8502-6	6	28	35
ST8502-7	7	28	35
ST8502-8	8	28	35
ST8502-9	9	28	35
ST8502-10	10	32	50
ST8502-11	11	32	50
ST8502-12	12	32	50
ST8502-13	13	32	50
ST8502-14	14	32	50
ST8502-15	15	32	53
ST8502-16	16	32	58
ST8502-17	17	32	63
ST8502-19	19	32	68
ST8502-20	20	32	77

不锈钢滑行头手柄
Stainless Sliding T Handle



ITEM CODE	C inch	L mm	H mm	Φ mm	g
ST8505-1002	1/2	250	39	13	340
ST8505-1004	3/4	350	54	19	1070
ST8505-1006	3/4	400	56	21	1335
ST8505-1008	1	400	62	21	1620

不锈钢套筒头 3/4"
Stainless Socket(3/4")



ITEM CODE	S mm	L mm	g
ST8503-17	17	50	245
ST8503-19	19	50	245
ST8503-21	21	55	265
ST8503-22	22	55	265
ST8503-24	24	55	305
ST8503-26	26	55	305
ST8503-27	27	55	310
ST8503-29	29	55	335
ST8503-30	30	60	350
ST8503-32	32	60	465
ST8503-34	34	60	480
ST8503-35	35	60	500
ST8503-36	36	60	510
ST8503-38	38	60	550
ST8503-41	41	65	660
ST8503-46	46	65	760
ST8503-50	50	70	900

不锈钢转向手柄
Stainless Hinged Handle



ITEM CODE	C inch	L mm	L¹ mm	g
ST8506-1002	3/8	190	175	245
ST8506-1004	1/2	250	230	440
ST8506-1006	1/2	320	300	565
ST8506-1008	1/2	400	380	645
ST8506-1010	3/4	286	260	635
ST8506-1012	1	304	270	910

不锈钢换向棘轮扳手
Stainless Ratchet Wrench



ITEM CODE	C inch	L mm	H mm	g
ST8507-1002	3/8	200	30	290
ST8507-1004	1/2	245	43	690
ST8507-1006	3/4	320	57	1570
ST8507-1008	1	550	67	3470

不锈钢套筒转柄
Stainless Offset Handle



ITEM CODE	C inch	L mm	g
ST8508-1002	3/8	200	300
ST8508-1004	1/2	230	400
ST8508-1006	3/4	280	750

不锈钢快速摇柄
Stainless Speed Handle



ITEM CODE	C inch	L mm	g
ST8509-1002	3/8	300	450
ST8509-1004	1/2	390	770

不锈钢双头活动套筒
Stainless Flex Socket Wrench



ITEM CODE	S1*S2 mm	L mm	g
ST8510-1002	8*9	200	100
ST8510-1004	10*11	210	120
ST8510-1006	12*13	230	170
ST8510-1008	14*15	240	200
ST8510-1010	16*17	250	280
ST8510-1012	18*19	270	390
ST8510-1014	20*22	290	470
ST8510-1016	21*23	290	480
ST8510-1018	24*27	330	760

不锈钢 1/2〃方 13 件套盒装套筒
Stainless 1/2" Dr Socket Set-13pcs



ITEM CODE	SPECIFICATION
ST8511	Socket 8mm,10mm,11mm,12mm,14mm, 17mm,19mm,22mm,24mm,27mm Ratchet Wrench 245mm

不锈钢 1/2〃方 17 件套盒装套筒
Stainless 1/2" Dr Socket Set-17pcs



ITEM CODE	SPECIFICATION
ST8512	Socket 10mm,11mm,12mm,14mm, 17mm,19mm,22mm,24mm,27mm, 30mm,32mm Ratchet Wrench 245mm Sliding T-Handle 250mm Speed Handle 400mm

WEDO 维度®

不锈钢工具 STAINLESS TOOLS

不锈钢 1/2〃方 24 件套盒装套筒
Stainless 1/2'' Dr Socket Set-24pcs



ITEM CODE	SPECIFICATION
ST8513	Socket 10mm,11mm,12mm,13mm, 14mm,15mm,16mm,17mm,18mm, 19mm,20mm,21mm,22mm,23mm, 24mm,27mm,30mm,32mm Ratchet Wrench 245mm Sliding T-Handle 250mm Speed Handle 400mm Driver Extension 125mm,250mm Universal Joint 80mm

不锈钢双头 L 型套筒
Stainless Wrench, Socket L-Type



ITEM CODE	S mm	L mm	g
ST8514-6	6	102	60
ST8514-8	8	114	95
ST8514-10	10	129	135
ST8514-12	12	144	180
ST8514-14	14	160	245
ST8514-17	17	187	365
ST8514-19	19	204	525
ST8514-22	22	230	700

不锈钢塑柄削皮刀
Stainless Knife,Common



ITEM CODE	L mm	L_1 mm	g
ST8601-1002	80	190	75
ST8601-1004	137	250	95

不锈钢塑柄泥子刀
Stainless Knife,Putty



ITEM CODE	K mm	L mm	L^1 mm	g
ST8602-1002	25	90	200	75
ST8602-1004	40	90	200	95
ST8602-1006	50	90	200	105
ST8602-1008	65	90	200	115

不锈钢尖撬棍
Stainless Bar,Pinch



ITEM CODE	L mm	Φ mm	B mm	g
ST8603-1002	500	15	15	672
ST8603-1004	500	18	18	1020
ST8603-1006	500	20	20	1148
ST8603-1008	500	24	24	1800
ST8603-1010	600	25	25	2132
ST8603-1012	800	25	25	3120
ST8603-1014	1000	30	30	5193

不锈钢圆形扁铲
Stainless Chisel,Flat




ITEM CODE	L mm	Φ mm	B mm	g
ST8604-1002	160	14	14	175
ST8604-1004	160	16	16	231
ST8604-1006	160	18	18	295
ST8604-1008	200	18	18	382
ST8604-1010	200	20	20	473
ST8604-1012	250	24	24	822
ST8604-1014	300	24	24	1025
ST8604-1016	300	25	25	1302
ST8604-1018	400	25	25	1502
ST8604-1020	500	25	25	1903
ST8604-1022	500	30	30	2730

不锈钢斜铁
Stainless Wedge,Flange



ITEM CODE	L mm	B mm	H mm	g
ST8605-1002	80	13	6	25
ST8605-1004	100	50	10	201
ST8605-1006	135	50	18	497
ST8605-1008	150	40	8	200
ST8605-1010	150	25	8	122
ST8605-1012	150	25	13	205
ST8605-1014	150	50	13	400
ST8605-1016	180	32	13	305
ST8605-1018	180	50	19	700
ST8605-1020	200	20	30	490
ST8605-1022	200	30	30	740
ST8605-1024	200	40	40	1315
ST8605-1026	200	50	12	500
ST8605-1028	230	40	20	751
ST8605-1030	250	40	30	1230
ST8605-1032	300	50	40	2460

不锈钢听针
Stainless Hearing Needle



ITEM CODE	L mm	Φ mm	g
ST8606-1002	250	6	85
ST8606-1004	300	8	150
ST8606-1006	400	7	160
ST8606-1008	500	10	335
ST8606-1010	1000	10	650
ST8606-1012	800	10	525
ST8606-1014	500	8	220

不锈钢加盖水桶
Stainless Bucket



ITEM CODE	Size L	H mm	g
ST8607-1002	15	280	2000

不锈钢消防桶
Stainless Bucket



ITEM CODE	Size L	H mm	g
ST8608-1002	10	250	1200
ST8608-1004	15	280	1550

不锈钢油漏子
Stainless Oil Funnel



ITEM CODE	Φ mm	H mm	g
ST8609-1002	160	130	260
ST8609-1004	160	150	280

不锈钢油桶
Stainless Bucket



ITEM CODE	Size L	H mm	g
ST8610-1002	10	300	1680

不锈钢油提子
Stainless Oil Dipper



ITEM CODE	Φ mm	L mm	g
ST8611-1002	85	350	163

不锈钢提油泵
Stainless Portable Oil Pump



ITEM CODE	Φ mm	H mm	g
ST8612-1002	165	1100	2315

不锈钢簸箕
Stainless Dustpan



ITEM CODE	L mm	B mm	H mm	g
ST8613-1002	150	130	20	130
ST8613-1004	200	200	50	335
ST8613-1006	270	250	50	635

不锈钢手摇油泵
Stainless Manual Portable Oil



ITEM CODE	L mm	g
ST8614-1002	1350	3500

不锈钢人体静电释放仪
Stainless Releasing Static Device



ITEM CODE	L mm	g
ST8615-1002	1000	2000

不锈钢 G 型夹
Stainless C Clamps



ITEM CODE	K mm	g
ST8616-1002	50	900
ST8616-1004	75	1100
ST8616-1006	100	1400
ST8616-1008	150	2000
ST8616-1010	200	2700
ST8616-1012	250	3500
ST8616-1014	300	4300

不锈钢锯弓子
Stainless Hacksaw



ITEM CODE	L mm	g
ST8617-1002	500	800

不锈钢卡兰
Stainless Sliding Bar Clamp



ITEM CODE	Size mm	g
ST8618-1002	50*150	450
ST8618-1004	50*200	480
ST8618-1006	80*250	930
ST8618-1008	80*300	1035
ST8618-1010	80*400	1155
ST8618-1012	80*500	1300
ST8618-1014	120*600	2550
ST8618-1016	120*800	3000

不锈钢羊角起钉钳
Stainless Pry Bar(Wrecking Bar)



ITEM CODE	L mm	g
ST8619-1002	450	970
ST8619-1004	500	1100
ST8619-1006	600	1250
ST8619-1008	700	1500
ST8619-1010	750	1650
ST8619-1012	800	1700
ST8619-1014	900	1900

不锈钢台虎钳
Stainless Heavy Duty Bench Vise



ITEM CODE	Size mm	g
ST8620-1002	75	6.2
ST8620-1004	100	7
ST8620-1006	150	19.5
ST8620-1008	200	29.5
ST8620-1010	250	44.5

WEDO 维度®

不锈钢工具 STAINLESS TOOLS



钛合金活扳手
Titanium Wrench,Adjustable

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE



• 适用于航空、航天、医疗等行业，高空作业，开口宽度可调节，用于拆装六角或四方螺栓、螺母，轻便、超强、无磁。

ITEM CODE	L mm	Kmax mm	g
TT5101-1002	150	18	80
TT5101-1004	200	24	170
TT5101-1006	250	30	260
TT5101-1008	300	36	435

钛合金美式管钳子
Titanium Wrench,Pipe(American Type)

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE



• 适用于航空、航天、医疗等行业，高空作业，装配、拆卸管件和轴类零部件，轻便、超强、无磁。

ITEM CODE	L mm	Kmax mm	g
TT5102-1002	200	25	310
TT5102-1004	250	30	520
TT5102-1006	300	40	790
TT5102-1008	350	50	950

钛合金呆梅扳手
Titanium Wrench,Combination

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE
- IN ACCORDANCE WITH DIN 3113



• 适用于航空、航天、医疗等行业，高空作业，两端适用相同规格的螺栓、螺母，15° 角的偏移便于操作。轻便、超强、无磁。

ITEM CODE	S mm	L mm	g
TT5103-6	6	105	13
TT5103-8	8	120	20
TT5103-10	10	135	30
TT5103-12	12	150	40
TT5103-14	14	175	55
TT5103-17	17	195	90
TT5103-19	19	215	125
TT5103-22	22	245	170
TT5103-24	24	265	200
TT5103-27	27	290	280
TT5103-30	30	320	400
TT5103-32	32	340	480

钛合金撬棒呆扳手
Titanium Wrench,Construction With Pin

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE



• 适用于航空、航天、医疗等行业，高空作业，尖尾、多用轻便、超强、无磁。

ITEM CODE	S mm	L mm	g
TT5104-17	17	220	60
TT5104-19	19	240	80
TT5104-22	22	260	120
TT5104-24	24	280	145
TT5104-27	27	300	200
TT5104-30	30	320	235

钛合金平把撬棒呆扳手
Titanium Wrench,Construction With Pin

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE



• 适用于航空、航天、医疗等行业，高空作业，尖尾、多用轻便、超强、无磁。

ITEM CODE	S mm	L mm	g
TT5104A-17	17	220	60
TT5104A-19	19	240	80
TT5104A-22	22	260	120
TT5104A-24	24	280	145
TT5104A-27	27	300	200
TT5104A-30	30	320	235

钛合金单头呆扳手
Titanium Wrench,Single Open End

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE



• 适用于航空、航天、医疗等行业，高空作业，松紧六角或四方螺栓、螺母，轻便、超强、无磁。

ITEM CODE	S mm	L mm	g
TT5105-6	6	75	11
TT5105-8	8	95	14
TT5105-10	10	105	19
TT5105-12	12	125	25
TT5105-14	14	140	35
TT5105-17	17	160	50
TT5105-19	19	170	60
TT5105-22	22	195	95
TT5105-24	24	220	120
TT5105-27	27	240	170
TT5105-30	30	260	220
TT5105-32	32	260	260
TT5105-36	36	310	350

钛合金敲击呆扳手
Titanium Wrench,Striking Open

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE
- IN ACCORDANCE WITH DIN 133



• 德国 DIN133 标准
• 适用于航空、航天、医疗等行业，高空作业，与钳工锤配合使用敲击拆卸和紧固较大规格的螺栓、螺母，超强、无磁。

ITEM CODE	S mm	L mm	g
TT5106-17	17	125	85
TT5106-19	19	125	80
TT5106-22	22	135	95
TT5106-24	24	150	135
TT5106-27	27	175	230
TT5106-30	30	190	260
TT5106-32	32	190	260
TT5106-36	36	200	370

钛合金平把敲击呆扳手
Titanium Wrench,Striking Open

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE
- IN ACCORDANCE WITH DIN 133



• 德国 DIN133 标准
• 适用于航空、航天、医疗等行业，高空作业，与钳工锤配合使用。

ITEM CODE	S mm	L mm	g
TT5106A-17	17	125	85
TT5106A-19	19	125	80
TT5106A-22	22	135	95
TT5106A-24	24	150	135
TT5106A-27	27	175	230
TT5106A-30	30	190	260
TT5106A-32	32	190	260
TT5106A-36	36	200	370

钛合金双头呆扳手

Titanium Wrench,Double Open End

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE
- IN ACCORDANCE WITH DIN 3110



• 德国 DIN3110 标准
• 适用于航空、航天、医疗等行业，高空作业，用于拆卸和紧固六角或四方螺母，轻便、超强、无磁。

ITEM CODE	S mm	L mm	g
TT5107-0607	6*7	120	13
TT5107-0709	7*9	135	20
TT5107-0810	8*10	145	25
TT5107-1012	10*12	165	40
TT5107-1214	12*14	180	55
TT5107-1417	14*17	195	70
TT5107-1719	17*19	210	95
TT5107-1922	19*22	225	130
TT5107-2224	22*24	250	170
TT5107-2427	24*27	270	230
TT5107-2730	27*30	290	310
TT5107-3032	30*32	310	430

钛合金高颈撬棒梅花扳手

Titanium Wrench,Construction

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE



• 适用于航空、航天、医疗等行业，高空作业，适用于紧固和拆卸螺栓螺母，高颈有效避开障碍物，长柄、尖尾省力、多用。轻便、超强、无磁。

ITEM CODE	S mm	L mm	g
TT5110-8	8	210	65
TT5110-10	10	230	70
TT5110-12	12	250	88
TT5110-14	14	270	105
TT5110-17	17	310	135
TT5110-19	19	330	165
TT5110-22	22	350	185
TT5110-24	24	370	260
TT5110-27	27	400	320
TT5110-30	30	430	380
TT5110-32	32	430	370
TT5110-36	36	460	525

钛合金直柄平把单头梅花扳手

Titanium Wrench,Single Box

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE



• 适用于航空、航天、医疗等行业，高空作业，适用于紧固和拆卸六角头螺栓、螺母，轻便、超强、无磁。

ITEM CODE	S mm	L mm	g
TT5111A-7	7	110	32
TT5111A-8	8	110	30
TT5111A-10	10	120	35
TT5111A-12	12	130	42
TT5111A-14	14	140	55
TT5111A-17	17	155	65
TT5111A-19	19	170	77
TT5111A-22	22	190	115
TT5111A-24	24	215	145
TT5111A-27	27	230	160
TT5111A-30	30	255	225
TT5111A-32	32	265	255
TT5111A-36	36	295	300

钛合金双头梅花扳手

Titanium Wrench,Double Box Offset

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE
- IN ACCORDANCE WITH DIN 838



• 德国 DIN838 标准
• 适用于航空、航天、医疗等行业，高空作业，适用于紧固和拆卸螺栓螺母，特别适用于狭窄、凹处不能容纳呆扳手的空间，轻便、超强、无磁。

ITEM CODE	S1*S2 mm	L mm	g
TT5108-0810	8*10	190	40
TT5108-1012	10*12	200	48
TT5108-1214	12*14	220	58
TT5108-1417	14*17	255	85
TT5108-1719	17*19	280	100
TT5108-1922	19*22	300	115
TT5108-2224	22*24	330	232
TT5108-2427	24*27	340	260
TT5108-2730	27*30	350	290
TT5108-3032	30*32	370	377

钛合金高颈撬棒梅花扳手

Titanium Wrench,Construction

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE



• 适用于航空、航天、医疗等行业，高空作业，适用于紧固和拆卸螺栓螺母，高颈有效避开障碍物，长柄、尖尾省力多用。轻便、超强、无磁。

ITEM CODE	S mm	L mm	g
TT5110A-8	8	210	65
TT5110A-10	10	230	70
TT5110A-12	12	250	88
TT5110A-14	14	270	105
TT5110A-17	17	310	135
TT5110A-19	19	330	165
TT5110A-22	22	350	185
TT5110A-24	24	370	260
TT5110A-27	27	400	320
TT5110A-30	30	430	380
TT5110A-32	32	430	370
TT5110A-36	36	460	525

钛合金敲击梅花扳手

Titanium Wrench,Striking Box

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE
- IN ACCORDANCE WITH DIN 7444



• 德国 DIN7444 标准
• 适用于航空、航天、医疗等行业，高空作业，用锤敲击、拆卸和紧固六角螺栓、螺母，超强、无磁。

ITEM CODE	S mm	L mm	g
TT5112-17	17	145	85
TT5112-19	19	145	80
TT5112-22	22	155	135
TT5112-24	24	165	130
TT5112-27	27	175	175
TT5112-30	30	185	255
TT5112-32	32	185	245
TT5112-36	36	205	315

钛合金平头双头梅花扳手

Titanium Wrench,Double Flat Box

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE
- IN ACCORDANCE WITH DIN 837



• 德国 DIN837 标准
• 适用于航空、航天、医疗等行业，高空作业，用于紧固和拆卸螺栓、螺母，物别适用于狭窄，不能容纳呆扳手的空间，轻便、超强、无磁。

ITEM CODE	S1*S2 mm	L mm	g
TT5109-0709	7*9	115	15
TT5109-0810	8*10	115	15
TT5109-1012	10*12	140	24
TT5109-1214	12*14	145	30
TT5109-1417	14*17	165	50
TT5109-1719	17*19	185	60
TT5109-1922	19*22	200	95
TT5109-2224	22*24	215	105
TT5109-2427	24*27	255	145
TT5109-2730	27*30	280	185
TT5109-3032	30*32	295	220

钛合金直柄单头梅花扳手

Titanium Wrench,Single Box

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE



• 适用于航空、航天、医疗等行业，高空作业，适用于紧固和拆卸六角头螺栓、螺母，轻便、超强、无磁。

ITEM CODE	S mm	L mm	g
TT5111-7	7	110	32
TT5111-8	8	110	30
TT5111-10	10	120	35
TT5111-12	12	130	42
TT5111-14	14	140	55
TT5111-17	17	155	65
TT5111-19	19	170	77
TT5111-22	22	190	115
TT5111-24	24	215	145
TT5111-27	27	230	160
TT5111-30	30	255	225
TT5111-32	32	265	255
TT5111-36	36	295	300

钛合金平把敲击梅花扳手

Titanium Wrench,Striking Box

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE
- IN ACCORDANCE WITH DIN 7444



• 德国 DIN7444 标准
• 适用于航空、航天、医疗等行业，高空作业，用锤敲击、拆卸和紧固六角螺栓、螺母，超强、无磁。

ITEM CODE	S mm	L mm	g
TT5112A-17	17	145	85
TT5112A-19	19	145	80
TT5112A-22	22	155	135
TT5112A-24	24	165	130
TT5112A-27	27	175	175
TT5112A-30	30	185	255
TT5112A-32	32	185	245
TT5112A-36	36	205	315

钛合金美式敲击梅花扳手

Titanium Offset Slogging Box Wrench(American Type)

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE



• 适用于航空、航天、医疗等行业，高空作业，适用于松紧大型螺栓、母，用锤敲击使用，高颈可有效避开障碍物。超强、无磁。

ITEM CODE	S mm	L mm	g
TT5113-19	19	220	400
TT5113-22	22	240	522
TT5113-24	24	240	522
TT5113-27	27	270	695
TT5113-30	30	280	815
TT5113-32	32	290	928

钛合金六角起子

Titanium Wrench,T-type Sliding Hex

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE
- 6-POINT



• 适用于航空、航天、医疗等行业，高空作业，用于紧固和拆卸深凹处的六角螺钉，轻便、超强、无磁。

ITEM CODE	S mm	L mm	H mm	g
TT5116-8	8	150	100	140
TT5116-10	10	150	110	150
TT5116-12	12	170	130	160
TT5116-14	14	170	140	220
TT5116-17	17	190	150	255
TT5116-19	19	220	160	340

钛合金斜口钳

Titanium Pliers,Diagonal Cutting

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE



• 适用于航空、航天、医疗等行业，高空作业，用于切断金属丝，平口斜嘴，适宜在凹下的空间中使用。轻便、超强、无磁。

ITEM CODE	L mm	g
TT5203-1002	150	180
TT5203-1004	200	260

钛合金内六角扳手

Titanium Wrench,Hex Key

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE
- 6-POINT



• 适用于航空、航天、医疗等行业，高空作业，用于紧固和拆卸六角螺钉，轻便、超强、无磁。

ITEM CODE	S mm	L mm	H mm	g
TT5114-3	3	59	25	4
TT5114-4	4	65	30	8
TT5114-5	5	79	32	12
TT5114-6	6	85	37	15
TT5114-7	7	88	43	18
TT5114-8	8	92	44	24
TT5114-9	9	97	44	32
TT5114-10	10	110	45	42
TT5114-11	11	119	48	58
TT5114-12	12	130	52	76
TT5114-13	13	140	54	100
TT5114-14	14	150	58	115
TT5114-15	15	156	60	145
TT5114-16	16	162	63	170
TT5114-17	17	168	65	205

钛合金鲤鱼钳

Titanium Pliers,Adjustable Combination

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE



• 适用于航空、航天、医疗等行业，高空作业，用于夹持圆柱形金属零件，维修检修便捷，轻便、超强、无磁。

ITEM CODE	L mm	K mm	g
TT5201-1002	150	8	125
TT5201-1004	200	13	180
TT5201-1006	250	16	280

钛合金尖嘴钳

Titanium Pliers,Snipe Nose

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE



• 适用于航空、航天、医疗等行业，高空作业，适用于在比较狭窄的空间夹持小零件、切断金属丝。轻便、超强、无磁。

ITEM CODE	L mm	g
TT5204-1002	150	120
TT5204-1004	200	200

钛合金球头内六角扳手

Titanium Wrench,Hex Key With Ball

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE



• 适用于航空、航天、医疗等行业，高空作业，紧固和拆卸六角螺钉，球头可旋转 30°，更便捷。轻便、超强、无磁。

ITEM CODE	S mm	L mm	H mm	g
TT5115-3	3	63	20	3
TT5115-4	4	70	25	7
TT5115-5	5	80	28	12
TT5115-6	6	90	32	17
TT5115-7	7	95	34	28
TT5115-8	8	100	36	32
TT5115-9	9	106	38	47
TT5115-10	10	112	40	55
TT5115-11	11	118	42	78
TT5115-12	12	125	45	90

钛合金克丝钳

Titanium Pliers,Linemen

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE



• 适用于航空、航天、医疗等行业，高空作业，手于夹持和弯折薄片剪断导线或金属线，轻便、超强、无磁。

ITEM CODE	L mm	g
TT5202-1002	150	220
TT5202-1004	200	290

钛合金叠置式水泵钳

Titanium Pliers,Groove Joint

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE



• 适用于航空、航天、医疗等行业，高空作业，用于夹持或旋拧扁形或柱形零件，可多档调节。轻便、超强、无磁。

ITEM CODE	L mm	K mm	g
TT5205-1002	150	16	80
TT5205-1004	200	25	120
TT5205-1006	250	45	270

钛合金新式水泵钳
Titanium Pliers,Water Pump

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE



・适用于航空、航天、医疗等行业，高空作业，用于夹持旋拧扁形和圆柱形金属零件，钳口宽，可多档调节，轻便、超强、无磁。

ITEM CODE	L mm	K mm	g
TT5206-1002	150	16	75
TT5206-1004	200	25	100
TT5206-1006	250	32	220

钛合金套筒头
Titanium Socket(1/2")

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE
- WITH 12-POINT



・适用于航空、航天、医疗等行业，高空作业，用于位置特殊、空间狭窄、深凹的工作环境中，轻便、超强、无磁。

ITEM CODE	S mm	L mm	g
TT5301-6	6	40	46
TT5301-8	8	40	47
TT5301-10	10	40	48
TT5301-12	12	40	50
TT5301-14	14	40	52
TT5301-17	17	40	55
TT5301-19	19	42	60
TT5301-22	22	43	65

钛合金转向手柄
Titanium Hinged Handle

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE



・适用于航空、航天、医疗等行业，高空作业，与套筒头配合使用，在不同角度范围内旋转螺栓、螺母。轻便、超强、无磁。

ITEM CODE	C inch	L mm	g
TT5304-1002	3/8	190	138
TT5304-1004	1/2	250	210

钛合金镊子
Titanium Tweezers,Neat Tips

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE



・适用于航空、航天、医疗等行业，高空作业，用于块状药品或金属颗粒等小物品的取出，轻便、超强、无磁。

ITEM CODE	L mm	g
TT5207-1002	150	20
TT5207-1004	200	28

钛合金风动套筒头
Titanium Impact Socket(3/4")

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE
- WITH 12-POINT



・适用于航空、航天、医疗等行业，高空作业，用于位置特殊、空间狭窄、深凹的工作环境中，轻便、超强、无磁。

ITEM CODE	S mm	L mm	g
TT5302-17	17	50	210
TT5302-19	19	50	220
TT5302-22	22	50	230
TT5302-24	24	50	250
TT5302-27	27	50	265
TT5302-30	30	55	280
TT5302-32	32	55	300

钛合金换向棘轮
Titanium Ratchet Wrench

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE
- IN ACCORDANCE WITH DIN 3122
- WITH REVERSE LEVER




・适用于航空、航天、医疗等行业，高空作业，棘轮采用薄壁设计适用于狭窄空间操作，单手即可操作。轻便、超强、无磁。

ITEM CODE	C inch	L mm	g
TT5305-1002	3/8	200	140
TT5305-1004	1/2	245	415
TT5305-1006	3/4	320	945

钛合金剥线压线断线钳
Titanium Crimping Tool,Insulated Cable Connectors

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE



・适用于航空、航天、医疗等行业，高空作业。

ITEM CODE	L inch	L mm	g
TT5208-1002	8	200	130

钛合金万向接头
Titanium Universal Joint

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE
- WITH 12-POINT



・适用于航空、航天、医疗等行业，高空作业，用于传动附件与套筒之间的一种连接附件。轻便、超强、无磁。

ITEM CODE	C inch	L mm	g
TT5303-1002	1/2	80	115
TT5303-1004	3/4	110	300

钛合金T型套筒扳手
Titanium Sliding T Type Wrench

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE



・适用于航空、航天、医疗等行业，高空作业，用于深凹的空间，直接松紧六方螺栓、螺母，轻便、超强、无磁。

ITEM CODE	S mm	L mm	g
TT5306-6	6	120	80
TT5306-8	8	120	85
TT5306-10	10	130	90
TT5306-12	12	140	115
TT5306-14	14	150	145
TT5306-17	17	170	175
TT5306-19	19	180	300
TT5306-22	22	190	435

钛合金套筒连接杆
Titanium Driver Extension

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE



・适用于航空、航天、医疗等行业，高空作业，配套筒头使用，直接用于松紧六角螺栓、螺母，轻便、超强、无磁。

ITEM CODE	C inch	L mm	g
TT5307-1002	3/8	75	55
TT5307-1004	1/2	125	145
TT5307-1006	1/2	250	290
TT5307-1008	3/4	200	520

钛合金削皮刀
Titanium Knife,Common

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE
- WITH PLASTIC HANDLE
- WITH HANGING HOLE



・适用于航空、航天、医疗等行业，高空作业，用于割削电线，绝缘层绳索等。轻便、超强、无磁。

ITEM CODE	K mm	L mm	g
TT5401-1002	25	230	75
TT5401-1004	30	250	85
TT5401-1006	35	260	100

钛合金圆弧抹刀
Titanium Spatula

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE
- WITH WOODEN HANDLE
- WITH HANGING HOLE



・适用于航空、航天、医疗等行业，高空作业，适用于刮涂泥子、油灰、除锈等。轻便、超强、无磁。

ITEM CODE	K mm	L mm	g
TT5404-1002	30	195	65
TT5404-1004	50	210	80
TT5404-1006	75	225	95

钛合金L型套筒扳手
Titanium Wrench,Socket L-Type

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE



・适用于航空、航天、医疗等行业，高空作业，适用于特殊位置空间狭窄的六角螺母的拆卸，轻便、超强、无磁。

ITEM CODE	S mm	L mm	H mm	g
TT5308-6	6	120	29	55
TT5308-8	8	145	33	85
TT5308-10	10	168	37	110
TT5308-12	12	215	42	120
TT5308-14	14	245	45	165
TT5308-17	17	260	51	270
TT5308-19	19	270	55	310

钛合金泥子刀
Titanium Knife,Putty

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE
- WITH WOODEN HANDLE
- WITH HANGING HOLE



・适用于航空、航天、医疗等行业，高空作业，用于刮涂泥子、油灰除锈等，轻便、超强、无磁。

ITEM CODE	K mm	L mm	g
TT5402-1002	25	200	65
TT5402-1004	40	200	80
TT5402-1006	50	200	90
TT5402-1008	65	200	100

钛合金除锈刀
Titanium Scraper,Flat

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE



・适用于航空、航天、医疗等行业，高空作业，用于在特殊位置清理锈迹、污渍、涂刮泥子、油灰等。轻便、超强、无磁。

ITEM CODE	K mm	L mm	g
TT5405-1002	30	200	165
TT5405-1004	30	300	255
TT5405-1006	35	350	325

钛合金快速摇柄
Titanium Speed Handle

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE



・配套筒头使用，快速拆卸深凹处螺栓。

ITEM CODE	C inch	L mm	g
TT5309-1002	3/8	300	250
TT5309-1004	1/2	390	430

钛合金泥子刀
Titanium Knife,Putty

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE
- WITH WOODEN HANDLE
- WITH HANGING HOLE



・适用于航空、航天、医疗等行业，高空作业，用于刮涂泥子、油灰除锈等，轻便、超强、无磁。

ITEM CODE	K mm	L mm	g
TT5403-1002	75	200	110
TT5403-1004	100	200	135
TT5403-1006	150	250	210

钛合金圆形扁铲
Titanium Chisel,Flat

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE



・适用于航空、航天、医疗等行业，高空作业，用于锤击錾切金属丝改良的敲击端，防止出现飞边及碎刃。轻便、超强、无磁。

ITEM CODE	B mm	Φ mm	L mm	g
TT5406-1002	10	10	120	45
TT5406-1004	12	12	140	75
TT5406-1006	14	14	160	115
TT5406-1008	16	16	160	150
TT5406-1010	18	18	160	190
TT5406-1012	20	20	200	290
TT5406-1014	22	22	200	355

钛合金尖撬棍

Titanium Bar,Pinch

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE



• 适用于航空、航天、医疗等行业，高空作业，适用于撬挪重物以及定位矫正。轻便、超强、无磁。

ITEM CODE	B mm	Φ mm	L mm	g
TT5407-1002	15	15	500	400
TT5407-1004	18	18	600	700
TT5407-1006	20	20	800	1100

钛合金电工一字螺丝刀

Titanium Electrician Screwdriver

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE
- WITH HANGING HOLE



• 适用于航空、航天、医疗等行业，高空作业，用于紧固和拆卸一字槽螺钉。轻便、超强、无磁

ITEM CODE	H mm	B mm	L mm	g
TT5503-1002	0.4	3	50	30
TT5503-1004	0.6	4	75	40
TT5503-1006	0.8	6	100	75
TT5503-1008	1	8	150	125
TT5503-1010	1.3	10	200	160

钛合金机械锤

Titanium Hammer,Cross Pein Engineers'

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE
- WITH WOODEN HANDLE



• 适用于航空、航天、医疗等行业，高空作业，超强、无磁。

ITEM CODE	Size mm	L mm	g
TT5702-1002	230	300	330
TT5702-1004	340	325	440
TT5702-1006	450	365	600
TT5702-1008	500	365	650
TT5702-1010	600	400	820

钛合金一字螺丝刀

Titanium Slotted Screwdriver

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE
- WITH HANGING HOLE



• 适用于航空、航天、医疗等行业，高空作业，用于紧固和拆卸一字槽螺钉。轻便、超强、无磁。

ITEM CODE	H mm	B mm	L mm	g
TT5501-1002	0.5	3	50	30
TT5501-1004	0.8	4	75	40
TT5501-1006	1	5	100	53
TT5501-1008	1.1	6	150	85
TT5501-1010	1.2	8	200	135

钛合金扭力扳手

Titanium Lock Torque Wrench-Window

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE



• 适用于航空、航天、医疗等行业，高空作业，用于控制螺钉和螺母锁紧力矩。轻便、超强、无磁。

ITEM CODE	C inch	Torque	L mm	g
TT5504-1002	3/8	5-50	360	420
TT5504-1004	1/2	10-100	405	475
TT5504-1008	1/2	20-200	500	565
TT5504-1010	1/2	60-300	595	645
TT5504-1012	3/4	150-750	1040	2450
TT5504-1014	1	200-1000	1253	4350

钛合金羊角锤

Titanium Hammer,Claw

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE
- WITH TITANIUM HANDLE



• 适用于航空、航天、医疗等行业，高空作业，超强、无磁。

ITEM CODE	Size lb	L mm	g
TT5703-1002	3/4	280	520
TT5703-1004	1	310	660

钛合金十字螺丝刀

Titanium Phillips Screwdriver

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE
- WITH HANGING HOLE



• 适用于航空、航天、医疗等行业，高空作业，用于紧固和拆卸十字槽螺钉。轻便、超强、无磁。

ITEM CODE	Size	Φ mm	L mm	g
TT5502-1002	0	3	50	30
TT5502-1004	1	4	75	40
TT5502-1006	1	5	100	53
TT5502-1008	2	6	150	85
TT5502-1010	3	8	200	135

钛合金奶头锤

Titanium Hammer,Ball Pein

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE
- WITH WOODEN HANDLE



• 适用于航空、航天、医疗等行业，高空作业，超强、无磁。

ITEM CODE	Size	L mm	g
TT5701A-1002	230g	300	330
TT5701A-1004	340g	325	440
TT5701A-1008	450g	365	600
TT5701A-1010	680g	400	900

ITEM CODE	Size	L mm	g
TT5701B-1002	3/4 lb	280	520
TT5701B-1014	1 lb	310	660

WEDO 维度®

钛合金 21 件套组合工具

Set-21pcs

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE



ITEM CODE	DESCRIPTION	SPECIFICATION
TT5601	呆梅两用扳手 Wrench,Combination 内六角扳手 Wrench,Hex Key L型套筒 Wrench,Socket L-Type	6mm,8mm,10mm,12mm, 14mm,17mm 3mm,4mm,5mm,6mm,7mm, 8mm,9mm,10mm,12mm 6mm,8mm,10mm,12mm,14mm

钛合金 14 件套组合工具

Set-14pcs

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE



ITEM CODE	DESCRIPTION	SPECIFICATION
TT5603	内六方套头3/8″ Socket 3/8″Hex 套筒头 3/8″ Soccket 3/8″ 双头呆扳手 Wrench, Double open End 套筒连接杆 Driver Extension 扭力扳手 3/8″ Torque Wrench 3/8″	4*90mm,5*90mm,6*90mm, 8*90mm 13mm,15mm,17mm,19mm, 13*15mm,15*17mm, 17*19mm 3/8"*100mm,3/8"*200mm 5-50Nm

钛合金 25 件套组合工具

Set-25pcs

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE



ITEM CODE	DESCRIPTION	SPECIFICATION
TT5602	双头呆扳手 Double open end wrench 呆梅两用扳手 Combination wrench 内六角扳手 Wrench,Hex Key 斜口钳 Diagonal cutting pliers 尖嘴钳 Long nose pliers 3/8"方套筒 Socket 3/8" 转向手柄 Hinged handle 一字螺丝刀 Flat screwdriver 十字螺丝刀 Phillips screwdriver	11/16"*3/4",9/16"*5/8",7/16"*1/2" 10mm,17mm 3mm,4mm,5mm,6mm,7mm, 8mm,9mm,3/16",5/32",5/16" 6" 8" 10mm,17mm 3/8"*180mm 3*50,4*100,8*150 #1*75,#3*150

钛合金 37 件套组合工具

Set-37pcs

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE



ITEM CODE	DESCRIPTION	SPECIFICATION
TT5604	套筒头 3/8″ Socket 3/8″ 双头呆扳手 Wrench, Double open End 内六角扳手 Wrench, Hex Key 克丝钳 Pliers, Lineman 斜口钳 Pliers, Diagonal Cutting 尖嘴钳 Pliers, Snipe Nose 镊子 Tweezers Neat Tips 转向手柄 Hinged Handle 一字螺丝刀 Screwdriver Slotted 十字螺丝刀 Screwdriver Phillips 星型内六角扳手 Wrench, Torx Key	10mm 8*10mm,10*12mm,14*17mm, 16*18mm,17*19mm,22*24mm 13*15mm 2mm,2.5mm,3mm,4mm,5mm 6mm,7mm,8mm,9mm,10mm, 150mm 150mm 150mm 150mm 3/8"*190mm 4*100mm,8*150mm #1*75mm,#3*150mm T7,T8,T9,T10,T15,T20,T25, T27,T30,T40

钛合金 39 件套组合工具

Set-39pcs

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE
- WITH HANGING HOLE



ITEM CODE	DESCRIPTION		SPECIFICATION
TT5605	呆梅两用扳手	Wrench, Combination	6mm,8mm,10mm,12mm,14mm
	内六角扳手	Wrench, Hex Key	3mm,4mm,5mm,6mm,7mm 8mm,9mm,10mm,11mm,12mm,
	尖嘴钳	Pliers, Snipe Nose	150mm,200mm
	斜口钳	Pliers, Diagonal Cutting	150mm,200mm
	套筒头 1/2″	Socket 1/2″	6mm,8mm,10mm,12mm,14mm, 17mm,19mm,22mm
	万向接头	Universal Joint	1/2″*80mm
	换向棘轮	Ratchet Wrench	1/2″*245mm
	套筒连接杆	Driver Extension	1/2″*125mm,1/2″*250mm
	一字螺丝刀	Screwdriver Slotted	3*50mm,4*75mm,5*100mm, 6*150mm
	十字螺丝刀	Screwdriver Phillips	50mm,75mm,100mm,150mm

钛合金 12 件套组合工具

Set-12pcs

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE



ITEM CODE	DESCRIPTION		SPECIFICATION
TT5607	呆梅扳手	Wrench,Combination	8mm,10mm,12mm,13mm, 14mm,17mm,19mm
	活扳手	Wrench,Adjustable	8"
	叠置式水泵钳	Pliers,Groove Joint	10"
	斜口钳	Pliers,Diagonal Cutting	6"
	尖嘴钳	Pliers,Snipe Nose	6"
	克丝钳	Pliers,Lineman	8"

钛合金 24 件套组合工具

Set-24pcs

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE



ITEM CODE	DESCRIPTION		SPECIFICATION
TT5606	呆梅扳手	Wrench,Combination	5.5mm,7mm,8mm,10mm, 10mm,13mm
	内六角扳手	Wrench,Hex Key	1.5mm,2mm,2.5mm,3mm,3mm 4mm,5mm,6mm,6mm,8mm,10mm
	L 套筒扳手	Wrench,Socket L-Type	5.5mm,7mm,7mm,8mm,10mm, 10mm,13mm

钛合金 40 件套组合工具

Set-40pcs

- TITANIUM
- 100% ANTI-MAGNETIC
- AMAZING LIGHTWEIGHT (UP TO 50% LIGHTER THAN STEEL)
- RUST-PROOF & CORROSION RESISTANT
- EXTREMELY STRONG & DURABLE



ITEM CODE	DESCRIPTION		SPECIFICATION
TT5608	内六角扳手	Wrench, Hex Key	3mm,4mm,5mm,6mm,7mm ,8mm,9mm,3/16",5/16",5/32"
	十字螺丝刀	Phillips Screwdriver	PH0,PH1,PH2,PH3
	一字螺丝刀	Slotted Screwdriver	3/16"*4",1/8"*4",1/4"*5", 5/16"*6",1/8"*8"
	呆梅扳手	Wrench,Combination	10mm,17mm,3/4",5/8", 11/16",9/16",1/2",7/16"
	活扳手	Wrench,Adjustable	8",10"
	叠置式水泵钳	Pliers,Groove Joint	10"
	新式水泵钳	Pliers, Water Pump	8"
	斜口钳	Pliers,Diagonal Cutting	8"
	尖嘴钳	Pliers,Snipe Nose	8"
	削皮刀	Knife,Common	230mm
	换向棘轮扳手	Ratchet Wrench	3/8"
	套筒连接杆	Driver Extension	3/8"
	3/8" 套筒	3/8" Socket	9mm,16mm,17mm
	3/8" 加长套筒	3/8" Socket(long type)	17mm

WEDO 维度®

产品质量保证条款

您购买的 WEDO 维度® 维度工具产品，凡在正常使用过程中，如果出现因产品本身质量问题引起的产品不能正常使用，可以在维度授权经销商处凭购买凭证获得免费更换同款产品。

WEDO 维度® 维度工具的产品的品质完全符合美国 ASME，德国 DIN 标准或中国标准 GB。

不属于维度工具质量保证范围如下：

1. 非 WEDO 维度® 品牌的工具产品。

2. 非正常使用情况下造成的产品损坏或产品不能正常使用，如自然损耗、人为损坏、私自改装维修、意外事件或不按产品使用说明滥用等。

3. 产品在使用后生锈，电镀脱皮，表面刮痕，塑料类手柄损坏及包装材料，如纸盒、架子、塑壳、纸卡、等在使用过程中破损。

4. 维度工具公司另行规定的产品。

如果您对维度工具的售后服务条款不清楚，或在指定经销商处得不到满意的服务，可以拨打电话 400-0022-737 或者登录维度工具的官方网站：WWW.WEDOTOOLS.COM. 查询相关信息。

维度工具友情提示：正确使用工具，是对自己和他人人身安全的保证。

本产品质量保证条款的最终解释权归 WEDO 维度® 维度工具公司所有。


请安全使用工具



请勿用锤子敲击普通螺丝批手柄


使用扳手时，请准确调节扳手尺寸，以防扳手松动打滑


不要在扳手尾端添加延长力臂（尤其是普通扳手）


不能两锤相互敲击，以防碎片崩裂伤人



拧螺丝时，请选择规格合适的螺丝批


登高作业时，请防工具坠落伤人


锤体松动请勿再使用，以免脱落伤人


请勿用锤子敲击工具以加力（如扳手、螺丝批等）


不能用锤子侧面做敲击面，这样会缩短使用寿命


敲击时，应使锤头敲击面，以免敲击端崩裂