

Roller Cabinet



- Kinds of tool sets are available to fit into the drawer. Details refer to

Page 35



Combination Lock

- Jetch Roller cabinet use combination lock, which release users from trouble of carrying keys, and it's convenience for using in narrow space.



1

Rear wheels can rotate 360degree, two rear wheels can be locked when no need move.



2

Body and drawers are made of super thick steel sheets, loading capacity up to 400kg



360°




Suitable for Factory's Use

Jetch roller cabinet and tool boxes can be used at automotive repair garages, automotive factories and mechanical factories, variety of models and combinations can satisfy different demand of factories.

Tool Boxes

PP Tool Box


- The box is made of enhancement PP, high grade impact resistance.
- The handle is made of ABS engineering plastic, solid and durable; baffle plate inside, convenience for separate the space.
- Drop from 3M height with 3kg load, several times, no broken.



Code	Model No.	A mm	Bmm	L mm	PCS	Kg	mm
060615	JB-15	385	200	145	6(1x6box)		
060616	JB-16	410	215	190	6(1x6box)		
060618	JB-18	450	245	215	6(1x6box)		

14" Portable Tool Box


- Standard: QB/T 3006-2008
- Made of zinc phosphating steel SPCC, rustproof ability is very strong.
- Thickness of side plate 0.6mm, thickness of top plate 0.8mm.



Code	Model No.	A mm	Bmm	L mm	PCS	Kg	mm
060514	TB-14	90	155	355	1box	1.55	415x220x160

17" Portable Tool Box

- Standard: QB/T 3006-2008
- Made of zinc phosphating steel SPCC, rustproof ability is very strong.
- Thickness of side plate 0.6mm, thickness of top plate 0.8mm.



Code	Model No.	A mm	Bmm	L mm	PCS	Kg	mm
060517	TB-17	190	178	430	1box	3.35	490x250x260

18" Portable Tool Box With 5 Tipping Drawers


- Standard: QB/T 3006-2008
- Made of zinc phosphating steel SPCC, rustproof ability is very strong.
- Thickness of side plate 0.6mm, thickness of top plate 0.8mm.



Code	Model No.	A mm	Bmm	L mm	PCS	Kg	mm
060518	TB-18	200	200	420	1box	4.85	480x300x265

19" Portable Tool Box


- Standard: QB/T 4399-2012
- Made of zinc phosphating steel SPCC, rustproof ability is very strong.
- Thickness of side plate 0.6mm, thickness of top plate 0.8mm.



Code	Model No.	A mm	Bmm	L mm	PCS	Kg	mm
060519	TB-19	190	180	480	1box	3.70	535x235x260

20" Portable Tool Box


- Standard: QB/T 3006-2008
- Thickness of side plate 0.6mm, thickness of top plate 0.8mm.



Code	Model No.	A mm	Bmm	L mm	PCS	Kg	mm
060520	TB-20	90	155	500	1box	2.15	550x220x165

21" Portable Tool Box With 5 Tipping Drawers


- Standard: QB/T 3006-2008
- Made of zinc phosphating steel SPCC, rustproof ability is very strong.
- Thickness of side plate 0.6mm, thickness of top plate 0.8mm.



Code	Model No.	A mm	Bmm	L mm	PCS	Kg	mm
060605	TB-21	230	200	500	1box	5.25	560x265x340

Tool Box 3 Drawers

- Standard: QB/T 3006-2008
- Cylinder type lock, more security and strong.
- Plastic Spray surface, mill finish paint, rustproof ability is very strong.
- Double ball slide design, slipping smoothly.
- Plastic covered handle, towing easily.



Code	Model No.	A mm	Bmm	L mm	PCS	Kg	mm
060703	TC-3	270	320	670	1box	14.60	725x380x330




INDEX

Tool Boxes

Tool Box 6 Drawers


- Standard:QB/T 3006-2008
- Cylinder type lock, more security and strong.
- Plastic Spray surface, mill finish paint, rustproof ability is very strong.
- Double ball slide design, slipping smoothly.
- Plastic covered handle, towing easily.



Code	Model No.	A mm	Bmm	L mm	PCS	Kg	mm
060706	TC-6	382	305	660	1box	23.00	710x440x360

Trolley With 7 Drawers

- Standard:QB/T 3006-2008
- The body is made of cold-rolled plate, thickness 1.2mm, strong and solid.
- Use TPR universal wheel with two brake, better than rubber wheel and nylon wheel in market, move more flexible.
- Good in bearing, skid resistance, abrasive resistance, and temperature tolerance.
- Double ball slide design, slipping smoothly and no noise.
- Combination lock, more solid and security.
- Plastic Spray surface, mill finish paint, rustproof ability is very strong.




Code	Model No.	A mm	Bmm	L mm	PCS	Kg	mm
060807	RC-7	865	455	680	1box	63.40	730x510x915

Roller Cabinet

Multi-function trolley no drawers

- Standard:QB/T 3006-2008
- Thickness of the red steel plate 1.5mm, which makes the cabinet solid and strong.
- Plastic Spray surface, mill finish paint, rustproof ability is very strong.
- Two wheel locks, the locks strong and durable.



Code	Model No.	A mm	Bmm	L mm	PCS	Kg	mm
060800	RC-3	685	470	685	1box	18.40	740x520x240

Multi-function trolley with drawer


- Standard:QB/T 3006-2008
- Thickness of the red steel plate 1.5mm, which makes the cabinet solid and strong.
- Plastic Spray surface, mill finish paint, rustproof ability is very strong.
- Two wheel locks, the locks strong and durable.



Code	Model No.	A mm	Bmm	L mm	PCS	Kg	mm
060801	RC-4	685	470	685	1box	23.60	745x520x245

Trolley With 9 Drawers

- Standard: QB/T 3006-2008
- The body is made of cold-rolled plate, thickness 1.2mm, strong and solid.
- Use TPR universal wheel with two brake, better than rubber wheel and nylon wheel in market, move more flexible.
- Good in bearing, skid resistance, abrasive resistance, and temperature tolerance.
- Double ball slide design, slipping smoothly and no noise.
- Combination lock, more solid and security.
- Plastic Spray surface, mill finish paint, rustproof ability is very strong.



Code	Model No.	A mm	Bmm	L mm	PCS	Kg	mm
060809	RC-9	860	460	1040	1box	94.00	1095x510x1070

Tool Bag

Binocular tool bag small size



Code	Model No.	Amm	Bmm	PCS	Kg	mm
060101	BA-S1	238	62	120(10x12box)	10.50	625x555x435


Monocular tool bag small size



Code	Model No.	Amm	Bmm	PCS	Kg	mm
060102	BA-S2	238	67	120(10x12box)	10.20	625x555x435

Trolley With 6 Drawers

- Standard: QB/T 4400-2012
- The body is made of cold-rolled plate, thickness 1.2mm, strong and solid.
- Use TPR universal wheel with two brake, better than rubber wheel and nylon wheel in market, move more flexible.
- Good in bearing, skid resistance, abrasive resistance, and temperature tolerance.
- Double ball slide design, slipping smoothly and no noise.
- Combination lock, more solid and security.
- Plastic Spray surface, mill finish paint, rustproof ability is very strong.




Code	Model No.	A mm	Bmm	L mm	PCS	Kg	mm
060806	RC-6	700	460	680	1box	54.20	740x520x890

Tool Bag

Waist Tool Bag Medium Size


- Special design for portable demand of various tools.
- Brace type pocket, convenience for taking and use when working.
- Special made extra-thick polyester fibre, high load capacity.
- Thickened edge piping, durable and wear resistant.



Code	Model No.	Amm	Bmm	PCS	Kg	mm
060201	BA-M1	355	295	20	11.30	580x520x280

Waist Tool Bag Medium Size


- Special design for portable demand of various tools.
- Brace type pocket, convenience for taking and use when working.
- Special made extra-thick polyester fibre, high load capacity.
- Thickened edge piping, durable and wear resistant.



Code	Model No.	Amm	Bmm	PCS	Kg	mm
060203	BA-M3	315	250	20	11.10	580x520x280

Waist Tool Bag Medium Size


- Special design for portable demand of various tools.
- Brace type pocket, convenience for taking and use when working.
- Special made extra-thick polyester fibre, high load capacity.
- Thickened edge piping, durable and wear resistant.



Code	Model No.	Amm	Bmm	PCS	Kg	mm
060202	BA-M2	360	300	20	11.10	580x520x280

Tool Bag Strap


- Made from high grade polyester fibre, more durable.
- Special and reasonable design, convenience for usage.





Code	Model No.	Amm	Bmm	PCS	Kg	mm
060401	BT-1	1180	57	120(10x12box)	18.00	625x475x410

Tool Bag

- Special design for portable demand of various tools.
- Brace type pocket, convenience for taking and use when working.
- Special made extra-thick polyester fibre, high load capacity.
- Thickened edge piping, durable and wear resistant.



Code	Model No.	Amm	Bmm	PCS	Kg	mm
060301	BA-L1	195	340	10	7.10	490x350x230
060302	BA-L2	270	445	10	10.10	570x450x210



INDEX