

Certificate of Analysis

Print Date: Apr 9th 2025

www.tocris.com

Product Name: Melanotan II Catalog No.: 2566 Batch No.: 9

CAS Number: 121062-08-6

1. PHYSICAL AND CHEMICAL PROPERTIES

Batch Molecular Formula: $C_{50}H_{69}N_{15}O_9$ Batch Molecular Weight: 1024.19

Physical Appearance: White lyophilised solid

Counter Ion: TFA

Solubility: Soluble to 0.70 mg/ml in water

Storage: Store at -20°C

Peptide Sequence: Ac-NIe-cyclo-(β-Asp-His-D-Phe-Arg-Trp

-ε-Lys)-NH₂

2. ANALYTICAL DATA

HPLC:

Mass Spectrum:

3. AMINO ACID ANALYSIS DATA

Shows 98.4% purity

Consistent with structure

Amino Acid Theoretical Actual Amino Acid Theoretical Actual

Ala			Lys	1.00	0.95
Arg	1.00	0.97	Met		
Asx	1.00	1.08	Phe	1.00	1.94
Cys			Pro		
Glx			Ser		
Gly			Thr		
His	1.00	1.07	Trp	1.00	0.60
lle			Tyr		
Leu			Val		

Caution - Not Fully Tested • Research Use Only • Not For Human or Veterinary Use

www.tocris.com/distributors Tel:+1 612 379 2956



Product Information

Print Date: Apr 9th 2025

www.tocris.com

Product Name: Melanotan II Catalog No.: 2566 Batch No.: 9

Storage: Store at -20°C

Solubility & Usage Info:

completely dissolved.

Counter Ion: TFA

Soluble to 0.70 mg/ml in water

CAS Number: 121062-08-6

Description:

Melanotan II is a high affinity melanocortin receptor agonist (K_i values are 0.67, 6.6, 34 and 46 nM for MC₁, MC₄, MC₃ and MC₅ receptors respectively). Stimulates erectile activity, inhibits food intake and displays neuroprotective properties in vivo.

Physical and Chemical Properties:

Batch Molecular Formula: $C_{50}H_{69}N_{15}O_{9}$ Batch Molecular Weight: 1024.19

Physical Appearance: White lyophilised solid

Peptide Sequence:

Ac-NIe-cyclo-(β-Asp-His-D-Phe-Arg-Trp -ε-Lys)-NH₂ **S**

Stability and Solubility Advice:

Some solutions can be difficult to obtain and can be encouraged by rapid stirring, sonication or gentle warming (in a 45-60°C water bath).

This product is supplied in lyophilized form. It may appear as a

solid, gel or film and be very hard to visualize. Solutions should

be made by adding solvent directly to the vial. The vial should then be vortexed vigorously to ensure the product has

Peptides in solution are much less stable than in lyophilized form. This is especially true for peptides whose sequences contain amino acids such Cys, Met,Trp, Asn, Gln, and N-terminal Glu.

Therefore we recommend storing peptides in solution for as short a time as possible. Avoid repeated freeze thaw cycles by dividing the peptide solution into aliquots and storing the aliquots at -20°C. Any portion of an aliquot unused after thawing should be discarded.

Peptides stored in solution can occasionally be susceptible to bacterial degradation. We recommend using sterile solutions or passing the peptide solution through a 0.2 μ m filter to remove potential bacterial contamination whenever possible.

References:

Ter Laak *et al* (2003) The potent melanocortin receptor agonist melanotan-II promotes peripheral nerve regeneration and has neuroprotective properties in the rat. Eur.J.Pharmacol. *462* 179. PMID: 12591111.

Martin et al (2002) Activation of melanocortin MC4 receptors increases erectile activity in rats ex copula. Eur.J.Pharmacol. 454 71. PMID: 12409007.

Wikberg (1999) Melanocortin receptors: perspectives for novel drugs. Eur.J.Pharmacol. 375 295. PMID: 10443584.

Caution - Not Fully Tested • Research Use Only • Not For Human or Veterinary Use