November 2016



Introducing 200G HDR InfiniBand Solutions

	Introduction	
	The Demand for More Throughput1	
	Mellanox Introduces 200G HDR InfiniBand Solutions2	
	Quantum 200G HDR InfiniBand Switch2	
	Introducing HDR100 for Ultimate Scalability2	
	ConnectX-6 200Gb/s InfiniBand and Ethernet (VPI) Network Adapter	
	In-Network Computing and Security Offloads	
	LinkX 200Gb/s InfiniBand and Ethernet Copper and Active Optical Cables4	
	Enabling the Next Generation of Data Centers4	
Introduction	In a world characterized by ever-increasing generation and consumption of digital information, the ability	1
	to analyze data to find insights in real time has become a competitive advantage. An advanced network must address how best to transfer growing amounts of data quickly and efficiently and how to perform analysis on that data on-the-fly.	
	The Co-Design technology transition has revolutionized the industry, clearly illustrating that the traditional CPU-centric data center architecture, wherein as many functions as possible are onloaded onto the CPU, is outdated. The transition to the new data-centric architecture requires that today's networks must be fast and they must be efficient, which means they must offload as many functions as possible from the CPU to other places in the network, enabling the CPU to focus on its primary role of handling the computer.	
The Demand for More Throughput	As the demand for data analysis grows, so too does the demand for higher data throughput to enable such detailed analysis. Whereas state-of-the -art applications to analyze automotive construction or weather simulations required 100Gb/s as recently as a few years ago, today's high-performance, machin leaning, storage and hyperscale technologies demand even faster networks. 100Gb/s bandwidth is not enough for many of today's more advanced data centers. Whether for brain mapping or for homeland security, the most demanding supercomputers and data center applications need to produce astounding achievements in remarkable turnaround times.	e
	Thus the race is on to develop 200Gb/s technologies that can support the requirements of today's most advanced networks.	



Figure 1. The Demand for HDR

Mellanox Introduces 200G HDR InfiniBand Solutions	Over the past decade, no one has pushed the industry forward more than Mellanox. As the first to 40Gb/s, 56Gb/s and 100Gb/s bandwidth, Mellanox has both boosted data center and cloud performance and improved return on investment at a pace that far exceeds Moore's Law and even exceeds its own roadmap. To that end, Mellanox has now announced that it is the first company to enable 200Gb/s data speeds, with ConnectX [®] -6 adapters, Mellanox Quantum [™] switches, and LinkX [™] cables combining for an end-to-end 200G HDR InfiniBand solution in 2017. By doubling the previous data rate, only Mellanox can provide the necessary speed to meet the demands of the world's most data-intensive applications.
Quantum 200G HDR InfiniBand Switch	With 40 ports of 200Gb/s HDR InfiniBand, Quantum offers an amazing 16Tb/s of bidirectional throughput and 15.6 billion messages per second in only 90ns of port-to-port switch latency. Quantum provides industry-leading integration of 160 SerDes, which can operate at a flexible 2.5Gb/s to 50Gb/s per lane, making Quantum the world's most scalable switch. Furthermore, Quantum is also the world's smartest switch, improving performance by processing data as it traverses the network and eliminating the need to send data multiple times between endpoints. By including collective communication accelerators and SHArP™ 2.0 MPI aggregation technology, Quantum is able to meet the needs of even the most demanding applications, from high-performance computing to machine learning.
Introducing HDR100 for Ultimate Scalability	Quantum also offers the HDR100 option, which enables ultimate scalability for data centers. By utilizing two pairs of two lanes per port, Quantum can support up to 80 ports of 100G to create the densest and most efficient top-of-rack switch available in the market. HDR100 allows data centers to utilize 1.6X fewer switches and 2X fewer cables than the competition to connect a 400-node system. Quantum can also connect 128,000 nodes in a 3-level Fat Tree topology, which is 4.6X better than competitive proprietary products. The ultimate effect is that whether using 40 ports of 200G HDR to achieve twice the throughput of the competition or 80 ports of 100G HDR100 to require half as many switches and cables as the competition for the same throughput, Quantum produces the lowest total cost of ownership for today's data centers and HPC clusters.



Figure 2. HDR100 Requires 1.6X Fewer Switches for 400-Nodes

Offering world-class performance for both InfiniBand and Ethernet, ConnectX-6 delivers 200Gb/s throughput with 200 million messages per second at under 600 nanoseconds of latency end-to-end. Plus, as with all Mellanox standard-based products, ConnectX-6 is backward compatible, supporting HDR, HDR100, EDR, FDR, QDR, DDR and SDR InfiniBand and 200, 100, 50, 40, 25, and 10 GbE.

ConnectX-6 offers improvements in Mellanox's Multi-Host® technology, allowing for up to eight hosts to be connected to a single adapter by segmenting the PCle interface into multiple and independent interfaces. This leads to a variety of new rack design alternatives, lowering the total cost of ownership in the data center by reducing CAPEX (cables, NICs, and switch port expenses), and OPEX (cutting down on switch port management and overall power usage).





Storage customers will benefit from ConnectX-6's embedded 16-lane PCle switch, which allows them to create standalone appliances in which the adapter is directly connected to the SSDs. By leveraging ConnectX-6 PCle Gen3/Gen4 capability, customers can build large, efficient high speed storage appliances with NVMe devices.

In-Network Computing and Security Offloads

ConnectX-6 and Quantum support the new generation of the data center architecture – the Data-centric architecture, in which the network becomes a distributed processor. By adding additional accelerators, ConnectX-6 and Quantum enable In-Network Computing and In-Network Memory capabilities, offloading even further computation to the network, which saves CPU cycles and increases the efficiency of the network.

ConnectX-6 200Gb/s InfiniBand and Ethernet (VPI) Network Adapter





350 Oakmead Parkway, Suite 100, Sunnyvale, CA 94085 Tel: 408-970-3400 • Fax: 408-970-3403 www.mellanox.com

© Copyright 2016. Mellanox Technologies. All rights reserved. Mellanox, Mellanox logo, ConnectX, and Mellanox Multi-Host are registered trademarks of Mellanox Technologies, Ltd. LinkX, Mellanox Quantum, and SHArP are trademarks of Mellanox Technologies, Ltd. All other trademarks are property of their respective owners.