

Составы наборов колец круглого сечения

O-RING

BOX SPECIFICATION ORKIT-5A (30 SIZES, TOTAL 382PCS)

NUMBER	METRIC		QUANTITY
	d.	w.	
568-006	2.90	1.78	20PCS
-007	3.68	1.78	20PCS
-008	4.47	1.78	20PCS
-009	5.29	1.78	20PCS
-010	6.07	1.78	20PCS
-011	7.65	1.78	20PCS
-012	9.25	1.78	20PCS
-110	9.19	2.62	13PCS
-111	10.77	2.62	13PCS
-112	12.37	2.62	13PCS
-113	13.94	2.62	13PCS
-114	15.54	2.62	13PCS
-115	17.12	2.62	13PCS
-116	18.72	2.62	13PCS
-210	18.64	3.53	10PCS

NUMBER	METRIC		QUANTITY
	d.	w.	
568-211	20.22	3.53	10PCS
-212	21.82	3.53	10PCS
-213	23.39	3.53	10PCS
-214	24.99	3.53	10PCS
-215	26.57	3.53	10PCS
-216	28.17	3.53	10PCS
-217	29.74	3.53	10PCS
-218	31.34	3.53	10PCS
-219	32.92	3.53	10PCS
-220	34.52	3.53	10PCS
-221	36.09	3.53	10PCS
-222	37.69	3.53	10PCS
-325	37.47	5.33	7PCS
-326	40.64	5.33	7PCS
-327	43.82	5.33	7PCS

O-RING

BOX SPECIFICATION ORKIT-5B (30 SIZES, TOTAL 382PCS)

NUMBER	METRIC		QUANTITY
	d.	w.	
P3	2.8	1.9	20PCS
P4	3.8	1.9	20PCS
P5	4.8	1.9	18PCS
P6	5.8	1.9	18PCS
P7	6.8	1.9	18PCS
P8	7.8	1.9	18PCS
P9	8.8	1.9	18PCS
P10A	9.8	2.4	13PCS
P11	10.8	2.4	13PCS
P12	11.8	2.4	13PCS
P14	13.8	2.4	13PCS
P16	15.8	2.4	13PCS
P18	17.8	2.4	13PCS
P20	19.8	2.4	13PCS
G20	20.0	3.0	10PCS

NUMBER	METRIC		QUANTITY
	d.	w.	
G22	22.00	3.0	10PCS
P22.4	22.10	3.5	10PCS
G25	24.40	3.1	10PCS
P25	24.70	3.5	10PCS
P26	25.70	3.5	10PCS
G30	29.40	3.1	10PCS
P30	29.70	3.5	10PCS
P32	31.70	3.5	10PCS
P34	33.70	3.5	10PCS
G35	34.40	3.1	10PCS
P36	35.70	3.5	10PCS
G40	39.40	3.1	10PCS
P40	39.70	3.5	10PCS
G45	44.40	3.1	11PCS
P48	47.70	3.5	10PCS

O-RING

BOX SPECIFICATION ORKIT-5C(30 SIZES, TOTAL404PCS)

NUMBER	METRIC		QUANTITY
	d.	W.	
5C-01	3.0	2.0	16PCS
02	4.0	2.0	16PCS
03	5.0	2.0	16PCS
04	6.0	2.0	16PCS
05	7.0	2.0	16PCS
06	8.0	2.0	16PCS
07	10	2.0	16PCS
08	10	2.5	13PCS
09	11	2.5	13PCS
10	12	2.5	13PCS
11	14	2.5	13PCS
12	16	2.5	13PCS
13	17	2.5	13PCS
14	19	2.5	13PCS
15	19	3.0	12PCS

NUMBER	METRIC		QUANTITY
	d.	W.	
5C-16	20	3.0	12PCS
17	22	3.0	12PCS
18	24	3.0	12PCS
19	25	3.0	12PCS
20	27	3.0	12PCS
21	28	3.0	12PCS
22	30	3.0	12PCS
23	32	3.0	12PCS
24	33	3.0	12PCS
25	35	3.0	12PCS
26	36	3.0	12PCS
27	38	3.0	12PCS
28	38	4.0	9PCS
29	41	4.0	9PCS
30	44	4.0	9PCS

O-RING

BOX SPECIFICATION ORKIT-8B(32 SIZES, TOTAL 407PCS)

NUMBER	METRIC		QUANTITY
	d.	W.	
568-006	2.90	1.78	20PCS
-008	4.47	1.78	20PCS
-010	6.07	1.78	20PCS
-011	7.65	1.78	20PCS
-012	9.25	1.78	20PCS
-014	12.42	1.78	20PCS
-110	9.19	2.62	13PCS
-111	10.71	2.62	13PCS
-112	12.37	2.62	13PCS
-113	13.94	2.62	13PCS
-114	15.54	2.62	13PCS
-115	17.12	2.62	13PCS
-116	18.72	2.62	13PCS
-117	20.29	2.62	13PCS
-118	21.89	2.62	13PCS
-210	18.64	3.53	10PCS

NUMBER	METRIC		QUANTITY
	d.	W.	
568-211	20.22	3.53	10PCS
-212	21.82	3.53	10PCS
-213	23.39	3.53	10PCS
-214	24.99	3.53	10PCS
-215	26.57	3.53	10PCS
-216	28.17	3.53	10PCS
-217	29.74	3.53	10PCS
-218	31.34	3.53	10PCS
-219	32.94	3.53	10PCS
-220	34.52	3.53	10PCS
-221	36.09	3.53	10PCS
-222	37.69	3.53	10PCS
-223	40.87	3.53	10PCS
-224	44.04	3.53	10PCS
-225	47.21	3.53	10PCS
-226	50.39	3.53	10PCS

O-RING

BOX SPECIFICATION ORKIT-8C(32 SIZES, TOTAL 419PCS)

NUMBER	METRIC		QUANTITY
	d.	w.	
R-01	3.0	1.5	20PCS
R-02	4.4	2.0	20PCS
R-03	5.0	2.0	18PCS
R-04	7.0	1.5	23PCS
R-05	10.0	1.5	23PCS
R-06	13.0	1.5	23PCS
R-07	10.0	2.5	14PCS
R-08	11.0	2.5	13PCS
R-09	13.0	2.5	14PCS
R-10	14.0	2.5	13PCS
R-11	16.0	2.5	14PCS
R-12	18.0	2.5	14PCS
R-13	19.0	2.5	13PCS
R-14	21.0	2.5	14PCS
R-15	22.0	2.5	13PCS
R-16	18.0	3.5	10PCS

NUMBER	METRIC		QUANTITY
	d.	w.	
R-17	20.0	3.5	10PCS
R-18	22.0	3.5	10PCS
R-19	23.5	3.5	10PCS
R-20	25.0	3.5	10PCS
R-21	26.5	3.5	10PCS
R-22	28.0	3.5	10PCS
R-23	30.0	3.5	10PCS
R-24	31.0	3.5	10PCS
R-25	33.0	3.5	10PCS
R-26	34.5	3.5	10PCS
R-27	36.0	3.5	10PCS
R-28	38.0	3.5	10PCS
R-29	41.0	3.5	10PCS
R-30	44.0	3.5	10PCS
R-31	47.0	3.5	10PCS
R-32	50.0	3.5	10PCS

Use for
CATERPILLAR
Excavator

Model **320 312**

O-Ring Kits
NBR 90 Dure
36 items 340 pcs

Hydraulic
Pump

Pipe
Joint

Control
Valve

PART NO.	ID	C/S	QTY	PART NO.	ID	C/S	QTY
P4	3.80	1.90	11	2-213	23.39	3.53	8
P5	4.80	1.90	13	GSA-0031			9
P6	5.80	1.90	14	1P-3702			5
P7	6.80	1.90	14	2-914	26.59	2.95	10
P8	7.80	1.90	13	2-217	29.74	3.53	8
P9	8.80	1.90	13	G30	29.40	3.10	9
P10	9.80	1.90	13	2-125	32.99	2.62	11
	9.50	2.65	10	1P-3703			5
2-111	10.77	2.62	9	2-220	34.52	3.53	8
2-112	12.37	2.62	9	G35	34.40	3.10	9
2-113	13.94	2.62	9	G40	39.40	3.10	8
2-114	15.54	2.62	9	2-130	40.94	2.62	10
2-115	17.12	2.62	9		41.50	4.00	7
2-116	18.72	2.62	9	G45	44.40	3.10	9
GSA-0029			8	2-906	11.89	1.98	9
2-118	21.89	2.62	9	2-018	18.77	1.78	10
2-212	21.82	3.53	7	2-021	23.52	1.78	9
2-912	23.47	2.95	8		29.00	2.00	9

Use for
HITACHI
Excavator


O-Ring Kits
NBR 90 Dure
30 items 440 pcs

PART NO.	ID	C/S	QTY	PART NO.	ID	C/S	QTY
P3	2.80	1.90	16	A21	23.52	1.78	16
P4	3.80	1.90	16	M2021	25.00	2.00	16
P5	4.80	1.90	16	M2051	27.00	2.00	16
P6	5.80	1.90	16	M2052	29.00	2.00	16
P7	6.80	1.90	16	M2418	30.00	2.00	16
P8	7.80	1.90	16	M2023	31.00	2.00	16
P9	8.80	1.90	16	M2493	33.00	2.00	16
M2010	10.00	2.00	13	M2026	35.00	2.00	16
M2046	11.00	2.00	13	M2557	37.00	2.00	16
M2344	12.00	2.00	13	M2703	37.00	2.50	16
M2011	13.00	2.00	13	M2030	40.00	2.00	16
M2013	15.00	2.00	13	M2732	41.00	2.50	12
M2047	17.00	2.00	13	M2654	44.00	2.50	12
M2015	18.00	2.00	13	M2660	47.00	2.50	12
M2016	20.00	2.00	13	M2679	50.00	2.50	12

Use for
KOMATSU
Excavator

O-Ring Kits
NBR 90 Dure
33 items 435 pcs

PART NO.	ID	C/S	QTY	PART NO.	ID	C/S	QTY
07000-11003	2.80	1.90	18	07000-12025	24.40	3.10	11
07000-11004	3.80	1.90	18	07000-12030	29.40	3.10	11
07000-11005	4.80	1.90	18	07000-12040	39.40	3.10	11
07000-11006	5.80	1.90	18	07000-12045	44.40	3.10	11
07000-11007	6.80	1.90	18	07002-12434	20.70	3.40	10
07000-11008	7.80	1.90	18	07000-13022	21.70	3.50	10
07000-11009	8.80	1.90	18	07000-13026	25.70	3.50	10
07000-11010	9.80	1.90	18	07000-13030	29.70	3.50	10
07000-12010	9.80	2.40	14	07000-13032	31.70	3.50	10
07000-12020	19.80	2.40	14	07000-13035	34.70	3.50	10
07000-12021	20.80	2.40	14	07000-13036	35.70	3.50	10
07000-12022	21.80	2.40	14	07000-13038	37.70	3.50	10
02891-12009	9.20	2.62	14	07000-13040	39.70	3.50	10
02891-12010	10.77	2.62	14	07000-13048	47.70	3.50	10
02891-12016	17.12	2.62	14	07000-13050	49.70	3.50	10
02891-12013	13.95	2.62	14	02892-13032	32.92	3.53	11
02891-12018	18.72	2.62	14				



Use for
VOLVO
Excavator

O-Ring Kits
NBR 90 Dure
28 items 339 pcs

PART NO.	ID	C/S	QTY	PART NO.	ID	C/S	QTY
P6	5.80	1.90	10	P32	31.70	3.50	10
P8	7.80	1.90	16	P34	33.70	3.50	10
P10	9.80	1.90	13	P38	37.70	3.50	10
P11	10.80	2.40	10	A12	9.25	1.78	18
P14	13.80	2.40	10	A14	12.42	1.78	18
P16	15.80	2.40	13	A21	23.52	1.78	18
P18	17.80	2.40	13	A25	29.87	1.78	18
P21	20.80	2.40	13	A108	6.02	2.62	16
P22	21.80	2.40	13	A127	36.17	2.62	10
P22.4	22.10	3.50	10	A131	42.52	2.62	10
P25	24.70	3.50	10	A219	32.99	3.53	10
P26	25.70	3.50	10	G25	24.40	3.10	10
P28	27.70	3.50	10	G35	34.40	3.10	10
P30	29.70	3.50	10	G40	39.40	3.10	10

382 pcs.

Viton 75 Duro

AS568

30 Sizes

Position NO.	Dimensions (mm)	Quantity	Position NO.	Dimensions (mm)	Quantity	Position NO.	Dimensions (mm)	Quantity
006	2.90 x 1.78	20	113	13.94 x 2.62	13	216	28.17 x 3.53	10
007	3.68 x 1.78	20	114	15.54 x 2.62	13	217	29.74 x 3.53	10
008	4.47 x 1.78	20	115	17.12 x 2.62	13	218	31.34 x 3.53	10
009	5.28 x 1.78	20	116	18.72 x 2.62	13	219	32.92 x 3.53	10
010	6.07 x 1.78	20	210	18.64 x 3.53	10	220	34.52 x 3.53	10
011	7.65 x 1.78	20	211	20.22 x 3.53	10	221	36.09 x 3.53	10
012	9.25 x 1.78	20	212	21.82 x 3.53	10	222	37.69 x 3.53	10
110	9.19 x 2.62	13	213	23.39 x 3.53	10	325	37.47 x 5.33	7
111	10.77 x 2.62	13	214	24.99 x 3.53	10	326	40.64 x 5.33	7
112	12.37 x 2.62	13	215	26.57 x 3.53	10	327	43.82 x 5.33	7

O-ring Kit

386PCS.
VITON 75 BLACK
30 Sizes

AS568A Dash No.	Actual Size (inch)	Quantity in kit	AS568A Dash No.	Actual Size (inch)	Quantity in kit	AS568A Dash No.	Actual Size (inch)	Quantity in kit
-006	3.00X2.00	16	-113	14.00X2.50	13	-216	28.00X3.00	12
-007	4.00X2.00	16	-114	16.00X2.50	13	-217	30.00X3.00	12
-008	5.00X2.00	16	-115	17.00X2.50	13	-218	32.00X3.00	12
-009	6.00X2.00	16	-116	19.00X2.50	13	-219	33.00X3.00	12
-010	7.00X2.00	16	-210	19.00X3.00	12	-220	35.00X3.00	12
-011	8.00X2.00	16	-211	20.00X3.00	12	-221	36.00X3.00	12
-012	10.00X2.00	16	-212	22.00X3.00	12	-222	38.00X3.00	12
-110	10.00X2.50	13	-213	24.00X3.00	12	-325	38.00X4.00	9
-111	11.00X2.50	13	-214	25.00X3.00	12	-326	41.00X4.00	9
-112	12.00X2.50	13	-215	27.00X3.00	12	-327	44.00X4.00	9

Состав набора колец х-образного сечения

382 pcs.

Nitrile 70 Duro

X-Ring

AS568

30 Sizes

Position NO.	Dimensions (mm)	Quantity	Position NO.	Dimensions (mm)	Quantity	Position NO.	Dimensions (mm)	Quantity
006	2.90 x 1.78	20	113	13.94 x 2.62	13	216	28.17 x 3.53	10
007	3.68 x 1.78	20	114	15.54 x 2.62	13	217	29.74 x 3.53	10
008	4.47 x 1.78	20	115	17.12 x 2.62	13	218	31.34 x 3.53	10
009	5.28 x 1.78	20	116	18.72 x 2.62	13	219	32.92 x 3.53	10
010	6.07 x 1.78	20	210	18.64 x 3.53	10	220	34.52 x 3.53	10
011	7.65 x 1.78	20	211	20.22 x 3.53	10	221	36.09 x 3.53	10
012	9.25 x 1.78	20	212	21.82 x 3.53	10	222	37.69 x 3.53	10
110	9.19 x 2.62	13	213	23.39 x 3.53	10	325	37.47 x 5.33	7
111	10.77 x 2.62	13	214	24.99 x 3.53	10	326	40.64 x 5.33	7
112	12.37 x 2.62	13	215	26.57 x 3.53	10	327	43.82 x 5.33	7